

SCP-500 (Parallel)

SAM 1 Phantom: Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.178 mW/g, SAR (10g): 0.114 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.02 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Parallel)

SAM 1 Phantom: Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$

mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.365 mW/g, SAR (10g): 0.234 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.06 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Perpendicular)

SAM I Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.123 mW/g, SAR (10g): 0.0815 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.16 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Perpendicular)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz; $\sigma = 0.99$

mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.173 mW/g, SAR (10g): 0.117 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Vertical)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.0783 mW/g, SAR (10g): 0.0539 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.13 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Vertical)

SAM 1 Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ rho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.181 mW/g, SAR (10g): 0.122 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.11 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Horizontal)

SAM I Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.0467 mW/g, SAR (10g): 0.0283 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.01 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Horizontal)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.108 mW/g, SAR (10g): 0.0642 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.04 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Parallel)

SAM 1 Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ rho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.259 mW/g, SAR (10g): 0.167 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Parallel)

SAM 1 Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.286 mW/g, SAR (10g): 0.184 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.08 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power: 24 dBm

Liquid Temperature: 21.4 °C

Date Tested : December 15, 2003



SCP-500 (Parallel)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$

mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.0469 mW/g, SAR (10g): 0.0249 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.21 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Parallel)

SAM II Phantom: Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.06 mW/g, SAR (10g): 0.517 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.12 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Perpendicular)

SAM II Phantom: Flat Section: Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70, 4.70, 4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.0533 mW/g, SAR (10g): 0.0315 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.03 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Perpendicular)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.0404 mW/g, SAR (10g): 0.0232 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.10 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Vertical)

SAM II Phantom: Flat Section: Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.135 mW/g, SAR (10g): 0.0800 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.07 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Vertical)

SAM II Phantom: Flat Section: Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$

mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.664 mW/g, SAR (10g): 0.393 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.07 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Horizontal)

SAM II Phantom: Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.0253 mW/g, SAR (10g): 0.0147 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.04 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : in

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Horizontal)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$

 $\text{mho/m } \epsilon_r = 52.1 \rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.704 mW/g, SAR (10g): 0.406 mW/g

Coarse: $\Delta x = 20.0$, $\Delta y = 20.0$, $\Delta z = 10.0$

Powerdrift: 0.15 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: PCS CDMA / Channel: 600 (1880 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Parallel)

SAM II Phantom: Flat Section: Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70, 4.70, 4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ rho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.11 mW/g, SAR (10g): 0.579 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.08 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.


Test Position: Body / Antenna : out

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003



SCP-500 (Parallel)

SAM II Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70, 4.70, 4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.56$ mho/m $\epsilon_r = 52.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.836 mW/g, SAR (10g): 0.403 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.09 dB

Comment:

FCC ID : PFZSCP-500 / MODEL : SCP-500 (Compaq)

Company : Sewon Telecom Co., Ltd.

Test Position: Body / Antenna : out

Mode: PCS CDMA / Channel: 1175 (1908.75 MHz)

Conducted Power : 24 dBm

Liquid Temperature : 21.7 °C

Date Tested : December 16, 2003

