
| REVISIONS |                                      |              |                   |  |  |  |
|-----------|--------------------------------------|--------------|-------------------|--|--|--|
| REV.      | REVISION NOTE                        | DATE         | <b>REVISED BY</b> |  |  |  |
| X-X       | Preliminary-Quote                    | Apr 16, 2024 | Glenn Walters     |  |  |  |
| 0-0       | EVT                                  | Aug 29, 2024 | Glenn Walters     |  |  |  |
| 1-0       | Initial Produciton Release           | Dec 3, 2024  | Rich Walters      |  |  |  |
| 1-1       | Correct CAD image mapping            | Feb 21, 2025 | Rich Walters      |  |  |  |
| 2-0       | Added HVIN and Note regarding DevEUI | Mar 3, 2025  | Rich Walters      |  |  |  |
| 3-0       | Removed Text :ID and Model           | Mar 4, 2025  | Rich Walters      |  |  |  |
| 3-1       | Added note about COO                 | Mar 5, 2025  | Rich Walters      |  |  |  |




Notes:

- 1. Material: PET
- 2. Color: White with black printing
- 3. Material must comply with food contact certification as per EU10/2011
- 4. Bar Code Contents: Part Number, Major Revision, Date Code, DevEUI
- 5. DevEUI is a variable, retrieved from RM126x module
- 6. Country of Origin is a variable depending on manufacturing location

|                        |   | TOLERANCES:<br>ANGULAR: ± .5 | CAD FILE: 160-00081         |           |      | TITLE:<br>Label, RS2xx Sentrius Sensor,<br>RM1262, External Temp, NA, Back,<br>45mm x 20mm |                   |           |     |  |
|------------------------|---|------------------------------|-----------------------------|-----------|------|--|-------------------|-----------|-----|--|
| THIRD ANGLE PROJECTION | UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS EZURIO INFORMATION. REPRODUCTION,<br>USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS POHIBITED<br>EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO.<br>EZURIO RESERVES ALL RIGHTS UNDER PATENTS. TRADEMARKS. COPY RIGHTS AND TRADE |                              | X.X ±.2<br>X.XX ±.1         | 4/10/2024 |      | <b>817</b> E   | SIZE DWG. NO. REV |           |     |  |
|                        |   |                              | INTERPRET GEOMETRIC         |           |      |  | DvvG.             |           |     |  |
|                        | SECRETS. COPYRIGHT, EZURIO 2024, ALL RIC  |                              | TOLERANCING PER: ASME 14.5M | SHEET 1   | OF 1 | A  |                   | 160-00081 | 3-1 |  |
|                        | 5   | 4                            | 3                           |           |      | 2  |                   | 1         |     |  |

| REVISIONS |                                      |              |               |  |  |  |  |
|-----------|--------------------------------------|--------------|---------------|--|--|--|--|
| REV.      | REVISION NOTE                        | DATE         | REVISED BY    |  |  |  |  |
| X-X       | Preliminary-Quote                    | Apr 16, 2024 | Glenn Walters |  |  |  |  |
| 0-0       | EVT                                  | Aug 29, 2024 | Glenn Walters |  |  |  |  |
| 1-0       | Initial Produciton Release           | Dec 3, 2024  | Rich Walters  |  |  |  |  |
| 2-0       | Added HVIN and Note regarding DevEUI | Mar 3, 2025  | Rich Walters  |  |  |  |  |
| 3-0       | Remove text: ID and Model            | Mar 4, 2025  | Rich Walters  |  |  |  |  |
| 3-1       | Added Note about COO                 | MAr 5, 2025  | Rich Walters  |  |  |  |  |



Notes:

- 1. Material: PET
- 2. Color: White with black printing
- 3. Material must comply with food contact certification as per EU10/2011
- 4. Bar Code Contents: Part Number, Major Revision, Date Code, DevEUI
- 5. DevEUI is a variable, retrieved from RM126x module
- 6. Country of Origin is a variable depending on manufacturing location

|  |   |   | TOLERANCES:<br>ANGULAR: ± .5  | CAD FILE: 160-00033              | TITLE:<br>Label, RS2xx Sentrius Sensor,<br>RM1262, Internal Temp, NA, Back,<br>45mm x 20mm |   |                   |  |
|--|---|---|---|----------------------------------|--|---|-------------------|--|
|  | UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS EZURIO INFORMATION. REPRODUCTION,<br>USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED<br>EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF EZURIO.<br>EZURIO RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE<br>SECRETS. COPYRIGHT, EZURIO 2024, ALL RIGHTS RESERVED. |   | X.X ±.2<br>X.XX ±.1<br>INTERPRET GEOMETRIC<br>TOLERANCING PER: ASME 14.5M | DATE Mar 4, 2025<br>SHEET 1 OF 1 | SIZE DV  |   | REV<br><b>3-1</b> |  |
|  | 5   | 4 | 3   | 2                                |  | ] |                   |  |

