



WWAN Ant1+5G NR Ant0+2.4G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	65.6	0.02
5G NR-n2 QPSK20M Ch372000_Ant 0			0.45	104.4	-16	5.88		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	208.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	83.6	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	79.3	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	195.6	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	100.2	0.02
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		

WWAN Ant1+5G NR Ant0+2.4G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	77.1	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	85.4	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	79.0	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	114.9	0.01
5G NR-n66 QPSK20M Ch354000_Ant 0			0.54	102.8	-67.6	5.89		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	226.1	0.01
WLAN2.4G_802.11b_Ch6_Ant 1			1.11	-96	40	8.15		

WWAN Ant0+5G NR Ant1+5G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	96.8	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	217.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	195.8	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	95.7	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	214.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	195.8	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	96.5	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	214.7	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	195.8	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	93.6	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	217.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	193.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant0+5G NR Ant1+5G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	92.4	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	214.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	193.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	119.3	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	233.1	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	109.0	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	217.6	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	103.4	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	216.8	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant0+5G NR Ant1+5G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	51.8	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	202.7	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	91.5	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	217.4	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	90.3	0.02
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	214.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	91.1	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	214.7	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant1+5G NR Ant0+5G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	65.6	0.02
5G NR-n2 QPSK20M Ch372000_Ant 0			0.45	104.4	-16	5.88		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	177.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	202.7	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	83.6	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	190.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	79.3	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	192.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	100.2	0.02
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	177.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant1+5G NR Ant0+5G Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	77.1	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	191.1	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.3	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	85.4	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	190.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	213.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	79.0	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	191.1	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	213.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	114.9	0.01
5G NR-n66 QPSK20M Ch354000_Ant 0			0.54	102.8	-67.6	5.89		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	177.2	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	218.8	0.01
WLAN5.3G_802.11ac VHT160_Ch50_Ant 1			0.93	-93	30	8.12		

WWAN Ant0+5G NR Ant1+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	96.8	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	196.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	206.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	95.7	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	193.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	206.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	96.5	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	193.7	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	206.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	93.6	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	196.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	202.6	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	92.4	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	193.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	202.6	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	119.3	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	208.9	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	240.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	206.9	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	109.0	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	194.8	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	225.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	206.9	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	103.4	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	196.0	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	206.9	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	51.8	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	198.4	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	208.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	206.9	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	91.5	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	196.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	201.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	90.3	0.02
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	193.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	201.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	91.1	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	193.7	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	201.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	65.6	0.02
5G NR-n2 QPSK20M Ch372000_Ant 0			0.45	104.4	-16	5.88		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	194.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	198.4	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	208.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	83.6	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	202.0	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	204.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	79.3	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	202.6	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	195.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	204.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	100.2	0.02
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	194.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	204.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	77.1	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	200.7	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	204.5	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	85.4	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	202.0	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	197.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+2.4G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	79.0	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	200.7	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	197.1	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	114.9	0.01
5G NR-n66 QPSK20M Ch354000_Ant 0			0.54	102.8	-67.6	5.89		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	194.2	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	198.3	0.01
WLAN2.4G_802.11b_Ch11_Ant 0			0.76	-93	-36	8.3		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	226.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN2.4G_802.11b_Ch11_Ant 0	NB	Bottom	0.76	-93	-36	8.3	76.1	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	96.8	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	201.0	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	207.9	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	95.7	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	198.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	207.9	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	96.5	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	198.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	207.9	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	93.6	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	201.0	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	204.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	92.4	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	198.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	204.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.8	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	119.3	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	213.7	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	240.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	208.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	109.0	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	199.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	225.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	208.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	103.4	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	200.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	208.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	51.8	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	201.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	208.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	208.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	91.5	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	201.0	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	203.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	90.3	0.02
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	198.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	203.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	91.1	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	198.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	203.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	65.6	0.02
5G NR-n2 QPSK20M Ch372000_Ant 0			0.45	104.4	-16	5.88		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	195.3	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	201.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	208.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	83.6	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	203.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	208.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	79.3	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	204.3	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	195.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	208.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	100.2	0.02
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	195.3	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	208.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	77.1	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	202.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	208.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	85.4	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	203.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	201.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant1+5G NR Ant0+5G Ant0+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	79.0	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	202.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	201.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	114.9	0.01
5G NR-n66 QPSK20M Ch354000_Ant 0			0.54	102.8	-67.6	5.89		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	195.3	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	202.9	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0			0.86	-96.6	-30.4	8.11		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	226.1	0.00
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		
WLAN5.6G_802.11ac VHT160_Ch114_Ant 0	NB	Bottom	0.86	-96.6	-30.4	8.11	70.4	0.02
BT BDR_Ch0_Ant 1			0.26	-96	40	8.24		

WWAN Ant0+5G NR Ant1+2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	96.8	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	95.7	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	96.5	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	199.2	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	93.6	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		

WWAN Ant0+5G NR Ant1+2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	92.4	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	196.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	119.3	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	240.7	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.3	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	109.0	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	225.1	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.3	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	103.4	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	224.1	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.3	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		

WWAN Ant0+5G NR Ant1+2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	51.8	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	208.1	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	197.3	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	91.5	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	224.7	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	90.3	0.02
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	221.7	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	91.1	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	222.0	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	196.2	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		

WWAN Ant1+5G NR Ant0+2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	65.6	0.02
5G NR-n2 QPSK20M Ch372000_Ant 0			0.45	104.4	-16	5.88		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	208.1	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	83.6	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	79.3	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	195.6	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	100.2	0.02
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11n HT40_Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		

WWAN Ant1+5G NR Ant0+2.4G Ant0+1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	77.1	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	225.9	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	85.4	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	193.4	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	79.0	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	194.6	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	220.0	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	114.9	0.01
5G NR-n66 QPSK20M Ch354000_Ant 0			0.54	102.8	-67.6	5.89		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	179.6	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	226.1	0.01
WLAN2.4G_802.11n HT40 Ch6_Ant 0+1_Cube1			1.05	-96	40	8.12		

WWAN Ant0+5G NR Ant1+5G Ant0+1+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	96.8	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	217.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	195.8	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	95.7	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	214.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	195.8	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	96.5	0.01
5G NR-n2 QPSK20M Ch372000_Ant 1			0.41	102.8	28.4	5.68		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	214.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n2 QPSK20M Ch372000_Ant 1	NB	Bottom	0.41	102.8	28.4	5.68	195.8	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	93.6	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	217.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	193.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		

WWAN Ant0+5G NR Ant1+5G Ant0+1+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	92.4	0.01
5G NR-n7 QPSK20M Ch507000_Ant 1			0.72	100	25	-0.15		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	214.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n7 QPSK20M Ch507000_Ant 1	NB	Bottom	0.72	100	25	-0.15	193.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	119.3	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 2 QPSK20M Ch18700_Ant 0	NB	Bottom	0.45	110	-84	-2.28	232.9	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	109.0	0.01
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 25 QPSK20M Ch26140_Ant 0	NB	Bottom	0.41	97.8	-74	-2.3	217.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	103.4	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 26 QPSK15M Ch26865_Ant 0	NB	Bottom	0.71	100.4	-68	6.11	216.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		

WWAN Ant0+5G NR Ant1+5G Ant0+1+BT Ant1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	51.8	0.02
5G NR-n41 QPSK100M Ch528000_Ant 1			0.73	101	35	-2.5		
LTE 66 QPSK20M Ch132322_Ant 0	NB	Bottom	0.43	104.4	-16	6.05	202.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n41 QPSK100M Ch528000_Ant 1	NB	Bottom	0.73	101	35	-2.5	194.4	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	91.5	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 5 QPSK10M Ch20450_Ant 0	NB	Bottom	0.4	100.8	-68.4	6.12	217.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	90.3	0.02
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 12 QPSK10M Ch23060_Ant 0	NB	Bottom	0.47	98	-67.2	6.23	214.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	91.1	0.01
5G NR-n66 QPSK20M Ch344000_Ant 1			0.78	99.2	22.8	-0.67		
LTE 13 QPSK10M Ch23230_Ant 0	NB	Bottom	0.4	98	-68	6.19	214.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n66 QPSK20M Ch344000_Ant 1	NB	Bottom	0.78	99.2	22.8	-0.67	192.5	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		

WWAN Ant1+5G NR Ant0+5G Ant0+1+BT Ant1



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	65.6	0.02
5G NR-n2 QPSK20M Ch372000_Ant 0			0.45	104.4	-16	5.88		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	177.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n2 QPSK20M Ch372000_Ant 0	NB	Bottom	0.45	104.4	-16	5.88	202.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	83.6	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	190.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	79.3	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 7 QPSK20M Ch20850_Ant 1	NB	Bottom	0.4	99.2	28	5.37	192.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	100.2	0.02
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	177.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		

WWAN Ant1+5G NR Ant0+5G Ant0+1+BT Ant1



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	77.1	0.01
5G NR-n5 QPSK20M Ch167800_Ant 0			0.58	111	-50.4	6.57		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	191.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n5 QPSK20M Ch167800_Ant 0	NB	Bottom	0.58	111	-50.4	6.57	219.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	85.4	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 2 QPSK20M Ch18900_Ant 1	NB	Bottom	0.32	97.2	32	5.42	190.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	213.0	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	79.0	0.01
5G NR-n12 QPSK15M Ch141300_Ant 0			0.79	103.2	-53	-0.3		
LTE 66 QPSK20M Ch132572_Ant 1	NB	Bottom	0.31	98	25.6	5.3	191.1	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n12 QPSK15M Ch141300_Ant 0	NB	Bottom	0.79	103.2	-53	-0.3	213.0	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	114.9	0.01
5G NR-n66 QPSK20M Ch354000_Ant 0			0.54	102.8	-67.6	5.89		
LTE 48 QPSK20M Ch56640_Ant 1	NB	Bottom	0.79	83	45	-5.5	177.2	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		
5G NR-n66 QPSK20M Ch354000_Ant 0	NB	Bottom	0.54	102.8	-67.6	5.89	218.6	0.01
WLAN5.6G_802.11ac VHT160_Ch114_Ant			1.09	-93	29.6	8.05		

Appendix I. The Downlink Carrier Aggregation (CA)

The results are shown as below.

Project Management Dashboard - Q3 2024															
Project Overview				Key Milestones				Resource Allocation				Risk Assessment			
Project ID	Name	Status	Owner	Start Date	End Date	Progress %	Next Milestone	Team Lead	Members	Budget	Actual Cost	Severity	Impact	Frequency	Mitigation Strategy
P001	Website Redesign	In Progress	J. Doe	2024-07-01	2024-09-15	75%	UAT Completion	A. Smith	5	\$120,000	\$115,000	Low	Minor	Quarterly	Regular Updates
P002	Mobile App Dev	On Hold	S. Lee	2024-06-15	2024-10-30	20%	Requirement Gathering	M. Kim	3	\$80,000	\$15,000	Medium	Medium	Monthly	Re-evaluate Scope
P003	Database Migration	Completed	R. Garcia	2024-05-01	2024-06-30	100%	Final Review	C. Brown	2	\$45,000	\$45,000	Low	Low	Annual	Backup & Test
P004	Marketing Campaign	Planning	L. White	2024-08-01	2024-11-30	10%	Strategy Definition	D. Green	4	\$60,000	\$5,000	Low	Low	Quarterly	Competitor Analysis
P005	Internal Tool Dev	On Hold	K. Black	2024-07-15	2025-01-31	0%	Discovery Phase	E. Red	2	\$30,000	\$0	Medium	Medium	Monthly	Clarify Requirements
P006	Cloud Migration	In Progress	H. Blue	2024-06-01	2024-12-31	60%	Security Audit	F. Purple	6	\$200,000	\$180,000	High	High	Quarterly	Security Training
P007	HR System Upgrade	On Hold	G. Yellow	2024-09-01	2025-03-31	15%	Vendor Selection	I. Orange	3	\$90,000	\$10,000	Medium	Medium	Monthly	Request Proposals
P008	Customer Portal	On Hold	B. Silver	2024-08-15	2025-02-28	5%	UI/UX Design	J. Bronze	4	\$70,000	\$2,000	Low	Low	Quarterly	User Research
P009	Supply Chain Opt.	On Hold	N. Gold	2024-07-01	2025-04-30	0%	Process Mapping	O. Platinum	5	\$110,000	\$0	Medium	Medium	Monthly	Map Current Processes
P010	AI Integration	On Hold	M. Iron	2024-09-15	2025-06-30	0%	Feasibility Study	P. Steel	3	\$50,000	\$0	High	High	Quarterly	Research & Dev
P011	Compliance Audit	Completed	V. Copper	2024-05-15	2024-07-31	100%	Report Finalization	W. Nickel	2	\$25,000	\$25,000	Low	Low	Annual	Documentation
P012	IT Security Review	In Progress	X. Zinc	2024-08-01	2024-10-31	80%	Penetration Test	Y. Cadmium	3	\$40,000	\$35,000	Medium	Medium	Annual	Security Updates
P013	Employee Training	On Hold	Z. Selenium	2024-09-01	2025-01-31	10%	Course Selection	AA. Tellurium	4	\$35,000	\$3,000	Low	Low	Quarterly	Needs Assessment
P014	Product Launch Prep	On Hold	BB. Manganese	2024-10-01	2025-03-31	0%	Marketing Plan	CC. Vanadium	5	\$85,000	\$0	Medium	Medium	Monthly	Market Research
P015	Infrastructure Upgrade	On Hold	DD. Chromium	2024-11-01	2025-05-31	0%	Hardware Selection	EE. Cobalt	6	\$150,000	\$0	High	High	Quarterly	Vendor Quotes
P016	Legal Review	Completed	FF. Nickel	2024-06-01	2024-08-31	100%	Final Sign-off	GG. Zinc	2	\$20,000	\$20,000	Low	Low	Annual	Legal Consult
P017	UX Research	In Progress	HH. Cadmium	2024-07-15	2024-10-15	90%	Report Writing	II. Selenium	3	\$30,000	\$28,000	Low	Low	Quarterly	User Interviews
P018	API Integration	On Hold	JJ. Tellurium	2024-08-15	2025-01-15	0%	API Spec	KK. Manganese	4	\$65,000	\$0	Medium	Medium	Monthly	Define Endpoints
P019	Documentation Update	On Hold	LL. Vanadium	2024-09-15	2025-02-15	0%	Content Review	MM. Chromium	2	\$15,000	\$0	Low	Low	Quarterly	Review Existing Docs
P020	Performance Test	On Hold	NN. Cobalt	2024-10-15	2025-03-15	0%	Test Plan	OO. Nickel	3	\$45,000	\$0	Medium	Medium	Monthly	Load Testing
P021	Vendor Management	On Hold	PP. Zinc	2024-11-15	2025-04-15	0%	Vendor Onboarding	QQ. Cadmium	4	\$75,000	\$0	Medium	Medium	Quarterly	Vendor Vetting
P022	Accessibility Audit	On Hold	RR. Selenium	2024-12-15	2025-05-15	0%	Audit Scope	SS. Tellurium	2	\$25,000	\$0	Low	Low	Annual	WCAG Guidelines
P023	Disaster Recovery Plan	On Hold	TT. Manganese	2025-01-15	2025-06-15	0%	Plan Drafting	UU. Vanadium	3	\$55,000	\$0	High	High	Quarterly	DR Scenarios
P024	Localization	On Hold	VV. Chromium	2025-02-15	2025-07-15	0%	Language Selection	WW. Cobalt	4	\$60,000	\$0	Medium	Medium	Monthly	Market Analysis
P025	Partnership Dev	On Hold	XX. Nickel	2025-03-15	2025-08-15	0%	Partnership Model	YY. Zinc	5	\$95,000	\$0	Medium	Medium	Quarterly	Identify Partners
P026	Blockchain Pilot	On Hold	ZZ. Cadmium	2025-04-15	2025-09-15	0%	Blockchain Selection	AAA. Selenium	3	\$40,000	\$0	High	High	Quarterly	Blockchain Research
P027	AI Chatbot	On Hold	BBB. Tellurium	2025-05-15	2025-10-15	0%	Chatbot Design	CCC. Manganese	4	\$70,000	\$0	Medium	Medium	Monthly	Chatbot Requirements
P028	IoT Integration	On Hold	DDD. Vanadium	2025-06-15	2025-11-15	0%	IoT Platform	EEE. Chromium	5	\$100,000	\$0	High	High	Quarterly	IoT Use Cases
P029	AR/VR Development	On Hold	FFF. Cobalt	2025-07-15	2026-02-15	0%	AR/VR Content	GGG. Nickel	6	\$130,000	\$0	High	High	Quarterly	AR/VR Research
P030	Quantum Computing	On Hold	HHH. Zinc	2025-08-15	2026-03-15	0%	Quantum Algorithm	III. Cadmium	4	\$80,000	\$0	Very High	Very High	Quarterly	Quantum Research
P031	Space Exploration	On Hold	JJJ. Selenium	2025-09-15	2026-04-15	0%	Space Mission	KKK. Tellurium	7	\$250,000	\$0	Very High	Very High	Quarterly	Space Agency Contact
P032	Autonomous Vehicles	On Hold	LLL. Manganese	2025-10-15	2026-05-15	0%	AV System	MMM. Vanadium	8	\$300,000	\$0	Very High	Very High	Quarterly	AV Research
P033	Biotechnology	On Hold	NNN. Chromium	2025-11-15	2026-06-15	0%	Biotech Project	OOO. Cobalt	6	\$180,000	\$0	Very High	Very High	Quarterly	Biotech Partners
P034	Nanotechnology	On Hold	PPP. Nickel	2025-12-15	2026-07-15	0%	Nano Material	QQQ. Zinc	5	\$140,000	\$0	Very High	Very High	Quarterly	Nano Research
P035	Artificial Intelligence	On Hold	RRR. Cadmium	2026-01-15	2026-08-15	0%	AI Model	SSS. Selenium	7	\$220,000	\$0	Very High	Very High	Quarterly	AI Research
P036	Robotics	On Hold	TTT. Tellurium	2026-02-15	2026-09-15	0%	Robot Design	UUU. Manganese	6	\$190,000	\$0	Very High	Very High	Quarterly	Robot Research
P037	Space Colonization	On Hold	VVV. Vanadium	2026-03-15	2026-10-15	0%	Colonization Plan	WWW. Chromium	9	\$350,000	\$0	Very High	Very High	Quarterly	Space Colonization Study
P038	Interplanetary Travel	On Hold	XXX. Cobalt	2026-04-15	2026-11-15	0%	Travel Route	YYY. Nickel	8	\$280,000	\$0	Very High	Very High	Quarterly	Interplanetary Research
P039	Advanced Materials	On Hold	ZZZ. Zinc	2026-05-15	2026-12-15	0%	Material Discovery	AAA. Cadmium	7	\$210,000	\$0	Very High	Very High	Quarterly	Material Research
P040	Next-Gen Computing	On Hold	BBB. Selenium	2026-06-15	2027-01-15	0%	Next-Gen Chip	CCC. Tellurium	8	\$260,000	\$0	Very High	Very High	Quarterly	Next-Gen Research
P041	Quantum Internet	On Hold	DDD. Manganese	2026-07-15	2027-02-15	0%	Quantum Network	EEE. Vanadium	6	\$200,000	\$0	Very High	Very High	Quarterly	Quantum Network Study
P042	Space Mining	On Hold	FFF. Chromium	2026-08-15	2027-03-15	0%	Mining Operation	GGG. Cobalt	9	\$320,000	\$0	Very High	Very High	Quarterly	Space Mining Feasibility
P043	AI Ethics	On Hold	HHH. Nickel	2026-09-15	2027-04-15	0%	Ethics Framework	III. Zinc	5	\$110,000	\$0	Medium	Medium	Quarterly	Ethics Guidelines
P044	Robotics Ethics	On Hold	JJJ. Cadmium	2026-10-15	2027-05-15	0%	Robot Ethics	KKK. Selenium	4	\$90,000	\$0	Medium	Medium	Quarterly	Robot Ethics Study
P045	Space Law	On Hold	LLL. Tellurium	2026-11-15	2027-06-15	0%	Space Legislation	MMM. Manganese	6	\$130,000	\$0	Medium	Medium	Quarterly	Space Law Research
P046	AI Governance	On Hold	NNN. Vanadium	2026-12-15	2027-07-15	0%	AI Regulation	OOO. Chromium	5	\$100,000	\$0	Medium	Medium	Quarterly	AI Governance Framework
P047	Robotics Regulation	On Hold	PPP. Cobalt	2027-01-15	2027-08-15	0%	Robot Laws	QQQ. Nickel	4	\$80,000	\$0	Medium	Medium	Quarterly	Robot Regulation Study
P048	Space Security	On Hold	RRR. Zinc	2027-02-15	2027-09-15	0%	Space Defense	SSS. Cadmium	7	\$160,000	\$0	High	High	Quarterly	Space Security Protocol
P049	AI Security	On Hold	TTT. Selenium	2027-03-15	2027-10-15	0%	AI Protection	UUU. Tellurium	6	\$140,000	\$0	High	High	Quarterly	AI Security Measures
P050	Robotics Security	On Hold	VVV. Manganese	2027-04-15	2027-11-15	0%	Robot Safety	WWW. Vanadium	5	\$120,000	\$0	High	High	Quarterly	Robot Safety Standards
P051	Space Exploration Ethics	On Hold	XXX. Chromium	2027-05-15	2028-01-15	0%	Exploration Ethics	YYY. Cobalt	8	\$200,000	\$0	Medium	Medium	Quarterly	Space Exploration Ethics
P052	AI Security Ethics	On Hold	ZZZ. Nickel	2027-06-15	2028-02-15	0%	AI Security Ethics	AAA. Zinc	6	\$150,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P053	Robotics Security Ethics	On Hold	BBB. Cadmium	2027-07-15	2028-03-15	0%	Robot Security Ethics	CCC. Selenium	5	\$130,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P054	Space Security Ethics	On Hold	DDD. Tellurium	2027-08-15	2028-04-15	0%	Space Security Ethics	EEE. Manganese	7	\$170,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P055	AI Security Ethics	On Hold	FFF. Vanadium	2027-09-15	2028-05-15	0%	AI Security Ethics	GGG. Chromium	6	\$160,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P056	Robotics Security Ethics	On Hold	HHH. Cobalt	2027-10-15	2028-06-15	0%	Robot Security Ethics	III. Nickel	5	\$140,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P057	Space Security Ethics	On Hold	JJJ. Zinc	2027-11-15	2028-07-15	0%	Space Security Ethics	KKK. Cadmium	8	\$190,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P058	AI Security Ethics	On Hold	LLL. Selenium	2027-12-15	2028-08-15	0%	AI Security Ethics	MMM. Tellurium	7	\$180,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P059	Robotics Security Ethics	On Hold	NNN. Manganese	2028-01-15	2028-09-15	0%	Robot Security Ethics	OOO. Vanadium	6	\$170,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P060	Space Security Ethics	On Hold	PPP. Chromium	2028-02-15	2028-10-15	0%	Space Security Ethics	QQQ. Cobalt	9	\$210,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P061	AI Security Ethics	On Hold	RRR. Nickel	2028-03-15	2028-11-15	0%	AI Security Ethics	SSS. Zinc	7	\$190,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P062	Robotics Security Ethics	On Hold	TTT. Cadmium	2028-04-15	2029-01-15	0%	Robot Security Ethics	UUU. Selenium	8	\$200,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P063	Space Security Ethics	On Hold	VVV. Tellurium	2028-05-15	2029-02-15	0%	Space Security Ethics	WWW. Manganese	9	\$220,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P064	AI Security Ethics	On Hold	XXX. Vanadium	2028-06-15	2029-03-15	0%	AI Security Ethics	YYY. Chromium	8	\$210,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P065	Robotics Security Ethics	On Hold	ZZZ. Cobalt	2028-07-15	2029-04-15	0%	Robot Security Ethics	AAA. Nickel	7	\$200,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P066	Space Security Ethics	On Hold	BBB. Zinc	2028-08-15	2029-05-15	0%	Space Security Ethics	CCC. Cadmium	9	\$230,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P067	AI Security Ethics	On Hold	DDD. Selenium	2028-09-15	2029-06-15	0%	AI Security Ethics	EEE. Tellurium	8	\$220,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P068	Robotics Security Ethics	On Hold	FFF. Manganese	2028-10-15	2029-07-15	0%	Robot Security Ethics	GGG. Vanadium	7	\$210,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P069	Space Security Ethics	On Hold	HHH. Chromium	2028-11-15	2029-08-15	0%	Space Security Ethics	III. Cobalt	9	\$240,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P070	AI Security Ethics	On Hold	JJJ. Nickel	2028-12-15	2029-09-15	0%	AI Security Ethics	KKK. Zinc	8	\$230,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P071	Robotics Security Ethics	On Hold	LLL. Cadmium	2029-01-15	2029-10-15	0%	Robot Security Ethics	MMM. Selenium	7	\$220,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P072	Space Security Ethics	On Hold	NNN. Tellurium	2029-02-15	2029-11-15	0%	Space Security Ethics	OOO. Manganese	9	\$250,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P073	AI Security Ethics	On Hold	PPP. Vanadium	2029-03-15	2030-01-15	0%	AI Security Ethics	QQQ. Chromium	8	\$240,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P074	Robotics Security Ethics	On Hold	RRR. Cobalt	2029-04-15	2030-02-15	0%	Robot Security Ethics	SSS. Nickel	7	\$230,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P075	Space Security Ethics	On Hold	TTT. Zinc	2029-05-15	2030-03-15	0%	Space Security Ethics	UUU. Cadmium	9	\$260,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P076	AI Security Ethics	On Hold	VVV. Selenium	2029-06-15	2030-04-15	0%	AI Security Ethics	WWW. Tellurium	8	\$250,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P077	Robotics Security Ethics	On Hold	XXX. Manganese	2029-07-15	2030-05-15	0%	Robot Security Ethics	YYY. Vanadium	7	\$240,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P078	Space Security Ethics	On Hold	ZZZ. Chromium	2029-08-15	2030-06-15	0%	Space Security Ethics	AAA. Cobalt	9	\$270,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P079	AI Security Ethics	On Hold	BBB. Nickel	2029-09-15	2030-07-15	0%	AI Security Ethics	CCC. Zinc	8	\$260,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P080	Robotics Security Ethics	On Hold	DDD. Cadmium	2029-10-15	2030-08-15	0%	Robot Security Ethics	EEE. Selenium	7	\$250,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P081	Space Security Ethics	On Hold	FFF. Tellurium	2029-11-15	2030-09-15	0%	Space Security Ethics	GGG. Manganese	9	\$280,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P082	AI Security Ethics	On Hold	HHH. Vanadium	2029-12-15	2030-10-15	0%	AI Security Ethics	III. Chromium	8	\$270,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P083	Robotics Security Ethics	On Hold	JJJ. Cobalt	2030-01-15	2030-11-15	0%	Robot Security Ethics	KKK. Nickel	7	\$260,000	\$0	Medium	Medium	Quarterly	Robot Security Ethics
P084	Space Security Ethics	On Hold	LLL. Zinc	2030-02-15	2031-01-15	0%	Space Security Ethics	MMM. Cadmium	9	\$290,000	\$0	Medium	Medium	Quarterly	Space Security Ethics
P085	AI Security Ethics	On Hold	NNN. Selenium	2030-03-15	2031-02-15	0%	AI Security Ethics	OOO. Tellurium	8	\$280,000	\$0	Medium	Medium	Quarterly	AI Security Ethics
P086	Robotics Security Ethics	On Hold	PPP. Manganese	2030-04-15	2031-03-15	0%									

