

Remote control



1. Features

1. simple appearance can be applied to different decoration styles.
2. split button, more convenient operation.
3. Button backlight design.
4. Anti-wear anti-scratch material.
5. Ultra-low power design.
6. AAA(7#) battery, more convenient to install and buy.
7. wall fixed seat, more reliable installation.

2. Parameters

Model	RF transmit frequency	→ remote working distance	Transmit power	Transmit current	Standby current	Battery	Working temp.	Size
AC0114-HH	433.92MHz -100KHz	>6m	<100mW	<20mA	<1..A	AAA(7#)×2PCS	-20°C ~ +55°C -4°F ~ +131°F	72.5x45x15mm 2.87x1.77x0.59in

3. Installation


1. The minimum distance between the launcher and the ground is 1.5m.
2. The minimum distance between the receiver and the transmitter 1m.
3. Do not install on metal objects, Otherwise, the launching distance will be affected.
4. Do not install in wet and exposed places,Otherwise, it will affect the service life of the machine.




Cautions

While complying with the standards for efficient use of electricity, please comply with the following requirements:

- * Transmission range within 80 meters of open space
- * Avoid static interference, static electricity will damage some electronic components



4. Operations



1) Control
Up/Down button, Alignment contact
Stop key Stop
Left/Right/Up/Down contact

2) Channel selection
Digital frequency key, channel increment
Left frequency key, channel decrease

3) Frequency locking (64 frequency and 16-frequency availability)
Frequency lock: Press the "Stop key" + any "frequency selection key" until the indicator lights up (about 3 seconds). In fact, the frequency of the current channel, after locking the current channel, either a random number of channels of the transmitter, the channel after the current channel will not be available.
Unlock frequency: Under any channel, press the "Stop key" + any "frequency selection key" again until the indicator lights up (about 3 seconds) to unlock the channel.

5. Trouble shooting

Problems	Analysis	Solutions
When operating the transmitter, the receiver react	1. The receiver is not working properly 2. The battery of transmitter is out of power	A. The receiver works normally B. Replace a new battery of transmitter
The receiver is not working properly	The battery of transmitter is out of power	Replace a new battery of transmitter

▲ Cautions

- ! No statement. Attention and immediately recycle or dispose of used batteries according to local regulations and keep away from children.
- ! No statement. Discard batteries in household trash or batteries.
- ! No statement. Used batteries may cause severe injury or death.
- ! No statement. Call a local poison control center for treatment instructions.
- ! No statement indicating the acceptable battery type (e.g., AAA, AA, C, D, 9V).
- ! No statement indicating the nominal battery voltage.
- ! No statement. Non-rechargeable batteries are not to be recharged.
- ! No statement. Do not have recharged, recharge, disassembled, heat above manufacturer's specified temperature rating or短路. Doing so may result in injury due to venting, leakage or explosion resulting in chemical burns.
- ! No statement - ensure the batteries are installed correctly according to polarity (+ and -).
- ! No statement - do not mix old and new batteries, different brands of batteries, such as alkaline, carbon-zinc, or rechargeable batteries.
- ! No statement. Attention and immediately recycle or dispose of batteries from equipment not used for an extended period of time according to local regulations.
- ! No statement. Always completely secure the battery compartment. If the battery compartment does not close securely, stop using the product, remove the batteries, and keep them away from children.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance would void your authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class 2 digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Connect this equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

This device contains a license-exempt transmitter(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS-247. Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of this device.

This device has been evaluated to meet general RF exposure requirement.

Le présent équipement contient un émetteur exempt de licence qui est conforme aux RSS-247 édictées par Innovation, Science et Développement économique Canada. L'utilisation est soumise à deux conditions suivantes: (1) ce dispositif ne cause pas d'interférences, et (2) ce dispositif doit accepter les interférences qui peuvent causer un fonctionnement indésirable du dispositif.

Conformément à la réglementation sur les expositions aux ondes radiofréquences.