FCC ID : 2A9LJ-ME10

Company: : Meferi Technologies Co.,Ltd.

EUT : Wearable Computer

Model Number : ME10

Reviewed By : Eric Wang

Appendix A1: Emission Bandwidth


Test Result

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	20.080	5170.000	5190.080		
		5220	19.880	5210.120	5230.000		
		5240	20.080	5230.000	5250.080		
		5260	20.040	5249.960	5270.000		
		5300	20.240	5290.000	5310.240		
		5320	19.920	5310.000	5329.920		
		5500	20.200	5489.840	5510.040		
		5580	19.840	5570.000	5589.840		
		5700	20.280	5689.840	5710.120		
		5745	20.160	5734.880	5755.040		
		5785	20.280	5774.880	5795.160		
		5825	22.040	5814.600	5836.640		
	Ant1	5180	20.000	5170.000	5190.000		
		5220	20.040	5209.920	5229.960		
11N20SISO		5240	20.080	5230.000	5250.080		
		5260	20.280	5249.800	5270.080		
		5300	20.040	5290.000	5310.040		
		5320	20.000	5309.960	5329.960		
		5500	20.040	5489.920	5509.960		
		5580	20.280	5569.920	5590.200		
		5700	20.000	5690.000	5710.000		
		5745	20.480	5734.800	5755.280		
		5785	20.440	5774.840	5795.280		
		5825	21.040	5814.840	5835.880		
11N40SISO	Ant1	5190	40.480	5169.680	5210.160		

			10.000				
	-	5230	40.320	5209.760	5250.080		
		5270	40.400	5249.520	5289.920		
	-	5310	40.720	5289.600	5330.320		
		5510	40.080	5489.840	5529.920		
		5550	40.640	5529.600	5570.240		
		5670	41.200	5649.520	5690.720		
		5755	40.320	5734.840	5775.160		
		5795	40.640	5774.840	5815.480		
		5180	20.200	5169.840	5190.040		
		5220	20.200	5209.960	5230.160		
		5240	20.360	5229.800	5250.160		
		5260	20.080	5249.960	5270.040		
		5300	20.080	5289.920	5310.000		
44.4.0000100	A == 4.4	5320	20.120	5309.920	5330.040		
11AC20SISO	Ant1	5500	20.160	5489.840	5510.000		
		5580	20.120	5569.880	5590.000		
		5700	20.160	5689.920	5710.080		
	-	5745	20.240	5734.920	5755.160		
		5785	19.960	5774.960	5794.920		
		5825	20.400	5814.800	5835.200		
	Ant1	5190	40.400	5170.000	5210.400		
		5230	39.840	5210.080	5249.920		
		5270	40.400	5249.760	5290.160		
		5310	40.000	5289.840	5329.840		
11AC40SISO		5510	40.480	5489.680	5530.160		
		5550	40.480	5529.840	5570.320		
		5670	41.040	5649.600	5690.640		
		5755	40.560	5734.920	5775.480		
		5795	40.480	5774.840	5815.320		
	Ant1	5210	80.960	5169.360	5250.320		
		5290	81.120	5249.520	5330.640		
11AC80SISO		5530	83.040	5487.280	5570.320		
		5775	81.280	5734.520	5815.800		
	Ant1	5180	20.280	5169.920	5190.200		
		5220	20.120	5209.960	5230.080		
11AX20SISO		5240	20.160	5229.800	5249.960		
		5260	20.280	5249.920	5270.200		
		5300	20.040	5289.840	5309.880		
		5320	20.080	5309.920	5330.000		
		5500	20.120	5489.920	5510.040		
		5580	20.200	5569.920	5590.120		
		5700	19.960	5690.000	5709.960		
		5745	20.200	5734.920	5755.120		
			<u> </u>	I	I	I	I


		5785	20.240	5774.960	5795.200	
		5825	22.880	5814.800	5837.680	
11AX40SISO	Ant1	5190	40.320	5170.000	5210.320	
		5230	40.400	5209.600	5250.000	
		5270	40.480	5249.840	5290.320	
		5310	40.000	5290.080	5330.080	
		5510	39.520	5490.240	5529.760	
		5550	40.720	5529.680	5570.400	
		5670	40.400	5649.920	5690.320	
		5755	40.800	5734.760	5775.560	
		5795	40.560	5774.520	5815.080	
11AX80SISO	Ant1	5210	81.440	5169.200	5250.640	
		5290	81.280	5249.360	5330.640	
		5530	81.280	5489.520	5570.800	
		5775	81.280	5734.360	5815.640	


Test Graphs














Scale Type

