

Annex G. SAR Test Result

SAR Results for Head / Body-worn / Extremity Exposure Condition.

Note:

1. SAR testing for WLAN was performed on the maximum power mode.
2. The “< 0.001” means there is no SAR value or the SAR is too low to be measured.

Head SAR Test Result														
System & Position					DUT & Accessory		SAR							
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	Ant Status	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN2.4G	802.11b	Right Cheek	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	-0.03	0.182	0.20
	WLAN2.4G	802.11b	Right Tilted	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	-0.04	0.169	0.18
	WLAN2.4G	802.11b	Left Cheek	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	0.07	0.198	0.22
	WLAN2.4G	802.11b	Left Tilted	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	0.03	0.209	0.23
	WLAN2.4G	802.11b	Right Cheek	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	-0.05	0.217	0.25
	WLAN2.4G	802.11b	Right Tilted	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	-0.01	0.058	0.07
	WLAN2.4G	802.11b	Left Cheek	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.09	0.143	0.16
	WLAN2.4G	802.11b	Left Tilted	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.02	0.046	0.05
	WLAN2.4G	802.11b	Right Cheek	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	0.07	0.137	0.15
1	WLAN2.4G	802.11b	Right Tilted	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	-0.03	0.256	0.28
	WLAN2.4G	802.11b	Left Cheek	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	-0.06	0.137	0.15
	WLAN2.4G	802.11b	Left Tilted	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	0.09	0.226	0.24
	WLAN2.4G	802.11b	Right Tilted	0	1	Ant 0+1	99.20	1.01	25.00	24.76	1.06	-0.06	0.217	0.23
	WLAN2.4G	802.11b	Right Tilted	0	11	Ant 0+1	99.20	1.01	25.00	24.86	1.03	0.06	0.223	0.23
							-	1.00	-	-	1	-	-	-
	WLAN5.3G	802.11a	Right Cheek	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	0.07	0.00501	0.01
	WLAN5.3G	802.11a	Right Tilted	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	-0.07	0.01	0.01
	WLAN5.3G	802.11a	Left Cheek	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	0.05	0.00634	0.01
	WLAN5.3G	802.11a	Left Tilted	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	0.04	0.014	0.01
	WLAN5.3G	802.11a	Right Cheek	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.07	0.022	0.02
	WLAN5.3G	802.11a	Right Tilted	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	-0.05	0.00767	0.01
	WLAN5.3G	802.11a	Left Cheek	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.08	0.023	0.03
2	WLAN5.3G	802.11a	Left Tilted	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.09	0.031	0.04
	WLAN5.3G	802.11ac VHT40	Right Cheek	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	0.01	0.024	0.03
	WLAN5.3G	802.11ac VHT40	Right Tilted	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	-0.06	0.018	0.02
	WLAN5.3G	802.11ac VHT40	Left Cheek	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	-0.01	0.026	0.03
	WLAN5.3G	802.11ac VHT40	Left Tilted	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	0.02	0.024	0.03
	WLAN5.3G	802.11a	Left Tilted	0	60	Ant 1	97.62	1.02	19.00	18.87	1.03	0.04	0.016	0.02
	WLAN5.3G	802.11a	Left Tilted	0	64	Ant 1	97.62	1.02	18.50	18.35	1.04	-0.06	0.017	0.02
							-	1.00	-	-	1	-	-	-
	WLAN5.6G	802.11ac VHT20	Right Cheek	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	-0.11	0.168	0.19
	WLAN5.6G	802.11ac VHT20	Right Tilted	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	0.12	0.202	0.23
	WLAN5.6G	802.11ac VHT20	Left Cheek	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	0.1	0.161	0.18
	WLAN5.6G	802.11ac VHT20	Left Tilted	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	0.07	0.173	0.20
	WLAN5.6G	802.11ac VHT20	Right Cheek	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	-0.02	0.106	0.12
	WLAN5.6G	802.11ac VHT20	Right Tilted	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	-0.06	0.067	0.08
	WLAN5.6G	802.11ac VHT20	Left Cheek	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	0.12	0.346	0.40
	WLAN5.6G	802.11ac VHT20	Left Tilted	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	-0.19	0.081	0.09
	WLAN5.6G	802.11ac VHT20	Right Cheek	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	0.13	0.231	0.26
	WLAN5.6G	802.11ac VHT20	Right Tilted	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	-0.12	0.327	0.37
	WLAN5.6G	802.11ac VHT20	Left Cheek	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	-0.03	0.341	0.39
3	WLAN5.6G	802.11ac VHT20	Left Tilted	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	0.16	0.417	0.48
	WLAN5.6G	802.11ac VHT20	Left Tilted	0	100	Ant 0+1	97.45	1.03	22.00	21.55	1.11	0.12	0.289	0.33
	WLAN5.6G	802.11ac VHT20	Left Tilted	0	116	Ant 0+1	97.45	1.03	22.00	21.98	1.00	0.18	0.301	0.31
	WLAN5.6G	802.11ac VHT20	Left Tilted	0	140	Ant 0+1	97.45	1.03	22.00	21.55	1.11	-0.08	0.298	0.34
							-	1.00	-	-	1	-	-	-
	WLAN5.8G	802.11ac VHT40	Right Cheek	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	0.03	0.623	0.68
4	WLAN5.8G	802.11ac VHT40	Right Tilted	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	-0.14	0.773	0.84
	WLAN5.8G	802.11ac VHT40	Left Cheek	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	0.16	0.475	0.52
	WLAN5.8G	802.11ac VHT40	Left Tilted	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	0.07	0.665	0.73
	WLAN5.8G	802.11ac VHT40	Right Cheek	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	-0.08	0.239	0.27
	WLAN5.8G	802.11ac VHT40	Right Tilted	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	-0.01	0.083	0.09
	WLAN5.8G	802.11ac VHT40	Left Cheek	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	0.09	0.717	0.81
	WLAN5.8G	802.11ac VHT40	Left Tilted	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	0.03	0.171	0.19
	WLAN5.8G	802.11ac VHT40	Right Cheek	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	-0.19	0.487	0.54
	WLAN5.8G	802.11ac VHT40	Right Tilted	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	-0.18	0.709	0.79
	WLAN5.8G	802.11ac VHT40	Left Cheek	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	0.15	0.663	0.74
	WLAN5.8G	802.11ac VHT40	Left Tilted	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	0.15	0.641	0.71
	WLAN5.8G	802.11ac VHT40	Right Tilted	0	159	Ant 0	92.40	1.08	20.00	19.79	1.05	0.16	0.413	0.47
	WLAN5.8G	802.11ac VHT40	Right Tilted	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	0.02	0.769	0.84
							-	1.00	-	-	1	-	-	-
	BT	BR / EDR	Right Cheek	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	0.16	0.00637	0.01
	BT	BR / EDR	Right Tilted	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	-0.18	0.00606	0.01
	BT	BR / EDR	Left Cheek	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	0.19	0.0056	0.01
	BT	BR / EDR	Left Tilted	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	-0.04	0.00466	0.01
5	BT	BR / EDR	Right Cheek	0	0	Ant 1	76.92	1.30	10.00	9.98	1.00	-0.16	0.007	0.01
	BT	BR / EDR	Right Cheek	0	78	Ant 1	76.92	1.30	10.00	9.99	1.00	-0.1	0.00606	0.01
							-	1.00	-	-	1	-	-	-

Body-worn SAR Test Result

System & Position						SAR								
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	Ant Status	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	WLAN2.4G	802.11b	Front Face	10	6	Ant 0	99.20	1.01	23.00	22.65	1.08	0.02	0.168	0.18
	WLAN2.4G	802.11b	Rear Face	10	6	Ant 0	99.20	1.01	23.00	22.65	1.08	0.09	0.075	0.08
	WLAN2.4G	802.11b	Front Face	10	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.04	0.129	0.15
	WLAN2.4G	802.11b	Rear Face	10	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.18	0.162	0.18
	WLAN2.4G	802.11b	Front Face	10	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	-0.01	0.26	0.28
	WLAN2.4G	802.11b	Rear Face	10	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	0.11	0.177	0.19
	WLAN2.4G	802.11b	Front Face	10	1	Ant 0+1	99.20	1.01	25.00	24.76	1.06	0.11	0.227	0.24
6	WLAN2.4G	802.11b	Front Face	10	11	Ant 0+1	99.20	1.01	25.00	24.86	1.03	-0.14	0.276	0.29
	WLAN5.3G	802.11a	Front Face	10	60	Ant 0	97.62	1.02	19.00	18.91	1.02	0.04	0.069	0.07
	WLAN5.3G	802.11a	Rear Face	10	60	Ant 0	97.62	1.02	19.00	18.91	1.02	-0.18	0.171	0.18
	WLAN5.3G	802.11a	Front Face	10	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.14	0.057	0.06
	WLAN5.3G	802.11a	Rear Face	10	52	Ant 1	97.62	1.02	19.50	19.04	1.11	-0.02	0.213	0.24
	WLAN5.3G	802.11ac VHT40	Front Face	10	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	0.19	0.082	0.10
7	WLAN5.3G	802.11ac VHT40	Rear Face	10	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	-0.14	0.311	0.37
	WLAN5.3G	802.11ac VHT40	Rear Face	10	62	Ant 0+1	92.40	1.08	19.00	18.51	1.12	0.13	0.302	0.37
	WLAN5.6G	802.11ac VHT20	Front Face	10	144	Ant 0	97.45	1.03	19.50	19.06	1.11	0.1	0.136	0.16
	WLAN5.6G	802.11ac VHT20	Rear Face	10	144	Ant 0	97.45	1.03	19.50	19.06	1.11	0.01	0.196	0.22
	WLAN5.6G	802.11ac VHT20	Front Face	10	144	Ant 1	97.45	1.03	19.50	19.00	1.12	-0.02	0.13	0.15
	WLAN5.6G	802.11ac VHT20	Rear Face	10	144	Ant 1	97.45	1.03	19.50	19.00	1.12	-0.02	0.272	0.31
	WLAN5.6G	802.11ac VHT20	Front Face	10	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	0.07	0.137	0.16
8	WLAN5.6G	802.11ac VHT20	Rear Face	10	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	-0.09	0.286	0.33
	WLAN5.6G	802.11ac VHT20	Rear Face	10	100	Ant 0+1	97.45	1.03	22.00	21.55	1.11	0.1	0.285	0.33
	WLAN5.6G	802.11ac VHT20	Rear Face	10	116	Ant 0+1	97.45	1.03	22.00	21.98	1.00	-0.11	0.269	0.28
	WLAN5.6G	802.11ac VHT20	Rear Face	10	140	Ant 0+1	97.45	1.03	22.00	21.55	1.11	0.13	0.244	0.28
	WLAN5.8G	802.11ac VHT40	Front Face	10	151	Ant 0	92.40	1.08	20.00	19.94	1.01	-0.11	0.176	0.19
	WLAN5.8G	802.11ac VHT40	Rear Face	10	151	Ant 0	92.40	1.08	20.00	19.94	1.01	-0.15	0.218	0.24
	WLAN5.8G	802.11ac VHT40	Front Face	10	151	Ant 1	92.40	1.08	20.00	19.78	1.05	-0.02	0.158	0.18
	WLAN5.8G	802.11ac VHT40	Rear Face	10	151	Ant 1	92.40	1.08	20.00	19.78	1.05	0.06	0.307	0.35
	WLAN5.8G	802.11ac VHT40	Front Face	10	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	0.06	0.158	0.18
9	WLAN5.8G	802.11ac VHT40	Rear Face	10	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	-0.11	0.325	0.36
	WLAN5.8G	802.11ac VHT40	Rear Face	10	159	Ant 0+1	92.40	1.08	23.00	22.79	1.05	0.12	0.31	0.35
	BT	BR / EDR	Front Face	10	39	Ant 1	76.92	1.30	11.00	10.82	1.04	0.03	0.001	0.00
10	BT	BR / EDR	Rear Face	10	39	Ant 1	76.92	1.30	11.00	10.82	1.04	-0.08	0.017	0.02
	BT	BR / EDR	Rear Face	10	0	Ant 1	76.92	1.30	10.00	9.98	1.00	-0.02	0.001	0.00
	BT	BR / EDR	Rear Face	10	78	Ant 1	76.92	1.30	10.00	9.99	1.00	0.01	0.001	0.00

Phablet SAR Test Result														
System & Position						DUT & Accessory		SAR						
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	Ant Status	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-10g (W/kg)	Scaled SAR-10g (W/kg)
11	WLAN2.4G	802.11b	Front Face	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	-0.1	0.329	0.36
	WLAN2.4G	802.11b	Rear Face	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	0.03	0.145	0.16
	WLAN2.4G	802.11b	Right Side	0	6	Ant 0	99.20	1.01	23.00	22.65	1.08	-0.04	1.73	1.89
	WLAN2.4G	802.11b	Front Face	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.02	0.184	0.21
	WLAN2.4G	802.11b	Rear Face	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.07	0.188	0.21
	WLAN2.4G	802.11b	Left Side	0	11	Ant 1	99.20	1.01	22.50	22.01	1.12	0.1	0.89	1.01
	WLAN2.4G	802.11b	Front Face	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	-0.03	0.912	0.99
	WLAN2.4G	802.11b	Rear Face	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	0.02	0.313	0.34
	WLAN2.4G	802.11b	Left Side	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	0.04	1.18	1.28
	WLAN2.4G	802.11b	Right Side	0	6	Ant 0+1	99.20	1.01	25.50	25.22	1.07	-0.12	1.5	1.62
	WLAN2.4G	802.11b	Right Side	0	1	Ant 0	99.20	1.01	22.00	21.73	1.06	0.05	1.34	1.43
	WLAN2.4G	802.11b	Right Side	0	11	Ant 0	99.20	1.01	22.00	21.68	1.08	0.04	1.31	1.43
													-	-
12	WLAN5.3G	802.11a	Front Face	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	-0.03	0.09	0.09
	WLAN5.3G	802.11a	Rear Face	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	0.04	0.215	0.22
	WLAN5.3G	802.11a	Right Side	0	60	Ant 0	97.62	1.02	19.00	18.91	1.02	-0.03	0.807	0.84
	WLAN5.3G	802.11a	Front Face	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.07	0.081	0.09
	WLAN5.3G	802.11a	Rear Face	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.13	0.272	0.31
	WLAN5.3G	802.11a	Left Side	0	52	Ant 1	97.62	1.02	19.50	19.04	1.11	0.02	0.539	0.61
	WLAN5.3G	802.11ac VHT40	Front Face	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	-0.11	0.06	0.07
	WLAN5.3G	802.11ac VHT40	Rear Face	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	0.08	0.21	0.25
	WLAN5.3G	802.11ac VHT40	Left Side	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	-0.09	0.437	0.52
	WLAN5.3G	802.11ac VHT40	Right Side	0	54	Ant 0+1	92.40	1.08	22.00	21.60	1.10	0.04	0.689	0.82
	WLAN5.3G	802.11a	Right Side	0	52	Ant 0	97.62	1.02	19.00	18.71	1.07	0.08	0.288	0.31
	WLAN5.3G	802.11a	Right Side	0	64	Ant 0	97.62	1.02	19.00	18.51	1.12	0.09	0.271	0.31
													-	-
	WLAN5.6G	802.11ac VHT20	Front Face	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	-0.09	0.101	0.12
	WLAN5.6G	802.11ac VHT20	Rear Face	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	0.04	0.086	0.10
	WLAN5.6G	802.11ac VHT20	Right Side	0	144	Ant 0	97.45	1.03	19.50	19.06	1.11	-0.04	0.648	0.74
13	WLAN5.6G	802.11ac VHT20	Front Face	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	0.02	0.083	0.10
	WLAN5.6G	802.11ac VHT20	Rear Face	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	0.1	0.228	0.26
	WLAN5.6G	802.11ac VHT20	Left Side	0	144	Ant 1	97.45	1.03	19.50	19.00	1.12	0.05	0.496	0.57
	WLAN5.6G	802.11ac VHT20	Front Face	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	-0.13	0.101	0.12
	WLAN5.6G	802.11ac VHT20	Rear Face	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	0.04	0.224	0.26
	WLAN5.6G	802.11ac VHT20	Left Side	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	0.13	0.5	0.57
	WLAN5.6G	802.11ac VHT20	Right Side	0	144	Ant 0+1	97.45	1.03	22.50	22.04	1.11	-0.06	0.764	0.87
	WLAN5.6G	802.11ac VHT20	Right Side	0	100	Ant 0+1	97.45	1.03	22.00	21.55	1.11	-0.1	0.712	0.81
	WLAN5.6G	802.11ac VHT20	Right Side	0	116	Ant 0+1	97.45	1.03	22.00	21.98	1.00	0.02	0.804	0.83
	WLAN5.6G	802.11ac VHT20	Right Side	0	140	Ant 0+1	97.45	1.03	22.00	21.55	1.11	0.08	0.733	0.84
													-	-
14	WLAN5.8G	802.11ac VHT40	Front Face	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	0.04	0.107	0.12
	WLAN5.8G	802.11ac VHT40	Rear Face	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	-0.08	0.096	0.10
	WLAN5.8G	802.11ac VHT40	Right Side	0	151	Ant 0	92.40	1.08	20.00	19.94	1.01	-0.06	0.733	0.80
	WLAN5.8G	802.11ac VHT40	Front Face	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	0.03	0.086	0.10
	WLAN5.8G	802.11ac VHT40	Rear Face	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	0.1	0.216	0.24
	WLAN5.8G	802.11ac VHT40	Left Side	0	151	Ant 1	92.40	1.08	20.00	19.78	1.05	-0.13	0.513	0.58
	WLAN5.8G	802.11ac VHT40	Front Face	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	0.08	0.108	0.12
	WLAN5.8G	802.11ac VHT40	Rear Face	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	0.05	0.225	0.25
	WLAN5.8G	802.11ac VHT40	Left Side	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	0.06	0.515	0.57
	WLAN5.8G	802.11ac VHT40	Right Side	0	151	Ant 0+1	92.40	1.08	23.00	22.87	1.03	-0.04	0.689	0.77
	WLAN5.8G	802.11ac VHT40	Right Side	0	159	Ant 0+1	92.40	1.08	23.00	22.79	1.05	-0.07	0.701	0.79
													-	-
15	BT	BR / EDR	Front Face	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	0.1	<0.001	0.00
	BT	BR / EDR	Rear Face	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	0.13	<0.001	0.00
	BT	BR / EDR	Left Side	0	39	Ant 1	76.92	1.30	11.00	10.82	1.04	-0.06	0.19	0.26
	BT	BR / EDR	Left Side	0	0	Ant 1	76.92	1.30	10.00	9.98	1.00	-0.02	<0.001	0.00
	BT	BR / EDR	Left Side	0	78	Ant 1	76.92	1.30	10.00	9.99	1.00	0.04	<0.001	0.00
							-	1.00	-	-	1		-	-