Japan

[11a]
W56 / Channel Low
  BELOW 1GHz

Company name	: KYOCERA Corporation
EUT	: Mobile Phone
Model No.	: EB1084
Serial No.	: N/A
Test mode	: WLAN_11a_W56_Tx_ch:Low

Standard	: FCC Part.15 subpart E
Operator	: C.Kanno
Temp,Hum	: 21.5[℃] 36.3[%]
Note1	: CH:100 5500MHz
Note2	:

<FCC Part15 subpartC >
  Limit(QP)
<20_MHz_Tx_W56_11a_Low>
  Peak level(H,PK)
  Peak level(V,PK)

Final Result

No.   Frequency   (P)   c.f   Height   Angle   Remark

   [MHz]   [dB(1/m)] [cm]   [°]

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

TÜV SÜD

Japan

[11a]
W56 / Channel Low
 ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT	: Mobile Phone	Operator : T.Seino
Model No.	: EB1084	Temp,Hum,Atm : 22.4[℃] 40.0[%]
Serial No.	: 359178870020360	Note1 : ch:100_5500MHz
Test mode	: WLAN_W56_11a_Tx_Low	Note2 :

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	5468.400	H	50.1	————	11.8	61.9	————	68.2	54.0	6.3	————	100.0	274.0	
2	5468.700	V	49.5	————	11.8	61.3	————	68.2	54.0	6.9	————	151.0	104.0	
3	11000.000	H	45.2	30.1	12.3	57.5	42.4	74.0	54.0	16.5	11.6	100.0	262.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

TÜV SÜD Japan Ltd.

[11a]
W56 / Channel Middle
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.6[℃] 42.6[%]
Serial No.	: N/A	Note1	: CH:116 5580MHz
Test mode	: WLAN_11a_W56_Tx_ch:Mid	Note2	:

Final Result

| No. | Frequency | (P) | c.f | Height | Angle | Remark |
| | [MHz] | | [dB(1/m)] | [cm] | [°] | |

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11a]
W56 / Channel Middle
 ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.4[℃] 40.0[%]
Serial No.	: 359178870020360	Note1	: ch:116_5580MHz
Test mode	: WLAN_W56_11a_Tx_Mid	Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11160.000	H	45.4	30.5	12.3	57.7	42.8	74.0	54.0	16.3	11.2	100.0	268.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11a]
W56 / Channel High
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.6[℃] 42.6[%]
Serial No.	: N/A	Note1	: CH:140 5700MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:

Final Result

No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11a]
W56 / Channel High
  ABOVE 1GHz

Company name	: KYOCERA Corporation
EUT	: Mobile Phone
Model No.	: EB1084
Serial No.	: 359178870020360
Test mode	: WLAN_W56_11a_Tx_High

Standard	: FCC Part.15 subpart E
Operator	: T.Seino
Temp,Hum,Atm	: 22.4[℃] 40.0[%]
Note1	: ch:140_5700MHz
Note2	:

<FCC E_GHz_3m>
— Limit(PK)
– – Limit(AV)
<09_GHz_Tx_W56_11a_High>
— Peak level(H,PK)
— Peak level(V,PK)
—○— Emission level(H,PK)
—○— Emission level(H,AV)

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11400.000	H	45.2	30.5	12.5	57.7	43.0	74.0	54.0	16.3	11.0	100.0	266.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11a]
W56 / Channel High
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartC
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.6[°C] 42.6[%]
Serial No.	: N/A	Note1	: CH:144 5720MHz
Test mode	: WLAN_11a_W56_Tx_ch:High	Note2	:

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11a]
W56 / Channel High
  ABOVE 1GHz

Company name	: KYOCERA Corporation
EUT	: Mobile Phone
Model No.	: EB1084
Serial No.	: 359178870020360
Test mode	: WLAN_W56_11a_Tx_High

Standard	: FCC Part.15 subpart E
Operator	: T.Seino
Temp,Hum,Atm	: 22.4[℃] 40.0[%]
Note1	: ch:144_5720MHz
Note2	:

Final Result

No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11440.000	H	45.5	30.8	12.5	58.0	43.3	74.0	54.0	16.0	10.7	100.0	267.0	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11a]
W58 / Channel Low
 BELOW 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpartE
EUT : Mobile Phone	Operator : C.Kanno
Model No. : EB1084	Temp,Hum : 22.6[℃] 42.6[%]
Serial No. : N/A	Note1 : CH:149 5745MHz
Test mode : WLAN_11a_W58_Tx_ch:Low	Note2 :

Final Result

No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11a]
W58 / Channel Low
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:149_5745MHz
Test mode	: WLAN_W58_11a_Tx_Low	Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	5646.100	H	49.4	————	11.9	61.3	————	68.2	54.0	6.9	————	100.0	248.0	
2	5644.200	V	48.9	————	11.9	60.8	————	68.2	54.0	7.4	————	100.0	51.0	
3	11490.000	H	45.7	30.4	12.5	58.2	42.9	74.0	54.0	15.8	11.1	100.0	248.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11a]
W58 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpartE
EUT : Mobile Phone	Operator : C.Kanno
Model No. : EB1084	Temp,Hum : 22.6[℃] 42.6[%]
Serial No. : N/A	Note1 : CH:157 5785MHz
Test mode : WLAN_11a_W58_Tx_ch:Mid	Note2 :

〈FCC Part15 subpartC 〉
Limit(QP)
〈25_MHz_Tx_W58_11a_Mid〉
Peak level(H,PK)
Peak level(V,PK)

Final Result

No.   Frequency   (P)   c.f   Height   Angle   Remark

        [MHz]   [dB(1/m)]   [cm]   [°]

Note:
1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11a]
W58 / Channel Middle
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:157_5785MHz
Test mode	: WLAN_W58_11a_Tx_Mid	Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11570.000	H	46.1	30.7	12.5	58.6	43.2	74.0	54.0	15.4	10.8	100.0	272.0	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11a]
W58 / Channel High
 BELOW 1GHz

Company name	: KYOCERA Corporation
EUT	: Mobile Phone
Model No.	: EB1084
Serial No.	: N/A
Test mode	: WLAN_11a_W58_Tx_ch:High

Standard	: FCC Part.15 subpartE
Operator	: C.Kanno
Temp,Hum	: 22.6[℃] 42.6[%]
Note1	: CH:165 5825MHz
Note2	:

<FCC Part15 subpartC >
——— Limit(QP)
<26_MHz_Tx_W58_11a_High>
——— Peak level(H,PK)
——— Peak level(V,PK)

Final Result

No.   Frequency   (P)   c.f   Height   Angle   Remark
   [MHz]   [dB(1/m)]   [cm]   [°]

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

Japan

[11a]
W58 / Channel High
 ABOVE 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT : Mobile Phone	Operator : T.Seino
Model No. : EB1084	Temp,Hum,Atm : 22.7[℃] 39.7[%]
Serial No. : 359178870020360	Note1 : ch:165_5825MHz
Test mode : WLAN_W58_11a_Tx_High	Note2 :

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11650.000	H	45.3	30.4	12.5	57.8	42.9	74.0	54.0	16.2	11.1	100.0	256.0	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W52 / Channel Low
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.1[℃] 41.6[%]
Serial No.	: N/A	Note1	: CH:36 5180MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Low	Note2	:

<FCC Part15 subpartC >
Limit(QP)
<14_MHz_Tx_W52_11n(HT20)_Low>
Peak level(H,PK)
Peak level(V,PK)

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

Japan

[11n(HT20)]
W52 / Channel Low
 ABOVE 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT : Mobile Phone	Operator : T.Seino
Model No. : EB1084	Temp,Hum,Atm : 22.7[℃] 39.7[%]
Serial No. : 359178870020360	Note1 : ch:36_5180MHz
Test mode : WLAN_W52_11n(HT20)_Tx_Low	Note2 :

Final Result

| No.	Frequency	(P)	Reading PK	c.f	Result PK	Limit PK	Margin PK	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10360.000	H	45.6	11.2	56.8	68.2	11.4	100.0	250.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11n(HT20)]
W52 / Channel Middle
  BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.1[℃] 41.6[%]
Serial No.	: N/A	Note1	: CH:40 5200MHz
Test mode	: WLAN_11n(HT20)_W52_Tx_ch:Mid	Note2	:

<FCC Part15 subpartC >
Limit(QP)
<15_MHz_Tx_W52_11n(HT20)_Mid>
Peak level(H,PK)
Peak level(V,PK)

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W52 / Channel Middle
 ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:40_5200MHz
Test mode	: WLAN_W52_11n(HT20)_Tx_Mid	Note2	:

Final Result

No.	Frequency	(P)	Reading PK	c.f	Result PK	Limit PK	Margin PK	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10400.000	H	44.9	11.3	56.2	68.2	12.0	100.0	265.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11n(HT20)]
W52 / Channel High
 BELOW 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT : Mobile Phone	Operator : C.Kanno
Model No. : EB1084	Temp,Hum : 22.1[℃] 41.6[%]
Serial No. : N/A	Note1 : CH:48 5240MHz
Test mode : WLAN_11n(HT20)_W52_Tx_ch:High	Note2 :

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

TÜV SÜD Japan Ltd.

[11n(HT20)]
W52 / Channel High
 ABOVE 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT : Mobile Phone	Operator : T.Seino
Model No. : EB1084	Temp,Hum,Atm : 22.7[℃] 39.7[%]
Serial No. : 359178870020360	Note1 : ch:48_5240MHz
Test mode : WLAN_W52_11n(HT20)_Tx_High	Note2 :

<FCC E_GHz(Peak_Only)_3m>
——— Limit(PK)
<03_GHz_Tx_W52_11n(HT20)_High>
——— Peak level(H,PK)
——— Peak level(V,PK)
—○— Emission level(H,PK)

Final Result

| No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10480.000	H	44.5	11.4	55.9	68.2	12.3	100.0	257.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11n(HT20)]
W53 / Channel Low
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.1[℃] 41.6[%]
Serial No.	: N/A	Note1	: CH:52 5260MHz
Test mode	: WLAN_11n(HT20)_W53_Tx_ch:Low	Note2	:

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

TÜV SÜD Japan Ltd.

[11n(HT20)]
W53 / Channel Low
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:52_5260MHz
Test mode	: WLAN_W53_11n(HT20)_Tx_Low	Note2	:

<FCC E_GHz(Peak_Only)_3m>
    Limit(PK)
<04_GHz_Tx_W53_11n(HT20)_Low>
    Peak level(H,PK)
    Peak level(V,PK)
    Emission level(H,PK)

Final Result

| No.	Frequency	(P)	Reading PK	c.f	Result PK	Limit PK	Margin PK	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10520.000	H	45.0	11.5	56.5	68.2	11.7	100.0	254.0	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel Middle
 BELOW 1GHz

Company name	: KYOCERA Corporation
EUT	: Mobile Phone
Model No.	: EB1084
Serial No.	: N/A
Test mode	: WLAN_11n(HT20)_W53_Tx_ch:Mid

Standard	: FCC Part.15 subpart E
Operator	: C.Kanno
Temp,Hum	: 22.1[℃] 41.6[%]
Note1	: CH:56 5280MHz
Note2	:

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel Middle
 ABOVE 1GHz

Company name	: KYOCERA Corporation		Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone		Operator	: T.Seino
Model No.	: EB1084		Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360		Note1	: ch:56_5280MHz
Test mode	: WLAN_W53_11n(HT20)_Tx_Mid		Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	c.f	Result PK	Limit PK	Margin PK	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10560.000	H	45.5	11.5	57.0	68.2	11.2	100.0	255.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel High
 BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : N/A
Test mode : WLAN_11n(HT20)_W53_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : C.Kanno
Temp,Hum : 22.1[℃] 41.6[%]
Note1 : CH:64 5320MHz
Note2 :

Final Result

No.　Frequency　(P)　c.f　Height　Angle　Remark

　　　[MHz]　　　[dB(1/m)]　[cm]　[°]

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT : Mobile Phone	Operator : T.Seino
Model No. : EB1084	Temp,Hum,Atm : 22.7[℃] 39.7[%]
Serial No. : 359178870020360	Note1 : ch:64_5320MHz
Test mode : WLAN_W53_11n(HT20)_Tx_High	Note2 :

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	10640.000	H	45.7	30.7	11.7	57.4	42.4	74.0	54.0	16.6	11.6	100.0	256.0	

Note:
1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Low
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.1[℃] 41.6[%]
Serial No.	: N/A	Note1	: CH:100 5500MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:Low	Note2	:

Final Result

No.   Frequency   (P)   c.f   Height   Angle   Remark

　　　[MHz]　　　　　　　[dB(1/m)]　[cm]　[°]

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

TÜV SÜD

Japan

[11n(HT20)]
W56 / Channel Low
 ABOVE 1GHz

Company name	: KYOCERA Corporation
EUT	: Mobile Phone
Model No.	: EB1084
Serial No.	: 359178870020360
Test mode	: WLAN_W56_11n(HT20)_Tx_Low

Standard	: FCC Part.15 subpart E
Operator	: T.Seino
Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Note1	: ch:100_5500MHz
Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	5468.443	H	49.8	―――	11.8	61.6	―――	68.2	54.0	6.6	―――	100.0	271.0	
2	5464.476	V	49.6	―――	11.8	61.4	―――	68.2	54.0	6.8	―――	103.0	13.0	
3	11000.000	H	45.2	30.1	12.3	57.5	42.4	74.0	54.0	16.5	11.6	100.0	260.0	

Note:
   1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
   2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Middle
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.1[℃] 41.6[%]
Serial No.	: N/A	Note1	: CH:116 5580MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:Mid	Note2	:

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
   1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
   2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

Japan

[11n(HT20)]
W56 / Channel Middle
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:116_5580MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_Mid	Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11160.000	H	45.4	30.5	12.3	57.7	42.8	74.0	54.0	16.3	11.2	100.0	272.0	

Note:
    1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
    2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11n(HT20)]
W56 / Channel High
 BELOW 1GHz

Company name : KYOCERA Corporation	Standard : FCC Part.15 subpart E
EUT : Mobile Phone	Operator : C.Kanno
Model No. : EB1084	Temp,Hum : 22.1[℃] 41.6[%]
Serial No. : N/A	Note1 : CH:140 5700MHz
Test mode : WLAN_11n(HT20)_W56_Tx_ch:High	Note2 :

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
　1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
　2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel High
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:140_5700MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_High	Note2	:

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11400.000	H	46.0	30.5	12.5	58.5	43.0	74.0	54.0	15.5	11.0	100.0	249.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

Japan

[11n(HT20)]
W56 / Channel High
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: C.Kanno
Model No.	: EB1084	Temp,Hum	: 22.1[℃] 41.6[%]
Serial No.	: N/A	Note1	: CH:144 5720MHz
Test mode	: WLAN_11n(HT20)_W56_Tx_ch:High	Note2	:

[dB(μV/m)]

<FCC Part15 subpartC >
Limit(QP)
<23_MHz_Tx_W56_11n(HT20)_High>
Peak level(H,PK)
Peak level(V,PK)

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

Japan

[11n(HT20)]
W56 / Channel High
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:144_5720MHz
Test mode	: WLAN_W56_11n(HT20)_Tx_High	Note2	:

⟨FCC E_GHz_3m⟩
Limit(PK)
Limit(AV)
⟨10_GHz_Tx_W56_11n(HT20)_High⟩
Peak level(H,PK)
Peak level(V,PK)
Emission level(H,PK)
Emission level(H,AV)

Final Result

No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11440.000	H	45.9	30.8	12.5	58.4	43.3	74.0	54.0	15.6	10.7	100.0	269.0	

Note:
    1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
    2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel Low
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpartE	
EUT	: Mobile Phone	Operator	: C.Kanno	
Model No.	: EB1084	Temp,Hum	: 22.5[℃] 36.7[%]	
Serial No.	: N/A	Note1	: CH:149 5745MHz	
Test mode	: 5GHz_W58_11n(HT20)_Tx_ch:Low	Note2	:	

Final Result

| No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

TÜV SÜD
Japan

[11n(HT20)]
W58 / Channel Low
  ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E	
EUT	: Mobile Phone	Operator	: T.Seino	
Model No.	: EB1084	Temp,Hum,Atm	: 22.7[℃] 39.7[%]	
Serial No.	: 359178870020360	Note1	: ch:149_5745MHz	
Test mode	: WLAN_W58_11n(HT20)_Tx_Low	Note2	:	

<FCC E_GHz_3m>
———— Limit(PK)
— — Limit(AV)
<11_GHz_Tx_W58_11n(HT20)_Low>
———— Peak level(H,PK)
———— Peak level(V,PK)
—○— Emission level(H,PK)
—○— Emission level(H,AV)
—×— Emission level(V,PK)

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	5631.000	H	49.3	—————	11.9	61.2	—————	68.2	54.0	7.0	—————	100.0	265.0	
2	5641.700	V	49.1	—————	11.9	61.0	—————	68.2	54.0	7.2	—————	100.0	170.0	
3	11490.000	H	45.0	30.3	12.5	57.5	42.8	74.0	54.0	16.5	11.2	100.0	264.0	

Note:
  1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel Middle
 BELOW 1GHz

Company name	: KYOCERA Corporation	Standard : FCC Part.15 subpartE
EUT	: Mobile Phone	Operator : C.Kanno
Model No.	: EB1084	Temp,Hum : 22.5[℃] 36.7[%]
Serial No.	: N/A	Note1 : CH:157 5785MHz
Test mode	: 5GHz_W58_11n(HT20)_Tx_ch:Mid	Note2 :

Final Result

No.   Frequency   (P)   c.f   Height   Angle   Remark

        [MHz]   [dB(1/m)] [cm]   [°]

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

Japan

[11n(HT20)]
W58 / Channel Middle
 ABOVE 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1084
Serial No. : 359178870020360
Test mode : WLAN_W58_11n(HT20)_Tx_Mid

Standard : FCC Part.15 subpart E
Operator : T.Seino
Temp,Hum,Atm : 22.7[℃] 39.7[%]
Note1 : ch:157_5785MHz
Note2 :

Final Result

| No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11570.000	H	45.6	30.8	12.5	58.1	43.3	74.0	54.0	15.9	10.7	100.0	271.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel High
 BELOW 1GHz

Company name : KYOCERA Corporation Standard : FCC Part.15 subpartE
EUT : Mobile Phone Operator : C.Kanno
Model No. : EB1084 Temp,Hum : 22.5[℃] 36.7[%]
Serial No. : N/A Note1 : CH:165 5825MHz
Test mode : 5GHz_W58_11n(HT20)_Tx_ch:High Note2 :

Final Result

No. Frequency (P) c.f Height Angle Remark

[MHz] [dB(1/m)] [cm] [°]

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel High
 ABOVE 1GHz

Company name	: KYOCERA Corporation	Standard	: FCC Part.15 subpart E
EUT	: Mobile Phone	Operator	: T.Seino
Model No.	: EB1084	Temp,Hum,Atm	: 23.7[℃] 39.7[%]
Serial No.	: 359178870020360	Note1	: ch:165_5825MHz
Test mode	: WLAN_W58_11n(HT20)_Tx_High	Note2	:

Final Result

No.	Frequency	(P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11650.000	H	45.5	30.5	12.5	58.0	43.0	74.0	54.0	16.0	11.0	100.0	269.0	

Note:
 1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.