










Mode	52																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																
ANT	CDD 0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.20</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>41.35</td><td>34.41</td><td>10.83</td><td>36.00</td><td>0.00</td><td>390</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5464.80</td><td>50.44</td><td>68.20</td><td>-17.76</td><td>41.14</td><td>34.43</td><td>10.85</td><td>35.98</td><td>0.00</td><td>390</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.20	50.59	74.00	-23.41	41.35	34.41	10.83	36.00	0.00	390	101	PEAK	2	5464.80	50.44	68.20	-17.76	41.14	34.43	10.85	35.98	0.00	390	101	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>103.24</td><td>-----</td><td>-----</td><td>93.56</td><td>34.50</td><td>10.95</td><td>35.77</td><td>0.00</td><td>390</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	103.24	-----	-----	93.56	34.50	10.95	35.77	0.00	390	101	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.20	50.59	74.00	-23.41	41.35	34.41	10.83	36.00	0.00	390	101	PEAK																																																																																																					
2	5464.80	50.44	68.20	-17.76	41.14	34.43	10.85	35.98	0.00	390	101	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5550.00	103.24	-----	-----	93.56	34.50	10.95	35.77	0.00	390	101	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.00</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>31.42</td><td>34.41</td><td>10.83</td><td>36.00</td><td>0.00</td><td>390</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	40.66	54.00	-13.34	31.42	34.41	10.83	36.00	0.00	390	101	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>94.55</td><td>-----</td><td>-----</td><td>84.83</td><td>34.50</td><td>10.96</td><td>35.74</td><td>0.00</td><td>390</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	94.55	-----	-----	84.83	34.50	10.96	35.74	0.00	390	101	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.00	40.66	54.00	-13.34	31.42	34.41	10.83	36.00	0.00	390	101	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5550.00	94.55	-----	-----	84.83	34.50	10.96	35.74	0.00	390	101	AVERAGE																																																																																																					







Mode	52																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																					
ANT	CDD 0+1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5735.98</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>40.72</td><td>34.57</td><td>11.19</td><td>37.41</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5735.98	49.07	68.20	-19.13	40.72	34.57	11.19	37.41	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5735.98	49.07	68.20	-19.13	40.72	34.57	11.19	37.41																														




Mode	52																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																			
ANT	CDD 0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>56.36</td><td>38.00</td><td>16.11</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.05	74.00	-29.95	56.36	38.00	16.11	66.42	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>56.89</td><td>38.00</td><td>16.11</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.58	74.00	-29.42	56.89	38.00	16.11	66.42	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11100.00	44.05	74.00	-29.95	56.36	38.00	16.11	66.42	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11100.00	44.58	74.00	-29.42	56.89	38.00	16.11	66.42	0.00	---	---	PEAK																																																																																								







Mode	53																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																												
ANT	CDD 0+1																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.64</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>43.00</td><td>34.40</td><td>10.75</td><td>36.24</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>39.30</td><td>34.44</td><td>10.85</td><td>35.97</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.64	51.91	74.00	-22.09	43.00	34.40	10.75	36.24	0.00	100	124	PEAK	2	5467.60	48.62	68.20	-19.58	39.30	34.44	10.85	35.97	0.00	100	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.73</td><td>-----</td><td>-----</td><td>95.23</td><td>34.50</td><td>11.10</td><td>36.10</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.73	-----	-----	95.23	34.50	11.10	36.10	0.00	100	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5354.64	51.91	74.00	-22.09	43.00	34.40	10.75	36.24	0.00	100	124	PEAK																																																																																																																	
2	5467.60	48.62	68.20	-19.58	39.30	34.44	10.85	35.97	0.00	100	124	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5670.00	104.73	-----	-----	95.23	34.50	11.10	36.10	0.00	100	124	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5414.00</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>35.04</td><td>34.40</td><td>10.79</td><td>36.10</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.00	44.13	54.00	-9.87	35.04	34.40	10.79	36.10	0.00	100	124	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>96.60</td><td>-----</td><td>-----</td><td>86.89</td><td>34.50</td><td>11.08</td><td>35.87</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.60	-----	-----	86.89	34.50	11.08	35.87	0.00	100	124	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5414.00	44.13	54.00	-9.87	35.04	34.40	10.79	36.10	0.00	100	124	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5670.00	96.60	-----	-----	86.89	34.50	11.08	35.87	0.00	100	124	AVERAGE																																																																																																																	




Mode	53																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.24</td><td>64.17</td><td>68.20</td><td>-4.03</td><td>55.81</td><td>34.57</td><td>11.19</td><td>37.40</td><td>0.00</td><td>100</td><td>124</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.24	64.17	68.20	-4.03	55.81	34.57	11.19	37.40	0.00	100	124	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.24	64.17	68.20	-4.03	55.81	34.57	11.19	37.40	0.00	100	124	Peak																																												





Mode	53																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.44</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>41.99</td><td>34.40</td><td>10.75</td><td>36.22</td><td>0.00</td><td>378</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>47.64</td><td>68.20</td><td>-20.56</td><td>38.34</td><td>34.43</td><td>10.85</td><td>35.98</td><td>0.00</td><td>378</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.44	50.92	74.00	-23.08	41.99	34.40	10.75	36.22	0.00	378	101	PEAK	2	5465.36	47.64	68.20	-20.56	38.34	34.43	10.85	35.98	0.00	378	101	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.08</td><td>-----</td><td>-----</td><td>92.37</td><td>34.50</td><td>11.08</td><td>35.87</td><td>0.00</td><td>378</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.08	-----	-----	92.37	34.50	11.08	35.87	0.00	378	101	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5363.44	50.92	74.00	-23.08	41.99	34.40	10.75	36.22	0.00	378	101	PEAK																																																																																																					
2	5465.36	47.64	68.20	-20.56	38.34	34.43	10.85	35.98	0.00	378	101	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	102.08	-----	-----	92.37	34.50	11.08	35.87	0.00	378	101	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.00</td><td>41.58</td><td>54.00</td><td>-12.42</td><td>32.67</td><td>34.40</td><td>10.75</td><td>36.24</td><td>0.00</td><td>378</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.00	41.58	54.00	-12.42	32.67	34.40	10.75	36.24	0.00	378	101	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>93.96</td><td>-----</td><td>-----</td><td>84.36</td><td>34.50</td><td>11.09</td><td>35.99</td><td>0.00</td><td>378</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.96	-----	-----	84.36	34.50	11.09	35.99	0.00	378	101	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5354.00	41.58	54.00	-12.42	32.67	34.40	10.75	36.24	0.00	378	101	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	93.96	-----	-----	84.36	34.50	11.09	35.99	0.00	378	101	AVERAGE																																																																																																					







Mode	53																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.08</td><td>60.94</td><td>68.20</td><td>-7.26</td><td>52.41</td><td>34.55</td><td>11.18</td><td>37.20</td><td>0.00</td><td>378</td><td>101</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.08	60.94	68.20	-7.26	52.41	34.55	11.18	37.20	0.00	378	101	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.08	60.94	68.20	-7.26	52.41	34.55	11.18	37.20	0.00	378	101	PEAK																																											



		53																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																						
ANT		CDD 0+1																																																						
Pol.		Horizontal						Vertical																																																
Peak Avg																																																								
																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>56.20</td><td>38.14</td><td>16.26</td><td>66.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.28	74.00	-29.72	56.20	38.14	16.26	66.32	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11340.00	44.28	74.00	-29.72	56.20	38.14	16.26	66.32	0.00	---	---	PEAK																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.78</td><td>74.00</td><td>-30.22</td><td>55.70</td><td>38.14</td><td>16.26</td><td>66.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	43.78	74.00	-30.22	55.70	38.14	16.26	66.32	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11340.00	43.78	74.00	-30.22	55.70	38.14	16.26	66.32	0.00	---	---	PEAK																																												







Mode	54																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																														
ANT	CDD 0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.68</td><td>61.10</td><td>74.00</td><td>-12.90</td><td>53.13</td><td>34.10</td><td>10.61</td><td>36.74</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.68	61.10	74.00	-12.90	53.13	34.10	10.61	36.74	0.00	100	153	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.69</td><td>-----</td><td>-----</td><td>90.44</td><td>34.20</td><td>10.66</td><td>36.61</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.69	-----	-----	90.44	34.20	10.66	36.61	0.00	100	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.68	61.10	74.00	-12.90	53.13	34.10	10.61	36.74	0.00	100	153	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	98.69	-----	-----	90.44	34.20	10.66	36.61	0.00	100	153	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.72</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>42.16</td><td>34.09</td><td>10.60</td><td>36.74</td><td>0.00</td><td>100</td><td>153</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.72	50.11	54.00	-3.89	42.16	34.09	10.60	36.74	0.00	100	153	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.26</td><td>-----</td><td>-----</td><td>82.07</td><td>34.18</td><td>10.65</td><td>36.64</td><td>0.00</td><td>100</td><td>153</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.26	-----	-----	82.07	34.18	10.65	36.64	0.00	100	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.72	50.11	54.00	-3.89	42.16	34.09	10.60	36.74	0.00	100	153	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	90.26	-----	-----	82.07	34.18	10.65	36.64	0.00	100	153	AVERAGE																																																																																																			





Mode	54																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																					
ANT	CDD 0+1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.54</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>40.00</td><td>34.40</td><td>10.77</td><td>36.18</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.54	48.99	74.00	-25.01	40.00	34.40	10.77	36.18	0.00	100	153	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5382.54	48.99	74.00	-25.01	40.00	34.40	10.77	36.18	0.00	100	153	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.68</td><td>40.06</td><td>54.00</td><td>-13.94</td><td>31.16</td><td>34.40</td><td>10.75</td><td>36.25</td><td>0.00</td><td>100</td><td>153</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.68	40.06	54.00	-13.94	31.16	34.40	10.75	36.25	0.00	100	153	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.68	40.06	54.00	-13.94	31.16	34.40	10.75	36.25	0.00	100	153	AVERAGE																																										





Mode	54																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.32</td><td>59.53</td><td>74.00</td><td>-14.47</td><td>51.56</td><td>34.10</td><td>10.61</td><td>36.74</td><td>0.00</td><td>325</td><td>102</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	59.53	74.00	-14.47	51.56	34.10	10.61	36.74	0.00	325	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.32	59.53	74.00	-14.47	51.56	34.10	10.61	36.74	0.00	325	102	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.36</td><td>-----</td><td>-----</td><td>87.22</td><td>34.16</td><td>10.64</td><td>36.66</td><td>0.00</td><td>325</td><td>102</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	95.36	-----	-----	87.22	34.16	10.64	36.66	0.00	325	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	95.36	-----	-----	87.22	34.16	10.64	36.66	0.00	325	102	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.52</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>39.64</td><td>34.10</td><td>10.61</td><td>36.74</td><td>0.00</td><td>325</td><td>102</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	47.61	54.00	-6.39	39.64	34.10	10.61	36.74	0.00	325	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.52	47.61	54.00	-6.39	39.64	34.10	10.61	36.74	0.00	325	102	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.79</td><td>-----</td><td>-----</td><td>79.60</td><td>34.18</td><td>10.65</td><td>36.64</td><td>0.00</td><td>325</td><td>102</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.79	-----	-----	79.60	34.18	10.65	36.64	0.00	325	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	87.79	-----	-----	79.60	34.18	10.65	36.64	0.00	325	102	AVERAGE																																											



Mode	54																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5373.54</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>39.87</td><td>34.40</td><td>10.76</td><td>36.20</td><td>0.00</td><td>325</td><td>102 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5373.54	48.83	74.00	-25.17	39.87	34.40	10.76	36.20	0.00	325	102 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5373.54	48.83	74.00	-25.17	39.87	34.40	10.76	36.20	0.00	325	102 PEAK																																			
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5353.20</td><td>39.99</td><td>54.00</td><td>-14.01</td><td>31.09</td><td>34.40</td><td>10.75</td><td>36.25</td><td>0.00</td><td>325</td><td>102 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5353.20	39.99	54.00	-14.01	31.09	34.40	10.75	36.25	0.00	325	102 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.20	39.99	54.00	-14.01	31.09	34.40	10.75	36.25	0.00	325	102 AVERAGE																																			





		54																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT		CDD 0+1																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.27</td><td>68.20</td><td>-23.93</td><td>58.28</td><td>37.20</td><td>15.51</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.27	68.20	-23.93	58.28	37.20	15.51	66.72	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10420.00	44.27	68.20	-23.93	58.28	37.20	15.51	66.72	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.09</td><td>68.20</td><td>-24.11</td><td>58.10</td><td>37.20</td><td>15.51</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.09	68.20	-24.11	58.10	37.20	15.51	66.72	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10420.00	44.09	68.20	-24.11	58.10	37.20	15.51	66.72	0.00	---	---	PEAK																																													







Mode	55																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.64</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>45.23</td><td>34.10</td><td>10.61</td><td>36.74</td><td>0.00</td><td>100</td><td>161</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	53.20	74.00	-20.80	45.23	34.10	10.61	36.74	0.00	100	161	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>99.06</td><td>-----</td><td>-----</td><td>90.45</td><td>34.30</td><td>10.71</td><td>36.40</td><td>0.00</td><td>100</td><td>161</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.06	-----	-----	90.45	34.30	10.71	36.40	0.00	100	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.64	53.20	74.00	-20.80	45.23	34.10	10.61	36.74	0.00	100	161	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	99.06	-----	-----	90.45	34.30	10.71	36.40	0.00	100	161	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.16</td><td>43.30</td><td>54.00</td><td>-10.62</td><td>35.41</td><td>34.10</td><td>10.61</td><td>36.74</td><td>0.00</td><td>100</td><td>161</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	43.30	54.00	-10.62	35.41	34.10	10.61	36.74	0.00	100	161	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.21</td><td>-----</td><td>-----</td><td>83.63</td><td>34.30</td><td>10.71</td><td>36.43</td><td>0.00</td><td>100</td><td>161</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.21	-----	-----	83.63	34.30	10.71	36.43	0.00	100	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.16	43.30	54.00	-10.62	35.41	34.10	10.61	36.74	0.00	100	161	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	92.21	-----	-----	83.63	34.30	10.71	36.43	0.00	100	161	AVERAGE																																																																																							



Mode	55																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.40</td><td>62.15</td><td>74.00</td><td>-11.85</td><td>53.23</td><td>34.40</td><td>10.75</td><td>36.23</td><td>0.00</td><td>100</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.40	62.15	74.00	-11.85	53.23	34.40	10.75	36.23	0.00	100	161	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5361.40	62.15	74.00	-11.85	53.23	34.40	10.75	36.23	0.00	100	161	PEAK																																											
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.00</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>41.75</td><td>34.40</td><td>10.75</td><td>36.23</td><td>0.00</td><td>100</td><td>161</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.00	50.67	54.00	-3.33	41.75	34.40	10.75	36.23	0.00	100	161	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5359.00	50.67	54.00	-3.33	41.75	34.40	10.75	36.23	0.00	100	161	AVERAGE																																											




Mode	55																																																																																														
	Band Edge - L																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.12</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>42.70</td><td>34.01</td><td>10.56</td><td>36.84</td><td>0.00</td><td>352</td><td>102</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.12	50.43	74.00	-23.57	42.70	34.01	10.56	36.84	0.00	352	102	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.26</td><td>-----</td><td>-----</td><td>87.68</td><td>34.30</td><td>10.71</td><td>36.43</td><td>0.00</td><td>352</td><td>102</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.26	-----	-----	87.68	34.30	10.71	36.43	0.00	352	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5105.12	50.43	74.00	-23.57	42.70	34.01	10.56	36.84	0.00	352	102	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5290.00	96.26	-----	-----	87.68	34.30	10.71	36.43	0.00	352	102	PEAK																																																																																			
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>41.05</td><td>54.00</td><td>-12.95</td><td>33.08</td><td>34.10</td><td>10.61</td><td>36.74</td><td>0.00</td><td>352</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	41.05	54.00	-12.95	33.08	34.10	10.61	36.74	0.00	352	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.22</td><td>-----</td><td>-----</td><td>80.68</td><td>34.30</td><td>10.70</td><td>36.46</td><td>0.00</td><td>352</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.22	-----	-----	80.68	34.30	10.70	36.46	0.00	352	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5148.96	41.05	54.00	-12.95	33.08	34.10	10.61	36.74	0.00	352	102	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5290.00	89.22	-----	-----	80.68	34.30	10.70	36.46	0.00	352	102	AVERAGE																																																																																			





Mode	55																																																												
	Band Edge - R																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																												
ANT	CDD 0+1																																																												
Pol.	Vertical						Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5385.30</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>48.12</td><td>34.40</td><td>10.77</td><td>36.17</td><td>0.00</td><td>352</td><td>102</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5385.30	57.12	74.00	-16.88	48.12	34.40	10.77	36.17	0.00	352	102	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5385.30	57.12	74.00	-16.88	48.12	34.40	10.77	36.17	0.00	352	102	PEAK																																																	
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5365.20</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>37.65</td><td>34.40</td><td>10.76</td><td>36.22</td><td>0.00</td><td>352</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5365.20	46.59	54.00	-7.41	37.65	34.40	10.76	36.22	0.00	352	102	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5365.20	46.59	54.00	-7.41	37.65	34.40	10.76	36.22	0.00	352	102	AVERAGE																																																	







		55																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT		CDD 0+1																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>57.59</td><td>37.28</td><td>15.65</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	43.87	68.20	-24.33	57.59	37.28	15.65	66.65	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10580.00	43.87	68.20	-24.33	57.59	37.28	15.65	66.65	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.54</td><td>68.20</td><td>-23.66</td><td>58.26</td><td>37.28</td><td>15.65</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.54	68.20	-23.66	58.26	37.28	15.65	66.65	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10580.00	44.54	68.20	-23.66	58.26	37.28	15.65	66.65	0.00	---	---	PEAK																																													






Mode	55																																																																																																																				
	LF																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																				
ANT	CDD 0+1																																																																																																																				
Pol.	Horizontal																																																																																																																				
Peak QP																																																																																																																					
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>20.47</td><td>-19.53</td><td>40.00</td><td>29.13</td><td>23.57</td><td>0.74</td><td>32.97</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>173.56</td><td>23.54</td><td>-19.96</td><td>43.50</td><td>38.44</td><td>15.94</td><td>1.99</td><td>32.83</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>436.43</td><td>36.51</td><td>-9.49</td><td>46.00</td><td>44.02</td><td>22.30</td><td>3.19</td><td>33.00</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>485.90</td><td>37.42</td><td>-8.58</td><td>46.00</td><td>43.71</td><td>23.30</td><td>3.37</td><td>32.96</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>624.61</td><td>34.87</td><td>-11.13</td><td>46.00</td><td>38.99</td><td>25.08</td><td>3.81</td><td>33.01</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>749.74</td><td>38.78</td><td>-7.22</td><td>46.00</td><td>41.55</td><td>25.83</td><td>4.19</td><td>32.79</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>7</td><td>1000.00</td><td>41.02</td><td>-12.98</td><td>54.00</td><td>39.75</td><td>27.34</td><td>4.84</td><td>30.91</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	31.94	20.47	-19.53	40.00	29.13	23.57	0.74	32.97	---	Peak	HORIZONTAL	2	173.56	23.54	-19.96	43.50	38.44	15.94	1.99	32.83	---	Peak	HORIZONTAL	3	436.43	36.51	-9.49	46.00	44.02	22.30	3.19	33.00	---	Peak	HORIZONTAL	4	485.90	37.42	-8.58	46.00	43.71	23.30	3.37	32.96	---	Peak	HORIZONTAL	5	624.61	34.87	-11.13	46.00	38.99	25.08	3.81	33.01	---	Peak	HORIZONTAL	6	749.74	38.78	-7.22	46.00	41.55	25.83	4.19	32.79	---	Peak	HORIZONTAL	7	1000.00	41.02	-12.98	54.00	39.75	27.34	4.84	30.91	---	Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
	1	31.94	20.47	-19.53	40.00	29.13	23.57	0.74	32.97	---	Peak	HORIZONTAL																																																																																																									
	2	173.56	23.54	-19.96	43.50	38.44	15.94	1.99	32.83	---	Peak	HORIZONTAL																																																																																																									
	3	436.43	36.51	-9.49	46.00	44.02	22.30	3.19	33.00	---	Peak	HORIZONTAL																																																																																																									
	4	485.90	37.42	-8.58	46.00	43.71	23.30	3.37	32.96	---	Peak	HORIZONTAL																																																																																																									
	5	624.61	34.87	-11.13	46.00	38.99	25.08	3.81	33.01	---	Peak	HORIZONTAL																																																																																																									
	6	749.74	38.78	-7.22	46.00	41.55	25.83	4.19	32.79	---	Peak	HORIZONTAL																																																																																																									
7	1000.00	41.02	-12.98	54.00	39.75	27.34	4.84	30.91	---	Peak	HORIZONTAL																																																																																																										
Vertical																																																																																																																					
																																																																																																																					
<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>56.19</td><td>25.73</td><td>-14.27</td><td>40.00</td><td>44.26</td><td>13.28</td><td>1.11</td><td>32.92</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>174.53</td><td>21.21</td><td>-22.29</td><td>43.50</td><td>36.12</td><td>15.92</td><td>2.00</td><td>32.83</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>352.04</td><td>31.60</td><td>-14.40</td><td>46.00</td><td>41.19</td><td>20.48</td><td>2.86</td><td>32.93</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>460.68</td><td>30.55</td><td>-15.45</td><td>46.00</td><td>37.54</td><td>22.76</td><td>3.28</td><td>33.03</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>624.61</td><td>30.46</td><td>-15.54</td><td>46.00</td><td>34.58</td><td>25.08</td><td>3.81</td><td>33.01</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>749.74</td><td>35.16</td><td>-10.84</td><td>46.00</td><td>37.93</td><td>25.83</td><td>4.19</td><td>32.79</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	56.19	25.73	-14.27	40.00	44.26	13.28	1.11	32.92	---	Peak	VERTICAL	2	174.53	21.21	-22.29	43.50	36.12	15.92	2.00	32.83	---	Peak	VERTICAL	3	352.04	31.60	-14.40	46.00	41.19	20.48	2.86	32.93	---	Peak	VERTICAL	4	460.68	30.55	-15.45	46.00	37.54	22.76	3.28	33.03	---	Peak	VERTICAL	5	624.61	30.46	-15.54	46.00	34.58	25.08	3.81	33.01	---	Peak	VERTICAL	6	749.74	35.16	-10.84	46.00	37.93	25.83	4.19	32.79	---	Peak	VERTICAL													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	56.19	25.73	-14.27	40.00	44.26	13.28	1.11	32.92	---	Peak	VERTICAL																																																																																																										
2	174.53	21.21	-22.29	43.50	36.12	15.92	2.00	32.83	---	Peak	VERTICAL																																																																																																										
3	352.04	31.60	-14.40	46.00	41.19	20.48	2.86	32.93	---	Peak	VERTICAL																																																																																																										
4	460.68	30.55	-15.45	46.00	37.54	22.76	3.28	33.03	---	Peak	VERTICAL																																																																																																										
5	624.61	30.46	-15.54	46.00	34.58	25.08	3.81	33.01	---	Peak	VERTICAL																																																																																																										
6	749.74	35.16	-10.84	46.00	37.93	25.83	4.19	32.79	---	Peak	VERTICAL																																																																																																										







Mode	56																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 0+1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>59.97</td><td>74.00</td><td>-14.03</td><td>50.71</td><td>34.42</td><td>10.84</td><td>36.00</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>63.49</td><td>68.20</td><td>-4.71</td><td>54.17</td><td>34.44</td><td>10.85</td><td>35.97</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	59.97	74.00	-14.03	50.71	34.42	10.84	36.00	0.00	100	124	PEAK	2	5468.08	63.49	68.20	-4.71	54.17	34.44	10.85	35.97	0.00	100	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.26</td><td>-----</td><td>-----</td><td>89.69</td><td>34.50</td><td>10.91</td><td>35.84</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.26	-----	-----	89.69	34.50	10.91	35.84	0.00	100	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.68	59.97	74.00	-14.03	50.71	34.42	10.84	36.00	0.00	100	124	PEAK																																																																																																					
2	5468.08	63.49	68.20	-4.71	54.17	34.44	10.85	35.97	0.00	100	124	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	99.26	-----	-----	89.69	34.50	10.91	35.84	0.00	100	124	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>50.10</td><td>54.00</td><td>-3.90</td><td>40.84</td><td>34.42</td><td>10.84</td><td>36.00</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	50.10	54.00	-3.90	40.84	34.42	10.84	36.00	0.00	100	124	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.49</td><td>-----</td><td>-----</td><td>81.89</td><td>34.50</td><td>10.92</td><td>35.82</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.49	-----	-----	81.89	34.50	10.92	35.82	0.00	100	124	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.52	50.10	54.00	-3.90	40.84	34.42	10.84	36.00	0.00	100	124	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	91.49	-----	-----	81.89	34.50	10.92	35.82	0.00	100	124	AVERAGE																																																																																																					



Mode	56																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5752.12</td><td>50.93</td><td>68.20</td><td>-17.27</td><td>42.85</td><td>34.60</td><td>11.21</td><td>37.73</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5752.12	50.93	68.20	-17.27	42.85	34.60	11.21	37.73	0.00	100	124 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5752.12	50.93	68.20	-17.27	42.85	34.60	11.21	37.73	0.00	100	124 PEAK																																												





Mode	56																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																												
ANT	CDD 0+1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>44.11</td><td>34.41</td><td>10.84</td><td>36.00</td><td>0.00</td><td>350</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>51.67</td><td>68.20</td><td>-16.53</td><td>42.38</td><td>34.43</td><td>10.84</td><td>35.98</td><td>0.00</td><td>350</td><td>113</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	53.36	74.00	-20.64	44.11	34.41	10.84	36.00	0.00	350	113	PEAK	2	5463.28	51.67	68.20	-16.53	42.38	34.43	10.84	35.98	0.00	350	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.56</td><td>-----</td><td>-----</td><td>84.90</td><td>34.50</td><td>10.94</td><td>35.78</td><td>0.00</td><td>350</td><td>113</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.56	-----	-----	84.90	34.50	10.94	35.78	0.00	350	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5457.04	53.36	74.00	-20.64	44.11	34.41	10.84	36.00	0.00	350	113	PEAK																																																																																																																	
2	5463.28	51.67	68.20	-16.53	42.38	34.43	10.84	35.98	0.00	350	113	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	94.56	-----	-----	84.90	34.50	10.94	35.78	0.00	350	113	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>35.40</td><td>34.42</td><td>10.84</td><td>36.00</td><td>0.00</td><td>350</td><td>113</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	44.66	54.00	-9.34	35.40	34.42	10.84	36.00	0.00	350	113	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.24</td><td>-----</td><td>-----</td><td>77.58</td><td>34.50</td><td>10.94</td><td>35.78</td><td>0.00</td><td>350</td><td>113</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.24	-----	-----	77.58	34.50	10.94	35.78	0.00	350	113	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5457.52	44.66	54.00	-9.34	35.40	34.42	10.84	36.00	0.00	350	113	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	87.24	-----	-----	77.58	34.50	10.94	35.78	0.00	350	113	AVERAGE																																																																																																																	







Mode	56																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																				
ANT	CDD 0+1																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5748.44</td><td>49.29</td><td>68.20</td><td>-18.91</td><td>41.14</td><td>34.60</td><td>11.21</td><td>37.66</td><td>0.00</td><td>350</td><td>113 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5748.44	49.29	68.20	-18.91	41.14	34.60	11.21	37.66	0.00	350	113 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5748.44	49.29	68.20	-18.91	41.14	34.60	11.21	37.66	0.00	350	113 PEAK																																										




		56																																																												
Mode		Harmonic																																																												
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																												
ANT		CDD 0+1																																																												
Pol.		Horizontal						Vertical																																																						
Peak Avg																																																														
																																																														
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>56.39</td><td>37.96</td><td>16.08</td><td>66.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	43.99	74.00	-30.01	56.39	37.96	16.08	66.44	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11060.00	43.99	74.00	-30.01	56.39	37.96	16.08	66.44	0.00	---	---	PEAK																																																		
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>56.17</td><td>37.96</td><td>16.08</td><td>66.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	43.77	74.00	-30.23	56.17	37.96	16.08	66.44	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11060.00	43.77	74.00	-30.23	56.17	37.96	16.08	66.44	0.00	---	---	PEAK																																																		







Mode	57																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																												
ANT	CDD 0+1																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.84</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>43.47</td><td>34.40</td><td>10.81</td><td>36.04</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>53.29</td><td>68.20</td><td>-14.91</td><td>43.97</td><td>34.44</td><td>10.85</td><td>35.97</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.84	52.64	74.00	-21.36	43.47	34.40	10.81	36.04	0.00	100	123	PEAK	2	5469.68	53.29	68.20	-14.91	43.97	34.44	10.85	35.97	0.00	100	123	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>101.87</td><td>-----</td><td>-----</td><td>91.90</td><td>34.50</td><td>11.05</td><td>35.58</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.87	-----	-----	91.90	34.50	11.05	35.58	0.00	100	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5437.84	52.64	74.00	-21.36	43.47	34.40	10.81	36.04	0.00	100	123	PEAK																																																																																																																	
2	5469.68	53.29	68.20	-14.91	43.97	34.44	10.85	35.97	0.00	100	123	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	101.87	-----	-----	91.90	34.50	11.05	35.58	0.00	100	123	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>34.77</td><td>34.42</td><td>10.84</td><td>36.00</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	44.03	54.00	-9.97	34.77	34.42	10.84	36.00	0.00	100	123	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.11</td><td>-----</td><td>-----</td><td>84.24</td><td>34.50</td><td>11.01</td><td>35.64</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.11	-----	-----	84.24	34.50	11.01	35.64	0.00	100	123	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5457.52	44.03	54.00	-9.97	34.77	34.42	10.84	36.00	0.00	100	123	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	94.11	-----	-----	84.24	34.50	11.01	35.64	0.00	100	123	AVERAGE																																																																																																																	




Mode	57																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5727.16</td><td>62.41</td><td>68.20</td><td>-5.79</td><td>53.92</td><td>34.55</td><td>11.18</td><td>37.24</td><td>0.00</td><td>100</td><td>123 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5727.16	62.41	68.20	-5.79	53.92	34.55	11.18	37.24	0.00	100	123 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.16	62.41	68.20	-5.79	53.92	34.55	11.18	37.24	0.00	100	123 PEAK																																													





Mode	57																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																												
ANT	CDD 0+1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.60</td><td>50.28</td><td>74.00</td><td>-23.72</td><td>41.03</td><td>34.41</td><td>10.84</td><td>36.00</td><td>0.00</td><td>386</td><td>96</td><td>PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>50.62</td><td>68.20</td><td>-17.58</td><td>41.30</td><td>34.44</td><td>10.85</td><td>35.97</td><td>0.00</td><td>386</td><td>96</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5455.60	50.28	74.00	-23.72	41.03	34.41	10.84	36.00	0.00	386	96	PEAK	2	5469.20	50.62	68.20	-17.58	41.30	34.44	10.85	35.97	0.00	386	96	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>99.14</td><td>-----</td><td>-----</td><td>89.35</td><td>34.50</td><td>10.98</td><td>35.69</td><td>0.00</td><td>386</td><td>96</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	99.14	-----	-----	89.35	34.50	10.98	35.69	0.00	386	96	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5455.60	50.28	74.00	-23.72	41.03	34.41	10.84	36.00	0.00	386	96	PEAK																																																																																																																	
2	5469.20	50.62	68.20	-17.58	41.30	34.44	10.85	35.97	0.00	386	96	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5610.00	99.14	-----	-----	89.35	34.50	10.98	35.69	0.00	386	96	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.68</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>33.33</td><td>34.42</td><td>10.84</td><td>36.00</td><td>0.00</td><td>386</td><td>96</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.68	42.59	54.00	-11.41	33.33	34.42	10.84	36.00	0.00	386	96	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>91.18</td><td>-----</td><td>-----</td><td>81.37</td><td>34.50</td><td>10.99</td><td>35.68</td><td>0.00</td><td>386</td><td>96</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	91.18	-----	-----	81.37	34.50	10.99	35.68	0.00	386	96	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5457.68	42.59	54.00	-11.41	33.33	34.42	10.84	36.00	0.00	386	96	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5610.00	91.18	-----	-----	81.37	34.50	10.99	35.68	0.00	386	96	AVERAGE																																																																																																																	






Mode	57																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																											
ANT	CDD 0+1																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5726.92</td><td>59.37</td><td>68.20</td><td>-8.83</td><td>50.88</td><td>34.55</td><td>11.18</td><td>37.24</td><td>0.00</td><td>386</td><td>96 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5726.92	59.37	68.20	-8.83	50.88	34.55	11.18	37.24	0.00	386	96 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5726.92	59.37	68.20	-8.83	50.88	34.55	11.18	37.24	0.00	386	96 PEAK																																	







		57																																									
Mode		Harmonic																																									
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																									
ANT		CDD 0+1																																									
Pol.		Horizontal																																									
Peak Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.41	74.00	-29.59	56.42	38.18	16.18	66.37	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	11220.00	44.41	74.00	-29.59	56.42	38.18	16.18	66.37	0.00	---	---	PEAK																															
		Vertical																																									
Peak Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.26	74.00	-29.74	56.27	38.18	16.18	66.37	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	11220.00	44.26	74.00	-29.74	56.27	38.18	16.18	66.37	0.00	---	---	PEAK																															





Mode	58																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.20</td><td>49.27</td><td>68.30</td><td>-19.03</td><td>39.29</td><td>34.50</td><td>11.05</td><td>35.57</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.72</td><td>68.60</td><td>-21.88</td><td>36.91</td><td>34.50</td><td>11.07</td><td>35.76</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>54.29</td><td>110.56</td><td>-56.27</td><td>45.66</td><td>34.54</td><td>11.17</td><td>37.08</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>60.10</td><td>117.28</td><td>-57.18</td><td>51.54</td><td>34.55</td><td>11.17</td><td>37.16</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.20	49.27	68.30	-19.03	39.29	34.50	11.05	35.57	0.00	100	124	PEAK	2	5650.40	46.72	68.60	-21.88	36.91	34.50	11.07	35.76	0.00	100	124	PEAK	3	5718.80	54.29	110.56	-56.27	45.66	34.54	11.17	37.08	0.00	100	124	PEAK	4	5722.80	60.10	117.28	-57.18	51.54	34.55	11.17	37.16	0.00	100	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.98</td><td>-----</td><td>-----</td><td>92.89</td><td>34.60</td><td>11.21</td><td>37.72</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.98	-----	-----	92.89	34.60	11.21	37.72	0.00	100	124	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5635.20	49.27	68.30	-19.03	39.29	34.50	11.05	35.57	0.00	100	124	PEAK																																																																																																																															
2	5650.40	46.72	68.60	-21.88	36.91	34.50	11.07	35.76	0.00	100	124	PEAK																																																																																																																															
3	5718.80	54.29	110.56	-56.27	45.66	34.54	11.17	37.08	0.00	100	124	PEAK																																																																																																																															
4	5722.80	60.10	117.28	-57.18	51.54	34.55	11.17	37.16	0.00	100	124	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	100.98	-----	-----	92.89	34.60	11.21	37.72	0.00	100	124	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.20</td><td>-----</td><td>-----</td><td>84.01</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	92.20	-----	-----	84.01	34.59	11.21	37.61	0.00	100	124	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	92.20	-----	-----	84.01	34.59	11.21	37.61	0.00	100	124	AVERAGE																																																																																																																															





Mode	58																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	0																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.20</td><td>50.13</td><td>68.30</td><td>-18.17</td><td>40.26</td><td>34.50</td><td>11.07</td><td>35.70</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.83</td><td>68.30</td><td>-19.47</td><td>39.01</td><td>34.50</td><td>11.07</td><td>35.75</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>60.95</td><td>110.56</td><td>-49.61</td><td>52.32</td><td>34.54</td><td>11.17</td><td>37.08</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>75.94</td><td>120.93</td><td>-44.99</td><td>67.40</td><td>34.55</td><td>11.18</td><td>37.19</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	50.13	68.30	-18.17	40.26	34.50	11.07	35.70	0.00	172	360	PEAK	2	5650.00	48.83	68.30	-19.47	39.01	34.50	11.07	35.75	0.00	172	360	PEAK	3	5718.80	60.95	110.56	-49.61	52.32	34.54	11.17	37.08	0.00	172	360	PEAK	4	5724.40	75.94	120.93	-44.99	67.40	34.55	11.18	37.19	0.00	172	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.54</td><td>-----</td><td>-----</td><td>96.35</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>172</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.54	-----	-----	96.35	34.59	11.21	37.61	0.00	172	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5647.20	50.13	68.30	-18.17	40.26	34.50	11.07	35.70	0.00	172	360	PEAK																																																																																																																														
2	5650.00	48.83	68.30	-19.47	39.01	34.50	11.07	35.75	0.00	172	360	PEAK																																																																																																																														
3	5718.80	60.95	110.56	-49.61	52.32	34.54	11.17	37.08	0.00	172	360	PEAK																																																																																																																														
4	5724.40	75.94	120.93	-44.99	67.40	34.55	11.18	37.19	0.00	172	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	104.54	-----	-----	96.35	34.59	11.21	37.61	0.00	172	360	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.22</td><td>-----</td><td>-----</td><td>86.93</td><td>34.58</td><td>11.20</td><td>37.49</td><td>0.00</td><td>172</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.22	-----	-----	86.93	34.58	11.20	37.49	0.00	172	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.22</td><td>-----</td><td>-----</td><td>86.93</td><td>34.58</td><td>11.20</td><td>37.49</td><td>0.00</td><td>172</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.22	-----	-----	86.93	34.58	11.20	37.49	0.00	172	360	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	95.22	-----	-----	86.93	34.58	11.20	37.49	0.00	172	360	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	95.22	-----	-----	86.93	34.58	11.20	37.49	0.00	172	360	AVERAGE																																																																																																																														






		58																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																							
ANT		0																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>54.86</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.26	74.00	-30.74	54.86	38.29	16.36	66.25	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11490.00	43.26	74.00	-30.74	54.86	38.29	16.36	66.25	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>55.21</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.61	74.00	-30.39	55.21	38.29	16.36	66.25	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11490.00	43.61	74.00	-30.39	55.21	38.29	16.36	66.25	0.00	---	---	PEAK																																													



Mode	59																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>55.35</td><td>38.37</td><td>16.41</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	43.90	74.00	-30.10	55.35	38.37	16.41	66.23	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>55.22</td><td>38.37</td><td>16.41</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	43.77	74.00	-30.23	55.22	38.37	16.41	66.23	0.00	---	---	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 11570.00	43.90	74.00	-30.10	55.35	38.37	16.41	66.23	0.00	---	---	PEAK																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 11570.00	43.77	74.00	-30.23	55.22	38.37	16.41	66.23	0.00	---	---	PEAK																																																																																									





Mode	60																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	0																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.60</td><td>66.53</td><td>118.65</td><td>-52.12</td><td>60.05</td><td>34.00</td><td>11.33</td><td>39.65</td><td>0.00</td><td>105</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>57.19</td><td>110.62</td><td>-53.43</td><td>50.75</td><td>34.81</td><td>11.34</td><td>39.71</td><td>0.00</td><td>105</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5920.80</td><td>49.76</td><td>71.40</td><td>-21.64</td><td>42.99</td><td>34.98</td><td>11.40</td><td>39.61</td><td>0.00</td><td>105</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5957.20</td><td>48.01</td><td>68.30</td><td>-20.29</td><td>41.02</td><td>35.11</td><td>11.43</td><td>39.55</td><td>0.00</td><td>105</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5851.60	66.53	118.65	-52.12	60.05	34.00	11.33	39.65	0.00	105	120	PEAK	2	5856.00	57.19	110.62	-53.43	50.75	34.81	11.34	39.71	0.00	105	120	PEAK	3	5920.80	49.76	71.40	-21.64	42.99	34.98	11.40	39.61	0.00	105	120	PEAK	4	5957.20	48.01	68.30	-20.29	41.02	35.11	11.43	39.55	0.00	105	120	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.85</td><td>-----</td><td>-----</td><td>95.90</td><td>34.75</td><td>11.31</td><td>39.11</td><td>0.00</td><td>105</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.85	-----	-----	95.90	34.75	11.31	39.11	0.00	105	120	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5851.60	66.53	118.65	-52.12	60.05	34.00	11.33	39.65	0.00	105	120	PEAK																																																																																																																															
2	5856.00	57.19	110.62	-53.43	50.75	34.81	11.34	39.71	0.00	105	120	PEAK																																																																																																																															
3	5920.80	49.76	71.40	-21.64	42.99	34.98	11.40	39.61	0.00	105	120	PEAK																																																																																																																															
4	5957.20	48.01	68.30	-20.29	41.02	35.11	11.43	39.55	0.00	105	120	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	102.85	-----	-----	95.90	34.75	11.31	39.11	0.00	105	120	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.88</td><td>-----</td><td>-----</td><td>86.84</td><td>34.74</td><td>11.30</td><td>39.00</td><td>0.00</td><td>105</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.88	-----	-----	86.84	34.74	11.30	39.00	0.00	105	120	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	93.88	-----	-----	86.84	34.74	11.30	39.00	0.00	105	120	AVERAGE																																																																																																																															






Mode	60																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	0																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	59.43	112.27	-52.84	52.99	34.81	11.33	39.70	0.00	201	360	PEAK	2	5863.60	54.55	108.49	-53.94	48.08	34.83	11.34	39.70	0.00	201	360	PEAK	3	5924.40	45.90	68.74	-22.84	39.10	35.00	11.40	39.60	0.00	201	360	PEAK	4	5979.20	47.47	68.30	-20.83	40.37	35.16	11.45	39.51	0.00	201	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.39</td><td>-----</td><td>-----</td><td>96.35</td><td>34.74</td><td>11.30</td><td>39.00</td><td>0.00</td><td>201</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.39	-----	-----	96.35	34.74	11.30	39.00	0.00	201	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5854.40	59.43	112.27	-52.84	52.99	34.81	11.33	39.70	0.00	201	360	PEAK																																																																																																																			
2	5863.60	54.55	108.49	-53.94	48.08	34.83	11.34	39.70	0.00	201	360	PEAK																																																																																																																			
3	5924.40	45.90	68.74	-22.84	39.10	35.00	11.40	39.60	0.00	201	360	PEAK																																																																																																																			
4	5979.20	47.47	68.30	-20.83	40.37	35.16	11.45	39.51	0.00	201	360	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5825.00	103.39	-----	-----	96.35	34.74	11.30	39.00	0.00	201	360	PEAK																																																																																																																			
Avg	Blank																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.09</td><td>-----</td><td>-----</td><td>87.14</td><td>34.75</td><td>11.31</td><td>39.11</td><td>0.00</td><td>201</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.09	-----	-----	87.14	34.75	11.31	39.11	0.00	201	360	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5825.00	94.09	-----	-----	87.14	34.75	11.31	39.11	0.00	201	360	AVERAGE																																																																																																																			






Mode	60																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>56.09</td><td>38.45</td><td>16.46</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.80	74.00	-29.20	56.09	38.45	16.46	66.20	0.00	---	---	PEAK	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>55.94</td><td>38.45</td><td>16.46</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.65	74.00	-29.35	55.94	38.45	16.46	66.20	0.00	---	---	PEAK
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	44.80	74.00	-29.20	56.09	38.45	16.46	66.20	0.00	---	---	PEAK																																																																																						
Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11650.00	44.65	74.00	-29.35	55.94	38.45	16.46	66.20	0.00	---	---	PEAK																																																																																						





Mode	61																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.80</td><td>52.87</td><td>68.30</td><td>-15.43</td><td>43.03</td><td>34.50</td><td>11.07</td><td>35.73</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>50.90</td><td>69.49</td><td>-18.59</td><td>41.11</td><td>34.50</td><td>11.07</td><td>35.78</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>64.89</td><td>110.56</td><td>-45.67</td><td>56.26</td><td>34.54</td><td>11.17</td><td>37.08</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>70.81</td><td>117.28</td><td>-46.47</td><td>62.25</td><td>34.55</td><td>11.17</td><td>37.16</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.80	52.87	68.30	-15.43	43.03	34.50	11.07	35.73	0.00	100	170	PEAK	2	5651.60	50.90	69.49	-18.59	41.11	34.50	11.07	35.78	0.00	100	170	PEAK	3	5718.80	64.89	110.56	-45.67	56.26	34.54	11.17	37.08	0.00	100	170	PEAK	4	5722.80	70.81	117.28	-46.47	62.25	34.55	11.17	37.16	0.00	100	170	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.74</td><td>-----</td><td>-----</td><td>98.55</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.74	-----	-----	98.55	34.59	11.21	37.61	0.00	100	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5648.80	52.87	68.30	-15.43	43.03	34.50	11.07	35.73	0.00	100	170	PEAK																																																																																																																														
2	5651.60	50.90	69.49	-18.59	41.11	34.50	11.07	35.78	0.00	100	170	PEAK																																																																																																																														
3	5718.80	64.89	110.56	-45.67	56.26	34.54	11.17	37.08	0.00	100	170	PEAK																																																																																																																														
4	5722.80	70.81	117.28	-46.47	62.25	34.55	11.17	37.16	0.00	100	170	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.74	-----	-----	98.55	34.59	11.21	37.61	0.00	100	170	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.57</td><td>-----</td><td>-----</td><td>89.28</td><td>34.58</td><td>11.20</td><td>37.49</td><td>0.00</td><td>100</td><td>170</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.57	-----	-----	89.28	34.58	11.20	37.49	0.00	100	170	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.57	-----	-----	89.28	34.58	11.20	37.49	0.00	100	170	AVERAGE																																																																																																																														





Mode	61																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.60</td><td>50.38</td><td>68.30</td><td>-17.92</td><td>40.40</td><td>34.50</td><td>11.05</td><td>35.57</td><td>0.00</td><td>307</td><td>67 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.40</td><td>68.30</td><td>-20.90</td><td>37.50</td><td>34.50</td><td>11.07</td><td>35.75</td><td>0.00</td><td>307</td><td>67 PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>55.85</td><td>109.78</td><td>-53.93</td><td>47.19</td><td>34.53</td><td>11.16</td><td>37.03</td><td>0.00</td><td>307</td><td>67 PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>70.82</td><td>119.11</td><td>-48.29</td><td>62.28</td><td>34.55</td><td>11.17</td><td>37.18</td><td>0.00</td><td>307</td><td>67 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.60	50.38	68.30	-17.92	40.40	34.50	11.05	35.57	0.00	307	67 PEAK	2	5650.00	47.40	68.30	-20.90	37.50	34.50	11.07	35.75	0.00	307	67 PEAK	3	5716.00	55.85	109.78	-53.93	47.19	34.53	11.16	37.03	0.00	307	67 PEAK	4	5723.60	70.82	119.11	-48.29	62.28	34.55	11.17	37.18	0.00	307	67 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.47</td><td>-----</td><td>-----</td><td>94.18</td><td>34.58</td><td>11.20</td><td>37.49</td><td>0.00</td><td>307</td><td>67 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.47	-----	-----	94.18	34.58	11.20	37.49	0.00	307	67 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5635.60	50.38	68.30	-17.92	40.40	34.50	11.05	35.57	0.00	307	67 PEAK																																																																																																																										
2	5650.00	47.40	68.30	-20.90	37.50	34.50	11.07	35.75	0.00	307	67 PEAK																																																																																																																										
3	5716.00	55.85	109.78	-53.93	47.19	34.53	11.16	37.03	0.00	307	67 PEAK																																																																																																																										
4	5723.60	70.82	119.11	-48.29	62.28	34.55	11.17	37.18	0.00	307	67 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	102.47	-----	-----	94.18	34.58	11.20	37.49	0.00	307	67 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.40</td><td>-----</td><td>-----</td><td>85.21</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>307</td><td>67 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.40	-----	-----	85.21	34.59	11.21	37.61	0.00	307	67 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	93.40	-----	-----	85.21	34.59	11.21	37.61	0.00	307	67 AVERAGE																																																																																																																										







Mode	61																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>55.29</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	43.69	74.00	-30.31	55.29	38.29	16.36	66.25	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>56.00</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.40	74.00	-29.60	56.00	38.29	16.36	66.25	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	43.69	74.00	-30.31	55.29	38.29	16.36	66.25	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11490.00	44.40	74.00	-29.60	56.00	38.29	16.36	66.25	0.00	---	---	PEAK																																																																																								



Mode	62																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>55.03</td><td>38.37</td><td>16.41</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	43.58	74.00	-30.42	55.03	38.37	16.41	66.23	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>56.17</td><td>38.37</td><td>16.41</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.72	74.00	-29.28	56.17	38.37	16.41	66.23	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11570.00	43.58	74.00	-30.42	55.03	38.37	16.41	66.23	0.00	---	---	PEAK																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11570.00	44.72	74.00	-29.28	56.17	38.37	16.41	66.23	0.00	---	---	PEAK																																																																																																		





		63																																																																																															
Mode		Band Edge																																																																																															
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT		1																																																																																															
Pol.		Horizontal																																																																																															
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>63.82</td><td>115.00</td><td>-51.18</td><td>57.36</td><td>34.81</td><td>11.33</td><td>39.68</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>54.05</td><td>107.93</td><td>-53.88</td><td>47.56</td><td>34.83</td><td>11.35</td><td>39.69</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.06</td><td>68.45</td><td>-20.39</td><td>41.26</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>49.25</td><td>68.30</td><td>-19.05</td><td>42.41</td><td>35.02</td><td>11.41</td><td>39.59</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.20	63.82	115.00	-51.18	57.36	34.81	11.33	39.68	0.00	100	158	PEAK	2	5865.60	54.05	107.93	-53.88	47.56	34.83	11.35	39.69	0.00	100	158	PEAK	3	5924.80	48.06	68.45	-20.39	41.26	35.00	11.40	39.60	0.00	100	158	PEAK	4	5938.80	49.25	68.30	-19.05	42.41	35.02	11.41	39.59	0.00	100	158	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5853.20	63.82	115.00	-51.18	57.36	34.81	11.33	39.68	0.00	100	158	PEAK																																																																																					
2	5865.60	54.05	107.93	-53.88	47.56	34.83	11.35	39.69	0.00	100	158	PEAK																																																																																					
3	5924.80	48.06	68.45	-20.39	41.26	35.00	11.40	39.60	0.00	100	158	PEAK																																																																																					
4	5938.80	49.25	68.30	-19.05	42.41	35.02	11.41	39.59	0.00	100	158	PEAK																																																																																					
Fundamental																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.66</td><td>-----</td><td>-----</td><td>97.71</td><td>34.75</td><td>11.31</td><td>39.11</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.66	-----	-----	97.71	34.75	11.31	39.11	0.00	100	158	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5825.00	104.66	-----	-----	97.71	34.75	11.31	39.11	0.00	100	158	PEAK																																																																																					
Avg																																																																																																	
	Blank																																																																																																
	Fundamental																																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.79</td><td>-----</td><td>-----</td><td>88.84</td><td>34.75</td><td>11.31</td><td>39.11</td><td>0.00</td><td>100</td><td>158</td><td>AVERAGE</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.79	-----	-----	88.84	34.75	11.31	39.11	0.00	100	158	AVERAGE																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5825.00	95.79	-----	-----	88.84	34.75	11.31	39.11	0.00	100	158	AVERAGE																																																																																					






Mode	63																																																																																																						
	Band Edge																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5853.60	52.80	114.09	-61.29	46.35	34.81	11.33	39.69	0.00	300 62 PEAK	2	5871.60	48.55	106.25	-57.70	42.04	34.84	11.35	39.68	0.00	300 62 PEAK	3	5924.00	46.72	69.04	-22.32	39.92	35.00	11.40	39.60	0.00	300 62 PEAK	4	5937.60	48.13	68.30	-20.17	41.25	35.05	11.41	39.58	0.00	300 62 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	100.16	-----	-----	93.21	34.75	11.31	39.11	0.00	300 62 PEAK				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1	5853.60	52.80	114.09	-61.29	46.35	34.81	11.33	39.69	0.00	300 62 PEAK																																																																																													
2	5871.60	48.55	106.25	-57.70	42.04	34.84	11.35	39.68	0.00	300 62 PEAK																																																																																													
3	5924.00	46.72	69.04	-22.32	39.92	35.00	11.40	39.60	0.00	300 62 PEAK																																																																																													
4	5937.60	48.13	68.30	-20.17	41.25	35.05	11.41	39.58	0.00	300 62 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1	5825.00	100.16	-----	-----	93.21	34.75	11.31	39.11	0.00	300 62 PEAK																																																																																													
Avg	Blank																																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	92.29	-----	-----	85.34	34.75	11.31	39.11	0.00	300 62 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	92.29	-----	-----	85.34	34.75	11.31	39.11	0.00	300 62 AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1	5825.00	92.29	-----	-----	85.34	34.75	11.31	39.11	0.00	300 62 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1	5825.00	92.29	-----	-----	85.34	34.75	11.31	39.11	0.00	300 62 AVERAGE																																																																																													






Mode	63																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>56.05</td><td>38.45</td><td>16.46</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.76	74.00	-29.24	56.05	38.45	16.46	66.20	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>55.33</td><td>38.45</td><td>16.46</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.04	74.00	-29.96	55.33	38.45	16.46	66.20	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11650.00	44.76	74.00	-29.24	56.05	38.45	16.46	66.20	0.00	---	---	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11650.00	44.04	74.00	-29.96	55.33	38.45	16.46	66.20	0.00	---	---	PEAK																																																																																																	





Mode	64																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																										
ANT	CDD 0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.80</td><td>52.09</td><td>68.30</td><td>-16.21</td><td>42.12</td><td>34.50</td><td>11.05</td><td>35.58</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>49.71</td><td>68.60</td><td>-18.89</td><td>39.90</td><td>34.50</td><td>11.07</td><td>35.76</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>69.71</td><td>110.68</td><td>-40.97</td><td>61.09</td><td>34.54</td><td>11.17</td><td>37.09</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>71.08</td><td>112.72</td><td>-41.64</td><td>62.49</td><td>34.54</td><td>11.17</td><td>37.12</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.80	52.09	68.30	-16.21	42.12	34.50	11.05	35.58	0.00	100	10	PEAK	2	5650.40	49.71	68.60	-18.89	39.90	34.50	11.07	35.76	0.00	100	10	PEAK	3	5719.20	69.71	110.68	-40.97	61.09	34.54	11.17	37.09	0.00	100	10	PEAK	4	5720.80	71.08	112.72	-41.64	62.49	34.54	11.17	37.12	0.00	100	10	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.52</td><td>-----</td><td>-----</td><td>99.33</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.52	-----	-----	99.33	34.59	11.21	37.61	0.00	100	10	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5632.80	52.09	68.30	-16.21	42.12	34.50	11.05	35.58	0.00	100	10	PEAK																																																																																																																															
2	5650.40	49.71	68.60	-18.89	39.90	34.50	11.07	35.76	0.00	100	10	PEAK																																																																																																																															
3	5719.20	69.71	110.68	-40.97	61.09	34.54	11.17	37.09	0.00	100	10	PEAK																																																																																																																															
4	5720.80	71.08	112.72	-41.64	62.49	34.54	11.17	37.12	0.00	100	10	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	107.52	-----	-----	99.33	34.59	11.21	37.61	0.00	100	10	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.99</td><td>-----</td><td>-----</td><td>90.80</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>100</td><td>10</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.99	-----	-----	90.80	34.59	11.21	37.61	0.00	100	10	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.99	-----	-----	90.80	34.59	11.21	37.61	0.00	100	10	AVERAGE																																																																																																																															





Mode	64																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	CDD 0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.00</td><td>50.66</td><td>68.30</td><td>-17.64</td><td>40.71</td><td>34.50</td><td>11.04</td><td>35.59</td><td>0.00</td><td>364</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>49.32</td><td>68.60</td><td>-19.28</td><td>39.51</td><td>34.50</td><td>11.07</td><td>35.76</td><td>0.00</td><td>364</td><td>93</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>62.59</td><td>110.79</td><td>-48.20</td><td>53.98</td><td>34.54</td><td>11.17</td><td>37.10</td><td>0.00</td><td>364</td><td>93</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>68.35</td><td>113.64</td><td>-45.29</td><td>59.77</td><td>34.54</td><td>11.17</td><td>37.13</td><td>0.00</td><td>364</td><td>93</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.00	50.66	68.30	-17.64	40.71	34.50	11.04	35.59	0.00	364	93	PEAK	2	5650.40	49.32	68.60	-19.28	39.51	34.50	11.07	35.76	0.00	364	93	PEAK	3	5719.60	62.59	110.79	-48.20	53.98	34.54	11.17	37.10	0.00	364	93	PEAK	4	5721.20	68.35	113.64	-45.29	59.77	34.54	11.17	37.13	0.00	364	93	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.23</td><td>-----</td><td>-----</td><td>97.04</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>364</td><td>93</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.23	-----	-----	97.04	34.59	11.21	37.61	0.00	364	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5626.00	50.66	68.30	-17.64	40.71	34.50	11.04	35.59	0.00	364	93	PEAK																																																																																																																														
2	5650.40	49.32	68.60	-19.28	39.51	34.50	11.07	35.76	0.00	364	93	PEAK																																																																																																																														
3	5719.60	62.59	110.79	-48.20	53.98	34.54	11.17	37.10	0.00	364	93	PEAK																																																																																																																														
4	5721.20	68.35	113.64	-45.29	59.77	34.54	11.17	37.13	0.00	364	93	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	105.23	-----	-----	97.04	34.59	11.21	37.61	0.00	364	93	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.00</td><td>-----</td><td>-----</td><td>87.51</td><td>34.58</td><td>11.20</td><td>37.49</td><td>0.00</td><td>364</td><td>93</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.00	-----	-----	87.51	34.58	11.20	37.49	0.00	364	93	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	95.00	-----	-----	87.51	34.58	11.20	37.49	0.00	364	93	AVERAGE																																																																																																																														






Mode	64																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>55.05</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	43.45	74.00	-30.55	55.05	38.29	16.36	66.25	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>54.99</td><td>38.29</td><td>16.36</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	43.39	74.00	-30.61	54.99	38.29	16.36	66.25	0.00	---	---	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11490.00	43.45	74.00	-30.55	55.05	38.29	16.36	66.25	0.00	---	---	PEAK																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11490.00	43.39	74.00	-30.61	54.99	38.29	16.36	66.25	0.00	---	---	PEAK																																																																																								






Mode	65																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>55.60</td><td>38.37</td><td>16.41</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.15	74.00	-29.85	55.60	38.37	16.41	66.23	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>55.70</td><td>38.37</td><td>16.41</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.25	74.00	-29.75	55.70	38.37	16.41	66.23	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	44.15	74.00	-29.85	55.60	38.37	16.41	66.23	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	44.25	74.00	-29.75	55.70	38.37	16.41	66.23	0.00	---	---	PEAK																																																																																							





Mode	66																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT	CDD 0+1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.40</td><td>68.74</td><td>121.39</td><td>-52.65</td><td>62.23</td><td>34.00</td><td>11.33</td><td>39.62</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>58.19</td><td>110.84</td><td>-52.65</td><td>51.75</td><td>34.81</td><td>11.34</td><td>39.71</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.73</td><td>68.45</td><td>-21.72</td><td>39.93</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>4</td><td>5946.40</td><td>47.62</td><td>68.30</td><td>-20.68</td><td>40.67</td><td>35.09</td><td>11.42</td><td>39.56</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.40	68.74	121.39	-52.65	62.23	34.00	11.33	39.62	0.00	100	9	PEAK	2	5855.20	58.19	110.84	-52.65	51.75	34.81	11.34	39.71	0.00	100	9	PEAK	3	5924.80	46.73	68.45	-21.72	39.93	35.00	11.40	39.60	0.00	100	9	PEAK	4	5946.40	47.62	68.30	-20.68	40.67	35.09	11.42	39.56	0.00	100	9	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.54</td><td>-----</td><td>-----</td><td>98.70</td><td>34.76</td><td>11.31</td><td>39.23</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.54	-----	-----	98.70	34.76	11.31	39.23	0.00	100	9
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5850.40	68.74	121.39	-52.65	62.23	34.00	11.33	39.62	0.00	100	9	PEAK																																																																																																																														
2	5855.20	58.19	110.84	-52.65	51.75	34.81	11.34	39.71	0.00	100	9	PEAK																																																																																																																														
3	5924.80	46.73	68.45	-21.72	39.93	35.00	11.40	39.60	0.00	100	9	PEAK																																																																																																																														
4	5946.40	47.62	68.30	-20.68	40.67	35.09	11.42	39.56	0.00	100	9	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	105.54	-----	-----	98.70	34.76	11.31	39.23	0.00	100	9	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.10</td><td>-----</td><td>-----</td><td>90.06</td><td>34.74</td><td>11.30</td><td>39.00</td><td>0.00</td><td>100</td><td>9</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.10	-----	-----	90.06	34.74	11.30	39.00	0.00	100	9	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	97.10	-----	-----	90.06	34.74	11.30	39.00	0.00	100	9	AVERAGE																																																																																																																														






Mode	66																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																							
ANT	CDD 0+1																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue measured signal line. Four peaks are identified and numbered 1 through 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>58.11</td><td>113.18</td><td>-55.07</td><td>51.66</td><td>34.81</td><td>11.33</td><td>39.69</td><td>0.00</td><td>300 63 PEAK</td></tr><tr><td>2 5874.00</td><td>48.47</td><td>105.36</td><td>-56.89</td><td>41.95</td><td>34.85</td><td>11.35</td><td>39.68</td><td>0.00</td><td>300 63 PEAK</td></tr><tr><td>3 5924.00</td><td>47.23</td><td>68.45</td><td>-21.22</td><td>40.43</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>300 63 PEAK</td></tr><tr><td>4 5978.00</td><td>48.64</td><td>68.30</td><td>-19.66</td><td>41.54</td><td>35.16</td><td>11.45</td><td>39.51</td><td>0.00</td><td>300 63 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	58.11	113.18	-55.07	51.66	34.81	11.33	39.69	0.00	300 63 PEAK	2 5874.00	48.47	105.36	-56.89	41.95	34.85	11.35	39.68	0.00	300 63 PEAK	3 5924.00	47.23	68.45	-21.22	40.43	35.00	11.40	39.60	0.00	300 63 PEAK	4 5978.00	48.64	68.30	-19.66	41.54	35.16	11.45	39.51	0.00	300 63 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue measured signal line. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.02</td><td>-----</td><td>-----</td><td>95.18</td><td>34.76</td><td>11.31</td><td>39.23</td><td>0.00</td><td>300 63 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	102.02	-----	-----	95.18	34.76	11.31	39.23	0.00	300 63 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.00	58.11	113.18	-55.07	51.66	34.81	11.33	39.69	0.00	300 63 PEAK																																																																																																															
2 5874.00	48.47	105.36	-56.89	41.95	34.85	11.35	39.68	0.00	300 63 PEAK																																																																																																															
3 5924.00	47.23	68.45	-21.22	40.43	35.00	11.40	39.60	0.00	300 63 PEAK																																																																																																															
4 5978.00	48.64	68.30	-19.66	41.54	35.16	11.45	39.51	0.00	300 63 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	102.02	-----	-----	95.18	34.76	11.31	39.23	0.00	300 63 PEAK																																																																																																															
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue measured signal line. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.38</td><td>-----</td><td>-----</td><td>86.34</td><td>34.74</td><td>11.30</td><td>39.00</td><td>0.00</td><td>300 63 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	93.38	-----	-----	86.34	34.74	11.30	39.00	0.00	300 63 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	93.38	-----	-----	86.34	34.74	11.30	39.00	0.00	300 63 AVERAGE																																																																																																															




		66																																																																																																																			
Mode		Harmonic																																																																																																																			
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																			
ANT		CDD 0+1																																																																																																																			
Pol.		Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>55.14</td><td>38.45</td><td>16.46</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	43.85	74.00	-30.15	55.14	38.45	16.46	66.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>55.27</td><td>38.45</td><td>16.46</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	43.98	74.00	-30.02	55.27	38.45	16.46	66.20	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	43.85	74.00	-30.15	55.14	38.45	16.46	66.20	0.00	---	---	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11650.00	43.98	74.00	-30.02	55.27	38.45	16.46	66.20	0.00	---	---	PEAK																																																																																																									





Mode	67																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																										
ANT	CDD 0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.84</td><td>52.19</td><td>68.30</td><td>-16.11</td><td>42.30</td><td>34.50</td><td>11.02</td><td>35.63</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>49.00</td><td>68.35</td><td>-18.55</td><td>39.98</td><td>34.50</td><td>11.07</td><td>35.75</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>5719.51</td><td>79.18</td><td>110.76</td><td>-31.58</td><td>70.57</td><td>34.54</td><td>11.17</td><td>37.10</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>77.55</td><td>112.25</td><td>-34.70</td><td>68.96</td><td>34.54</td><td>11.17</td><td>37.12</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.84	52.19	68.30	-16.11	42.30	34.50	11.02	35.63	0.00	100	10	PEAK	2	5650.07	49.00	68.35	-18.55	39.98	34.50	11.07	35.75	0.00	100	10	PEAK	3	5719.51	79.18	110.76	-31.58	70.57	34.54	11.17	37.10	0.00	100	10	PEAK	4	5720.59	77.55	112.25	-34.70	68.96	34.54	11.17	37.12	0.00	100	10	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>104.99</td><td>-----</td><td>-----</td><td>96.80</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.99	-----	-----	96.80	34.59	11.21	37.61	0.00	100	10	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5608.84	52.19	68.30	-16.11	42.30	34.50	11.02	35.63	0.00	100	10	PEAK																																																																																																																															
2	5650.07	49.00	68.35	-18.55	39.98	34.50	11.07	35.75	0.00	100	10	PEAK																																																																																																																															
3	5719.51	79.18	110.76	-31.58	70.57	34.54	11.17	37.10	0.00	100	10	PEAK																																																																																																																															
4	5720.59	77.55	112.25	-34.70	68.96	34.54	11.17	37.12	0.00	100	10	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	104.99	-----	-----	96.80	34.59	11.21	37.61	0.00	100	10	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>95.55</td><td>-----</td><td>-----</td><td>87.46</td><td>34.60</td><td>11.21</td><td>37.72</td><td>0.00</td><td>100</td><td>10</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.55	-----	-----	87.46	34.60	11.21	37.72	0.00	100	10	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	95.55	-----	-----	87.46	34.60	11.21	37.72	0.00	100	10	AVERAGE																																																																																																																															



Mode	67																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>47.85</td><td>111.26</td><td>-63.41</td><td>41.41</td><td>34.81</td><td>11.34</td><td>39.71</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>2</td><td>5873.37</td><td>49.14</td><td>105.76</td><td>-56.62</td><td>42.62</td><td>34.85</td><td>11.35</td><td>39.68</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>46.69</td><td>68.41</td><td>-21.72</td><td>39.89</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>4</td><td>5943.18</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>40.46</td><td>35.07</td><td>11.42</td><td>39.57</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	47.85	111.26	-63.41	41.41	34.81	11.34	39.71	0.00	100	10	PEAK	2	5873.37	49.14	105.76	-56.62	42.62	34.85	11.35	39.68	0.00	100	10	PEAK	3	5924.85	46.69	68.41	-21.72	39.89	35.00	11.40	39.60	0.00	100	10	PEAK	4	5943.18	47.38	68.30	-20.92	40.46	35.07	11.42	39.57	0.00	100	10	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.84	47.85	111.26	-63.41	41.41	34.81	11.34	39.71	0.00	100	10	PEAK																																																																																		
2	5873.37	49.14	105.76	-56.62	42.62	34.85	11.35	39.68	0.00	100	10	PEAK																																																																																		
3	5924.85	46.69	68.41	-21.72	39.89	35.00	11.40	39.60	0.00	100	10	PEAK																																																																																		
4	5943.18	47.38	68.30	-20.92	40.46	35.07	11.42	39.57	0.00	100	10	PEAK																																																																																		





Mode	67																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.88</td><td>51.60</td><td>68.30</td><td>-16.70</td><td>41.74</td><td>34.50</td><td>11.01</td><td>35.65</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr><tr><td>2 5651.46</td><td>49.95</td><td>69.39</td><td>-19.44</td><td>40.16</td><td>34.50</td><td>11.07</td><td>35.78</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr><tr><td>3 5715.32</td><td>69.77</td><td>109.59</td><td>-39.82</td><td>61.10</td><td>34.53</td><td>11.16</td><td>37.02</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr><tr><td>4 5722.61</td><td>76.32</td><td>116.84</td><td>-40.52</td><td>67.76</td><td>34.55</td><td>11.17</td><td>37.16</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.88	51.60	68.30	-16.70	41.74	34.50	11.01	35.65	0.00	360	94 PEAK	2 5651.46	49.95	69.39	-19.44	40.16	34.50	11.07	35.78	0.00	360	94 PEAK	3 5715.32	69.77	109.59	-39.82	61.10	34.53	11.16	37.02	0.00	360	94 PEAK	4 5722.61	76.32	116.84	-40.52	67.76	34.55	11.17	37.16	0.00	360	94 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5603.88	51.60	68.30	-16.70	41.74	34.50	11.01	35.65	0.00	360	94 PEAK																																																																														
2 5651.46	49.95	69.39	-19.44	40.16	34.50	11.07	35.78	0.00	360	94 PEAK																																																																														
3 5715.32	69.77	109.59	-39.82	61.10	34.53	11.16	37.02	0.00	360	94 PEAK																																																																														
4 5722.61	76.32	116.84	-40.52	67.76	34.55	11.17	37.16	0.00	360	94 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>91.96</td><td>-----</td><td>-----</td><td>83.77</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>360</td><td>94 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	91.96	-----	-----	83.77	34.59	11.21	37.61	0.00	360	94 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	91.96	-----	-----	83.77	34.59	11.21	37.61	0.00	360	94 AVERAGE																																																																														






Mode	67																																																																																										
	Band Edge - R																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>44.23</td><td>111.26</td><td>-67.03</td><td>37.79</td><td>34.81</td><td>11.34</td><td>39.71</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr><tr><td>2</td><td>5867.71</td><td>48.87</td><td>107.34</td><td>-58.47</td><td>42.37</td><td>34.84</td><td>11.35</td><td>39.69</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>46.04</td><td>69.13</td><td>-23.09</td><td>39.24</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr><tr><td>4</td><td>5927.19</td><td>47.71</td><td>68.30</td><td>-20.59</td><td>40.89</td><td>35.01</td><td>11.40</td><td>39.59</td><td>0.00</td><td>360</td><td>94 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	44.23	111.26	-67.03	37.79	34.81	11.34	39.71	0.00	360	94 PEAK	2	5867.71	48.87	107.34	-58.47	42.37	34.84	11.35	39.69	0.00	360	94 PEAK	3	5923.87	46.04	69.13	-23.09	39.24	35.00	11.40	39.60	0.00	360	94 PEAK	4	5927.19	47.71	68.30	-20.59	40.89	35.01	11.40	39.59	0.00	360	94 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5854.84	44.23	111.26	-67.03	37.79	34.81	11.34	39.71	0.00	360	94 PEAK																																																																																
2	5867.71	48.87	107.34	-58.47	42.37	34.84	11.35	39.69	0.00	360	94 PEAK																																																																																
3	5923.87	46.04	69.13	-23.09	39.24	35.00	11.40	39.60	0.00	360	94 PEAK																																																																																
4	5927.19	47.71	68.30	-20.59	40.89	35.01	11.40	39.59	0.00	360	94 PEAK																																																																																




		67																																																						
Mode		Harmonic																																																						
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																						
ANT		CDD 0+1																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>42.45</td><td>74.00</td><td>-31.55</td><td>54.02</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	42.45	74.00	-31.55	54.02	38.31	16.37	66.25	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11510.00	42.45	74.00	-31.55	54.02	38.31	16.37	66.25	0.00	---	---	PEAK																																													
		Vertical																																																						
																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>42.85</td><td>74.00</td><td>-31.15</td><td>54.42</td><td>38.31</td><td>16.37</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	42.85	74.00	-31.15	54.42	38.31	16.37	66.25	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11510.00	42.85	74.00	-31.15	54.42	38.31	16.37	66.25	0.00	---	---	PEAK																																													






		68																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																			
ANT		CDD 0+1																																																																																																			
Pol.		Horizontal																																																																																																			
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>53.23</td><td>68.30</td><td>-15.07</td><td>43.26</td><td>34.50</td><td>11.05</td><td>35.58</td><td>0.00</td><td>100</td><td>8</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.23</td><td>68.30</td><td>-18.07</td><td>40.41</td><td>34.50</td><td>11.07</td><td>35.75</td><td>0.00</td><td>100</td><td>8</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>51.93</td><td>107.54</td><td>-55.61</td><td>43.13</td><td>34.52</td><td>11.15</td><td>36.87</td><td>0.00</td><td>100</td><td>8</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.29</td><td>110.90</td><td>-58.61</td><td>43.69</td><td>34.54</td><td>11.17</td><td>37.11</td><td>0.00</td><td>100</td><td>8</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5630.00	53.23	68.30	-15.07	43.26	34.50	11.05	35.58	0.00	100	8	PEAK	2	5650.00	50.23	68.30	-18.07	40.41	34.50	11.07	35.75	0.00	100	8	PEAK	3	5700.00	51.93	107.54	-55.61	43.13	34.52	11.15	36.87	0.00	100	8	PEAK	4	5720.00	52.29	110.90	-58.61	43.69	34.54	11.17	37.11	0.00	100	8
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5630.00	53.23	68.30	-15.07	43.26	34.50	11.05	35.58	0.00	100	8	PEAK																																																																																									
2	5650.00	50.23	68.30	-18.07	40.41	34.50	11.07	35.75	0.00	100	8	PEAK																																																																																									
3	5700.00	51.93	107.54	-55.61	43.13	34.52	11.15	36.87	0.00	100	8	PEAK																																																																																									
4	5720.00	52.29	110.90	-58.61	43.69	34.54	11.17	37.11	0.00	100	8	PEAK																																																																																									
Fundamental																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.49</td><td>-----</td><td>-----</td><td>95.97</td><td>34.68</td><td>11.26</td><td>38.42</td><td>0.00</td><td>100</td><td>8</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5795.00	103.49	-----	-----	95.97	34.68	11.26	38.42	0.00	100	8	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5795.00	103.49	-----	-----	95.97	34.68	11.26	38.42	0.00	100	8	PEAK																																																																																									
Avg	Blank																																																																																																				
																																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.97</td><td>-----</td><td>-----</td><td>85.45</td><td>34.68</td><td>11.26</td><td>38.42</td><td>0.00</td><td>100</td><td>8</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5795.00	92.97	-----	-----	85.45	34.68	11.26	38.42	0.00	100	8	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5795.00	92.97	-----	-----	85.45	34.68	11.26	38.42	0.00	100	8	AVERAGE																																																																																									




Mode	68																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																							
ANT	CDD 0+1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.60</td><td>53.46</td><td>114.09</td><td>-60.63</td><td>47.01</td><td>34.81</td><td>11.33</td><td>39.69</td><td>0.00</td><td>100 8 PEAK</td></tr><tr><td>2 5874.40</td><td>47.97</td><td>105.47</td><td>-57.50</td><td>41.45</td><td>34.85</td><td>11.35</td><td>39.68</td><td>0.00</td><td>100 8 PEAK</td></tr><tr><td>3 5924.80</td><td>45.87</td><td>68.45</td><td>-22.58</td><td>39.07</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>100 8 PEAK</td></tr><tr><td>4 5963.60</td><td>48.11</td><td>68.30</td><td>-20.19</td><td>41.08</td><td>35.13</td><td>11.44</td><td>39.54</td><td>0.00</td><td>100 8 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5853.60	53.46	114.09	-60.63	47.01	34.81	11.33	39.69	0.00	100 8 PEAK	2 5874.40	47.97	105.47	-57.50	41.45	34.85	11.35	39.68	0.00	100 8 PEAK	3 5924.80	45.87	68.45	-22.58	39.07	35.00	11.40	39.60	0.00	100 8 PEAK	4 5963.60	48.11	68.30	-20.19	41.08	35.13	11.44	39.54	0.00	100 8 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5853.60	53.46	114.09	-60.63	47.01	34.81	11.33	39.69	0.00	100 8 PEAK																																																															
2 5874.40	47.97	105.47	-57.50	41.45	34.85	11.35	39.68	0.00	100 8 PEAK																																																															
3 5924.80	45.87	68.45	-22.58	39.07	35.00	11.40	39.60	0.00	100 8 PEAK																																																															
4 5963.60	48.11	68.30	-20.19	41.08	35.13	11.44	39.54	0.00	100 8 PEAK																																																															





Mode	68																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.60</td><td>50.34</td><td>68.30</td><td>-17.96</td><td>40.40</td><td>34.50</td><td>11.04</td><td>35.60</td><td>0.00</td><td>302 65 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>48.17</td><td>68.60</td><td>-20.43</td><td>38.36</td><td>34.50</td><td>11.07</td><td>35.76</td><td>0.00</td><td>302 65 PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>51.31</td><td>107.43</td><td>-56.12</td><td>42.51</td><td>34.52</td><td>11.15</td><td>36.87</td><td>0.00</td><td>302 65 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.86</td><td>110.90</td><td>-62.04</td><td>40.26</td><td>34.54</td><td>11.17</td><td>37.11</td><td>0.00</td><td>302 65 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5623.60	50.34	68.30	-17.96	40.40	34.50	11.04	35.60	0.00	302 65 PEAK	2	5650.40	48.17	68.60	-20.43	38.36	34.50	11.07	35.76	0.00	302 65 PEAK	3	5707.60	51.31	107.43	-56.12	42.51	34.52	11.15	36.87	0.00	302 65 PEAK	4	5720.00	48.86	110.90	-62.04	40.26	34.54	11.17	37.11	0.00	302 65 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5623.60	50.34	68.30	-17.96	40.40	34.50	11.04	35.60	0.00	302 65 PEAK																																																																														
2	5650.40	48.17	68.60	-20.43	38.36	34.50	11.07	35.76	0.00	302 65 PEAK																																																																														
3	5707.60	51.31	107.43	-56.12	42.51	34.52	11.15	36.87	0.00	302 65 PEAK																																																																														
4	5720.00	48.86	110.90	-62.04	40.26	34.54	11.17	37.11	0.00	302 65 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.58</td><td>-----</td><td>-----</td><td>92.35</td><td>34.71</td><td>11.29</td><td>38.77</td><td>0.00</td><td>302 65 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.58	-----	-----	92.35	34.71	11.29	38.77	0.00	302 65 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5795.00	99.58	-----	-----	92.35	34.71	11.29	38.77	0.00	302 65 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.53</td><td>-----</td><td>-----</td><td>83.20</td><td>34.70</td><td>11.28</td><td>38.65</td><td>0.00</td><td>302 65 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.53	-----	-----	83.20	34.70	11.28	38.65	0.00	302 65 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5795.00	90.53	-----	-----	83.20	34.70	11.28	38.65	0.00	302 65 AVERAGE																																																																														






Mode	68																																																																																																					
	Band Edge - R																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																					
ANT	CDD 0+1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5853.60</td><td>53.62</td><td>114.09</td><td>-60.47</td><td>47.17</td><td>34.81</td><td>11.33</td><td>39.69</td><td>0.00</td><td>302</td><td>65</td><td>PEAK</td><td></td></tr><tr><td>2 5870.00</td><td>49.11</td><td>106.70</td><td>-57.59</td><td>42.61</td><td>34.84</td><td>11.35</td><td>39.69</td><td>0.00</td><td>302</td><td>65</td><td>PEAK</td><td></td></tr><tr><td>3 5924.80</td><td>45.70</td><td>68.45</td><td>-22.75</td><td>38.90</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>302</td><td>65</td><td>PEAK</td><td></td></tr><tr><td>4 5940.80</td><td>48.39</td><td>68.30</td><td>-19.91</td><td>41.48</td><td>35.06</td><td>11.42</td><td>39.57</td><td>0.00</td><td>302</td><td>65</td><td>PEAK</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 5853.60	53.62	114.09	-60.47	47.17	34.81	11.33	39.69	0.00	302	65	PEAK		2 5870.00	49.11	106.70	-57.59	42.61	34.84	11.35	39.69	0.00	302	65	PEAK		3 5924.80	45.70	68.45	-22.75	38.90	35.00	11.40	39.60	0.00	302	65	PEAK		4 5940.80	48.39	68.30	-19.91	41.48	35.06	11.42	39.57	0.00	302	65	PEAK		Blank					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5853.60	53.62	114.09	-60.47	47.17	34.81	11.33	39.69	0.00	302	65	PEAK																																																																																											
2 5870.00	49.11	106.70	-57.59	42.61	34.84	11.35	39.69	0.00	302	65	PEAK																																																																																											
3 5924.80	45.70	68.45	-22.75	38.90	35.00	11.40	39.60	0.00	302	65	PEAK																																																																																											
4 5940.80	48.39	68.30	-19.91	41.48	35.06	11.42	39.57	0.00	302	65	PEAK																																																																																											




Mode	68																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																			
ANT	CDD 0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>54.37</td><td>38.39</td><td>16.42</td><td>66.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	42.96	74.00	-31.04	54.37	38.39	16.42	66.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>55.05</td><td>38.39</td><td>16.42</td><td>66.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	43.64	74.00	-30.36	55.05	38.39	16.42	66.22	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	42.96	74.00	-31.04	54.37	38.39	16.42	66.22	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	43.64	74.00	-30.36	55.05	38.39	16.42	66.22	0.00	---	---	PEAK																																																																																								





Mode	69																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																										
ANT	CDD 0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>55.92</td><td>68.30</td><td>-12.38</td><td>46.09</td><td>34.50</td><td>11.07</td><td>35.74</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>57.06</td><td>70.08</td><td>-13.02</td><td>47.28</td><td>34.50</td><td>11.08</td><td>35.00</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>68.68</td><td>106.87</td><td>-38.19</td><td>59.85</td><td>34.51</td><td>11.15</td><td>36.83</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>66.52</td><td>113.64</td><td>-47.12</td><td>57.94</td><td>34.54</td><td>11.17</td><td>37.13</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.20	55.92	68.30	-12.38	46.09	34.50	11.07	35.74	0.00	100	9	PEAK	2	5652.40	57.06	70.08	-13.02	47.28	34.50	11.08	35.00	0.00	100	9	PEAK	3	5705.60	68.68	106.87	-38.19	59.85	34.51	11.15	36.83	0.00	100	9	PEAK	4	5721.20	66.52	113.64	-47.12	57.94	34.54	11.17	37.13	0.00	100	9	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.22</td><td>-----</td><td>-----</td><td>92.70</td><td>34.68</td><td>11.26</td><td>38.42</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.22	-----	-----	92.70	34.68	11.26	38.42	0.00	100	9	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5649.20	55.92	68.30	-12.38	46.09	34.50	11.07	35.74	0.00	100	9	PEAK																																																																																																																															
2	5652.40	57.06	70.08	-13.02	47.28	34.50	11.08	35.00	0.00	100	9	PEAK																																																																																																																															
3	5705.60	68.68	106.87	-38.19	59.85	34.51	11.15	36.83	0.00	100	9	PEAK																																																																																																																															
4	5721.20	66.52	113.64	-47.12	57.94	34.54	11.17	37.13	0.00	100	9	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	100.22	-----	-----	92.70	34.68	11.26	38.42	0.00	100	9	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.10</td><td>-----</td><td>-----</td><td>84.01</td><td>34.60</td><td>11.21</td><td>37.72</td><td>0.00</td><td>100</td><td>9</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	92.10	-----	-----	84.01	34.60	11.21	37.72	0.00	100	9	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	92.10	-----	-----	84.01	34.60	11.21	37.72	0.00	100	9	AVERAGE																																																																																																																															




Mode	69																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>64.15</td><td>111.36</td><td>-47.21</td><td>57.71</td><td>34.81</td><td>11.34</td><td>39.71</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>5864.00</td><td>71.85</td><td>108.15</td><td>-36.30</td><td>65.37</td><td>34.83</td><td>11.34</td><td>39.69</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>51.38</td><td>68.45</td><td>-17.07</td><td>44.58</td><td>35.00</td><td>11.40</td><td>39.60</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>4</td><td>5943.20</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>40.52</td><td>35.07</td><td>11.42</td><td>39.57</td><td>0.00</td><td>100</td><td>9</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	64.15	111.36	-47.21	57.71	34.81	11.34	39.71	0.00	100	9	PEAK	2	5864.00	71.85	108.15	-36.30	65.37	34.83	11.34	39.69	0.00	100	9	PEAK	3	5924.00	51.38	68.45	-17.07	44.58	35.00	11.40	39.60	0.00	100	9	PEAK	4	5943.20	47.44	68.30	-20.86	40.52	35.07	11.42	39.57	0.00	100	9	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	64.15	111.36	-47.21	57.71	34.81	11.34	39.71	0.00	100	9	PEAK																																																																																		
2	5864.00	71.85	108.15	-36.30	65.37	34.83	11.34	39.69	0.00	100	9	PEAK																																																																																		
3	5924.00	51.38	68.45	-17.07	44.58	35.00	11.40	39.60	0.00	100	9	PEAK																																																																																		
4	5943.20	47.44	68.30	-20.86	40.52	35.07	11.42	39.57	0.00	100	9	PEAK																																																																																		





		69																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																					
ANT		CDD 0+1																																																																																																					
Pol.		Fundamental																																																																																																					
Peak	Vertical																																																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5648.00</td><td>54.43</td><td>68.30</td><td>-13.87</td><td>44.57</td><td>34.50</td><td>11.07</td><td>35.71</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>57.43</td><td>69.49</td><td>-12.06</td><td>47.64</td><td>34.50</td><td>11.07</td><td>35.78</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>66.47</td><td>107.09</td><td>-40.62</td><td>57.65</td><td>34.51</td><td>11.15</td><td>36.84</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>62.11</td><td>113.64</td><td>-51.53</td><td>53.53</td><td>34.54</td><td>11.17</td><td>37.13</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5648.00	54.43	68.30	-13.87	44.57	34.50	11.07	35.71	0.00	362	91	PEAK	2	5651.60	57.43	69.49	-12.06	47.64	34.50	11.07	35.78	0.00	362	91	PEAK	3	5706.40	66.47	107.09	-40.62	57.65	34.51	11.15	36.84	0.00	362	91	PEAK	4	5721.20	62.11	113.64	-51.53	53.53	34.54	11.17	37.13	0.00	362	91	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5648.00	54.43	68.30	-13.87	44.57	34.50	11.07	35.71	0.00	362	91	PEAK																																																																																											
2	5651.60	57.43	69.49	-12.06	47.64	34.50	11.07	35.78	0.00	362	91	PEAK																																																																																											
3	5706.40	66.47	107.09	-40.62	57.65	34.51	11.15	36.84	0.00	362	91	PEAK																																																																																											
4	5721.20	62.11	113.64	-51.53	53.53	34.54	11.17	37.13	0.00	362	91	PEAK																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5775.00</td><td>98.16</td><td>-----</td><td>-----</td><td>89.97</td><td>34.59</td><td>11.21</td><td>37.61</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5775.00	98.16	-----	-----	89.97	34.59	11.21	37.61	0.00	362	91	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5775.00	98.16	-----	-----	89.97	34.59	11.21	37.61	0.00	362	91	PEAK																																																																																											
Avg	Blank																																																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5775.00</td><td>89.54</td><td>-----</td><td>-----</td><td>81.45</td><td>34.60</td><td>11.21</td><td>37.72</td><td>0.00</td><td>362</td><td>91</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5775.00	89.54	-----	-----	81.45	34.60	11.21	37.72	0.00	362	91	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5775.00	89.54	-----	-----	81.45	34.60	11.21	37.72	0.00	362	91	AVERAGE																																																																																											



Mode	69																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																			
ANT	CDD 0+1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.32</td><td>113.18</td><td>-45.86</td><td>60.87</td><td>34.81</td><td>11.33</td><td>39.69</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>66.21</td><td>108.49</td><td>-42.28</td><td>59.74</td><td>34.83</td><td>11.34</td><td>39.70</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr><tr><td>3</td><td>5920.80</td><td>50.19</td><td>71.40</td><td>-21.21</td><td>43.42</td><td>34.98</td><td>11.40</td><td>39.61</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>48.22</td><td>68.30</td><td>-20.08</td><td>41.32</td><td>35.06</td><td>11.42</td><td>39.58</td><td>0.00</td><td>362</td><td>91</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.32	113.18	-45.86	60.87	34.81	11.33	39.69	0.00	362	91	PEAK	2	5863.60	66.21	108.49	-42.28	59.74	34.83	11.34	39.70	0.00	362	91	PEAK	3	5920.80	50.19	71.40	-21.21	43.42	34.98	11.40	39.61	0.00	362	91	PEAK	4	5939.20	48.22	68.30	-20.08	41.32	35.06	11.42	39.58	0.00	362	91	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	67.32	113.18	-45.86	60.87	34.81	11.33	39.69	0.00	362	91	PEAK																																																																								
2	5863.60	66.21	108.49	-42.28	59.74	34.83	11.34	39.70	0.00	362	91	PEAK																																																																								
3	5920.80	50.19	71.40	-21.21	43.42	34.98	11.40	39.61	0.00	362	91	PEAK																																																																								
4	5939.20	48.22	68.30	-20.08	41.32	35.06	11.42	39.58	0.00	362	91	PEAK																																																																								



		69																																																								
Mode		Harmonic																																																								
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																								
ANT		CDD 0+1																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
																																																										
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>54.60</td><td>38.35</td><td>16.39</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.11	74.00	-30.89	54.60	38.35	16.39	66.23	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11550.00	43.11	74.00	-30.89	54.60	38.35	16.39	66.23	0.00	---	---	PEAK																																														
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>54.60</td><td>38.35</td><td>16.39</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.11	74.00	-30.89	54.60	38.35	16.39	66.23	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11550.00	43.11	74.00	-30.89	54.60	38.35	16.39	66.23	0.00	---	---	PEAK																																														






Mode	69	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg		






Mode	69																																																																																																														
	LF																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																														
ANT	CDD 0+1																																																																																																														
Pol.	Horizontal																																																																																																														
Peak QP																																																																																																															
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.69</td><td>-19.31</td><td>40.00</td><td>28.43</td><td>24.57</td><td>0.71</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>173.56</td><td>19.54</td><td>-23.96</td><td>43.50</td><td>34.44</td><td>15.94</td><td>1.99</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>363.68</td><td>29.08</td><td>-16.92</td><td>46.00</td><td>38.31</td><td>20.77</td><td>2.90</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>485.90</td><td>33.42</td><td>-12.58</td><td>46.00</td><td>39.71</td><td>23.30</td><td>3.37</td><td>32.96</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>624.61</td><td>30.87</td><td>-15.13</td><td>46.00</td><td>34.99</td><td>25.08</td><td>3.81</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>749.74</td><td>34.78</td><td>-11.22</td><td>46.00</td><td>37.55</td><td>25.83</td><td>4.19</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	30.00	20.69	-19.31	40.00	28.43	24.57	0.71	33.02	---	---	Peak	HORIZONTAL	2	173.56	19.54	-23.96	43.50	34.44	15.94	1.99	32.83	---	---	Peak	HORIZONTAL	3	363.68	29.08	-16.92	46.00	38.31	20.77	2.90	32.90	---	---	Peak	HORIZONTAL	4	485.90	33.42	-12.58	46.00	39.71	23.30	3.37	32.96	---	---	Peak	HORIZONTAL	5	624.61	30.87	-15.13	46.00	34.99	25.08	3.81	33.01	---	---	Peak	HORIZONTAL	6	749.74	34.78	-11.22	46.00	37.55	25.83	4.19	32.79	---	---	Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	30.00	20.69	-19.31	40.00	28.43	24.57	0.71	33.02	---	---	Peak	HORIZONTAL																																																																																																			
2	173.56	19.54	-23.96	43.50	34.44	15.94	1.99	32.83	---	---	Peak	HORIZONTAL																																																																																																			
3	363.68	29.08	-16.92	46.00	38.31	20.77	2.90	32.90	---	---	Peak	HORIZONTAL																																																																																																			
4	485.90	33.42	-12.58	46.00	39.71	23.30	3.37	32.96	---	---	Peak	HORIZONTAL																																																																																																			
5	624.61	30.87	-15.13	46.00	34.99	25.08	3.81	33.01	---	---	Peak	HORIZONTAL																																																																																																			
6	749.74	34.78	-11.22	46.00	37.55	25.83	4.19	32.79	---	---	Peak	HORIZONTAL																																																																																																			
Peak QP																																																																																																															
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>56.19</td><td>25.73</td><td>-14.27</td><td>40.00</td><td>44.26</td><td>13.28</td><td>1.11</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>352.04</td><td>28.60</td><td>-17.40</td><td>46.00</td><td>38.19</td><td>20.48</td><td>2.86</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>460.68</td><td>27.55</td><td>-18.45</td><td>46.00</td><td>34.54</td><td>22.76</td><td>3.28</td><td>33.03</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>624.61</td><td>27.46</td><td>-18.54</td><td>46.00</td><td>31.58</td><td>25.08</td><td>3.81</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>749.74</td><td>32.16</td><td>-13.84</td><td>46.00</td><td>34.93</td><td>25.83</td><td>4.19</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>874.87</td><td>29.39</td><td>-16.61</td><td>46.00</td><td>30.34</td><td>26.63</td><td>4.52</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	56.19	25.73	-14.27	40.00	44.26	13.28	1.11	32.92	---	---	Peak	VERTICAL	2	352.04	28.60	-17.40	46.00	38.19	20.48	2.86	32.93	---	---	Peak	VERTICAL	3	460.68	27.55	-18.45	46.00	34.54	22.76	3.28	33.03	---	---	Peak	VERTICAL	4	624.61	27.46	-18.54	46.00	31.58	25.08	3.81	33.01	---	---	Peak	VERTICAL	5	749.74	32.16	-13.84	46.00	34.93	25.83	4.19	32.79	---	---	Peak	VERTICAL	6	874.87	29.39	-16.61	46.00	30.34	26.63	4.52	32.10	---	---	Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	56.19	25.73	-14.27	40.00	44.26	13.28	1.11	32.92	---	---	Peak	VERTICAL																																																																																																			
2	352.04	28.60	-17.40	46.00	38.19	20.48	2.86	32.93	---	---	Peak	VERTICAL																																																																																																			
3	460.68	27.55	-18.45	46.00	34.54	22.76	3.28	33.03	---	---	Peak	VERTICAL																																																																																																			
4	624.61	27.46	-18.54	46.00	31.58	25.08	3.81	33.01	---	---	Peak	VERTICAL																																																																																																			
5	749.74	32.16	-13.84	46.00	34.93	25.83	4.19	32.79	---	---	Peak	VERTICAL																																																																																																			
6	874.87	29.39	-16.61	46.00	30.34	26.63	4.52	32.10	---	---	Peak	VERTICAL																																																																																																			






Mode	70																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																										
ANT	CDD 0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.00</td><td>50.83</td><td>68.30</td><td>-17.47</td><td>40.75</td><td>34.60</td><td>11.05</td><td>35.57</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.51</td><td>68.89</td><td>-20.38</td><td>38.61</td><td>34.60</td><td>11.07</td><td>35.77</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>51.37</td><td>105.86</td><td>-54.49</td><td>42.38</td><td>34.61</td><td>11.14</td><td>36.76</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.12</td><td>110.90</td><td>-59.78</td><td>42.40</td><td>34.66</td><td>11.17</td><td>37.11</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.00	50.83	68.30	-17.47	40.75	34.60	11.05	35.57	0.00	100	155	PEAK	2	5650.00	48.51	68.89	-20.38	38.61	34.60	11.07	35.77	0.00	100	155	PEAK	3	5702.00	51.37	105.86	-54.49	42.38	34.61	11.14	36.76	0.00	100	155	PEAK	4	5720.00	51.12	110.90	-59.78	42.40	34.66	11.17	37.11	0.00	100	155	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.14</td><td>-----</td><td>-----</td><td>96.63</td><td>34.70</td><td>11.19</td><td>37.38</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.14	-----	-----	96.63	34.70	11.19	37.38	0.00	100	155	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5636.00	50.83	68.30	-17.47	40.75	34.60	11.05	35.57	0.00	100	155	PEAK																																																																																																																															
2	5650.00	48.51	68.89	-20.38	38.61	34.60	11.07	35.77	0.00	100	155	PEAK																																																																																																																															
3	5702.00	51.37	105.86	-54.49	42.38	34.61	11.14	36.76	0.00	100	155	PEAK																																																																																																																															
4	5720.00	51.12	110.90	-59.78	42.40	34.66	11.17	37.11	0.00	100	155	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.14	-----	-----	96.63	34.70	11.19	37.38	0.00	100	155	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>90.66</td><td>-----</td><td>-----</td><td>90.15</td><td>34.70</td><td>11.19</td><td>37.38</td><td>0.00</td><td>100</td><td>155</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	90.66	-----	-----	90.15	34.70	11.19	37.38	0.00	100	155	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	90.66	-----	-----	90.15	34.70	11.19	37.38	0.00	100	155	AVERAGE																																																																																																																															






Mode	70																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																													
ANT	CDD 0+1																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.40</td><td>50.44</td><td>68.30</td><td>-17.86</td><td>40.49</td><td>34.60</td><td>11.07</td><td>35.72</td><td>0.00</td><td>348</td><td>82 PEAK</td></tr><tr><td>2 5650.00</td><td>48.35</td><td>68.30</td><td>-19.95</td><td>38.43</td><td>34.60</td><td>11.07</td><td>35.75</td><td>0.00</td><td>348</td><td>82 PEAK</td></tr><tr><td>3 5702.00</td><td>48.61</td><td>105.86</td><td>-57.25</td><td>39.62</td><td>34.61</td><td>11.14</td><td>36.76</td><td>0.00</td><td>348</td><td>82 PEAK</td></tr><tr><td>4 5720.00</td><td>46.47</td><td>110.90</td><td>-64.43</td><td>37.75</td><td>34.66</td><td>11.17</td><td>37.11</td><td>0.00</td><td>348</td><td>82 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.40	50.44	68.30	-17.86	40.49	34.60	11.07	35.72	0.00	348	82 PEAK	2 5650.00	48.35	68.30	-19.95	38.43	34.60	11.07	35.75	0.00	348	82 PEAK	3 5702.00	48.61	105.86	-57.25	39.62	34.61	11.14	36.76	0.00	348	82 PEAK	4 5720.00	46.47	110.90	-64.43	37.75	34.66	11.17	37.11	0.00	348	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.96</td><td>-----</td><td>-----</td><td>93.45</td><td>34.70</td><td>11.19</td><td>37.38</td><td>0.00</td><td>348</td><td>82 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.96	-----	-----	93.45	34.70	11.19	37.38	0.00	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5648.40	50.44	68.30	-17.86	40.49	34.60	11.07	35.72	0.00	348	82 PEAK																																																																																																																				
2 5650.00	48.35	68.30	-19.95	38.43	34.60	11.07	35.75	0.00	348	82 PEAK																																																																																																																				
3 5702.00	48.61	105.86	-57.25	39.62	34.61	11.14	36.76	0.00	348	82 PEAK																																																																																																																				
4 5720.00	46.47	110.90	-64.43	37.75	34.66	11.17	37.11	0.00	348	82 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	101.96	-----	-----	93.45	34.70	11.19	37.38	0.00	348	82 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>95.11</td><td>-----</td><td>-----</td><td>86.60</td><td>34.70</td><td>11.19</td><td>37.38</td><td>0.00</td><td>348</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	95.11	-----	-----	86.60	34.70	11.19	37.38	0.00	348	82 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	95.11	-----	-----	86.60	34.70	11.19	37.38	0.00	348	82 AVERAGE																																																																																																																				






Mode	71																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>47.50</td><td>111.36</td><td>-63.86</td><td>40.86</td><td>35.01</td><td>11.34</td><td>39.71</td><td>0.00</td><td>114</td><td>155 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>48.92</td><td>107.26</td><td>-58.34</td><td>42.22</td><td>35.04</td><td>11.35</td><td>39.69</td><td>0.00</td><td>114</td><td>155 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>44.99</td><td>69.04</td><td>-24.05</td><td>38.07</td><td>35.12</td><td>11.40</td><td>39.60</td><td>0.00</td><td>114</td><td>155 PEAK</td></tr><tr><td>4</td><td>5997.20</td><td>48.53</td><td>68.30</td><td>-19.77</td><td>41.34</td><td>35.20</td><td>11.47</td><td>39.48</td><td>0.00</td><td>114</td><td>155 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	47.50	111.36	-63.86	40.86	35.01	11.34	39.71	0.00	114	155 PEAK	2	5868.00	48.92	107.26	-58.34	42.22	35.04	11.35	39.69	0.00	114	155 PEAK	3	5924.00	44.99	69.04	-24.05	38.07	35.12	11.40	39.60	0.00	114	155 PEAK	4	5997.20	48.53	68.30	-19.77	41.34	35.20	11.47	39.48	0.00	114	155 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	47.50	111.36	-63.86	40.86	35.01	11.34	39.71	0.00	114	155 PEAK																																																																																	
2	5868.00	48.92	107.26	-58.34	42.22	35.04	11.35	39.69	0.00	114	155 PEAK																																																																																	
3	5924.00	44.99	69.04	-24.05	38.07	35.12	11.40	39.60	0.00	114	155 PEAK																																																																																	
4	5997.20	48.53	68.30	-19.77	41.34	35.20	11.47	39.48	0.00	114	155 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.56</td><td>-----</td><td>-----</td><td>97.62</td><td>34.97</td><td>11.32</td><td>39.35</td><td>0.00</td><td>114</td><td>155 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.56	-----	-----	97.62	34.97	11.32	39.35	0.00	114	155 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	104.56	-----	-----	97.62	34.97	11.32	39.35	0.00	114	155 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.44</td><td>-----</td><td>-----</td><td>90.50</td><td>34.97</td><td>11.32</td><td>39.35</td><td>0.00</td><td>114</td><td>155 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.44	-----	-----	90.50	34.97	11.32	39.35	0.00	114	155 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	97.44	-----	-----	90.50	34.97	11.32	39.35	0.00	114	155 AVERAGE																																																																																	






Mode	71																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																													
ANT	CDD 0+1																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>42.68</td><td>111.36</td><td>-68.68</td><td>36.04</td><td>35.01</td><td>11.34</td><td>39.71</td><td>0.00</td><td>362</td><td>123 PEAK</td></tr><tr><td>2 5873.20</td><td>46.24</td><td>105.00</td><td>-58.76</td><td>39.52</td><td>35.05</td><td>11.35</td><td>39.68</td><td>0.00</td><td>362</td><td>123 PEAK</td></tr><tr><td>3 5924.00</td><td>44.17</td><td>69.04</td><td>-24.87</td><td>37.25</td><td>35.12</td><td>11.40</td><td>39.60</td><td>0.00</td><td>362</td><td>123 PEAK</td></tr><tr><td>4 5960.40</td><td>48.02</td><td>68.30</td><td>-20.28</td><td>40.96</td><td>35.16</td><td>11.44</td><td>39.54</td><td>0.00</td><td>362</td><td>123 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	42.68	111.36	-68.68	36.04	35.01	11.34	39.71	0.00	362	123 PEAK	2 5873.20	46.24	105.00	-58.76	39.52	35.05	11.35	39.68	0.00	362	123 PEAK	3 5924.00	44.17	69.04	-24.87	37.25	35.12	11.40	39.60	0.00	362	123 PEAK	4 5960.40	48.02	68.30	-20.28	40.96	35.16	11.44	39.54	0.00	362	123 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.89</td><td>-----</td><td>-----</td><td>92.95</td><td>34.97</td><td>11.32</td><td>39.35</td><td>0.00</td><td>362</td><td>123 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.89	-----	-----	92.95	34.97	11.32	39.35	0.00	362
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5854.00	42.68	111.36	-68.68	36.04	35.01	11.34	39.71	0.00	362	123 PEAK																																																																																																																				
2 5873.20	46.24	105.00	-58.76	39.52	35.05	11.35	39.68	0.00	362	123 PEAK																																																																																																																				
3 5924.00	44.17	69.04	-24.87	37.25	35.12	11.40	39.60	0.00	362	123 PEAK																																																																																																																				
4 5960.40	48.02	68.30	-20.28	40.96	35.16	11.44	39.54	0.00	362	123 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	99.89	-----	-----	92.95	34.97	11.32	39.35	0.00	362	123 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>92.52</td><td>-----</td><td>-----</td><td>85.48</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>362</td><td>123 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	92.52	-----	-----	85.48	34.96	11.31	39.23	0.00	362	123 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	92.52	-----	-----	85.48	34.96	11.31	39.23	0.00	362	123 AVERAGE																																																																																																																				







Mode	72																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5642.40 50.80 68.30 -17.50</td><td>40.75</td><td>34.60</td><td>11.06</td><td>35.61</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60 47.54 69.49 -21.95</td><td>37.65</td><td>34.60</td><td>11.07</td><td>35.78</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40 51.39 105.41 -54.02</td><td>42.38</td><td>34.60</td><td>11.14</td><td>36.73</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00 48.81 110.90 -62.09</td><td>40.09</td><td>34.66</td><td>11.17</td><td>37.11</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level Line Margin	Level	Factor	Loss	Factor	Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5642.40 50.80 68.30 -17.50	40.75	34.60	11.06	35.61	0.00	100	153	PEAK	2	5651.60 47.54 69.49 -21.95	37.65	34.60	11.07	35.78	0.00	100	153	PEAK	3	5700.40 51.39 105.41 -54.02	42.38	34.60	11.14	36.73	0.00	100	153	PEAK	4	5720.00 48.81 110.90 -62.09	40.09	34.66	11.17	37.11	0.00	100	153	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00 105.46 -----</td><td>97.03</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>100</td><td>153</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level Line Margin	Level	Factor	Loss	Factor	Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00 105.46 -----	97.03	34.72	11.20	37.49	0.00	100	153	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5642.40 50.80 68.30 -17.50	40.75	34.60	11.06	35.61	0.00	100	153	PEAK																																																																																																							
2	5651.60 47.54 69.49 -21.95	37.65	34.60	11.07	35.78	0.00	100	153	PEAK																																																																																																							
3	5700.40 51.39 105.41 -54.02	42.38	34.60	11.14	36.73	0.00	100	153	PEAK																																																																																																							
4	5720.00 48.81 110.90 -62.09	40.09	34.66	11.17	37.11	0.00	100	153	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5745.00 105.46 -----	97.03	34.72	11.20	37.49	0.00	100	153	PEAK																																																																																																							
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq Level Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz dBuV/m dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00 99.06 -----</td><td>90.63</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>100</td><td>153</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level Line Margin	Level	Factor	Loss	Factor	Factor					MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00 99.06 -----	90.63	34.72	11.20	37.49	0.00	100	153	AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq Level Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5745.00 99.06 -----	90.63	34.72	11.20	37.49	0.00	100	153	AVERAGE																																																																																																							






		72																																																																																																																																																								
Mode	Band Edge																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																																									
ANT	CDD 0+1																																																																																																																																																									
Pol.	Vertical												Fundamental																																																																																																																																													
Peak																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5644.40</td><td>50.18</td><td>68.30</td><td>-18.12</td><td>40.17</td><td>34.60</td><td>11.06</td><td>35.65</td><td>0.00</td><td>353</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.72</td><td>68.30</td><td>-21.58</td><td>36.80</td><td>34.60</td><td>11.07</td><td>35.75</td><td>0.00</td><td>353</td><td>65</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>48.64</td><td>105.64</td><td>-57.00</td><td>39.64</td><td>34.60</td><td>11.14</td><td>36.74</td><td>0.00</td><td>353</td><td>65</td><td>PEAK</td></tr><tr><td>4</td><td>5724.80</td><td>66.19</td><td>121.84</td><td>-55.65</td><td>57.54</td><td>34.67</td><td>11.18</td><td>37.20</td><td>0.00</td><td>353</td><td>65</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5644.40	50.18	68.30	-18.12	40.17	34.60	11.06	35.65	0.00	353	65	PEAK	2	5650.00	46.72	68.30	-21.58	36.80	34.60	11.07	35.75	0.00	353	65	PEAK	3	5701.20	48.64	105.64	-57.00	39.64	34.60	11.14	36.74	0.00	353	65	PEAK	4	5724.80	66.19	121.84	-55.65	57.54	34.67	11.18	37.20	0.00	353	65	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>102.55</td><td>-----</td><td>-----</td><td>94.12</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>353</td><td>65</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	102.55	-----	-----	94.12	34.72	11.20	37.49	0.00	353	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5644.40	50.18	68.30	-18.12	40.17	34.60	11.06	35.65	0.00	353	65	PEAK																																																																																																																																														
2	5650.00	46.72	68.30	-21.58	36.80	34.60	11.07	35.75	0.00	353	65	PEAK																																																																																																																																														
3	5701.20	48.64	105.64	-57.00	39.64	34.60	11.14	36.74	0.00	353	65	PEAK																																																																																																																																														
4	5724.80	66.19	121.84	-55.65	57.54	34.67	11.18	37.20	0.00	353	65	PEAK																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5745.00	102.55	-----	-----	94.12	34.72	11.20	37.49	0.00	353	65	PEAK																																																																																																																																														
Avg	Blank																																																																																																																																																									
														<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>94.59</td><td>-----</td><td>-----</td><td>86.16</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>353</td><td>65</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	94.59	-----	-----	86.16	34.72	11.20	37.49	0.00	353	65	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5745.00	94.59	-----	-----	86.16	34.72	11.20	37.49	0.00	353	65	AVERAGE																																																																																																																																														






		73																																																																																																																																					
Mode		Band Edge																																																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																					
ANT		CDD 0+1																																																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>48.34</td><td>111.36</td><td>-63.02</td><td>41.70</td><td>35.01</td><td>11.34</td><td>39.71</td><td>0.00</td><td>101</td><td>155 PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>51.03</td><td>108.60</td><td>-57.57</td><td>44.36</td><td>35.03</td><td>11.34</td><td>39.70</td><td>0.00</td><td>101</td><td>155 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.81</td><td>68.45</td><td>-20.64</td><td>40.89</td><td>35.12</td><td>11.40</td><td>39.60</td><td>0.00</td><td>101</td><td>155 PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>41.23</td><td>35.14</td><td>11.42</td><td>39.58</td><td>0.00</td><td>101</td><td>155 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	48.34	111.36	-63.02	41.70	35.01	11.34	39.71	0.00	101	155 PEAK	2	5863.20	51.03	108.60	-57.57	44.36	35.03	11.34	39.70	0.00	101	155 PEAK	3	5924.00	47.81	68.45	-20.64	40.89	35.12	11.40	39.60	0.00	101	155 PEAK	4	5939.20	48.21	68.30	-20.09	41.23	35.14	11.42	39.58	0.00	101	155 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.12</td><td>-----</td><td>-----</td><td>98.08</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>101</td><td>155 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.12	-----	-----	98.08	34.96	11.31	39.23	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5854.00	48.34	111.36	-63.02	41.70	35.01	11.34	39.71	0.00	101	155 PEAK																																																																																																																												
2	5863.20	51.03	108.60	-57.57	44.36	35.03	11.34	39.70	0.00	101	155 PEAK																																																																																																																												
3	5924.00	47.81	68.45	-20.64	40.89	35.12	11.40	39.60	0.00	101	155 PEAK																																																																																																																												
4	5939.20	48.21	68.30	-20.09	41.23	35.14	11.42	39.58	0.00	101	155 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	105.12	-----	-----	98.08	34.96	11.31	39.23	0.00	101	155 PEAK																																																																																																																												
Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.43</td><td>-----</td><td>-----</td><td>90.39</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>101</td><td>155 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.43	-----	-----	90.39	34.96	11.31	39.23	0.00	101	155 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	97.43	-----	-----	90.39	34.96	11.31	39.23	0.00	101	155 AVERAGE																																																																																																																												





		73																																																																																															
Mode		Band Edge																																																																																															
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																															
ANT		CDD 0+1																																																																																															
Pol.		Fundamental																																																																																															
Peak	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.26</td><td>113.18</td><td>-57.92</td><td>48.61</td><td>35.01</td><td>11.33</td><td>39.69</td><td>0.00</td><td>340</td><td>62 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>53.15</td><td>110.84</td><td>-57.69</td><td>46.51</td><td>35.01</td><td>11.34</td><td>39.71</td><td>0.00</td><td>340</td><td>62 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>46.48</td><td>69.33</td><td>-22.85</td><td>39.56</td><td>35.12</td><td>11.40</td><td>39.60</td><td>0.00</td><td>340</td><td>62 PEAK</td></tr><tr><td>4</td><td>5942.40</td><td>47.33</td><td>68.30</td><td>-20.97</td><td>40.34</td><td>35.14</td><td>11.42</td><td>39.57</td><td>0.00</td><td>340</td><td>62 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.00	55.26	113.18	-57.92	48.61	35.01	11.33	39.69	0.00	340	62 PEAK	2	5855.20	53.15	110.84	-57.69	46.51	35.01	11.34	39.71	0.00	340	62 PEAK	3	5923.60	46.48	69.33	-22.85	39.56	35.12	11.40	39.60	0.00	340	62 PEAK	4	5942.40	47.33	68.30	-20.97	40.34	35.14	11.42	39.57	0.00	340	62 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5854.00	55.26	113.18	-57.92	48.61	35.01	11.33	39.69	0.00	340	62 PEAK																																																																																						
2	5855.20	53.15	110.84	-57.69	46.51	35.01	11.34	39.71	0.00	340	62 PEAK																																																																																						
3	5923.60	46.48	69.33	-22.85	39.56	35.12	11.40	39.60	0.00	340	62 PEAK																																																																																						
4	5942.40	47.33	68.30	-20.97	40.34	35.14	11.42	39.57	0.00	340	62 PEAK																																																																																						
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.97</td><td>-----</td><td>-----</td><td>93.93</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>340</td><td>62 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	100.97	-----	-----	93.93	34.96	11.31	39.23	0.00	340	62 PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5825.00	100.97	-----	-----	93.93	34.96	11.31	39.23	0.00	340	62 PEAK																																																																																						
Avg	Blank	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.54</td><td>-----</td><td>-----</td><td>85.50</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>340</td><td>62 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	92.54	-----	-----	85.50	34.96	11.31	39.23	0.00	340	62 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5825.00	92.54	-----	-----	85.50	34.96	11.31	39.23	0.00	340	62 AVERAGE																																																																																						






	74																																																																																											
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.60</td><td>50.34</td><td>68.30</td><td>-17.96</td><td>40.27</td><td>34.60</td><td>11.05</td><td>35.58</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>59.74</td><td>74.84</td><td>-15.10</td><td>49.98</td><td>34.60</td><td>11.08</td><td>35.92</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>57.52</td><td>105.75</td><td>-48.23</td><td>48.53</td><td>34.60</td><td>11.14</td><td>36.75</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>85.44</td><td>112.72</td><td>-27.28</td><td>76.73</td><td>34.66</td><td>11.17</td><td>37.12</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	50.34	68.30	-17.96	40.27	34.60	11.05	35.58	0.00	100	155 PEAK	2	5658.00	59.74	74.84	-15.10	49.98	34.60	11.08	35.92	0.00	100	155 PEAK	3	5701.60	57.52	105.75	-48.23	48.53	34.60	11.14	36.75	0.00	100	155 PEAK	4	5720.80	85.44	112.72	-27.28	76.73	34.66	11.17	37.12	0.00	100	155 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5631.60	50.34	68.30	-17.96	40.27	34.60	11.05	35.58	0.00	100	155 PEAK																																																																																	
2	5658.00	59.74	74.84	-15.10	49.98	34.60	11.08	35.92	0.00	100	155 PEAK																																																																																	
3	5701.60	57.52	105.75	-48.23	48.53	34.60	11.14	36.75	0.00	100	155 PEAK																																																																																	
4	5720.80	85.44	112.72	-27.28	76.73	34.66	11.17	37.12	0.00	100	155 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.43</td><td>-----</td><td>-----</td><td>100.00</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.43	-----	-----	100.00	34.72	11.20	37.49	0.00	100	155 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	108.43	-----	-----	100.00	34.72	11.20	37.49	0.00	100	155 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.66</td><td>-----</td><td>-----</td><td>92.23</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>100</td><td>155 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.66	-----	-----	92.23	34.72	11.20	37.49	0.00	100	155 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	100.66	-----	-----	92.23	34.72	11.20	37.49	0.00	100	155 AVERAGE																																																																																	





Mode	74																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5607.20</td><td>49.70</td><td>68.30</td><td>-18.60</td><td>39.73</td><td>34.60</td><td>11.01</td><td>35.64</td><td>0.00</td><td>352</td><td>66 PEAK</td></tr><tr><td>2 5650.40</td><td>47.57</td><td>68.60</td><td>-21.03</td><td>37.66</td><td>34.60</td><td>11.07</td><td>35.76</td><td>0.00</td><td>352</td><td>66 PEAK</td></tr><tr><td>3 5708.40</td><td>70.04</td><td>107.65</td><td>-37.61</td><td>61.14</td><td>34.63</td><td>11.15</td><td>36.88</td><td>0.00</td><td>352</td><td>66 PEAK</td></tr><tr><td>4 5723.60</td><td>80.10</td><td>119.11</td><td>-39.01</td><td>71.44</td><td>34.67</td><td>11.17</td><td>37.18</td><td>0.00</td><td>352</td><td>66 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5607.20	49.70	68.30	-18.60	39.73	34.60	11.01	35.64	0.00	352	66 PEAK	2 5650.40	47.57	68.60	-21.03	37.66	34.60	11.07	35.76	0.00	352	66 PEAK	3 5708.40	70.04	107.65	-37.61	61.14	34.63	11.15	36.88	0.00	352	66 PEAK	4 5723.60	80.10	119.11	-39.01	71.44	34.67	11.17	37.18	0.00	352	66 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5607.20	49.70	68.30	-18.60	39.73	34.60	11.01	35.64	0.00	352	66 PEAK																																																																														
2 5650.40	47.57	68.60	-21.03	37.66	34.60	11.07	35.76	0.00	352	66 PEAK																																																																														
3 5708.40	70.04	107.65	-37.61	61.14	34.63	11.15	36.88	0.00	352	66 PEAK																																																																														
4 5723.60	80.10	119.11	-39.01	71.44	34.67	11.17	37.18	0.00	352	66 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>103.44</td><td>-----</td><td>-----</td><td>95.01</td><td>34.72</td><td>11.20</td><td>37.49</td><td>0.00</td><td>352</td><td>66 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.44	-----	-----	95.01	34.72	11.20	37.49	0.00	352	66 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	103.44	-----	-----	95.01	34.72	11.20	37.49	0.00	352	66 PEAK																																																																														





Mode	75																																																																																
	Band Edge																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																
ANT	CDD 0+1																																																																																
Pol.	Horizontal																																																																																
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5853.60</td><td>52.00</td><td>114.09</td><td>-62.09</td><td>45.35</td><td>35.01</td><td>11.33</td><td>39.69</td><td>0.00</td><td>153 PEAK</td></tr><tr><td>2 5873.60</td><td>47.92</td><td>105.69</td><td>-57.77</td><td>41.20</td><td>35.05</td><td>11.35</td><td>39.68</td><td>0.00</td><td>153 PEAK</td></tr><tr><td>3 5921.20</td><td>48.50</td><td>71.10</td><td>-22.60</td><td>41.58</td><td>35.12</td><td>11.40</td><td>39.60</td><td>0.00</td><td>153 PEAK</td></tr><tr><td>4 5978.40</td><td>48.09</td><td>68.30</td><td>-20.21</td><td>40.97</td><td>35.18</td><td>11.45</td><td>39.51</td><td>0.00</td><td>153 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5853.60	52.00	114.09	-62.09	45.35	35.01	11.33	39.69	0.00	153 PEAK	2 5873.60	47.92	105.69	-57.77	41.20	35.05	11.35	39.68	0.00	153 PEAK	3 5921.20	48.50	71.10	-22.60	41.58	35.12	11.40	39.60	0.00	153 PEAK	4 5978.40	48.09	68.30	-20.21	40.97	35.18	11.45	39.51	0.00	153 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																								
1 5853.60	52.00	114.09	-62.09	45.35	35.01	11.33	39.69	0.00	153 PEAK																																																																								
2 5873.60	47.92	105.69	-57.77	41.20	35.05	11.35	39.68	0.00	153 PEAK																																																																								
3 5921.20	48.50	71.10	-22.60	41.58	35.12	11.40	39.60	0.00	153 PEAK																																																																								
4 5978.40	48.09	68.30	-20.21	40.97	35.18	11.45	39.51	0.00	153 PEAK																																																																								
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.72</td><td>-----</td><td>-----</td><td>96.68</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>153 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	103.72	-----	-----	96.68	34.96	11.31	39.23	0.00	153 PEAK																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																								
1 5825.00	103.72	-----	-----	96.68	34.96	11.31	39.23	0.00	153 PEAK																																																																								
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.88</td><td>-----</td><td>-----</td><td>88.84</td><td>34.96</td><td>11.31</td><td>39.23</td><td>0.00</td><td>153 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	95.88	-----	-----	88.84	34.96	11.31	39.23	0.00	153 AVERAGE																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																								
1 5825.00	95.88	-----	-----	88.84	34.96	11.31	39.23	0.00	153 AVERAGE																																																																								





		75																																																																																											
Mode		Band Edge																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																											
ANT		CDD 0+1																																																																																											
Pol.		Fundamental																																																																																											
Peak	Vertical																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>46.43</td><td>111.36</td><td>-64.93</td><td>39.79</td><td>35.01</td><td>11.34</td><td>39.71</td><td>0.00</td><td>342</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>46.91</td><td>105.69</td><td>-58.78</td><td>40.19</td><td>35.05</td><td>11.35</td><td>39.68</td><td>0.00</td><td>342</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>46.11</td><td>68.74</td><td>-22.63</td><td>39.19</td><td>35.12</td><td>11.40</td><td>39.60</td><td>0.00</td><td>342</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5992.40</td><td>48.41</td><td>68.30</td><td>-19.89</td><td>41.24</td><td>35.19</td><td>11.47</td><td>39.49</td><td>0.00</td><td>342</td><td>64</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	46.43	111.36	-64.93	39.79	35.01	11.34	39.71	0.00	342	64	PEAK	2	5873.60	46.91	105.69	-58.78	40.19	35.05	11.35	39.68	0.00	342	64	PEAK	3	5924.40	46.11	68.74	-22.63	39.19	35.12	11.40	39.60	0.00	342	64	PEAK	4	5992.40	48.41	68.30	-19.89	41.24	35.19	11.47	39.49	0.00	342	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.00	46.43	111.36	-64.93	39.79	35.01	11.34	39.71	0.00	342	64	PEAK																																																																																	
2	5873.60	46.91	105.69	-58.78	40.19	35.05	11.35	39.68	0.00	342	64	PEAK																																																																																	
3	5924.40	46.11	68.74	-22.63	39.19	35.12	11.40	39.60	0.00	342	64	PEAK																																																																																	
4	5992.40	48.41	68.30	-19.89	41.24	35.19	11.47	39.49	0.00	342	64	PEAK																																																																																	
Avg	Blank																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.58</td><td>-----</td><td>-----</td><td>85.43</td><td>34.95</td><td>11.31</td><td>39.11</td><td>0.00</td><td>342</td><td>64</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.58	-----	-----	85.43	34.95	11.31	39.11	0.00	342	64	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	92.58	-----	-----	85.43	34.95	11.31	39.11	0.00	342	64	AVERAGE																																																																																	



Mode	76																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH144_5720MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.44</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.73	74.00	-29.27	56.44	38.25	16.32	66.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>56.61</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.90	74.00	-29.10	56.61	38.25	16.32	66.28	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11440.00	44.73	74.00	-29.27	56.44	38.25	16.32	66.28	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11440.00	44.90	74.00	-29.10	56.61	38.25	16.32	66.28	0.00	---	---	PEAK																																																																																							





Mode	77																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH144_5720MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.12</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.41	74.00	-29.59	56.12	38.25	16.32	66.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>57.10</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.39	74.00	-28.61	57.10	38.25	16.32	66.28	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11440.00	44.41	74.00	-29.59	56.12	38.25	16.32	66.28	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11440.00	45.39	74.00	-28.61	57.10	38.25	16.32	66.28	0.00	---	---	PEAK																																																																																							



		78																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11ax HE20_CH144_Full_5720MHz																																																							
ANT		CDD 0+1																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>56.16</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.45	74.00	-29.55	56.16	38.25	16.32	66.28	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	44.45	74.00	-29.55	56.16	38.25	16.32	66.28	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.59</td><td>38.25</td><td>16.32</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.88	74.00	-29.12	56.59	38.25	16.32	66.28	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	44.88	74.00	-29.12	56.59	38.25	16.32	66.28	0.00	---	---	PEAK																																													





Mode	79																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																																																																																											
ANT	CDD 0+1																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11420.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>56.01</td><td>38.24</td><td>16.31</td><td>66.28</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>PEAK</td><td></td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	44.28	74.00	-29.72	56.01	38.24	16.31	66.28						0.00									---									---									PEAK				<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11420.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>56.54</td><td>38.24</td><td>16.31</td><td>66.28</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>PEAK</td><td></td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	44.81	74.00	-29.19	56.54	38.24	16.31	66.28						0.00									---									---									PEAK			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																				
1	11420.00	44.28	74.00	-29.72	56.01	38.24	16.31	66.28																																																																																																																																																				
					0.00																																																																																																																																																							

					PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																				
1	11420.00	44.81	74.00	-29.19	56.54	38.24	16.31	66.28																																																																																																																																																				
					0.00																																																																																																																																																							





					PEAK																																																																																																																																																							





		80																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11ax HE80_CH138_Full_5690MHz																																																							
ANT		CDD 0+1																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>55.82</td><td>38.20</td><td>16.29</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.01	74.00	-29.99	55.82	38.20	16.29	66.30	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11380.00	44.01	74.00	-29.99	55.82	38.20	16.29	66.30	0.00	---	---	PEAK																																													
																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>56.10</td><td>38.20</td><td>16.29</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.29	74.00	-29.71	56.10	38.20	16.29	66.30	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11380.00	44.29	74.00	-29.71	56.10	38.20	16.29	66.30	0.00	---	---	PEAK																																													







Co-location

		83																																																																																																									
Mode		Co-location Band Edge																																																																																																									
		802.11ax HE80_CH58_5290MHz_Full																																																																																																									
ANT		CDD 0+1																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5142.08</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>44.79</td><td>34.13</td><td>10.60</td><td>36.48</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5142.08	53.04	74.00	-20.96	44.79	34.13	10.60	36.48	0.00	108	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2482.00</td><td>87.72</td><td>-----</td><td>-----</td><td>84.93</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>108</td><td>172</td><td>Peak</td></tr><tr><td>2 5290.00</td><td>104.13</td><td>-----</td><td>-----</td><td>95.50</td><td>34.47</td><td>10.71</td><td>36.55</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2482.00	87.72	-----	-----	84.93	32.51	7.25	36.97	0.00	108	172	Peak	2 5290.00	104.13	-----	-----	95.50	34.47	10.71	36.55	0.00	108	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 5142.08	53.04	74.00	-20.96	44.79	34.13	10.60	36.48	0.00	108	172	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2482.00	87.72	-----	-----	84.93	32.51	7.25	36.97	0.00	108	172	Peak																																																																																																
2 5290.00	104.13	-----	-----	95.50	34.47	10.71	36.55	0.00	108	172	PEAK																																																																																																
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.44</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>36.18</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.44	44.45	54.00	-9.55	36.18	34.15	10.61	36.49	0.00	108	172	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2482.00</td><td>85.33</td><td>-----</td><td>-----</td><td>82.54</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>108</td><td>172</td><td>Average</td></tr><tr><td>2 5290.00</td><td>94.43</td><td>-----</td><td>-----</td><td>85.82</td><td>34.46</td><td>10.71</td><td>36.56</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2482.00	85.33	-----	-----	82.54	32.51	7.25	36.97	0.00	108	172	Average	2 5290.00	94.43	-----	-----	85.82	34.46	10.71	36.56	0.00	108	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 5149.44	44.45	54.00	-9.55	36.18	34.15	10.61	36.49	0.00	108	172	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2482.00	85.33	-----	-----	82.54	32.51	7.25	36.97	0.00	108	172	Average																																																																																																
2 5290.00	94.43	-----	-----	85.82	34.46	10.71	36.56	0.00	108	172	AVERAGE																																																																																																





Mode	83																																																							
	Co-location Band Edge																																																							
	802.11ax HE80_CH58_5290MHz_Full																																																							
ANT	CDD 0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.70</td><td>63.92</td><td>74.00</td><td>-10.08</td><td>55.06</td><td>34.50</td><td>10.75</td><td>36.39</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.70	63.92	74.00	-10.08	55.06	34.50	10.75	36.39	0.00	108	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.70	63.92	74.00	-10.08	55.06	34.50	10.75	36.39	0.00	108	172	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.30</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>41.66</td><td>34.50</td><td>10.76</td><td>36.33</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.30	50.59	54.00	-3.41	41.66	34.50	10.76	36.33	0.00	108	172	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5368.30	50.59	54.00	-3.41	41.66	34.50	10.76	36.33	0.00	108	172	AVERAGE																																												




Mode	83																																																																																																															
	Co-location Band Edge																																																																																																															
	802.11ax HE80_CH58_5290MHz_Full																																																																																																															
ANT	CDD 0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.52</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>41.62</td><td>34.07</td><td>10.58</td><td>36.47</td><td>0.00</td><td>337</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.52	49.80	74.00	-24.20	41.62	34.07	10.58	36.47	0.00	337	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>76.32</td><td>-----</td><td>-----</td><td>73.53</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>337</td><td>114</td><td>Peak</td></tr><tr><td>2</td><td>5290.00</td><td>95.46</td><td>-----</td><td>-----</td><td>86.81</td><td>34.48</td><td>10.71</td><td>36.54</td><td>0.00</td><td>337</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	76.32	-----	-----	73.53	32.51	7.25	36.97	0.00	337	114	Peak	2	5290.00	95.46	-----	-----	86.81	34.48	10.71	36.54	0.00	337	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5123.52	49.80	74.00	-24.20	41.62	34.07	10.58	36.47	0.00	337	114	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	76.32	-----	-----	73.53	32.51	7.25	36.97	0.00	337	114	Peak																																																																																																				
2	5290.00	95.46	-----	-----	86.81	34.48	10.71	36.54	0.00	337	114	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.48</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>32.94</td><td>34.15</td><td>10.61</td><td>36.49</td><td>0.00</td><td>337</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	41.21	54.00	-12.79	32.94	34.15	10.61	36.49	0.00	337	114	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>74.34</td><td>-----</td><td>-----</td><td>71.55</td><td>32.51</td><td>7.25</td><td>36.97</td><td>0.00</td><td>337</td><td>114</td><td>Average</td></tr><tr><td>2</td><td>5290.00</td><td>88.57</td><td>-----</td><td>-----</td><td>79.94</td><td>34.47</td><td>10.71</td><td>36.55</td><td>0.00</td><td>337</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	74.34	-----	-----	71.55	32.51	7.25	36.97	0.00	337	114	Average	2	5290.00	88.57	-----	-----	79.94	34.47	10.71	36.55	0.00	337	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5148.48	41.21	54.00	-12.79	32.94	34.15	10.61	36.49	0.00	337	114	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	74.34	-----	-----	71.55	32.51	7.25	36.97	0.00	337	114	Average																																																																																																				
2	5290.00	88.57	-----	-----	79.94	34.47	10.71	36.55	0.00	337	114	AVERAGE																																																																																																				







Mode	83																																																							
	Co-location Band Edge																																																							
	802.11ax HE80_CH58_5290MHz_Full																																																							
ANT	CDD 0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.10</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>47.31</td><td>34.50</td><td>10.77</td><td>36.17</td><td>0.00</td><td>337</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.10	56.41	74.00	-17.59	47.31	34.50	10.77	36.17	0.00	337	114	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5395.10	56.41	74.00	-17.59	47.31	34.50	10.77	36.17	0.00	337	114	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.20</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>37.04</td><td>34.50</td><td>10.77</td><td>36.23</td><td>0.00</td><td>337</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.20	46.08	54.00	-7.92	37.04	34.50	10.77	36.23	0.00	337	114	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5385.20	46.08	54.00	-7.92	37.04	34.50	10.77	36.23	0.00	337	114	AVERAGE																																												







		83																																																							
Mode		Co-location Harmonic																																																							
		802.11ax HE80_CH58_5290MHz_Full																																																							
ANT		CDD 0+1																																																							
Pol.		Horizontal																																																							
Peak Avg																																																									
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>57.34</td><td>37.58</td><td>15.62</td><td>66.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10580.00	43.87	68.20	-24.33	57.34	37.58	15.62	66.67	0.00	--	--	PEAK	
	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 10580.00	43.87	68.20	-24.33	57.34	37.58	15.62	66.67	0.00	--	--	PEAK																																														
		<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>42.49</td><td>68.20</td><td>-25.71</td><td>55.96</td><td>37.58</td><td>15.62</td><td>66.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10580.00	42.49	68.20	-25.71	55.96	37.58	15.62	66.67	0.00	--	--	PEAK
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 10580.00	42.49	68.20	-25.71	55.96	37.58	15.62	66.67	0.00	--	--	PEAK																																														
		Vertical																																																							





Mode	84																																																																																																														
	Co-location Band Edge																																																																																																														
	Bluetooth-LE _CH39_2480MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>70.80</td><td>74.00</td><td>-3.20</td><td>62.00</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>365</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	70.80	74.00	-3.20	62.00	32.52	7.26	36.98	6.00	365	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.05</td><td>-----</td><td>-----</td><td>84.27</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>365</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.05	-----	-----	84.27	32.50	7.25	36.97	6.00	365	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.74	70.80	74.00	-3.20	62.00	32.52	7.26	36.98	6.00	365	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	93.05	-----	-----	84.27	32.50	7.25	36.97	6.00	365	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>38.49</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>365</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	47.29	54.00	-6.71	38.49	32.52	7.26	36.98	6.00	365	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>90.36</td><td>-----</td><td>-----</td><td>81.58</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>365</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	90.36	-----	-----	81.58	32.50	7.25	36.97	6.00	365	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.56	47.29	54.00	-6.71	38.49	32.52	7.26	36.98	6.00	365	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	90.36	-----	-----	81.58	32.50	7.25	36.97	6.00	365	360	AVERAGE																																																																																																			



Mode	84																																																																																																		
	Co-location Band Edge																																																																																																		
	Bluetooth-LE _CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>62.76</td><td>74.00</td><td>-11.24</td><td>53.96</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>365</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	62.76	74.00	-11.24	53.96	32.52	7.26	36.98	6.00	365	289	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>86.66</td><td>-----</td><td>-----</td><td>77.88</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>365</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.66	-----	-----	77.88	32.50	7.25	36.97	6.00	365	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.98	62.76	74.00	-11.24	53.96	32.52	7.26	36.98	6.00	365	289	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	86.66	-----	-----	77.88	32.50	7.25	36.97	6.00	365	289	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>41.75</td><td>54.00</td><td>-12.25</td><td>32.95</td><td>32.52</td><td>7.26</td><td>36.98</td><td>6.00</td><td>365</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	41.75	54.00	-12.25	32.95	32.52	7.26	36.98	6.00	365	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>83.94</td><td>-----</td><td>-----</td><td>75.16</td><td>32.50</td><td>7.25</td><td>36.97</td><td>6.00</td><td>365</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	83.94	-----	-----	75.16	32.50	7.25	36.97	6.00	365	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	41.75	54.00	-12.25	32.95	32.52	7.26	36.98	6.00	365	289	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	83.94	-----	-----	75.16	32.50	7.25	36.97	6.00	365	289	AVERAGE																																																																																							




Mode	84																																																																				
	Co-location Harmonic																																																																				
	Bluetooth-LE _CH39_2480MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.00</td><td>74.00</td><td>-33.00</td><td>61.89</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>59.78</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.00	74.00	-33.00	61.89	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	41.49	74.00	-32.51	59.78	35.74	12.78	66.81	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4960.00	41.00	74.00	-33.00	61.89	34.02	10.40	65.31	0.00	--	--	PEAK																																																									
2	7440.00	41.49	74.00	-32.51	59.78	35.74	12.78	66.81	0.00	--	--	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>61.80</td><td>34.02</td><td>10.40</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>59.33</td><td>35.74</td><td>12.78</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.91	74.00	-33.09	61.80	34.02	10.40	65.31	0.00	--	--	PEAK	2	7440.00	41.04	74.00	-32.96	59.33	35.74	12.78	66.81	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4960.00	40.91	74.00	-33.09	61.80	34.02	10.40	65.31	0.00	--	--	PEAK																																																									
2	7440.00	41.04	74.00	-32.96	59.33	35.74	12.78	66.81	0.00	--	--	PEAK																																																									

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.93	-	-	10Hz
802.11ax HE20	97.72	0.644	1.552	1.6k
802.11ax HE40	95.96	0.356	2.808	3KHz
802.11ax HE80	92.95	0.211	4.737	5.1KHz
802.11ax HE20 RU26	98.04	-	-	10Hz
802.11ax HE20 RU52	97.78	0.704	1.420	1.5k
802.11ax HE20 RU106	97.77	0.702	1.425	1.5k

802.11a







802.11ax HE20




802.11ax HE40




802.11ax HE80



802.11ax HE20 RU26



802.11ax HE20 RU52



802.11ax HE20 RU106

