




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Mid\_MIMO\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Right\_Ant2\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV



### 802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_Ant2\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_MIMO\_NTNV







### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Left\_Ant2\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Mid\_Ant1\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Mid\_MIMO\_NTNV



### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Right\_Ant2\_NTNV







### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_Ant2\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_MIMO\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Left\_Ant2\_NTNV



### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Mid\_Ant1\_NTNV







### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Mid\_MIMO\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Right\_Ant2\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV



### 802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant2\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_MIMO\_NTNV







### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Left\_Ant2\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Mid\_Ant1\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Mid\_MIMO\_NTNV



### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Right\_Ant2\_NTNV







### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant2\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_MIMO\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Left\_Ant2\_NTNV



### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Mid\_Ant1\_NTNV







### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Mid\_MIMO\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Right\_Ant2\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant2\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_MIMO\_NTNV





### 5. Frequency Stability

#### 5.1 Ant1

##### 5.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	/	20	102	5179.940	5150 to 5250	Pass
						120	5179.960	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5179.960	5150 to 5250	Pass
		5200	/	/	20	102	5199.940	5150 to 5250	Pass
						120	5199.960	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5199.980	5150 to 5250	Pass
					-10	120	5200.000	5150 to 5250	Pass
					0	120	5199.920	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5199.940	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.000	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5239.980	5150 to 5250	Pass
					-20	120	5239.900	5150 to 5250	Pass
					-10	120	5239.940	5150 to 5250	Pass

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 947 of 973

					0	120	5240.000	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.040	5150 to 5250	Pass
					50	120	5239.940	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5259.980	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.020	5250 to 5350	Pass
					-10	120	5259.980	5250 to 5350	Pass
					0	120	5260.040	5250 to 5350	Pass
					10	120	5259.960	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.080	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
		5300	/	/	20	102	5300.000	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						138	5300.000	5250 to 5350	Pass
					-30	120	5299.980	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.040	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5299.980	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.020	5250 to 5350	Pass
		5320	/	/	20	102	5320.020	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5319.960	5250 to 5350	Pass
					-10	120	5319.980	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5319.960	5250 to 5350	Pass
					30	120	5319.980	5250 to 5350	Pass
					40	120	5320.060	5250 to 5350	Pass
					50	120	5319.960	5250 to 5350	Pass
		5500	/	/	20	102	5499.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 948 of 973

						120	5500.060	5470 to 5725	Pass
						138	5499.960	5470 to 5725	Pass
					-30	120	5500.060	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5500.040	5470 to 5725	Pass
					0	120	5500.000	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5500.080	5470 to 5725	Pass
					40	120	5500.040	5470 to 5725	Pass
					50	120	5499.960	5470 to 5725	Pass
		5580	/	/	20	102	5580.060	5470 to 5725	Pass
						120	5580.060	5470 to 5725	Pass
						138	5579.980	5470 to 5725	Pass
					-30	120	5580.000	5470 to 5725	Pass
					-20	120	5579.980	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.000	5470 to 5725	Pass
		5700	/	/	20	102	5700.040	5470 to 5725	Pass
						120	5699.940	5470 to 5725	Pass
						138	5700.000	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5699.980	5470 to 5725	Pass
					0	120	5699.960	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5699.940	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5700.040	5470 to 5725	Pass
		5745	/	/	20	102	5745.060	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 949 of 973

					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5784.960	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5784.940	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5784.960	5725 to 5850	Pass
					0	120	5784.960	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5824.960	5725 to 5850	Pass
					-10	120	5824.940	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
					40	120	5825.020	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.060	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5180.020	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5199.980	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 950 of 973

						138	5200.040	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5200.000	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5200.000	5150 to 5250	Pass
					40	120	5199.980	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5240.060	5150 to 5250	Pass
					-20	120	5239.980	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.060	5150 to 5250	Pass
					50	120	5240.080	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5259.980	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.080	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5259.980	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.000	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 951 of 973

					30	120	5300.000	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.040	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5319.980	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5319.980	5250 to 5350	Pass
					30	120	5320.000	5250 to 5350	Pass
					40	120	5320.040	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5500.020	5470 to 5725	Pass
						120	5500.020	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5500.060	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.020	5470 to 5725	Pass
		5580	/	/	20	102	5580.000	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5579.980	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5580.040	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5579.960	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	/	/	20	102	5699.980	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 952 of 973

					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5699.960	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5699.980	5470 to 5725	Pass
					40	120	5699.960	5470 to 5725	Pass
					50	120	5700.000	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5744.980	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5784.980	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5784.960	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.940	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 953 of 973

					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	102	5190.040	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	/	/	20	102	5230.040	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5270	/	/	20	102	5270.080	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.120	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
		5310	/	/	20	102	5310.040	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 954 of 973

					-20	120	5310.040	5250 to 5350	Pass
					-10	120	5310.080	5250 to 5350	Pass
					0	120	5310.080	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.040	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
					-30	120	5510.080	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	/	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.040	5470 to 5725	Pass
						138	5550.040	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.040	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	/	/	20	102	5670.080	5470 to 5725	Pass
						120	5670.080	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 955 of 973

802.11ac (VHT20)	MIMO	5755	/	/	50	120	5670.080	5470 to 5725	Pass
					20	102	5755.080	5725 to 5850	Pass
						120	5755.080	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.120	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
		5180	/	/	20	102	5179.980	5150 to 5250	Pass
						120	5179.960	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5179.960	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	/	/	20	102	5199.960	5150 to 5250	Pass
						120	5200.000	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
					-20	120	5199.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 956 of 973

					-10	120	5199.980	5150 to 5250	Pass
					0	120	5199.980	5150 to 5250	Pass
					10	120	5200.000	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5199.960	5150 to 5250	Pass
					50	120	5200.000	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5239.940	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5239.960	5150 to 5250	Pass
					10	120	5240.040	5150 to 5250	Pass
					30	120	5239.980	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5260	/	/	20	102	5260.000	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5259.980	5250 to 5350	Pass
					-30	120	5259.960	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.020	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5259.980	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5299.960	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5299.960	5250 to 5350	Pass
					-30	120	5299.980	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5299.980	5250 to 5350	Pass
					0	120	5300.000	5250 to 5350	Pass
					10	120	5299.980	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5300.000	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 957 of 973

		5320	/	/	20	102	5320.020	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5319.960	5250 to 5350	Pass
					-30	120	5319.960	5250 to 5350	Pass
					-20	120	5319.960	5250 to 5350	Pass
					-10	120	5320.000	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5319.980	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5499.960	5470 to 5725	Pass
						138	5500.020	5470 to 5725	Pass
					-30	120	5499.960	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5500.000	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5500.020	5470 to 5725	Pass
					40	120	5499.960	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	/	/	20	102	5580.020	5470 to 5725	Pass
						120	5579.980	5470 to 5725	Pass
						138	5579.980	5470 to 5725	Pass
					-30	120	5580.060	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5580.000	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	/	/	20	102	5700.000	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 958 of 973

					0	120	5699.960	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5699.980	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5699.980	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5745.000	5725 to 5850	Pass
					-30	120	5744.960	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.060	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.040	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5784.980	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5784.920	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5784.980	5725 to 5850	Pass
					0	120	5784.960	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5824.940	5725 to 5850	Pass
						138	5824.960	5725 to 5850	Pass
					-30	120	5824.940	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5824.940	5725 to 5850	Pass
					10	120	5824.960	5725 to 5850	Pass
					30	120	5825.040	5725 to 5850	Pass
					40	120	5825.000	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11ac	MIMO	5190	/	/	20	102	5190.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 959 of 973

(VHT40)						120	5190.080	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.000	5150 to 5250	Pass
					50	120	5190.080	5150 to 5250	Pass
	5230	/	/		20	102	5230.080	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.040	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
	50	120	5230.080	5150 to 5250	Pass				
	5270	/	/		20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass
					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.080	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
	50	120	5270.080	5250 to 5350	Pass				
	5310	/	/		20	102	5310.080	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.120	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 960 of 973

					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.080	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.040	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.080	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	/	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.080	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.040	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass
		5670	/	/	20	102	5670.080	5470 to 5725	Pass
						120	5670.080	5470 to 5725	Pass
						138	5670.080	5470 to 5725	Pass
					-30	120	5670.080	5470 to 5725	Pass
					-20	120	5670.040	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.040	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.040	5470 to 5725	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.080	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 961 of 973

802.11ac (VHT80)	MIMO					138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.040	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.080	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	/	/	20	102	5795.080	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
		5210	/	/	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.000	5150 to 5250	Pass
					-20	120	5210.150	5150 to 5250	Pass
					-10	120	5210.000	5150 to 5250	Pass
					0	120	5210.000	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	/	/	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 962 of 973

					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	/	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	/	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.150	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	/	/	20	102	5775.075	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	102	5179.980	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 963 of 973

					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5179.960	5150 to 5250	Pass
					50	120	5180.040	5150 to 5250	Pass
		5200	RU242	Left	20	102	5199.960	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass
					40	120	5200.020	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	RU242	Left	20	102	5240.020	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5260	RU242	Left	20	102	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5259.980	5250 to 5350	Pass
					-20	120	5259.980	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5259.980	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 964 of 973

		5300	RU242	Left	40	120	5259.980	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
					20	102	5300.020	5250 to 5350	Pass
						120	5300.020	5250 to 5350	Pass
						138	5300.020	5250 to 5350	Pass
					-30	120	5299.980	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5299.980	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5299.980	5250 to 5350	Pass
					30	120	5300.000	5250 to 5350	Pass
					40	120	5299.980	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	RU242	Left	20	102	5320.020	5250 to 5350	Pass
						120	5320.000	5250 to 5350	Pass
						138	5320.020	5250 to 5350	Pass
					-30	120	5320.000	5250 to 5350	Pass
					-20	120	5319.980	5250 to 5350	Pass
					-10	120	5320.020	5250 to 5350	Pass
					0	120	5320.000	5250 to 5350	Pass
					10	120	5320.000	5250 to 5350	Pass
					30	120	5320.020	5250 to 5350	Pass
					40	120	5319.980	5250 to 5350	Pass
					50	120	5320.040	5250 to 5350	Pass
		5500	RU242	Left	20	102	5500.000	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5500.000	5470 to 5725	Pass
					0	120	5500.000	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5500.020	5470 to 5725	Pass
					40	120	5499.980	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
		5580	RU242	Left	20	102	5580.040	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5580.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 965 of 973

					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5579.960	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5579.980	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5580.020	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	RU242	Left	20	102	5700.000	5470 to 5725	Pass
						120	5700.040	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5699.960	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.000	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5699.980	5470 to 5725	Pass
		5745	RU242	Left	20	102	5745.020	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	RU242	Left	20	102	5785.020	5725 to 5850	Pass
						120	5784.980	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.020	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 966 of 973

		5825	RU242	Left	50	120	5785.040	5725 to 5850	Pass
					20	102	5825.000	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.040	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass
					30	120	5824.980	5725 to 5850	Pass
					40	120	5825.040	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	102	5190.000	5150 to 5250	Pass
						120	5190.120	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.000	5150 to 5250	Pass
					0	120	5190.040	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	RU484	Left	20	102	5230.080	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.040	5150 to 5250	Pass
					10	120	5230.040	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5270	RU484	Left	20	102	5270.080	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 967 of 973

					-10	120	5270.120	5250 to 5350	Pass
					0	120	5270.080	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass
					40	120	5270.000	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
		5310	RU484	Left	20	102	5310.040	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.000	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.000	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	RU484	Left	20	102	5510.040	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.000	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.000	5470 to 5725	Pass
					10	120	5510.000	5470 to 5725	Pass
					30	120	5510.000	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5510.040	5470 to 5725	Pass
		5550	RU484	Left	20	102	5550.040	5470 to 5725	Pass
						120	5550.080	5470 to 5725	Pass
						138	5550.040	5470 to 5725	Pass
					-30	120	5550.040	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.040	5470 to 5725	Pass
					0	120	5550.040	5470 to 5725	Pass
					10	120	5550.000	5470 to 5725	Pass
					30	120	5550.040	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 968 of 973

		5670	RU484	Left	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5669.960	5470 to 5725	Pass
					-20	120	5670.000	5470 to 5725	Pass
					-10	120	5670.040	5470 to 5725	Pass
					0	120	5670.040	5470 to 5725	Pass
					10	120	5670.040	5470 to 5725	Pass
					30	120	5670.000	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5669.960	5470 to 5725	Pass
		5755	RU484	Left	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.080	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.040	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	RU484	Left	20	102	5795.040	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	20	102	5210.076	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.151	5150 to 5250	Pass
					-30	120	5210.076	5150 to 5250	Pass
					-20	120	5210.076	5150 to 5250	Pass
					-10	120	5210.076	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 969 of 973

					0	120	5210.076	5150 to 5250	Pass
					10	120	5210.151	5150 to 5250	Pass
					30	120	5210.151	5150 to 5250	Pass
					40	120	5210.151	5150 to 5250	Pass
					50	120	5210.076	5150 to 5250	Pass
		5290	RU996	Left	20	102	5290.000	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5289.925	5250 to 5350	Pass
					-20	120	5290.000	5250 to 5350	Pass
					-10	120	5290.000	5250 to 5350	Pass
					0	120	5290.151	5250 to 5350	Pass
					10	120	5290.151	5250 to 5350	Pass
					30	120	5290.151	5250 to 5350	Pass
					40	120	5290.226	5250 to 5350	Pass
					50	120	5290.076	5250 to 5350	Pass
		5530	RU996	Left	20	102	5530.076	5470 to 5725	Pass
						120	5530.151	5470 to 5725	Pass
						138	5530.076	5470 to 5725	Pass
					-30	120	5530.076	5470 to 5725	Pass
					-20	120	5530.076	5470 to 5725	Pass
					-10	120	5530.076	5470 to 5725	Pass
					0	120	5530.076	5470 to 5725	Pass
					10	120	5530.151	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.151	5470 to 5725	Pass
					50	120	5530.076	5470 to 5725	Pass
		5610	RU996	Left	20	102	5610.151	5470 to 5725	Pass
						120	5610.076	5470 to 5725	Pass
						138	5610.000	5470 to 5725	Pass
					-30	120	5610.151	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.076	5470 to 5725	Pass
					0	120	5610.076	5470 to 5725	Pass
					10	120	5610.000	5470 to 5725	Pass
					30	120	5610.151	5470 to 5725	Pass
					40	120	5610.151	5470 to 5725	Pass
					50	120	5610.151	5470 to 5725	Pass
		5775	RU996	Left	20	102	5775.076	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705  
Page: 970 of 973

						120	5775.076	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
					-30	120	5775.076	5725 to 5850	Pass
					-20	120	5775.150	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.076	5725 to 5850	Pass
					10	120	5775.076	5725 to 5850	Pass
					30	120	5775.151	5725 to 5850	Pass
					40	120	5775.076	5725 to 5850	Pass
					50	120	5775.076	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400090705

Page: 971 of 973

## 6.DFS

### Test Result:

BW/Channel	Test Item	Result
80MHz/5290MHz	Channel Availability Check Time	N/A
	Minimum Off-Channel CAC Time	N/A
	Maximum Off-Channel CAC Time	N/A
	In-Service Monitoring	N/A
	Channel Move Time	Pass
	Channel Closing Transmission Time	Pass
	Non-Occupancy Period	N/A
	Uniform Spreading	N/A

The test plots was shown in the report below.

**Remark:** Channel loading of Timing plots is greater than 17%.

This is the master device used to test DFS FCC ID: Q87-WRT3200ACM





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5290MHz



### Radar



- End of the Report -