



15M


B4-15M-Low CH-PAPR-Q16




B4-15M-Low CH-PAPR-QPSK




B4-15M-Low CH-OBW-Q16




B4-15M-Low CH-OBW-QPSK




B4-15M-Low CH-BE-Q16-1 RB 0




B4-15M-Low CH-BE-Q16-Full RB 0




B4-15M-Low CH-BE-QPSK-1 RB 0




B4-15M-Low CH-BE-QPSK-Full RB 0




B4-15M-Low CH-CSE-1-Q16-1 RB 0




B4-15M-Low CH-CSE-1-QPSK-1 RB 0




B4-15M-Low CH-CSE-2-Q16-1 RB 0




B4-15M-Low CH-CSE-2-QPSK-1 RB 0




B4-15M-Mid CH-PAPR-Q16




B4-15M-Mid CH-PAPR-QPSK




B4-15M-Mid CH-OBW-Q16




B4-15M-Mid CH-OBW-QPSK




B4-15M-Mid CH-CSE-1-Q16-1 RB 0




B4-15M-Mid CH-CSE-1-QPSK-1 RB 0




B4-15M-Mid CH-CSE-2-Q16-1 RB 0




B4-15M-Mid CH-CSE-2-QPSK-1 RB 0




B4-15M-High CH-PAPR-Q16




B4-15M-High CH-PAPR-QPSK




B4-15M-High CH-OBW-Q16




B4-15M-High CH-OBW-QPSK




B4-15M-High CH-BE-Q16-1 RB MAX




B4-15M-High CH-BE-Q16-Full RB 0




B4-15M-High CH-BE-QPSK-1 RB MAX




B4-15M-High CH-BE-QPSK-Full RB 0




B4-15M-High CH-CSE-1-Q16-1 RB 0




B4-15M-High CH-CSE-1-QPSK-1 RB 0




B4-15M-High CH-CSE-2-Q16-1 RB 0




B4-15M-High CH-CSE-2-QPSK-1 RB 0




B4-20M-Low CH-PAPR-Q16




B4-20M-Low CH-PAPR-QPSK




B4-20M-Low CH-OBW-Q16



B4-20M-Low CH-OBW-QPSK




B4-20M-Low CH-BE-Q16-1 RB 0




B4-20M-Low CH-BE-Q16-Full RB 0




B4-20M-Low CH-BE-QPSK-1 RB 0




B4-20M-Low CH-BE-QPSK-Full RB 0




B4-20M-Low CH-CSE-1-Q16-1 RB 0




B4-20M-Low CH-CSE-1-QPSK-1 RB 0




B4-20M-Low CH-CSE-2-Q16-1 RB 0




B4-20M-Low CH-CSE-2-QPSK-1 RB 0




B4-20M-Mid CH-PAPR-Q16




B4-20M-Mid CH-PAPR-QPSK




B4-20M-Mid CH-OBW-Q16




B4-20M-Mid CH-OBW-QPSK




B4-20M-Mid CH-CSE-1-Q16-1 RB 0




B4-20M-Mid CH-CSE-1-QPSK-1 RB 0




B4-20M-Mid CH-CSE-2-Q16-1 RB 0




B4-20M-Mid CH-CSE-2-QPSK-1 RB 0




B4-20M-High CH-PAPR-Q16




B4-20M-High CH-PAPR-QPSK




B4-20M-High CH-OBW-Q16




B4-20M-High CH-OBW-QPSK




B4-20M-High CH-BE-Q16-1 RB MAX




B4-20M-High CH-BE-Q16-Full RB 0




B4-20M-High CH-BE-QPSK-1 RB MAX




B4-20M-High CH-BE-QPSK-Full RB 0




B4-20M-High CH-CSE-1-Q16-1 RB 0




B4-20M-High CH-CSE-1-QPSK-1 RB 0



B4-20M-High CH-CSE-2-Q16-1 RB 0



B4-20M-High CH-CSE-2-QPSK-1 RB 0



3. Frequency Stability

3.1 B4_1.4MHz

3.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	5.4	-23.518	-0.0137	-2.5 to 2.5	Pass
					6.0	-25.477	-0.0149	-2.5 to 2.5	Pass
					6.6	-24.319	-0.0142	-2.5 to 2.5	Pass
				-30	6.0	-21.329	-0.0125	-2.5 to 2.5	Pass
				-20	6.0	-19.398	-0.0113	-2.5 to 2.5	Pass
				-10	6.0	-17.095	-0.0100	-2.5 to 2.5	Pass
				0	6.0	-15.850	-0.0093	-2.5 to 2.5	Pass
				10	6.0	-13.375	-0.0078	-2.5 to 2.5	Pass
				30	6.0	-10.815	-0.0063	-2.5 to 2.5	Pass
				40	6.0	-9.542	-0.0056	-2.5 to 2.5	Pass
				50	6.0	-6.752	-0.0039	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-1.245	-0.0007	-2.5 to 2.5	Pass
					6.0	-1.616	-0.0009	-2.5 to 2.5	Pass
					6.6	1.473	0.0009	-2.5 to 2.5	Pass
				-30	6.0	4.506	0.0026	-2.5 to 2.5	Pass
				-20	6.0	7.310	0.0042	-2.5 to 2.5	Pass
				-10	6.0	9.842	0.0057	-2.5 to 2.5	Pass
				0	6.0	11.358	0.0066	-2.5 to 2.5	Pass
				10	6.0	13.661	0.0079	-2.5 to 2.5	Pass
				30	6.0	16.823	0.0097	-2.5 to 2.5	Pass
				40	6.0	19.469	0.0112	-2.5 to 2.5	Pass
				50	6.0	22.445	0.0130	-2.5 to 2.5	Pass

	1754.3	6	0	20	5.4	-1.044	-0.0006	-2.5 to 2.5	Pass
					6.0	-0.715	-0.0004	-2.5 to 2.5	Pass
					6.6	1.216	0.0007	-2.5 to 2.5	Pass
				-30	6.0	3.920	0.0022	-2.5 to 2.5	Pass
				-20	6.0	5.836	0.0033	-2.5 to 2.5	Pass
				-10	6.0	7.768	0.0044	-2.5 to 2.5	Pass
				0	6.0	9.785	0.0056	-2.5 to 2.5	Pass
				10	6.0	13.146	0.0075	-2.5 to 2.5	Pass
				30	6.0	15.650	0.0089	-2.5 to 2.5	Pass
				40	6.0	18.740	0.0107	-2.5 to 2.5	Pass
				50	6.0	20.542	0.0117	-2.5 to 2.5	Pass
16QAM	1710.7	6	0	20	5.4	-3.834	-0.0022	-2.5 to 2.5	Pass
					6.0	-1.259	-0.0007	-2.5 to 2.5	Pass
					6.6	0.300	0.0002	-2.5 to 2.5	Pass
				-30	6.0	2.575	0.0015	-2.5 to 2.5	Pass
				-20	6.0	3.920	0.0023	-2.5 to 2.5	Pass
				-10	6.0	5.236	0.0031	-2.5 to 2.5	Pass
				0	6.0	6.537	0.0038	-2.5 to 2.5	Pass
				10	6.0	8.283	0.0048	-2.5 to 2.5	Pass
				30	6.0	9.499	0.0056	-2.5 to 2.5	Pass
				40	6.0	10.457	0.0061	-2.5 to 2.5	Pass
				50	6.0	11.058	0.0065	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	25.563	0.0148	-2.5 to 2.5	Pass
					6.0	27.637	0.0160	-2.5 to 2.5	Pass
					6.6	29.955	0.0173	-2.5 to 2.5	Pass
				-30	6.0	30.999	0.0179	-2.5 to 2.5	Pass
				-20	6.0	32.001	0.0185	-2.5 to 2.5	Pass
				-10	6.0	33.746	0.0195	-2.5 to 2.5	Pass

				0	6.0	34.733	0.0200	-2.5 to 2.5	Pass
				10	6.0	35.834	0.0207	-2.5 to 2.5	Pass
				30	6.0	36.836	0.0213	-2.5 to 2.5	Pass
				40	6.0	37.179	0.0215	-2.5 to 2.5	Pass
				50	6.0	37.394	0.0216	-2.5 to 2.5	Pass
	1754.3	6	0	20	5.4	22.788	0.0130	-2.5 to 2.5	Pass
					6.0	25.463	0.0145	-2.5 to 2.5	Pass
					6.6	27.208	0.0155	-2.5 to 2.5	Pass
				-30	6.0	27.981	0.0159	-2.5 to 2.5	Pass
				-20	6.0	29.426	0.0168	-2.5 to 2.5	Pass
				-10	6.0	31.071	0.0177	-2.5 to 2.5	Pass
				0	6.0	31.557	0.0180	-2.5 to 2.5	Pass
				10	6.0	33.345	0.0190	-2.5 to 2.5	Pass
				30	6.0	34.132	0.0195	-2.5 to 2.5	Pass
				40	6.0	34.862	0.0199	-2.5 to 2.5	Pass
				50	6.0	35.706	0.0204	-2.5 to 2.5	Pass

3.2 B4_3MHz

3.2.1 Test Result

Band: 4 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	6	0	20	5.4	-18.768	-0.0110	-2.5 to 2.5	Pass
					6.0	-18.024	-0.0105	-2.5 to 2.5	Pass
					6.6	-14.277	-0.0083	-2.5 to 2.5	Pass
				-30	6.0	-11.187	-0.0065	-2.5 to 2.5	Pass
				-20	6.0	-6.952	-0.0041	-2.5 to 2.5	Pass
				-10	6.0	-3.376	-0.0020	-2.5 to 2.5	Pass

				0	6.0	-0.329	-0.0002	-2.5 to 2.5	Pass
				10	6.0	3.605	0.0021	-2.5 to 2.5	Pass
				30	6.0	7.224	0.0042	-2.5 to 2.5	Pass
				40	6.0	11.086	0.0065	-2.5 to 2.5	Pass
				50	6.0	13.490	0.0079	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-27.537	-0.0159	-2.5 to 2.5	Pass
					6.0	-28.710	-0.0166	-2.5 to 2.5	Pass
					6.6	-27.437	-0.0158	-2.5 to 2.5	Pass
				-30	6.0	-27.752	-0.0160	-2.5 to 2.5	Pass
				-20	6.0	-26.822	-0.0155	-2.5 to 2.5	Pass
				-10	6.0	-25.692	-0.0148	-2.5 to 2.5	Pass
				0	6.0	-24.233	-0.0140	-2.5 to 2.5	Pass
				10	6.0	-23.818	-0.0137	-2.5 to 2.5	Pass
				30	6.0	-24.204	-0.0140	-2.5 to 2.5	Pass
				40	6.0	-22.860	-0.0132	-2.5 to 2.5	Pass
				50	6.0	-21.286	-0.0123	-2.5 to 2.5	Pass
	1753.5	6	0	20	5.4	-22.831	-0.0130	-2.5 to 2.5	Pass
					6.0	-22.130	-0.0126	-2.5 to 2.5	Pass
					6.6	-19.169	-0.0109	-2.5 to 2.5	Pass
				-30	6.0	-16.351	-0.0093	-2.5 to 2.5	Pass
				-20	6.0	-12.960	-0.0074	-2.5 to 2.5	Pass
				-10	6.0	-10.042	-0.0057	-2.5 to 2.5	Pass
				0	6.0	-7.010	-0.0040	-2.5 to 2.5	Pass
				10	6.0	-4.034	-0.0023	-2.5 to 2.5	Pass
				30	6.0	-0.873	-0.0005	-2.5 to 2.5	Pass
				40	6.0	1.845	0.0011	-2.5 to 2.5	Pass
				50	6.0	4.106	0.0023	-2.5 to 2.5	Pass
	16QAM	1711.5	6	0	20	5.4	17.610	0.0103	-2.5 to 2.5

					6.0	22.402	0.0131	-2.5 to 2.5	Pass
					6.6	24.719	0.0144	-2.5 to 2.5	Pass
				-30	6.0	27.366	0.0160	-2.5 to 2.5	Pass
				-20	6.0	29.569	0.0173	-2.5 to 2.5	Pass
				-10	6.0	31.857	0.0186	-2.5 to 2.5	Pass
				0	6.0	-4.091	-0.0024	-2.5 to 2.5	Pass
				10	6.0	-1.845	-0.0011	-2.5 to 2.5	Pass
				30	6.0	-0.243	-0.0001	-2.5 to 2.5	Pass
				40	6.0	1.502	0.0009	-2.5 to 2.5	Pass
				50	6.0	3.319	0.0019	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-19.727	-0.0114	-2.5 to 2.5	Pass
					6.0	-19.469	-0.0112	-2.5 to 2.5	Pass
					6.6	-18.382	-0.0106	-2.5 to 2.5	Pass
				-30	6.0	-18.697	-0.0108	-2.5 to 2.5	Pass
				-20	6.0	-19.269	-0.0111	-2.5 to 2.5	Pass
				-10	6.0	-18.597	-0.0107	-2.5 to 2.5	Pass
				0	6.0	-18.067	-0.0104	-2.5 to 2.5	Pass
				10	6.0	-16.780	-0.0097	-2.5 to 2.5	Pass
				30	6.0	-17.266	-0.0100	-2.5 to 2.5	Pass
				40	6.0	-16.451	-0.0095	-2.5 to 2.5	Pass
				50	6.0	-17.281	-0.0100	-2.5 to 2.5	Pass
	1753.5	6	0	20	5.4	9.570	0.0055	-2.5 to 2.5	Pass
					6.0	14.091	0.0080	-2.5 to 2.5	Pass
					6.6	17.595	0.0100	-2.5 to 2.5	Pass
				-30	6.0	20.070	0.0114	-2.5 to 2.5	Pass
				-20	6.0	21.944	0.0125	-2.5 to 2.5	Pass
				-10	6.0	24.061	0.0137	-2.5 to 2.5	Pass
				0	6.0	26.207	0.0149	-2.5 to 2.5	Pass

				10	6.0	27.480	0.0157	-2.5 to 2.5	Pass
				30	6.0	29.411	0.0168	-2.5 to 2.5	Pass
				40	6.0	30.899	0.0176	-2.5 to 2.5	Pass
				50	6.0	32.573	0.0186	-2.5 to 2.5	Pass

3.3 B4_5MHz

3.3.1 Test Result

Band: 4 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	6	0	20	5.4	-22.116	-0.0129	-2.5 to 2.5	Pass
					6.0	-22.559	-0.0132	-2.5 to 2.5	Pass
					6.6	-21.772	-0.0127	-2.5 to 2.5	Pass
				-30	6.0	-20.413	-0.0119	-2.5 to 2.5	Pass
				-20	6.0	-18.682	-0.0109	-2.5 to 2.5	Pass
				-10	6.0	-15.650	-0.0091	-2.5 to 2.5	Pass
				0	6.0	-15.45	-0.0078	-2.5 to 2.5	Pass
				10	6.0	-9.856	-0.0058	-2.5 to 2.5	Pass
				30	6.0	-6.709	-0.0039	-2.5 to 2.5	Pass
				40	6.0	-4.306	-0.0025	-2.5 to 2.5	Pass
				50	6.0	-2.146	-0.0013	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-5.422	-0.0031	-2.5 to 2.5	Pass
					6.0	-6.595	-0.0038	-2.5 to 2.5	Pass
					6.6	-6.480	-0.0037	-2.5 to 2.5	Pass
				-30	6.0	-5.264	-0.0030	-2.5 to 2.5	Pass
				-20	6.0	-5.150	-0.0030	-2.5 to 2.5	Pass
				-10	6.0	-5.250	-0.0030	-2.5 to 2.5	Pass
				0	6.0	-5.264	-0.0030	-2.5 to 2.5	Pass

				10	6.0	-5.050	-0.0029	-2.5 to 2.5	Pass
				30	6.0	-4.449	-0.0026	-2.5 to 2.5	Pass
				40	6.0	-4.063	-0.0023	-2.5 to 2.5	Pass
				50	6.0	-3.419	-0.0020	-2.5 to 2.5	Pass
	1752.5	6	0	20	5.4	-13.347	-0.0076	-2.5 to 2.5	Pass
					6.0	-15.321	-0.0087	-2.5 to 2.5	Pass
					6.6	-14.906	-0.0085	-2.5 to 2.5	Pass
				-30	6.0	-14.734	-0.0084	-2.5 to 2.5	Pass
				-20	6.0	-13.690	-0.0078	-2.5 to 2.5	Pass
				-10	6.0	-13.561	-0.0077	-2.5 to 2.5	Pass
				0	6.0	-12.417	-0.0071	-2.5 to 2.5	Pass
				10	6.0	-12.317	-0.0070	-2.5 to 2.5	Pass
				30	6.0	-11.973	-0.0068	-2.5 to 2.5	Pass
				40	6.0	-11.272	-0.0064	-2.5 to 2.5	Pass
				50	6.0	-10.815	-0.0062	-2.5 to 2.5	Pass
	1712.5	6	0	20	5.4	-0.544	-0.0003	-2.5 to 2.5	Pass
					6.0	2.689	0.0016	-2.5 to 2.5	Pass
					6.6	6.566	0.0038	-2.5 to 2.5	Pass
				-30	6.0	7.782	0.0045	-2.5 to 2.5	Pass
				-20	6.0	10.085	0.0059	-2.5 to 2.5	Pass
				-10	6.0	11.659	0.0068	-2.5 to 2.5	Pass
				0	6.0	12.159	0.0071	-2.5 to 2.5	Pass
				10	6.0	14.577	0.0085	-2.5 to 2.5	Pass
				30	6.0	15.635	0.0091	-2.5 to 2.5	Pass
				40	6.0	16.422	0.0096	-2.5 to 2.5	Pass
				50	6.0	17.538	0.0102	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-2.189	-0.0013	-2.5 to 2.5	Pass
					6.0	-1.745	-0.0010	-2.5 to 2.5	Pass

					6.6	-1.731	-0.0010	-2.5 to 2.5	Pass
				-30	6.0	-1.945	-0.0011	-2.5 to 2.5	Pass
				-20	6.0	-1.473	-0.0009	-2.5 to 2.5	Pass
				-10	6.0	-1.316	-0.0008	-2.5 to 2.5	Pass
				0	6.0	-1.345	-0.0008	-2.5 to 2.5	Pass
				10	6.0	-1.316	-0.0008	-2.5 to 2.5	Pass
				30	6.0	-1.602	-0.0009	-2.5 to 2.5	Pass
				40	6.0	-0.129	-0.0001	-2.5 to 2.5	Pass
				50	6.0	0.243	0.0001	-2.5 to 2.5	Pass
	1752.5	6	0	20	5.4	-10.700	-0.0061	-2.5 to 2.5	Pass
					6.0	-9.313	-0.0053	-2.5 to 2.5	Pass
					6.6	-9.770	-0.0056	-2.5 to 2.5	Pass
				-30	6.0	-8.383	-0.0048	-2.5 to 2.5	Pass
				-20	6.0	-7.854	-0.0045	-2.5 to 2.5	Pass
				-10	6.0	-7.410	-0.0042	-2.5 to 2.5	Pass
				0	6.0	-7.296	-0.0042	-2.5 to 2.5	Pass
				10	6.0	-6.652	-0.0038	-2.5 to 2.5	Pass
				30	6.0	-6.266	-0.0036	-2.5 to 2.5	Pass
				40	6.0	-5.808	-0.0033	-2.5 to 2.5	Pass
				50	6.0	-6.123	-0.0035	-2.5 to 2.5	Pass

3.4 B4_10MHz

3.4.1 Test Result

Band: 4 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	6	0	20	5.4	-20.328	-0.0119	-2.5 to 2.5	Pass
					6.0	-18.954	-0.0111	-2.5 to 2.5	Pass

					6.6	-13.676	-0.0080	-2.5 to 2.5	Pass
				-30	6.0	-8.998	-0.0052	-2.5 to 2.5	Pass
				-20	6.0	-2.604	-0.0015	-2.5 to 2.5	Pass
				-10	6.0	2.818	0.0016	-2.5 to 2.5	Pass
				0	6.0	7.782	0.0045	-2.5 to 2.5	Pass
				10	6.0	11.330	0.0066	-2.5 to 2.5	Pass
				30	6.0	16.479	0.0096	-2.5 to 2.5	Pass
				40	6.0	21.043	0.0123	-2.5 to 2.5	Pass
				50	6.0	25.935	0.0151	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-35.748	-0.0206	-2.5 to 2.5	Pass
					6.0	-37.479	-0.0216	-2.5 to 2.5	Pass
					6.6	-36.607	-0.0211	-2.5 to 2.5	Pass
				-30	6.0	-36.821	-0.0213	-2.5 to 2.5	Pass
				-20	6.0	-36.235	-0.0209	-2.5 to 2.5	Pass
				-10	6.0	-36.135	-0.0209	-2.5 to 2.5	Pass
				0	6.0	-35.563	-0.0205	-2.5 to 2.5	Pass
				10	6.0	-35.462	-0.0205	-2.5 to 2.5	Pass
				30	6.0	-35.377	-0.0204	-2.5 to 2.5	Pass
				40	6.0	-34.647	-0.0200	-2.5 to 2.5	Pass
				50	6.0	-35.033	-0.0202	-2.5 to 2.5	Pass
	1750	6	0	20	5.4	-1.030	-0.0006	-2.5 to 2.5	Pass
					6.0	-1.931	-0.0011	-2.5 to 2.5	Pass
					6.6	-1.359	-0.0008	-2.5 to 2.5	Pass
				-30	6.0	-0.429	-0.0002	-2.5 to 2.5	Pass
				-20	6.0	0.072	0.0000	-2.5 to 2.5	Pass
				-10	6.0	1.373	0.0008	-2.5 to 2.5	Pass
				0	6.0	2.618	0.0015	-2.5 to 2.5	Pass
				10	6.0	3.362	0.0019	-2.5 to 2.5	Pass

16QAM				30	6.0	4.048	0.0023	-2.5 to 2.5	Pass
				40	6.0	5.035	0.0029	-2.5 to 2.5	Pass
				50	6.0	6.065	0.0035	-2.5 to 2.5	Pass
	1715	6	0	20	5.4	29.140	0.0170	-2.5 to 2.5	Pass
					6.0	18.296	0.0107	-2.5 to 2.5	Pass
					6.6	-2.503	-0.0015	-2.5 to 2.5	Pass
				-30	6.0	-0.215	-0.0001	-2.5 to 2.5	Pass
				-20	6.0	2.031	0.0012	-2.5 to 2.5	Pass
				-10	6.0	2.990	0.0017	-2.5 to 2.5	Pass
				0	6.0	4.821	0.0028	-2.5 to 2.5	Pass
				10	6.0	6.166	0.0036	-2.5 to 2.5	Pass
				30	6.0	7.038	0.0041	-2.5 to 2.5	Pass
				40	6.0	8.154	0.0048	-2.5 to 2.5	Pass
				50	6.0	9.599	0.0056	-2.5 to 2.5	Pass
	1732.5	6	0	20	5.4	-33.917	-0.0196	-2.5 to 2.5	Pass
					6.0	-33.088	-0.0191	-2.5 to 2.5	Pass
					6.6	-33.202	-0.0192	-2.5 to 2.5	Pass
				-30	6.0	-32.816	-0.0189	-2.5 to 2.5	Pass
				-20	6.0	-32.129	-0.0185	-2.5 to 2.5	Pass
				-10	6.0	-30.899	-0.0178	-2.5 to 2.5	Pass
				0	6.0	-30.999	-0.0179	-2.5 to 2.5	Pass
				10	6.0	-30.642	-0.0177	-2.5 to 2.5	Pass
				30	6.0	-29.197	-0.0169	-2.5 to 2.5	Pass
				40	6.0	-28.453	-0.0164	-2.5 to 2.5	Pass
				50	6.0	-27.924	-0.0161	-2.5 to 2.5	Pass
	1750	6	0	20	5.4	7.796	0.0045	-2.5 to 2.5	Pass
					6.0	8.283	0.0047	-2.5 to 2.5	Pass
					6.6	8.726	0.0050	-2.5 to 2.5	Pass