




Appendix D

RF Test Data for 5.5G WIFI (Conducted Measurement)

Product Name: AOSU IndoorCam P1

Test Model: C2E2BH11

Environmental Conditions

Temperature:	24.1℃
Relative Humidity:	52.6%
ATM Pressure:	100.0 kPa
Test Engineer:	 Bill Zhu
Supervised by:	 Li Huan





D.1 Emission Bandwidth

Test Result

TestMode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant	5500	20.000	5490.000	5510.000	---	---
		5580	20.080	5569.920	5590.000	---	---
		5700	20.040	5689.920	5709.960	---	---
11N20SISO	Ant	5500	20.360	5489.760	5510.120	---	---
		5580	20.400	5569.800	5590.200	---	---
		5700	20.320	5689.880	5710.200	---	---
11N40SISO	Ant	5510	40.480	5489.680	5530.160	---	---
		5550	40.320	5529.760	5570.080	---	---
		5670	40.640	5649.760	5690.400	---	---
11AC20SISO	Ant	5500	20.360	5489.800	5510.160	---	---
		5580	20.480	5569.720	5590.200	---	---
		5700	20.440	5689.840	5710.280	---	---
11AC40SISO	Ant	5510	40.560	5489.600	5530.160	---	---
		5550	40.560	5529.680	5570.240	---	---
		5670	40.640	5649.680	5690.320	---	---
11AC80SISO	Ant	5530	81.120	5489.360	5570.480	---	---
		5610	80.800	5569.520	5650.320	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant_5500




11A_Ant_5580




11A_Ant_5700






11N20SISO_Ant_5500




11N20SISO_Ant_5580






11N20SISO_Ant_5700




11N40SISO_Ant_5510






11N40SISO_Ant_5550




11N40SISO_Ant_5670






11AC20SISO_Ant_5500




11AC20SISO_Ant_5580






11AC20SISO_Ant_5700




11AC40SISO_Ant_5510






11AC40SISO_Ant_5550




11AC40SISO_Ant_5670






11AC80SISO_Ant_5530



11AC80SISO_Ant_5610





Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.2 Maximum conducted output power

Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant	5500	8.54	≤23.98	PASS
		5580	8.60	≤23.98	PASS
		5700	8.64	≤23.98	PASS
11N20SISO	Ant	5500	8.50	≤23.98	PASS
		5580	7.85	≤23.98	PASS
		5700	8.00	≤23.98	PASS
11N40SISO	Ant	5510	7.91	≤23.98	PASS
		5550	8.06	≤23.98	PASS
		5670	7.92	≤23.98	PASS
11AC20SISO	Ant	5500	7.75	≤23.98	PASS
		5580	7.77	≤23.98	PASS
		5700	7.98	≤23.98	PASS
11AC40SISO	Ant	5510	7.78	≤23.98	PASS
		5550	7.97	≤23.98	PASS
		5670	7.89	≤23.98	PASS
11AC80SISO	Ant	5530	8.05	≤23.98	PASS
		5610	8.02	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.3 Maximum power spectral density

Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant	5500	-1.77	≤11.00	PASS
		5580	-1.73	≤11.00	PASS
		5700	-1.84	≤11.00	PASS
11N20SISO	Ant	5500	-1.95	≤11.00	PASS
		5580	-2.61	≤11.00	PASS
		5700	-2.68	≤11.00	PASS
11N40SISO	Ant	5510	-5.43	≤11.00	PASS
		5550	-5.36	≤11.00	PASS
		5670	-5.66	≤11.00	PASS
11AC20SISO	Ant	5500	-2.68	≤11.00	PASS
		5580	-2.8	≤11.00	PASS
		5700	-2.7	≤11.00	PASS
11AC40SISO	Ant	5510	-5.63	≤11.00	PASS
		5550	-5.42	≤11.00	PASS
		5670	-5.72	≤11.00	PASS
11AC80SISO	Ant	5530	-8.54	≤11.00	PASS
		5610	-8.83	≤11.00	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant_5500




11A_Ant_5580




11A_Ant_5700






11N20SISO_Ant_5500




11N20SISO_Ant_5580








11N20SISO_Ant_5700




11N40SISO_Ant_5510








11AC20SISO_Ant_5500




11AC20SISO_Ant_5580






11AC20SISO_Ant_5700




11AC40SISO_Ant_5510






11AC40SISO_Ant_5550




11AC40SISO_Ant_5670






11AC80SISO_Ant_5530



11AC80SISO_Ant_5610







D.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant	Low	5500	AV	5460.000	-53.23	≤-41.20	41.97	≤54	PASS
				AV	5469.620	-52.54	≤-41.20	42.66	≤54	PASS
				AV	5470.000	-52.69	≤-41.20	42.51	≤54	PASS
				Peak	5460.000	-44.43	≤-21.20	50.77	≤68.2	PASS
				Peak	5468.600	-42.33	≤-21.20	52.87	≤68.2	PASS
				Peak	5470.000	-44.45	≤-21.20	50.75	≤68.2	PASS
		High	5700	AV	5725.000	-51.58	≤-41.20	43.62	≤54	PASS
				AV	5726.120	-51.54	≤-41.20	43.66	≤54	PASS
				AV	5735.000	-52.94	≤-41.20	42.26	≤54	PASS
				Peak	5725.000	-42.79	≤-21.20	52.41	≤68.2	PASS
				Peak	5726.120	-40.04	≤-21.20	55.16	≤68.2	PASS
				Peak	5735.000	-44.89	≤-21.20	50.31	≤68.2	PASS
11N20SIS O	Ant	Low	5500	AV	5460.000	-53.26	≤-41.20	41.94	≤54	PASS
				AV	5469.740	-52.66	≤-41.20	42.54	≤54	PASS
				AV	5470.000	-52.77	≤-41.20	42.43	≤54	PASS
				Peak	5460.000	-43.49	≤-21.20	51.71	≤68.2	PASS
				Peak	5469.980	-42.42	≤-21.20	52.78	≤68.2	PASS
				Peak	5470.000	-42.42	≤-21.20	52.78	≤68.2	PASS
		High	5700	AV	5725.000	-51.74	≤-41.20	43.46	≤54	PASS
				AV	5725.820	-51.71	≤-41.20	43.49	≤54	PASS
				AV	5735.000	-52.96	≤-41.20	42.24	≤54	PASS
				Peak	5725.000	-40.44	≤-21.20	54.76	≤68.2	PASS
				Peak	5725.220	-39.29	≤-21.20	55.91	≤68.2	PASS
				Peak	5735.000	-45.02	≤-21.20	50.18	≤68.2	PASS
11N40SIS O	Ant	Low	5510	AV	5460.000	-53.38	≤-41.20	41.82	≤54	PASS
				AV	5469.460	-51.91	≤-41.20	43.29	≤54	PASS
				AV	5470.000	-52.14	≤-41.20	43.06	≤54	PASS
				Peak	5460.000	-44.33	≤-21.20	50.87	≤68.2	PASS
				Peak	5469.880	-38.08	≤-21.20	57.12	≤68.2	PASS
				Peak	5470.000	-42.04	≤-21.20	53.16	≤68.2	PASS
		High	5670	AV	5725.000	-53.11	≤-41.20	42.09	≤54	PASS
				AV	5726.300	-52.96	≤-41.20	42.24	≤54	PASS
				AV	5735.000	-53.46	≤-41.20	41.74	≤54	PASS
				Peak	5725.000	-44.33	≤-21.20	50.87	≤68.2	PASS
				Peak	5727.600	-42.03	≤-21.20	53.17	≤68.2	PASS





				Peak	5735.000	-45.05	≤-21.20	50.15	≤68.2	PASS
11AC20SI SO	Ant	Low	5500	AV	5460.000	-53.23	≤-41.20	41.97	≤54	PASS
				AV	5469.860	-52.45	≤-41.20	42.75	≤54	PASS
				AV	5470.000	-52.79	≤-41.20	42.41	≤54	PASS
				Peak	5460.000	-44.7	≤-21.20	50.50	≤68.2	PASS
				Peak	5460.800	-42.61	≤-21.20	52.59	≤68.2	PASS
				Peak	5470.000	-44.46	≤-21.20	50.74	≤68.2	PASS
		High	5700	AV	5725.000	-51.83	≤-41.20	43.37	≤54	PASS
				AV	5725.280	-51.68	≤-41.20	43.52	≤54	PASS
				AV	5735.000	-52.96	≤-41.20	42.24	≤54	PASS
				Peak	5725.000	-41.41	≤-21.20	53.79	≤68.2	PASS
				Peak	5725.040	-40.27	≤-21.20	54.93	≤68.2	PASS
11AC40SI SO	Ant	Low	5510	Peak	5735.000	-43.53	≤-21.20	51.67	≤68.2	PASS
				AV	5460.000	-53.27	≤-41.20	41.93	≤54	PASS
				AV	5469.460	-51.74	≤-41.20	43.46	≤54	PASS
				AV	5470.000	-52.03	≤-41.20	43.17	≤54	PASS
				Peak	5460.000	-44.57	≤-21.20	50.63	≤68.2	PASS
				Peak	5468.550	-40	≤-21.20	55.20	≤68.2	PASS
		High	5670	Peak	5470.000	-44.06	≤-21.20	51.14	≤68.2	PASS
				AV	5725.000	-53.29	≤-41.20	41.91	≤54	PASS
				AV	5725.600	-52.88	≤-41.20	42.32	≤54	PASS
				AV	5735.000	-53.45	≤-41.20	41.75	≤54	PASS
				Peak	5725.000	-44.74	≤-21.20	50.46	≤68.2	PASS
11AC80SI SO	Ant	Low	5530	Peak	5733.600	-43.45	≤-21.20	51.75	≤68.2	PASS
				Peak	5735.000	-44.74	≤-21.20	50.46	≤68.2	PASS
				AV	5460.000	-51.43	≤-41.20	43.77	≤54	PASS
				AV	5469.890	-48.67	≤-41.20	46.53	≤54	PASS
				AV	5470.000	-48.58	≤-41.20	46.62	≤54	PASS
				Peak	5460.000	-43.36	≤-21.20	51.84	≤68.2	PASS
		High	5610	Peak	5469.630	-39.95	≤-21.20	55.25	≤68.2	PASS
				Peak	5470.000	-40.51	≤-21.20	54.69	≤68.2	PASS
				AV	5725.000	-53.17	≤-41.20	42.03	≤54	PASS
				AV	5725.400	-53.05	≤-41.20	42.15	≤54	PASS
				AV	5735.000	-53.53	≤-41.20	41.67	≤54	PASS
				Peak	5725.000	-46.07	≤-21.20	49.13	≤68.2	PASS
				Peak	5734.400	-44.3	≤-21.20	50.90	≤68.2	PASS
				Peak	5735.000	-45.27	≤-21.20	49.93	≤68.2	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant_Low_5500_AV




11A_Ant_Low_5500_Peak




11A_Ant_High_5700_AV






11A_Ant_High_5700_Peak




11N20SISO_Ant_Low_5500_AV






11N20SISO_Ant_Low_5500_Peak




11N20SISO_Ant_High_5700_AV






11N20SISO_Ant_High_5700_Peak




11N40SISO_Ant_Low_5510_AV






11N40SISO_Ant_Low_5510_Peak




11N40SISO_Ant_High_5670_AV






11N40SISO_Ant_High_5670_Peak




11AC20SISO_Ant_Low_5500_AV






11AC20SISO_Ant_Low_5500_Peak




11AC20SISO_Ant_High_5700_AV






11AC20SISO_Ant_High_5700_Peak




11AC40SISO_Ant_Low_5510_AV






11AC40SISO_Ant_Low_5510_Peak




11AC40SISO_Ant_High_5670_AV






11AC40SISO_Ant_High_5670_Peak




11AC80SISO_Ant_Low_5530_AV






11AC80SISO_Ant_Low_5530_Peak




11AC80SISO_Ant_High_5610_AV





11AC80SISO_Ant_High_5610_Peak





D.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20SIS O	Ant	5500	NV	NT	-20000	-3.636364	20	PASS
			LV	NT	-20000	-3.636364	20	PASS
			HV	NT	0	0	20	PASS
		5580	NV	NT	-40000	-7.168459	20	PASS
			LV	NT	-20000	-3.584229	20	PASS
			HV	NT	-20000	-3.584229	20	PASS
		5700	NV	NT	-20000	-3.508772	20	PASS
			LV	NT	-20000	-3.508772	20	PASS
			HV	NT	-20000	-3.508772	20	PASS
11AC40SIS O	Ant	5510	NV	NT	0	0	20	PASS
			LV	NT	-40000	-7.259528	20	PASS
			HV	NT	0	0	20	PASS
		5550	NV	NT	-40000	-7.207207	20	PASS
			LV	NT	-40000	-7.207207	20	PASS
			HV	NT	-40000	-7.207207	20	PASS
		5670	NV	NT	-40000	-7.054674	20	PASS
			LV	NT	-40000	-7.054674	20	PASS
			HV	NT	-40000	-7.054674	20	PASS
11AC80SIS O	Ant	5530	NV	NT	-80000	-14.466546	20	PASS
			LV	NT	-80000	-14.466546	20	PASS
			HV	NT	0	0	20	PASS
		5610	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20SIS O	Ant	5500	NV	-30	-40000	-7.272727	20	PASS
			NV	-20	-20000	-3.636364	20	PASS
			NV	-10	-20000	-3.636364	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



			NV	30	-20000	-3.636364	20	PASS
			NV	40	-20000	-3.636364	20	PASS
			NV	50	-20000	-3.636364	20	PASS
		5580	NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-20000	-3.584229	20	PASS
			NV	0	-40000	-7.168459	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-20000	-3.584229	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	-20000	-3.584229	20	PASS
			NV	50	-20000	-3.584229	20	PASS
		5700	NV	-30	-20000	-3.508772	20	PASS
			NV	-20	-20000	-3.508772	20	PASS
			NV	-10	-20000	-3.508772	20	PASS
			NV	0	-20000	-3.508772	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-20000	-3.508772	20	PASS
			NV	30	-20000	-3.508772	20	PASS
			NV	40	-20000	-3.508772	20	PASS
			NV	50	-40000	-7.017544	20	PASS
11AC40SIS O	Ant	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	-40000	-7.259528	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.259528	20	PASS
			NV	30	-40000	-7.259528	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	-40000	-7.259528	20	PASS
		5550	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.207207	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-40000	-7.207207	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-40000	-7.207207	20	PASS
		5670	NV	-30	0	0	20	PASS





			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.054674	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	0	0	20	PASS
11AC80SIS O	Ant	5530	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.466546	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-14.466546	20	PASS
			NV	50	-80000	-14.466546	20	PASS
		5610	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS





D.6 Duty Cycle

Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant	5500	1.40	1.44	97.22	---	---
		5580	1.39	1.44	96.53	---	---
		5700	1.39	1.44	96.53	---	---
11N20SISO	Ant	5500	1.29	1.34	96.27	---	---
		5580	1.29	1.34	96.27	---	---
		5700	1.29	1.34	96.27	---	---
11N40SISO	Ant	5510	0.65	0.70	92.86	---	---
		5550	0.64	0.69	92.75	---	---
		5670	0.64	0.69	92.75	---	---
11AC20SISO	Ant	5500	1.31	1.35	97.04	---	---
		5580	1.31	1.36	96.32	---	---
		5700	1.31	1.36	96.32	---	---
11AC40SISO	Ant	5510	0.66	0.70	94.29	---	---
		5550	0.65	0.69	94.20	---	---
		5670	0.65	0.69	94.20	---	---
11AC80SISO	Ant	5530	0.32	0.37	86.49	---	---
		5610	0.32	0.37	86.49	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant_5500




11A_Ant_5580




11A_Ant_5700






11N20SISO_Ant_5500




11N20SISO_Ant_5580






11N20SISO_Ant_5700




11N40SISO_Ant_5510






11N40SISO_Ant_5550




11N40SISO_Ant_5670






11AC20SISO_Ant_5500




11AC20SISO_Ant_5580






11AC20SISO_Ant_5700




11AC40SISO_Ant_5510






11AC40SISO_Ant_5550




11AC40SISO_Ant_5670





11AC80SISO_Ant_5530



11AC80SISO_Ant_5610



