



802.11n (HT20) CH64




i iiiui_ites									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
` ′		•	,	,	(ms)	,			,
1292.25	44.35	I	68.20	23.85	500.00	100.0	Н	78.00	-4
1413.00		33.07	54.00	20.93	500.00	100.0	Н	5.00	-3
1694.75		33.27	54.00	20.73	500.00	200.0	Н	285.00	-3
1854.00	45.98	-	68.20	22.22	500.00	100.0	Н	103.00	-2
2547.00	48.88	-	68.20	19.32	500.00	200.0	Н	259.00	1
2821.75		37.04	54.00	16.96	500.00	200.0	Н	354.00	2
3227.75	51.12	-	68.20	17.08	500.00	100.0	Н	152.00	3
3994.25	-	40.50	54.00	13.50	500.00	100.0	Н	0.00	5
4451.00	53.13		68.20	15.07	500.00	200.0	V	301.00	6
4876.25		43.69	54.00	10.31	500.00	200.0	Н	328.00	8
5418.75		44.91	54.00	9.09	500.00	200.0	V	0.00	9
5611.25	56.52		68.20	11.68	500.00	200.0	Н	179.00	10




I IIIui_IXCS	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8655.00	50.11		68.20	18.09	500.00	200.0	Н	192.00	6
9085.00		37.47	54.00	16.53	500.00	100.0	٧	0.00	7
9300.00	-	37.94	54.00	16.06	500.00	100.0	Н	348.00	7
9925.00	50.98		68.20	17.22	500.00	200.0	٧	356.00	7
10545.00	52.78	-	68.20	15.42	500.00	200.0	Η	26.00	9
10640.00	-	42.17	54.00	11.83	500.00	200.0	٧	238.00	9
12052.50	-	39.42	54.00	14.58	500.00	200.0	Η	79.00	9
14092.50	52.38	-	68.20	15.82	500.00	100.0	Н	338.00	10
14490.00	-	39.65	54.00	14.35	500.00	100.0	Н	359.00	10
15205.00	51.09	-	68.20	17.11	500.00	100.0	Н	296.00	9
15775.00	-	39.09	54.00	14.91	500.00	100.0	Н	250.00	8
17100.00	54.93		68.20	13.27	500.00	100.0	Н	144.00	13

802.11n (HT20) CH100




IIIui_Itest									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1286.125000	41.40	-	68.20	26.80	500.0	200.0	V	6.0	-8.3
1399.000000		30.33	54.00	23.67	500.0	200.0	Н	358.0	-7.6
1689.500000		31.85	54.00	22.15	500.0	200.0	Н	341.0	-6.0
1946.750000	44.32	-	68.20	23.88	500.0	200.0	V	52.0	-4.7
2649.375000	47.19	-	68.20	21.01	500.0	200.0	Н	223.0	-2.0
2807.750000		36.40	54.00	17.60	500.0	200.0	Н	240.0	-1.2
3527.000000	50.87		68.20	17.33	500.0	200.0	Н	336.0	1.7
3996.875000		40.47	54.00	13.53	500.0	200.0	V	66.0	3.2
4823.750000	-	44.04	54.00	9.96	500.0	200.0	V	127.0	3.9
5277.000000	53.24	-	68.20	14.96	500.0	200.0	٧	141.0	5.3
6787.250000	55.79		68.20	12.41	500.0	200.0	٧	2.0	6.7
7332.375000		43.87	54.00	10.13	500.0	200.0	Н	345.0	7.0






I IIIai_IXC3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8825.00	50.33	-	68.20	17.87	500.00	200.0	Н	246.00	6
9055.00	-	37.39	54.00	16.61	500.00	200.0	Н	343.00	6
9305.00	I	37.88	54.00	16.12	500.00	100.0	Н	0.00	7
9997.50	51.00	-	68.20	17.20	500.00	100.0	Н	98.00	8
10337.50	52.26	I	68.20	15.94	500.00	100.0	٧	260.00	8
10997.50	I	41.30	54.00	12.70	500.00	200.0	٧	185.00	9
12017.50	I	39.25	54.00	14.75	500.00	200.0	٧	2.00	9
12735.00	50.71	-	68.20	17.49	500.00	200.0	Н	269.00	8
13877.50	52.66	-	68.20	15.54	500.00	100.0	Н	6.00	10
14482.50	-	39.40	54.00	14.60	500.00	100.0	٧	334.00	10
15202.50	51.77	-	68.20	16.43	500.00	100.0	٧	358.00	9
15725.00	-	39.03	54.00	14.97	500.00	200.0	٧	52.00	8


802.11n (HT20) CH116



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1252.875000	41.22	-	68.20	26.98	500.0	200.0	Н	341.0	-8.6
1408.625000		30.57	54.00	23.43	500.0	200.0	Н	237.0	-7.5
1719.250000		31.91	54.00	22.09	500.0	200.0	Н	277.0	-5.9
1998.375000	45.13		68.20	23.07	500.0	200.0	Н	195.0	-4.6
2645.000000	47.42		68.20	20.78	500.0	200.0	Н	259.0	-2.0
2794.625000		36.64	54.00	17.36	500.0	200.0	V	116.0	-1.3
3451.750000	50.79		68.20	17.41	500.0	200.0	V	61.0	1.6
3962.750000		39.61	54.00	14.39	500.0	200.0	Н	350.0	2.9
4823.750000		43.90	54.00	10.10	500.0	200.0	Н	195.0	3.9
5293.625000	53.22		68.20	14.98	500.0	200.0	V	84.0	5.4
7068.125000	56.22	-	68.20	11.98	500.0	200.0	Н	232.0	7.0
7349.875000		43.81	54.00	10.19	500.0	200.0	Н	305.0	7.0


eurofins






I IIIui_IXCS	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8367.50		36.66	54.00	17.34	500.00	200.0	٧	138.00	6
8947.50	49.22		68.20	18.98	500.00	200.0	Н	284.00	6
9307.50	-	37.87	54.00	16.13	500.00	200.0	٧	102.00	7
9812.50	51.88		68.20	16.32	500.00	200.0	٧	0.00	7
10507.50	51.88	-	68.20	16.32	500.00	100.0	٧	358.00	9
11160.00	-	43.81	54.00	10.19	500.00	100.0	٧	187.00	9
12102.50	I	39.22	54.00	14.78	500.00	100.0	٧	66.00	9
13660.00	50.83	-	68.20	17.37	500.00	100.0	٧	233.00	9
14487.50	-	39.36	54.00	14.64	500.00	100.0	٧	187.00	10
15210.00	51.28		68.20	16.92	500.00	200.0	٧	319.00	9
15772.50	-	39.41	54.00	14.59	500.00	100.0	٧	12.00	8
16432.50	50.68	-	68.20	17.52	500.00	200.0	٧	45.00	9

802.11n (HT20) CH140




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1278.250000	41.14	-	68.20	27.06	500.0	200.0	Н	213.0	-8.4
1413.000000	•	30.41	54.00	23.59	500.0	200.0	٧	0.0	-7.5
1673.750000	•	31.72	54.00	22.28	500.0	200.0	Н	230.0	-6.1
1940.625000	44.39		68.20	23.81	500.0	200.0	Н	217.0	-4.7
2540.000000	46.96	-	68.20	21.24	500.0	200.0	Н	357.0	-2.1
2812.125000	-	36.49	54.00	17.51	500.0	200.0	Н	284.0	-1.2
3533.125000	51.20	-	68.20	17.00	500.0	200.0	Н	239.0	1.7
3951.375000	-	40.44	54.00	13.56	500.0	200.0	٧	4.0	2.8
4823.750000		42.95	54.00	11.05	500.0	200.0	٧	183.0	3.9
5165.000000	52.63	-	68.20	15.57	500.0	200.0	٧	58.0	5.1
6900.125000	56.12		68.20	12.08	500.0	200.0	٧	0.0	6.7
7300.875000		43.92	54.00	10.08	500.0	200.0	٧	81.0	7.0






I IIIui_Ites	411								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8825.00	49.63		68.20	18.57	500.00	200.0	٧	77.00	6
9055.00		37.31	54.00	16.69	500.00	200.0	٧	66.00	6
9300.00	-	37.88	54.00	16.12	500.00	200.0	٧	0.00	7
10272.50	52.06		68.20	16.14	500.00	100.0	٧	320.00	9
10550.00	52.10	-	68.20	16.10	500.00	200.0	٧	2.00	9
11397.50	-	46.18	54.00	7.82	500.00	200.0	٧	234.00	9
12027.50	-	39.26	54.00	14.74	500.00	100.0	٧	355.00	9
13120.00	50.91	-	68.20	17.29	500.00	100.0	Н	0.00	8
14192.50	52.49		68.20	15.71	500.00	100.0	Н	232.00	10
14490.00		39.60	54.00	14.40	500.00	200.0	Н	0.00	10
15200.00	51.68		68.20	16.52	500.00	200.0	٧	198.00	9
15707.50	-	38.75	54.00	15.25	500.00	200.0	٧	307.00	8

802.11n (HT20) CH149




i iiiai_ixest	AIL .								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.875000	41.75	-	68.20	26.45	500.0	200.0	V	59.0	-8.2
1410.375000		30.59	54.00	23.41	500.0	200.0	Н	343.0	-7.5
1692.125000		31.82	54.00	22.18	500.0	200.0	Н	194.0	-6.0
1931.875000	44.13	-	68.20	24.07	500.0	200.0	V	37.0	-4.8
2584.625000	47.42	-	68.20	20.78	500.0	200.0	Н	311.0	-2.0
2818.250000		36.58	54.00	17.42	500.0	200.0	Н	147.0	-1.2
3473.625000	51.78	-	68.20	16.42	500.0	200.0	Н	239.0	1.7
3994.250000		40.64	54.00	13.36	500.0	200.0	Н	343.0	3.2
4823.750000		43.25	54.00	10.75	500.0	200.0	V	174.0	3.9
5494.000000	53.00	-	68.20	15.20	500.0	200.0	V	183.0	5.5
6584.250000	55.96	-	68.20	12.24	500.0	200.0	Н	174.0	6.6
7412.875000		43.90	54.00	10.10	500.0	200.0	٧	77.0	7.2




I IIIui_Ites	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8445.00		37.57	54.00	16.43	500.00	200.0	٧	100.00	6
8660.00	49.50		68.20	18.70	500.00	100.0	٧	309.00	6
9300.00		37.74	54.00	16.26	500.00	100.0	٧	349.00	7
10032.50	51.62		68.20	16.58	500.00	100.0	٧	260.00	8
10407.50	52.29	-	68.20	15.91	500.00	200.0	٧	4.00	9
11490.00		43.68	54.00	10.32	500.00	100.0	Н	202.00	9
12105.00		39.36	54.00	14.64	500.00	100.0	٧	326.00	9
13035.00	49.74		68.20	18.46	500.00	200.0	٧	49.00	8
13925.00	52.80		68.20	15.40	500.00	100.0	٧	333.00	10
14472.50		39.26	54.00	14.74	500.00	100.0	٧	234.00	10
15200.00	50.21		68.20	17.99	500.00	100.0	٧	345.00	9
15712.50		38.66	54.00	15.34	500.00	100.0	Н	101.00	8

802.11n (HT20) CH157




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)	,			
1256.375000	41.17		68.20	27.03	500.0	200.0	٧	2.0	-8.6
1410.375000	!	30.43	54.00	23.57	500.0	200.0	٧	103.0	-7.5
1700.875000	•	31.82	54.00	22.18	500.0	200.0	Н	318.0	-6.0
1980.875000	44.25	-	68.20	23.95	500.0	200.0	Н	231.0	-4.7
2547.000000	47.03		68.20	21.17	500.0	200.0	Н	300.0	-2.1
2824.375000	•	36.47	54.00	17.53	500.0	200.0	Н	327.0	-1.2
3572.500000	51.06	-	68.20	17.14	500.0	200.0	Н	259.0	1.7
3993.375000	•	40.48	54.00	13.52	500.0	200.0	Н	268.0	3.2
4823.750000	-	42.87	54.00	11.13	500.0	200.0	٧	185.0	3.9
5501.875000	53.12		68.20	15.08	500.0	200.0	٧	175.0	5.4
6579.000000	56.57		68.20	11.63	500.0	200.0	Н	300.0	6.6
7268.500000	-	44.05	54.00	9.95	500.0	200.0	٧	166.0	7.1




I IIIai_IXES	чи								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8985.00	50.08	1	68.20	18.12	500.00	100.0	Н	118.00	6
9070.00		37.40	54.00	16.60	500.00	100.0	٧	274.00	7
9302.50	-	37.99	54.00	16.01	500.00	200.0	٧	55.00	7
9915.00	51.64	-	68.20	16.56	500.00	200.0	٧	23.00	7
10580.00	52.98	I	68.20	15.22	500.00	200.0	Η	302.00	9
11570.00	-	44.14	54.00	9.86	500.00	200.0	٧	228.00	9
12052.50	-	39.60	54.00	14.40	500.00	100.0	Η	0.00	9
13095.00	51.12	I	68.20	17.08	500.00	100.0	٧	0.00	8
13910.00	52.58		68.20	15.62	500.00	100.0	V	121.00	10
14485.00	-	40.16	54.00	13.84	500.00	100.0	Н	41.00	10
15192.50	50.94	-	68.20	17.26	500.00	200.0	٧	245.00	9
15775.00		39.27	54.00	14.73	500.00	200.0	Н	327.00	8

802.11n (HT20) CH165




i iiiui_itest	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1279.125000	40.97		68.20	27.23	500.0	200.0	٧	32.0	-8.4
1407.750000		30.60	54.00	23.40	500.0	200.0	٧	55.0	-7.5
1619.500000		32.05	54.00	21.95	500.0	200.0	Н	207.0	-6.3
1973.000000	44.26		68.20	23.94	500.0	200.0	٧	0.0	-4.7
2678.250000	46.77		68.20	21.43	500.0	200.0	Н	351.0	-1.8
2811.250000		36.37	54.00	17.63	500.0	200.0	٧	45.0	-1.2
3569.875000	51.21		68.20	16.99	500.0	200.0	Н	0.0	1.7
3995.125000		40.26	54.00	13.74	500.0	200.0	Н	198.0	3.2
4823.750000		43.11	54.00	10.89	500.0	200.0	Н	225.0	3.9
5581.500000	53.05		68.20	15.15	500.0	200.0	Н	257.0	5.6
6735.625000	55.73	-	68.20	12.47	500.0	200.0	Н	276.0	6.5
7307.875000		43.61	54.00	10.39	500.0	200.0	V	18.0	7.0




I IIIai_IXC3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8817.50	49.64	-	68.20	18.56	500.00	100.0	٧	172.00	6
9082.50	-	37.47	54.00	16.53	500.00	100.0	٧	0.00	7
9305.00	I	37.97	54.00	16.03	500.00	200.0	Н	105.00	7
10297.50	52.10		68.20	16.10	500.00	100.0	Н	32.00	8
10572.50	52.77	-	68.20	15.43	500.00	200.0	٧	346.00	9
11650.00		44.54	54.00	9.46	500.00	200.0	٧	150.00	9
13337.50	-	39.40	54.00	14.60	500.00	200.0	٧	10.00	8
13547.50	51.61		68.20	16.59	500.00	100.0	V	358.00	9
14482.50	-	39.88	54.00	14.12	500.00	100.0	٧	122.00	10
15042.50	53.20	-	68.20	15.00	500.00	100.0	٧	333.00	9
15705.00		39.19	54.00	14.81	500.00	100.0	٧	241.00	8
16395.00	51.05	-	68.20	17.15	500.00	100.0	V	88.00	9

802.11n (HT40) CH38




a									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1245.000000	41.52		68.20	26.68	500.0	200.0	٧	258.0	-8.6
1387.625000		30.42	54.00	23.58	500.0	200.0	V	48.0	-7.7
1706.125000		31.71	54.00	22.29	500.0	200.0	Н	255.0	-6.0
1984.375000	45.97		68.20	22.23	500.0	200.0	Н	347.0	-4.6
2550.500000	47.14		68.20	21.06	500.0	200.0	Н	0.0	-2.1
2734.250000		36.36	54.00	17.64	500.0	200.0	Н	315.0	-1.5
3399.250000	50.68		68.20	17.52	500.0	200.0	Н	269.0	1.3
3995.125000		40.29	54.00	13.71	500.0	200.0	Н	310.0	3.2
4429.125000	51.25		68.20	16.95	500.0	200.0	Н	207.0	3.5
4823.750000	-	44.73	54.00	9.27	500.0	200.0	Н	198.0	3.9
6784.625000	55.81		68.20	12.39	500.0	200.0	Н	338.0	6.7
7334.125000		43.73	54.00	10.27	500.0	200.0	Н	301.0	7.0




I IIIui_Ites									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8465.00		37.58	54.00	16.42	500.00	100.0	Н	0.00	6
8655.00	49.89		68.20	18.31	500.00	200.0	Н	2.00	6
9300.00		37.90	54.00	16.10	500.00	200.0	Н	12.00	7
10362.50	52.45		68.20	15.75	500.00	200.0	٧	336.00	8
10590.00	52.98		68.20	15.22	500.00	200.0	Н	6.00	9
11340.00		40.36	54.00	13.64	500.00	200.0	V	315.00	9
12030.00		39.29	54.00	14.71	500.00	200.0	٧	143.00	9
13050.00	50.53	-	68.20	17.67	500.00	100.0	٧	148.00	8
13912.50	52.84		68.20	15.36	500.00	200.0	V	358.00	10
14487.50		39.41	54.00	14.59	500.00	100.0	Н	347.00	10
15725.00		39.09	54.00	14.91	500.00	100.0	V	5.00	8
16362.50	50.82		68.20	17.38	500.00	100.0	٧	5.00	9

802.11n (HT40) CH46




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1249.375000	41.04		68.20	27.16	500.0	200.0	V	93.0	-8.6
1345.625000		29.43	54.00	24.57	500.0	200.0	Н	357.0	-8.0
1668.500000		31.75	54.00	22.25	500.0	200.0	V	238.0	-6.1
1924.875000	44.12		68.20	24.08	500.0	200.0	Н	99.0	-4.9
2596.875000	47.20		68.20	21.00	500.0	200.0	Н	173.0	-2.0
2806.875000	-	36.36	54.00	17.64	500.0	200.0	٧	32.0	-1.2
3317.000000	50.28		68.20	17.92	500.0	200.0	Н	220.0	0.9
3963.625000	-	40.23	54.00	13.77	500.0	200.0	Н	234.0	3.0
4491.250000	52.02		68.20	16.18	500.0	200.0	Н	196.0	3.8
4823.750000		44.77	54.00	9.23	500.0	200.0	Н	196.0	3.9
7037.500000	55.86		68.20	12.34	500.0	200.0	Н	353.0	6.9
7282.500000		43.99	54.00	10.01	500.0	200.0	Н	330.0	7.1




I IIIui_Ites									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8692.50	49.97	-	68.20	18.23	500.00	200.0	Н	4.00	6
9072.50		37.50	54.00	16.50	500.00	100.0	V	29.00	7
9300.00		37.82	54.00	16.18	500.00	200.0	٧	279.00	7
9932.50	50.94		68.20	17.26	500.00	200.0	Н	249.00	8
10457.50	52.04		68.20	16.16	500.00	100.0	٧	199.00	9
11352.50		40.17	54.00	13.83	500.00	200.0	V	356.00	9
12107.50		39.43	54.00	14.57	500.00	100.0	٧	12.00	9
13732.50	51.59	-	68.20	16.61	500.00	200.0	٧	337.00	9
14487.50		39.58	54.00	14.42	500.00	200.0	Н	249.00	10
14610.00	53.02	-	68.20	15.18	500.00	100.0	٧	88.00	9
15202.50	51.09		68.20	17.11	500.00	100.0	Н	0.00	9
15725.00		39.35	54.00	14.65	500.00	100.0	Н	206.00	8

802.11n (HT40) CH54




<u></u>									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1259.000000	40.50	-	68.20	27.70	500.0	200.0	Н	312.0	-8.5
1315.000000		29.74	54.00	24.26	500.0	200.0	Н	211.0	-8.1
1707.000000		31.59	54.00	22.41	500.0	200.0	Н	308.0	-5.9
1978.250000	44.67	-	68.20	23.53	500.0	200.0	٧	3.0	-4.7
2653.750000	48.25	-	68.20	19.95	500.0	200.0	Н	312.0	-1.9
2797.250000		36.28	54.00	17.72	500.0	200.0	Н	290.0	-1.3
3450.875000	50.57		68.20	17.63	500.0	200.0	Н	110.0	1.6
3997.750000		40.38	54.00	13.62	500.0	200.0	Н	224.0	3.2
4460.625000	51.81		68.20	16.39	500.0	200.0	٧	0.0	3.6
4823.750000		44.05	54.00	9.95	500.0	200.0	٧	199.0	3.9
6987.625000	55.69		68.20	12.51	500.0	200.0	٧	73.0	7.1
7300.000000		44.22	54.00	9.78	500.0	200.0	Н	285.0	7.0




I IIIui_IXCS	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8807.50	49.88		68.20	18.32	500.00	200.0	٧	120.00	6
9057.50		37.47	54.00	16.53	500.00	200.0	Н	163.00	7
9302.50		37.86	54.00	16.14	500.00	100.0	٧	133.00	7
10340.00	52.08		68.20	16.12	500.00	200.0	٧	0.00	8
10572.50	52.60	-	68.20	15.60	500.00	200.0	Η	58.00	9
11345.00	-	40.34	54.00	13.66	500.00	100.0	٧	17.00	9
12052.50	-	39.56	54.00	14.44	500.00	100.0	٧	113.00	9
13637.50	51.02		68.20	17.18	500.00	100.0	Н	11.00	9
14152.50	52.81		68.20	15.39	500.00	200.0	Н	170.00	10
14485.00		39.74	54.00	14.26	500.00	200.0	Н	32.00	10
15205.00	51.48		68.20	16.72	500.00	100.0	Н	0.00	9
15737.50	-	38.68	54.00	15.32	500.00	200.0	Н	170.00	8

802.11n (HT40) CH62




a									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1288.750000	41.35		68.20	26.85	500.0	200.0	V	31.0	-8.3
1405.125000		30.33	54.00	23.67	500.0	200.0	V	86.0	-7.6
1572.250000		31.71	54.00	22.29	500.0	200.0	Н	332.0	-6.6
1983.500000	44.53		68.20	23.67	500.0	200.0	Н	248.0	-4.6
2608.250000	46.64		68.20	21.56	500.0	200.0	Н	243.0	-2.0
2729.875000		36.38	54.00	17.62	500.0	200.0	Н	315.0	-1.5
3446.500000	51.00	-	68.20	17.20	500.0	200.0	Н	296.0	1.5
3954.875000		40.17	54.00	13.83	500.0	200.0	Н	277.0	2.9
4466.750000	51.99		68.20	16.21	500.0	200.0	Н	291.0	3.7
4824.625000		42.51	54.00	11.49	500.0	200.0	Н	195.0	3.9
6971.000000	55.76	-	68.20	12.44	500.0	200.0	Н	262.0	7.1
7349.000000		43.82	54.00	10.18	500.0	200.0	Н	337.0	7.0




I IIIui_IXCS	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8802.50	49.69		68.20	18.51	500.00	100.0	٧	264.00	6
9065.00		37.37	54.00	16.63	500.00	200.0	Н	106.00	7
9300.00	-	38.03	54.00	15.97	500.00	100.0	Н	283.00	7
9972.50	51.81	-	68.20	16.39	500.00	200.0	٧	265.00	8
10330.00	52.41	-	68.20	15.79	500.00	100.0	Η	322.00	8
10620.00	-	41.60	54.00	12.40	500.00	100.0	٧	148.00	9
12050.00	-	39.37	54.00	14.63	500.00	200.0	٧	305.00	9
13925.00	52.54	-	68.20	15.66	500.00	100.0	٧	28.00	10
14485.00	-	40.02	54.00	13.98	500.00	200.0	Н	40.00	10
15202.50	51.05		68.20	17.15	500.00	200.0	٧	109.00	9
15715.00	-	39.18	54.00	14.82	500.00	200.0	٧	158.00	8
16472.50	51.41	-	68.20	16.79	500.00	200.0	٧	225.00	9

802.11n (HT40) CH102




<u> </u>	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1241.500000	40.03	•	68.20	28.17	500.0	200.0	Н	75.0	-8.6
1406.000000		30.18	54.00	23.82	500.0	200.0	٧	29.0	-7.5
1699.125000		31.41	54.00	22.59	500.0	200.0	Н	259.0	-6.0
1894.250000	44.76	-	68.20	23.44	500.0	200.0	Н	0.0	-5.0
2617.875000	46.51	-	68.20	21.69	500.0	200.0	Н	249.0	-2.0
2792.875000	-	35.89	54.00	18.11	500.0	200.0	Н	136.0	-1.3
3548.000000	50.33	-	68.20	17.87	500.0	200.0	V	106.0	1.7
3996.875000	-	39.37	54.00	14.63	500.0	200.0	V	181.0	3.2
4823.750000		44.01	54.00	9.99	500.0	200.0	Н	199.0	3.9
5276.125000	51.77	-	68.20	16.43	500.0	200.0	V	116.0	5.3
7008.625000	53.62	-	68.20	14.58	500.0	200.0	V	282.0	7.0
7370.875000		41.42	54.00	12.58	500.0	200.0	V	199.0	7.1




I IIIai_IXC3	и п								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8462.50		37.43	54.00	16.57	500.00	200.0	٧	0.00	6
8855.00	49.51		68.20	18.69	500.00	200.0	٧	24.00	6
9300.00	-	37.99	54.00	16.01	500.00	100.0	٧	0.00	7
10085.00	52.39	-	68.20	15.81	500.00	200.0	٧	24.00	8
10552.50	53.21	-	68.20	14.99	500.00	100.0	Η	2.00	9
11367.50		40.41	54.00	13.59	500.00	200.0	٧	0.00	9
12070.00	-	39.49	54.00	14.51	500.00	100.0	٧	0.00	9
13242.50	51.83		68.20	16.37	500.00	200.0	Н	354.00	8
13780.00	52.82		68.20	15.38	500.00	200.0	٧	10.00	10
14487.50		39.61	54.00	14.39	500.00	200.0	٧	0.00	10
15057.50	52.37		68.20	15.83	500.00	200.0	٧	120.00	9
15732.50		39.18	54.00	14.82	500.00	100.0	V	0.00	8

802.11n (HT40) CH118




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.000000	39.98		68.20	28.22	500.0	200.0	V	160.0	-8.2
1398.125000	-	30.00	54.00	24.00	500.0	200.0	V	250.0	-7.6
1720.125000	1	31.58	54.00	22.42	500.0	200.0	Н	348.0	-5.9
1996.625000	44.39		68.20	23.81	500.0	200.0	V	133.0	-4.6
2583.750000	46.72	-	68.20	21.48	500.0	200.0	Н	334.0	-2.0
2806.875000	-	36.03	54.00	17.97	500.0	200.0	Н	28.0	-1.2
3487.625000	50.30		68.20	17.90	500.0	200.0	V	87.0	1.7
3991.625000	-	39.39	54.00	14.61	500.0	200.0	Н	2.0	3.2
4823.750000	-	43.41	54.00	10.59	500.0	200.0	Н	200.0	3.9
5466.000000	60.91		68.20	7.29	500.0	200.0	V	114.0	5.4
7039.250000	53.12		68.20	15.08	500.0	200.0	V	28.0	6.9
7391.000000	1	41.35	54.00	12.65	500.0	200.0	Н	316.0	7.3




I IIIui_IXCS	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8845.00	49.07		68.20	19.13	500.00	200.0	٧	59.00	6
9055.00		37.79	54.00	16.21	500.00	100.0	Н	58.00	6
9375.00	-	38.46	54.00	15.54	500.00	200.0	٧	137.00	7
10360.00	52.87	-	68.20	15.33	500.00	200.0	٧	173.00	8
10572.50	52.14	-	68.20	16.06	500.00	100.0	Η	2.00	9
11332.50	-	40.81	54.00	13.19	500.00	100.0	Н	174.00	9
12697.50	-	40.07	54.00	13.93	500.00	200.0	٧	49.00	8
13467.50	51.89	-	68.20	16.31	500.00	200.0	Н	0.00	9
14352.50	53.76		68.20	14.44	500.00	200.0	Н	344.00	10
14482.50		41.12	54.00	12.88	500.00	100.0	٧	260.00	10
15725.00	-	39.81	54.00	14.19	500.00	100.0	Н	342.00	8
16370.00	51.37	-	68.20	16.83	500.00	100.0	Н	1.00	9


802.11n (HT40) CH134



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				,
1281.750000	39.90	-	68.20	28.30	500.0	200.0	Н	271.0	-8.3
1405.125000	-	29.84	54.00	24.16	500.0	200.0	Н	85.0	-7.6
1670.250000	-	31.61	54.00	22.39	500.0	200.0	Н	292.0	-6.1
1840.875000	44.51	-	68.20	23.69	500.0	200.0	٧	338.0	-5.2
2600.375000	46.78	-	68.20	21.42	500.0	200.0	Н	248.0	-2.0
2809.500000	•	36.05	54.00	17.95	500.0	200.0	Н	292.0	-1.2
3375.625000	50.78	-	68.20	17.42	500.0	200.0	V	346.0	1.1
3963.625000	-	39.44	54.00	14.56	500.0	200.0	V	210.0	3.0
4823.750000		43.35	54.00	10.65	500.0	200.0	Н	67.0	3.9
5317.250000	51.80	-	68.20	16.40	500.0	200.0	Н	139.0	5.3
6626.250000	53.62	-	68.20	14.58	500.0	200.0	Н	180.0	6.6
7559.875000		41.50	54.00	12.50	500.0	200.0	Н	180.0	7.1


eurofins






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
` ′		` ' '	` ' '	` '	(ms)	` '			, ,
8840.00	50.49	-	68.20	17.71	500.00	200.0	٧	0.00	6
9070.00	-	37.66	54.00	16.34	500.00	200.0	Н	358.00	7
9375.00	-	38.34	54.00	15.66	500.00	200.0	٧	154.00	7
10360.00	53.35	-	68.20	14.85	500.00	200.0	٧	177.00	8
10590.00	53.07	-	68.20	15.13	500.00	200.0	٧	0.00	9
11342.50		40.86	54.00	13.14	500.00	100.0	V	345.00	9
12697.50		39.97	54.00	14.03	500.00	100.0	٧	286.00	8
13732.50	52.24	I	68.20	15.96	500.00	200.0	٧	13.00	9
14407.50	55.02		68.20	13.18	500.00	100.0	Н	0.00	10
14487.50	-	41.14	54.00	12.86	500.00	100.0	٧	352.00	10
15752.50	-	39.89	54.00	14.11	500.00	100.0	Н	355.00	8
16415.00	52.77		68.20	15.43	500.00	200.0	Н	288.00	9


802.11n (HT40) CH151



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1242.375000	41.17	1	68.20	27.03	500.0	100.0	Н	113.0	-8.6
1397.250000	-	30.54	54.00	23.46	500.0	100.0	H	75.0	-7.6
1721.000000	-	31.82	54.00	22.18	500.0	100.0	H	14.0	-5.9
1959.875000	44.64	-	68.20	23.56	500.0	200.0	H	347.0	-4.7
2463.875000	46.90	-	68.20	21.30	500.0	200.0	Н	312.0	-2.3
2790.250000	-	36.51	54.00	17.49	500.0	100.0	Н	62.0	-1.3
3211.125000	52.67	•	68.20	15.53	500.0	100.0	٧	279.0	0.1
3988.125000	-	40.62	54.00	13.38	500.0	100.0	٧	247.0	3.2
4823.750000	-	46.67	54.00	7.33	500.0	100.0	٧	188.0	3.9
5589.375000	59.11	1	68.20	9.09	500.0	200.0	٧	0.0	5.7
6980.625000	56.67	-	68.20	11.53	500.0	100.0	٧	330.0	7.1
7674.500000		44.13	54.00	9.87	500.0	100.0	٧	274.0	7.4


eurofins






I IIIai_IXC3	чіс								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8830.00	49.89		68.20	18.31	500.00	200.0	Н	273.00	6
9055.00		37.82	54.00	16.18	500.00	200.0	V	2.00	6
9305.00		38.33	54.00	15.67	500.00	100.0	Н	7.00	7
10295.00	52.69	-	68.20	15.51	500.00	100.0	V	94.00	8
10575.00	52.67	-	68.20	15.53	500.00	200.0	V	67.00	9
11337.50		40.83	54.00	13.17	500.00	200.0	Н	281.00	9
12055.00	-	39.82	54.00	14.18	500.00	100.0	V	180.00	9
13045.00	52.16		68.20	16.04	500.00	100.0	Н	215.00	8
14382.50	53.85		68.20	14.35	500.00	200.0	V	51.00	10
14470.00		41.37	54.00	12.63	500.00	200.0	Н	348.00	10
15760.00	-	39.73	54.00	14.27	500.00	100.0	٧	36.00	8
16392.50	51.33		68.20	16.87	500.00	100.0	Н	7.00	9

802.11n (HT40) CH159




i iliai_i\cst	ait .								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1290.500000	40.83	-	68.20	27.37	500.0	200.0	٧	258.0	-8.3
1408.625000		30.72	54.00	23.28	500.0	100.0	Н	241.0	-7.5
1708.750000		31.92	54.00	22.08	500.0	100.0	Н	94.0	-5.9
1999.250000	45.07		68.20	23.13	500.0	200.0	Н	55.0	-4.5
2664.250000	47.79	1	68.20	20.41	500.0	100.0	٧	26.0	-1.9
2813.000000		36.55	54.00	17.45	500.0	200.0	V	318.0	-1.2
3580.375000	51.49		68.20	16.71	500.0	200.0	V	323.0	1.8
3979.375000		40.52	54.00	13.48	500.0	200.0	٧	332.0	3.1
4823.750000		46.62	54.00	7.38	500.0	100.0	V	192.0	3.9
5263.000000	53.12	1	68.20	15.08	500.0	200.0	Н	69.0	5.3
7030.500000	56.45	-	68.20	11.75	500.0	100.0	٧	3.0	6.9
7307.875000		43.88	54.00	10.12	500.0	200.0	Н	13.0	7.0




I IIIai_IXC3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
8770.00	49.49	-	68.20	18.71	500.00	200.0	Н	354.00	6
9077.50	-	37.73	54.00	16.27	500.00	200.0	Н	183.00	7
9307.50	I	38.23	54.00	15.77	500.00	200.0	٧	150.00	7
10360.00	52.66		68.20	15.54	500.00	200.0	٧	176.00	8
10575.00	52.79	-	68.20	15.41	500.00	100.0	Н	3.00	9
11340.00		40.69	54.00	13.31	500.00	200.0	Н	258.00	9
12685.00	-	39.78	54.00	14.22	500.00	200.0	Н	150.00	8
13730.00	53.32		68.20	14.88	500.00	100.0	V	0.00	9
14410.00	53.53	-	68.20	14.67	500.00	200.0	٧	74.00	10
14490.00	-	41.39	54.00	12.61	500.00	200.0	٧	10.00	10
15727.50	-	39.77	54.00	14.23	500.00	100.0	Н	81.00	8
16395.00	52.00	-	68.20	16.20	500.00	200.0	Н	284.00	9

802.11ac (VHT80) CH42



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1275.625000	41.52		68.20	26.68	500.0	200.0	٧	292.0	-8.4
1406.000000		30.22	54.00	23.78	500.0	200.0	V	7.0	-7.5
1649.250000	44.02		68.20	24.18	500.0	200.0	Н	227.0	-6.1
1719.250000		31.83	54.00	22.17	500.0	200.0	٧	358.0	-5.9
2588.125000	46.80		68.20	21.40	500.0	200.0	٧	227.0	-2.0
2803.375000		35.87	54.00	18.13	500.0	200.0	Н	222.0	-1.2
3497.250000	51.01		68.20	17.19	500.0	200.0	Н	285.0	1.8
3640.750000		39.54	54.00	14.46	500.0	200.0	Н	350.0	2.0
4456.250000	50.57		68.20	17.63	500.0	200.0	٧	152.0	3.6
4823.750000		44.00	54.00	10.00	500.0	200.0	Н	199.0	3.9
7020.000000	53.20		68.20	15.00	500.0	200.0	Н	267.0	7.0
7374.375000		41.37	54.00	12.63	500.0	200.0	V	26.0	7.2


RF Test Report Report No.: R2409A1327-R5



EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,176.250	48.90	74.00	25.10	36.38	54.00	17.62	7.26	Н	358.6	1.00	1.000
1	8,582.500	48.81	68.20	19.39	36.99			5.74	Н	155.4	1.00	1.000
1	9,130.000	45.99	74.00	28.01	34.54	54.00	19.46	5.47	Н	240.3	1.00	1.000
1	9,421.250	47.06	74.00	26.94	35.05	54.00	18.95	5.41	Н	86.7	1.00	1.000
1	10,420.000	51.14	68.20	17.06	44.77			5.64	V	219.6	2.00	1.000
1	11,291.250	48.04	74.00	25.96	36.46	54.00	17.54	7.37	V	360	2.00	1.000
1	13,032.500	45.91	68.20	22.29	34.48			5.83	V	3.4	2.00	1.000
1	13,331.250	45.28	74.00	28.72	33.89	54.00	20.11	5.47	Н	360	1.00	1.000
1	14,110.000	45.78	68.20	22.42	34.09			5.53	V	126.5	2.00	1.000
1	14,866.250	46.49	68.20	21.71	34.73			6.33	Н	26.8	1.00	1.000
1	15,493.750	46.32	74.00	27.68	34.85	54.00	19.15	5.88	V	26.1	1.00	1.000
1	16,865.000	47.44	68.20	20.76	34.43			5.70	Н	9.8	1.00	1.000

802.11ac (VHT80) CH58



I IIIui_Itest	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1259.875000	41.32	•	68.20	26.88	500.0	200.0	V	20.0	-8.5
1385.000000	-	30.43	54.00	23.57	500.0	200.0	V	7.0	-7.7
1680.750000		31.59	54.00	22.41	500.0	200.0	V	42.0	-6.0
1986.125000	44.48	-	68.20	23.72	500.0	200.0	V	52.0	-4.6
2645.000000	46.38	-	68.20	21.82	500.0	200.0	Н	325.0	-2.0
2793.750000		35.77	54.00	18.23	500.0	200.0	Н	216.0	-1.3
3488.500000	50.20		68.20	18.00	500.0	200.0	Н	284.0	1.7
3957.500000		39.34	54.00	14.66	500.0	200.0	V	203.0	2.9
4476.375000	50.68		68.20	17.52	500.0	200.0	Н	343.0	3.7
4823.750000		43.38	54.00	10.62	500.0	200.0	Н	195.0	3.9
6995.500000	53.44		68.20	14.76	500.0	200.0	V	56.0	7.1
7396.250000		41.62	54.00	12.38	500.0	200.0	Н	347.0	7.3






EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,266.250	50.11	74.00	23.89	38.08	54.00	15.92	8.59	V	28.4	2.00	1.000
1	8,818.750	49.61	68.20	18.59	37.74			5.39	Н	204.1	1.00	1.000
1	9,457.500	46.53	74.00	27.47	35.26	54.00	18.74	5.44	V	236.3	2.00	1.000
1	10,593.750	53.74	68.20	14.46	37.87			5.78	V	172	2.00	1.000
1	11,370.000	48.24	74.00	25.76	36.61	54.00	17.39	7.46	V	344.3	2.00	1.000
1	12,500.000	46.87	74.00	27.13	37.96	54.00	16.04	5.53	V	164.9	2.00	1.000
1	13,036.250	45.45	68.20	22.75	34.19			5.83	Н	251	2.00	1.000
1	13,326.250	45.69	74.00	28.31	33.69	54.00	20.31	5.48	Н	313.6	1.00	1.000
1	13,725.000	46.76	68.20	21.44	34.53			6.17	Н	328.1	1.00	1.000
1	14,917.500	46.85	68.20	21.35	34.83			6.65	Н	284.6	1.00	1.000
1	15,515.000	46.19	74.00	27.81	34.69	54.00	19.31	5.95	V	221.8	1.00	1.000
1	16,851.250	46.57	68.20	21.63	34.37			5.63	Н	159.8	1.00	1.000

802.11ac (VHT80) CH106




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	_	Time	(cm)		(deg)	(dB/m)
` ′	`	`	`	` '	(ms)	` '		, ,,	, ,
1299.250000	40.83		68.20	27.37	500.0	200.0	٧	0.0	-8.2
1403.375000		30.09	54.00	23.91	500.0	200.0	٧	288.0	-7.6
1690.375000		31.36	54.00	22.64	500.0	200.0	٧	0.0	-6.0
1975.625000	44.19		68.20	24.01	500.0	200.0	Н	339.0	-4.7
2666.000000	46.35		68.20	21.85	500.0	200.0	٧	297.0	-1.9
2806.875000	-	35.71	54.00	18.29	500.0	200.0	Н	12.0	-1.2
3541.000000	49.95		68.20	18.25	500.0	200.0	Н	281.0	1.7
3995.125000	-	39.51	54.00	14.49	500.0	200.0	Н	88.0	3.2
4473.750000	49.93		68.20	18.27	500.0	200.0	Н	25.0	3.7
4823.750000		44.15	54.00	9.85	500.0	200.0	Н	198.0	3.9
7035.750000	53.54		68.20	14.66	500.0	200.0	Н	185.0	6.9
7375.250000		41.68	54.00	12.32	500.0	200.0	V	311.0	7.2





Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,302.500	50.97	74.00	23.03	39.15	54.00	14.85	8.74	Н	197.4	1.00	1.000
1	8,822.500	49.97	68.20	18.23	37.54			5.38	Н	204.5	1.00	1.000
1	9,403.750	47.14	74.00	26.86	35.00	54.00	19.00	5.40	Н	14.5	2.00	1.000
1	9,843.750	47.81	68.20	20.39	35.77			5.55	Н	14.5	1.00	1.000
1	11,073.750	56.88	74.00	17.12	39.81	54.00	14.19	6.49	V	181.2	2.00	1.000
1	12,448.750	44.94	74.00	29.06	33.19	54.00	20.81	5.70	V	321.5	2.00	1.000
1	12,941.250	46.66	68.20	21.54	34.18			5.74	Н	117	1.00	1.000
1	13,306.250	45.59	74.00	28.41	33.71	54.00	20.29	5.49	Н	197.4	1.00	1.000
1	14,198.750	46.47	68.20	21.73	34.68			5.87	V	359	2.00	1.000
1	14,886.250	46.14	68.20	22.06	34.57			6.53	V	137.4	2.00	1.000
1	15,492.500	46.25	74.00	27.75	34.76	54.00	19.24	5.87	Н	241.5	1.00	1.000
1	16,632.500	51.12	68.20	17.08	35.61			5.19	V	232.3	2.00	1.000

802.11ac (VHT80) CH122



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1086.625000		28.12	54.00	25.88	500.0	200.0	٧	310.0	-10.2
1291.375000	40.56	-	68.20	27.64	500.0	200.0	V	292.0	-8.3
1413.875000		30.23	54.00	23.77	500.0	200.0	V	269.0	-7.5
1719.250000		31.72	54.00	22.28	500.0	200.0	٧	152.0	-5.9
1931.000000	44.58	1	68.20	23.62	500.0	200.0	Н	12.0	-4.8
2558.375000	46.48	-	68.20	21.72	500.0	200.0	V	252.0	-2.1
2802.500000		35.80	54.00	18.20	500.0	200.0	Н	273.0	-1.2
3492.875000	51.13	1	68.20	17.07	500.0	200.0	Н	103.0	1.8
3996.875000		39.49	54.00	14.51	500.0	200.0	Н	54.0	3.2
4427.375000	50.67	-	68.20	17.53	500.0	200.0	٧	51.0	3.5
6895.750000	52.47	-	68.20	15.73	500.0	200.0	Н	183.0	6.7
7383.125000		41.53	54.00	12.47	500.0	200.0	Н	49.0	7.2


RF Test Report Report No.: R2409A1327-R5



Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,283.750	51.12	74.00	22.88	39.01	54.00	14.99	8.76	Н	190.8	1.00	1.000
1	8,620.000	48.58	68.20	19.62	36.65			5.59	V	275.8	2.00	1.000
1	9,051.250	46.72	74.00	27.28	34.79	54.00	19.21	5.43	Н	360	1.00	1.000
1	9,405.000	46.84	74.00	27.16	35.11	54.00	18.89	5.40	Н	356.7	1.00	1.000
1	9,960.000	49.11	68.20	19.09	35.79			5.40	V	312.2	2.00	1.000
1	11,220.000	51.01	74.00	22.99	43.29	54.00	10.71	7.22	V	166.2	2.00	1.000
1	12,500.000	47.54	74.00	26.46	38.37	54.00	15.63	5.53	V	166.2	2.00	1.000
1	12,987.500	46.75	68.20	21.45	34.48			5.81	Н	168.8	1.00	1.000
1	13,537.500	46.73	68.20	21.47	35.12			6.13	Н	28.8	2.00	1.000
1	15,116.250	45.22	68.20	22.98	33.46			5.78	V	305.1	2.00	1.000
1	15,465.000	46.30	74.00	27.70	34.36	54.00	19.64	5.65	V	246.3	2.00	1.000
1	16,856.250	53.81	68.20	14.39	37.21			5.65	V	158.8	2.00	1.000


Report No.: R2409A1327-R5

802.11ac (VHT80) CH138




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.875000	41.30	-	68.20	26.90	500.0	200.0	V	120.0	-8.2
1407.750000	-	30.18	54.00	23.82	500.0	200.0	V	318.0	-7.5
1687.750000	-	31.39	54.00	22.61	500.0	200.0	Н	169.0	-6.0
1917.000000	44.20	1	68.20	24.00	500.0	200.0	Н	303.0	-4.9
2639.750000	46.52	-	68.20	21.68	500.0	200.0	Н	356.0	-2.0
2774.500000	-	35.99	54.00	18.01	500.0	200.0	Н	60.0	-1.4
3562.875000	49.99	1	68.20	18.21	500.0	200.0	V	11.0	1.7
3986.375000	-	39.23	54.00	14.77	500.0	200.0	V	47.0	3.2
4457.125000	50.47	-	68.20	17.73	500.0	200.0	Н	151.0	3.6
4823.750000	-	44.71	54.00	9.29	500.0	200.0	Н	192.0	3.9
6908.875000	52.18	1	68.20	16.02	500.0	200.0	Н	262.0	6.8
7587.000000		41.81	54.00	12.19	500.0	200.0	V	155.0	7.1

RF Test Report Report No.: R2409A1327-R5




Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,301.250	51.39	74.00	22.61	39.28	54.00	14.72	8.77	Н	191.3	1.00	1.000
1	8,751.250	48.66	68.20	19.54	36.72			5.32	Н	212.8	2.00	1.000
1	9,055.000	48.13	74.00	25.87	35.17	54.00	18.83	5.43	Н	294.4	1.00	1.000
1	9,422.500	46.89	74.00	27.11	35.16	54.00	18.84	5.41	Н	125.3	1.00	1.000
1	10,065.000	46.96	68.20	21.24	35.31			5.41	Н	0.2	2.00	1.000
1	11,380.000	52.67	74.00	21.33	46.65	54.00	7.35	7.47	V	157.8	2.00	1.000
1	13,145.000	46.13	68.20	22.07	33.92			5.75	Н	131.9	2.00	1.000
1	13,298.750	45.61	74.00	28.39	33.55	54.00	20.45	5.49	V	235.3	2.00	1.000
1	13,972.500	45.87	68.20	22.33	33.65			5.52	Н	323.9	1.00	1.000
1	14,868.750	46.22	68.20	21.98	34.54			6.36	Н	235	1.00	1.000
1	15,470.000	45.97	74.00	28.03	34.39	54.00	19.61	5.69	Н	264.3	1.00	1.000
1	17,106.250	52.90	68.20	15.30	35.48			6.61	V	157.8	2.00	1.000

802.11ac (VHT80) CH155




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1285.250000	40.75	-	68.20	27.45	500.0	200.0	V	84.0	-8.3
1411.250000		30.08	54.00	23.92	500.0	200.0	Н	94.0	-7.5
1686.875000	-	31.94	54.00	22.06	500.0	100.0	Н	299.0	-6.0
1983.500000	44.50	-	68.20	23.70	500.0	100.0	Н	262.0	-4.6
2649.375000	49.06	-	68.20	19.14	500.0	200.0	V	66.0	-2.0
2797.250000		36.26	54.00	17.74	500.0	100.0	Н	294.0	-1.3
3447.375000	51.20	-	68.20	17.00	500.0	100.0	Н	280.0	1.5
3996.000000	-	40.36	54.00	13.64	500.0	100.0	Н	239.0	3.2
4421.250000	50.71	-	68.20	17.49	500.0	100.0	Н	258.0	3.6
4823.750000		45.87	54.00	8.13	500.0	100.0	V	196.0	3.9
6789.875000	52.14	-	68.20	16.06	500.0	200.0	V	180.0	6.8
7253.625000		44.01	54.00	9.99	500.0	100.0	Н	284.0	7.1




Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,300.000	50.89	74.00	23.11	39.30	54.00	14.70	8.79	Н	192.1	1.00	1.000
1	8,596.250	47.96	68.20	20.24	36.11			5.69	Н	286.6	1.00	1.000
1	9,018.750	47.03	74.00	26.97	35.35	54.00	18.65	5.37	Н	0	1.00	1.000
1	9,508.750	46.81	68.20	21.39	35.33			5.49	V	170.3	2.00	1.000
1	9,863.750	47.51	68.20	20.69	35.73			5.52	V	359.9	2.00	1.000
1	11,550.000	50.40	74.00	23.60	42.82	54.00	11.18	6.79	V	155.5	2.00	1.000
1	12,500.000	45.56	74.00	28.44	34.01	54.00	19.99	5.53	V	310.9	2.00	1.000
1	12,875.000	46.89	68.20	21.31	34.43			5.63	Н	218.1	2.00	1.000
1	13,658.750	47.33	68.20	20.87	34.81			6.23	Н	232.9	2.00	1.000
1	14,851.250	46.21	68.20	21.99	34.48			6.18	V	133.4	2.00	1.000
1	15,443.750	46.10	74.00	27.90	34.12	54.00	19.88	5.49	Н	70.3	2.00	1.000
1	17,366.250	51.44	68.20	16.76	37.33			9.40	V	170.3	2.00	1.000

Report No.: R2409A1327-R5

802.11ax (HE20) CH36




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1094.500000		28.36	54.00	25.64	500.0	200.0	V	54.0	-10.1
1263.375000	41.94		68.20	26.26	500.0	200.0	٧	72.0	-8.5
1402.500000		30.81	54.00	23.19	500.0	200.0	٧	37.0	-7.6
1708.750000		31.87	54.00	22.13	500.0	200.0	Н	311.0	-5.9
1845.250000	44.36		68.20	23.84	500.0	200.0	٧	37.0	-5.2
2575.875000	46.94		68.20	21.26	500.0	200.0	Н	280.0	-2.0
2818.250000		36.44	54.00	17.56	500.0	200.0	Н	79.0	-1.2
3583.000000	50.49		68.20	17.71	500.0	200.0	V	91.0	1.8
3989.875000		40.52	54.00	13.48	500.0	200.0	٧	59.0	3.2
4419.500000	51.15		68.20	17.05	500.0	200.0	Н	129.0	3.6
6796.000000	56.01	-	68.20	12.19	500.0	200.0	٧	32.0	6.8
7304.375000		43.86	54.00	10.14	500.0	200.0	٧	50.0	7.0




Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,281.250	49.74	74.00	24.26	37.93	54.00	16.07	8.74	Н	331.7	1.00	1.000
1	8,618.750	48.60	68.20	19.60	36.49			5.60	V	1.4	2.00	1.000
1	9,021.250	47.08	74.00	26.92	35.23	54.00	18.77	5.37	Н	221.2	1.00	1.000
1	9,371.250	47.12	74.00	26.88	35.07	54.00	18.93	5.38	Н	162.1	2.00	1.000
1	10,358.750	47.17	68.20	21.03	35.50			5.75	V	208.3	2.00	1.000
1	10,946.250	47.95	74.00	26.05	35.95	54.00	18.05	6.55	Н	228.3	1.00	1.000
1	13,021.250	46.31	68.20	21.89	34.43			5.83	Н	81.9	1.00	1.000
1	13,268.750	45.20	74.00	28.80	33.66	54.00	20.34	5.51	Н	52.4	1.00	1.000
1	13,972.500	45.59	68.20	22.61	33.62			5.52	Н	309.3	1.00	1.000
1	14,953.750	45.94	68.20	22.26	34.12			6.45	Н	0.7	2.00	1.000
1	15,498.750	46.23	74.00	27.77	34.43	54.00	19.57	5.92	Н	15.5	1.00	1.000
1	17,471.250	50.35	68.20	17.85	38.43			10.70	Н	96.3	2.00	1.000

802.11ax (HE20) CH40



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1112.000000	-	28.52	54.00	25.48	500.0	200.0	٧	80.0	-10.0
1289.625000	40.72	-	68.20	27.48	500.0	200.0	V	188.0	-8.3
1379.750000		30.52	54.00	23.48	500.0	200.0	V	84.0	-7.7
1698.250000	-	31.75	54.00	22.25	500.0	200.0	Н	344.0	-6.0
1958.125000	44.55	-	68.20	23.65	500.0	200.0	V	0.0	-4.7
2532.125000	47.12	-	68.20	21.08	500.0	200.0	V	129.0	-2.2
2791.125000		36.68	54.00	17.32	500.0	200.0	Н	317.0	-1.3
3467.500000	51.04	-	68.20	17.16	500.0	200.0	Н	267.0	1.6
3993.375000		40.80	54.00	13.20	500.0	200.0	V	214.0	3.2
4484.250000	51.64		68.20	16.56	500.0	200.0	٧	125.0	3.8
6586.000000	56.26	-	68.20	11.94	500.0	200.0	٧	71.0	6.6
7685.875000		43.83	54.00	10.17	500.0	200.0	٧	219.0	7.5


RF Test Report Report No.: R2409A1327-R5



Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,313.750	51.50	74.00	22.50	39.20	54.00	14.80	8.55	Н	192.2	1.00	1.000
1	8,768.750	48.31	68.20	19.89	36.79			5.36	Н	360	1.00	1.000
1	9,156.250	46.83	74.00	27.17	34.96	54.00	19.04	5.48	Н	14	2.00	1.000
1	10,400.000	52.35	68.20	15.85	46.88			5.67	V	138.7	2.00	1.000
1	10,952.500	48.43	74.00	25.57	36.48	54.00	17.52	6.61	Н	333.6	1.00	1.000
1	11,590.000	47.94	74.00	26.06	35.74	54.00	18.26	6.79	Н	348.4	1.00	1.000
1	12,500.000	47.10	74.00	26.90	37.28	54.00	16.72	5.53	V	160.6	2.00	1.000
1	13,015.000	46.26	68.20	21.94	34.22			5.82	Н	118.1	1.00	1.000
1	14,157.500	47.68	68.20	20.52	34.62			5.69	Н	59.3	1.00	1.000
1	14,863.750	46.36	68.20	21.84	35.25			6.31	V	36.5	1.00	1.000
1	15,487.500	46.46	74.00	27.54	34.85	54.00	19.15	5.83	V	118.4	1.00	1.000
1	17,448.750	49.88	68.20	18.32	37.61			10.42	Н	318.6	1.00	1.000


Report No.: R2409A1327-R5

802.11ax (HE20) CH48




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1242.375000	40.52	-	68.20	27.68	500.0	200.0	V	94.0	-8.6
1413.875000	-	30.42	54.00	23.58	500.0	200.0	V	53.0	-7.5
1686.875000	-	31.75	54.00	22.25	500.0	200.0	Н	266.0	-6.0
1995.750000	44.43	-	68.20	23.77	500.0	200.0	V	94.0	-4.6
2613.500000	46.93	-	68.20	21.27	500.0	200.0	Н	167.0	-2.0
2820.875000	-	36.43	54.00	17.57	500.0	200.0	Н	307.0	-1.2
3478.000000	50.70	-	68.20	17.50	500.0	200.0	٧	81.0	1.7
3988.125000	-	40.42	54.00	13.58	500.0	200.0	Н	130.0	3.2
4458.875000	51.51	-	68.20	16.69	500.0	200.0	Н	359.0	3.6
4823.750000	-	45.65	54.00	8.35	500.0	200.0	Н	195.0	3.9
6835.375000	56.13	-	68.20	12.07	500.0	200.0	Н	332.0	6.8
7260.625000		43.96	54.00	10.04	500.0	200.0	V	103.0	7.1





Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,312.500	50.65	74.00	23.35	38.49	54.00	15.51	8.57	Н	213.5	1.00	1.000
1	8,668.750	48.45	68.20	19.75	36.53			5.42	Н	360	1.00	1.000
1	9,153.750	46.33	74.00	27.67	35.14	54.00	18.86	5.48	Н	243	1.00	1.000
1	10,476.250	52.30	68.20	15.90	36.20			5.60	V	149	2.00	1.000
1	11,191.250	48.41	74.00	25.59	36.06	54.00	17.94	7.16	Н	241.7	2.00	1.000
1	12,500.000	47.43	74.00	26.57	37.18	54.00	16.82	5.53	V	164.1	2.00	1.000
1	12,745.000	45.58	68.20	22.62	33.76			5.43	Н	72.6	2.00	1.000
1	13,308.750	45.94	74.00	28.06	33.72	54.00	20.28	5.49	V	67.2	2.00	1.000
1	14,196.250	46.63	68.20	21.57	34.81			5.85	V	141.6	2.00	1.000
1	14,895.000	46.87	68.20	21.33	35.08			6.62	Н	360	1.00	1.000
1	15,420.000	46.56	74.00	27.44	34.24	54.00	19.76	5.30	V	216.1	2.00	1.000
1	17,535.000	50.30	68.20	17.90	38.24		·	10.93	Н	346.2	1.00	1.000

802.11ax (HE20) CH52




I IIIui_Itest	410								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1259.875000	40.76		68.20	27.44	500.0	200.0	Н	354.0	-8.5
1413.000000	-	30.87	54.00	23.13	500.0	200.0	Н	251.0	-7.5
1614.250000	-	31.71	54.00	22.29	500.0	200.0	Н	332.0	-6.3
1886.375000	44.18		68.20	24.02	500.0	200.0	Н	186.0	-5.1
2659.000000	46.63		68.20	21.57	500.0	200.0	Н	349.0	-1.9
2827.875000	-	36.33	54.00	17.67	500.0	200.0	Н	246.0	-1.1
3528.750000	52.07		68.20	16.13	500.0	200.0	Н	126.0	1.7
3998.625000	-	40.53	54.00	13.47	500.0	200.0	Н	349.0	3.2
4467.625000	51.04		68.20	17.16	500.0	200.0	Н	345.0	3.7
4823.750000	-	44.61	54.00	9.39	500.0	200.0	Н	191.0	3.9
7087.375000	55.74		68.20	12.46	500.0	200.0	Н	291.0	7.0
7328.000000	ł	43.88	54.00	10.12	500.0	200.0	Н	264.0	7.0




Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,247.500	50.03	74.00	23.97	38.32	54.00	15.68	8.41	Н	213.8	1.00	1.000
1	8,672.500	48.05	68.20	20.15	36.59			5.41	Н	132.7	1.00	1.000
1	9,040.000	47.09	74.00	26.91	35.39	54.00	18.61	5.41	H	191.8	1.00	1.000
1	9,708.750	47.69	68.20	20.51	35.81			5.60	٧	140.5	2.00	1.000
1	10,971.250	49.22	74.00	24.78	36.31	54.00	17.69	6.60	Н	162.3	1.00	1.000
1	12,500.000	47.16	74.00	26.84	37.20	54.00	16.80	5.53	V	162.6	2.00	1.000
1	13,010.000	46.04	68.20	22.16	34.32			5.82	V	59.4	2.00	1.000
1	13,372.500	45.73	74.00	28.27	33.92	54.00	20.08	5.51	Н	287.7	1.00	1.000
1	13,616.250	46.55	68.20	21.65	34.79			6.24	Н	191.8	1.00	1.000
1	14,818.750	46.44	68.20	21.76	34.41			5.86	V	226.4	1.00	1.000
1	15,463.750	46.78	74.00	27.22	34.82	54.00	19.18	5.64	Н	103.4	1.00	1.000
1	17,485.000	50.50	68.20	17.70	38.43			10.75	V	103.6	2.00	1.000

802.11ac (HT20) CH60



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1287.000000	40.96	1	68.20	27.24	500.0	200.0	٧	1.0	-8.3
1404.250000	-	30.23	54.00	23.77	500.0	200.0	V	76.0	-7.6
1665.875000	-	31.91	54.00	22.09	500.0	200.0	Н	328.0	-6.1
1950.250000	44.08	1	68.20	24.12	500.0	200.0	Н	139.0	-4.7
2587.250000	47.08	1	68.20	21.12	500.0	200.0	Н	341.0	-2.0
2817.375000	-	36.56	54.00	17.44	500.0	200.0	Н	336.0	-1.2
3501.625000	51.35	-	68.20	16.85	500.0	200.0	Н	176.0	1.8
3998.625000	-	40.47	54.00	13.53	500.0	200.0	Н	251.0	3.2
4823.750000	-	44.67	54.00	9.33	500.0	200.0	Н	194.0	3.9
5640.125000	53.78	-	68.20	14.42	500.0	200.0	٧	31.0	5.4
6838.000000	55.81	-	68.20	12.39	500.0	200.0	٧	40.0	6.8
7346.375000		44.02	54.00	9.98	500.0	200.0	Н	318.0	7.0






Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,300.000	51.32	74.00	22.68	39.60	54.00	14.40	8.79	Н	195	1.00	1.000
1	8,773.750	48.09	68.20	20.11	36.27			5.37	Н	172.6	1.00	1.000
1	9,068.750	46.38	74.00	27.62	35.11	54.00	18.89	5.46	Н	262.4	1.00	1.000
1	9,492.500	46.62	74.00	27.38	35.17	54.00	18.83	5.48	Н	89.8	1.00	1.000
1	10,593.750	53.95	68.20	14.25	38.14			5.78	V	169.1	2.00	1.000
1	11,556.250	48.16	74.00	25.84	36.02	54.00	17.98	6.79	Н	179.9	1.00	1.000
1	12,940.000	46.65	68.20	21.55	34.22			5.74	Н	134.4	1.00	1.000
1	13,318.750	45.65	74.00	28.35	33.85	54.00	20.15	5.48	Н	112	1.00	1.000
1	13,695.000	46.67	68.20	21.53	34.52			6.19	V	288.2	2.00	1.000
1	14,886.250	46.59	68.20	21.61	34.67			6.53	Н	307.1	1.00	1.000
1	15,468.750	47.05	74.00	26.95	34.49	54.00	19.51	5.68	V	218.7	1.00	1.000
1	17,500.000	50.16	68.20	18.04	38.15			10.80	Н	104.9	1.00	1.000



802.11ax (HE20) CH64



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1085.750000	1	28.25	54.00	25.75	500.0	200.0	Н	241.0	-10.2
1255.500000	41.01		68.20	27.19	500.0	200.0	V	34.0	-8.6
1413.000000	-	30.12	54.00	23.88	500.0	200.0	Н	187.0	-7.5
1692.125000	1	31.93	54.00	22.07	500.0	200.0	Н	332.0	-6.0
1871.500000	44.64		68.20	23.56	500.0	200.0	Н	223.0	-5.1
2643.250000	47.14		68.20	21.06	500.0	200.0	Н	341.0	-2.0
2801.625000	-	36.47	54.00	17.53	500.0	200.0	Н	310.0	-1.2
3306.500000	50.46		68.20	17.74	500.0	200.0	Н	287.0	0.9
3916.375000	-	40.11	54.00	13.89	500.0	200.0	Н	196.0	2.6
5515.000000	53.35		68.20	14.85	500.0	200.0	Н	354.0	5.4
6713.750000	55.65		68.20	12.55	500.0	200.0	Н	264.0	6.5
7287.750000		43.96	54.00	10.05	500.0	200.0	Н	255.0	7.0