



802.11be(EHT20)_HCH_5825MHz_RU242_Left_MIMO_NTNV



802.11be(EHT40)_LCH_5755MHz_RU52_Left_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11be(EHT40)_LCH_5755MHz_RU52+26_Left_MIMO_NTNV




802.11be(EHT40)_LCH_5755MHz_RU484_Left_MIMO_NTNV




802.11be(EHT40)_HCH_5795MHz_RU52_Right_MIMO_NTNV




802.11be(EHT40)_HCH_5795MHz_RU52+26_Right_MIMO_NTNV




802.11be(EHT40)_HCH_5795MHz_RU484_Left_MIMO_NTNV




802.11be(EHT80)_MCH_5775MHz_RU52_Right_MIMO_NTNV



802.11be(EHT80)_MCH_5775MHz_RU52+26_Right_MIMO_NTNV



802.11be(EHT80)_MCH_5775MHz_RU996_Left_MIMO_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	/	20	102	5180.060	5150 to 5250	Pass
						120	5180.080	5150 to 5250	Pass
						138	5180.100	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.100	5150 to 5250	Pass
					-10	120	5180.040	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5180.120	5150 to 5250	Pass
					30	120	5180.100	5150 to 5250	Pass
					40	120	5180.100	5150 to 5250	Pass
					50	120	5180.040	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.020	5150 to 5250	Pass
					-10	120	5200.060	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.080	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5240.020	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.060	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	/	/	20	102	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 813 of 839

						138	5259.980	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass
					0	120	5260.040	5250 to 5350	Pass
					10	120	5259.980	5250 to 5350	Pass
					30	120	5260.060	5250 to 5350	Pass
					40	120	5259.980	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5300.060	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						138	5300.020	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5299.980	5250 to 5350	Pass
					-10	120	5300.060	5250 to 5350	Pass
					0	120	5300.060	5250 to 5350	Pass
					10	120	5300.040	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.060	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
					5320	/	/	20	102
		120	5320.040	5250 to 5350					Pass
		138	5320.040	5250 to 5350					Pass
		-30	120	5320.000				5250 to 5350	Pass
		-20	120	5320.020				5250 to 5350	Pass
		-10	120	5320.100				5250 to 5350	Pass
		0	120	5320.040				5250 to 5350	Pass
		10	120	5320.040				5250 to 5350	Pass
		30	120	5320.080				5250 to 5350	Pass
		40	120	5320.020				5250 to 5350	Pass
		50	120	5320.040				5250 to 5350	Pass
		5500	/	/				20	102
					120	5500.020	5470 to 5725		Pass
					138	5500.020	5470 to 5725		Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5499.980	5470 to 5725	Pass
					-10	120	5500.020	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5499.980	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5499.980	5470 to 5725	Pass
					5580	/	/	20	102
		120	5580.000	5470 to 5725					Pass
		138	5579.980	5470 to 5725					Pass
-30	120	5579.940	5470 to 5725	Pass					
-20	120	5579.980	5470 to 5725	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 814 of 839

					-10	120	5579.980	5470 to 5725	Pass
					0	120	5580.000	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	/	/	20	102	5700.000	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5700.000	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5699.980	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5700.060	5470 to 5725	Pass
					50	120	5700.040	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5744.980	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.020	5725 to 5850	Pass
						120	5785.020	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.040	5725 to 5850	Pass
					10	120	5785.000	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5784.980	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.060	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.060	5725 to 5850	Pass
					10	120	5825.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 815 of 839

					30	120	5825.020	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	/	/	20	102	5180.040	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.060	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.060	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5180.100	5150 to 5250	Pass
					30	120	5180.060	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.080	5150 to 5250	Pass
		5200	/	/	20	102	5200.040	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						138	5200.040	5150 to 5250	Pass
					-30	120	5200.080	5150 to 5250	Pass
					-20	120	5200.100	5150 to 5250	Pass
					-10	120	5200.080	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.060	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.100	5150 to 5250	Pass
					50	120	5200.080	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.060	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.060	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.080	5150 to 5250	Pass
					30	120	5240.080	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5239.980	5150 to 5250	Pass
		5260	/	/	20	102	5260.040	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.020	5250 to 5350	Pass
					-10	120	5260.080	5250 to 5350	Pass
					0	120	5260.040	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5260.040	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 816 of 839

		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5300.060	5250 to 5350	Pass
					-10	120	5300.060	5250 to 5350	Pass
					0	120	5300.060	5250 to 5350	Pass
					10	120	5300.040	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.060	5250 to 5350	Pass
					50	120	5300.040	5250 to 5350	Pass
		5320	/	/	20	102	5320.020	5250 to 5350	Pass
						120	5320.100	5250 to 5350	Pass
						138	5320.060	5250 to 5350	Pass
					-30	120	5320.080	5250 to 5350	Pass
					-20	120	5320.040	5250 to 5350	Pass
					-10	120	5320.080	5250 to 5350	Pass
					0	120	5320.060	5250 to 5350	Pass
					10	120	5320.100	5250 to 5350	Pass
					30	120	5320.080	5250 to 5350	Pass
					40	120	5320.040	5250 to 5350	Pass
					50	120	5320.080	5250 to 5350	Pass
		5500	/	/	20	102	5499.980	5470 to 5725	Pass
						120	5500.040	5470 to 5725	Pass
						138	5500.020	5470 to 5725	Pass
					-30	120	5500.060	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5500.060	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.040	5470 to 5725	Pass
					50	120	5500.040	5470 to 5725	Pass
		5580	/	/	20	102	5580.020	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5579.980	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.000	5470 to 5725	Pass
					0	120	5579.980	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.020	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.000	5470 to 5725	Pass
		5700	/	/	20	102	5700.000	5470 to 5725	Pass
						120	5700.080	5470 to 5725	Pass
						138	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 817 of 839

					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.060	5470 to 5725	Pass
					10	120	5700.040	5470 to 5725	Pass
					30	120	5700.080	5470 to 5725	Pass
					40	120	5700.060	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.000	5725 to 5850	Pass
					-30	120	5745.060	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5744.980	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5785.020	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5785.080	5725 to 5850	Pass
					-20	120	5785.020	5725 to 5850	Pass
					-10	120	5785.060	5725 to 5850	Pass
					0	120	5785.060	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.020	5725 to 5850	Pass
					50	120	5785.020	5725 to 5850	Pass
		5825	/	/	20	102	5824.980	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.020	5725 to 5850	Pass
					-30	120	5824.980	5725 to 5850	Pass
					-20	120	5824.960	5725 to 5850	Pass
					-10	120	5825.060	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5825.060	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	102	5190.120	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.160	5150 to 5250	Pass
					-30	120	5190.120	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.120	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 818 of 839

				0	120	5190.120	5150 to 5250	Pass
				10	120	5190.120	5150 to 5250	Pass
				30	120	5190.080	5150 to 5250	Pass
				40	120	5190.120	5150 to 5250	Pass
				50	120	5190.120	5150 to 5250	Pass
		5230	/	/	20	102	5230.120	5150 to 5250
						120	5230.120	5150 to 5250
						138	5230.120	5150 to 5250
					-30	120	5230.120	5150 to 5250
					-20	120	5230.080	5150 to 5250
					-10	120	5230.120	5150 to 5250
					0	120	5230.080	5150 to 5250
					10	120	5230.080	5150 to 5250
					30	120	5230.120	5150 to 5250
					40	120	5230.120	5150 to 5250
					50	120	5230.080	5150 to 5250
		5270	/	/	20	102	5270.000	5250 to 5350
						120	5270.080	5250 to 5350
						138	5270.080	5250 to 5350
					-30	120	5269.960	5250 to 5350
					-20	120	5269.960	5250 to 5350
					-10	120	5270.040	5250 to 5350
					0	120	5270.000	5250 to 5350
					10	120	5270.040	5250 to 5350
					30	120	5270.000	5250 to 5350
					40	120	5270.040	5250 to 5350
					50	120	5270.000	5250 to 5350
		5310	/	/	20	102	5310.040	5250 to 5350
						120	5310.120	5250 to 5350
						138	5310.080	5250 to 5350
					-30	120	5310.160	5250 to 5350
					-20	120	5310.120	5250 to 5350
					-10	120	5310.080	5250 to 5350
					0	120	5310.080	5250 to 5350
					10	120	5310.120	5250 to 5350
					30	120	5310.120	5250 to 5350
					40	120	5310.080	5250 to 5350
					50	120	5310.160	5250 to 5350
		5510	/	/	20	102	5510.120	5470 to 5725
						120	5510.120	5470 to 5725
						138	5510.160	5470 to 5725
					-30	120	5510.080	5470 to 5725
					-20	120	5510.040	5470 to 5725
					-10	120	5510.080	5470 to 5725
					0	120	5510.080	5470 to 5725
					10	120	5510.080	5470 to 5725
					30	120	5510.120	5470 to 5725



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 819 of 839

					40	120	5510.120	5470 to 5725	Pass
					50	120	5510.120	5470 to 5725	Pass
					20	102	5550.040	5470 to 5725	Pass
						120	5550.120	5470 to 5725	Pass
						138	5550.120	5470 to 5725	Pass
					-30	120	5550.120	5470 to 5725	Pass
					-20	120	5550.120	5470 to 5725	Pass
					-10	120	5550.120	5470 to 5725	Pass
					0	120	5550.120	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.120	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
					20	102	5670.160	5470 to 5725	Pass
						120	5670.160	5470 to 5725	Pass
						138	5670.120	5470 to 5725	Pass
						138	5670.120	5470 to 5725	Pass
					-30	120	5670.120	5470 to 5725	Pass
					-20	120	5670.160	5470 to 5725	Pass
					-10	120	5670.160	5470 to 5725	Pass
					0	120	5670.120	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.160	5470 to 5725	Pass
					40	120	5670.160	5470 to 5725	Pass
					50	120	5670.160	5470 to 5725	Pass
					20	102	5755.120	5725 to 5850	Pass
						120	5755.120	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.080	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.120	5725 to 5850	Pass
					10	120	5755.040	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.160	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
					20	102	5795.080	5725 to 5850	Pass
						120	5795.080	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.120	5725 to 5850	Pass
					-10	120	5795.080	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.080	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.120	5725 to 5850	Pass
802.11ac	MIMO	5180	/	/	20	102	5180.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 820 of 839

(VHT20)						120	5180.040	5150 to 5250	Pass
						138	5180.040	5150 to 5250	Pass
						-30	5180.020	5150 to 5250	Pass
						-20	5180.080	5150 to 5250	Pass
						-10	5180.080	5150 to 5250	Pass
						0	5180.060	5150 to 5250	Pass
						10	5180.060	5150 to 5250	Pass
						30	5180.040	5150 to 5250	Pass
						40	5180.040	5150 to 5250	Pass
						50	5180.040	5150 to 5250	Pass
		5200	/	/	20	102	5200.060	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						138	5200.080	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
					-20	120	5200.080	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
					-10	120	5200.080	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5240.020	5150 to 5250	Pass
						138	5240.060	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
					-20	120	5240.080	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
					-10	120	5240.080	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
		5260	/	/	20	102	5260.060	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5260.040	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
					-20	120	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
					-10	120	5260.040	5250 to 5350	Pass
						120	5260.040	5250 to 5350	Pass
						120	5260.040	5250 to 5350	Pass
		5300	/	/	20	102	5300.040	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.040	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 821 of 839

					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.040	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.080	5250 to 5350	Pass
					40	120	5300.060	5250 to 5350	Pass
					50	120	5300.060	5250 to 5350	Pass
		5320	/	/	20	102	5320.080	5250 to 5350	Pass
						120	5320.060	5250 to 5350	Pass
						138	5320.060	5250 to 5350	Pass
					-30	120	5320.060	5250 to 5350	Pass
					-20	120	5320.060	5250 to 5350	Pass
					-10	120	5320.060	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.080	5250 to 5350	Pass
					30	120	5320.080	5250 to 5350	Pass
					40	120	5320.100	5250 to 5350	Pass
					50	120	5320.060	5250 to 5350	Pass
		5500	/	/	20	102	5500.020	5470 to 5725	Pass
						120	5500.060	5470 to 5725	Pass
						138	5500.060	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.000	5470 to 5725	Pass
					-10	120	5500.040	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5500.040	5470 to 5725	Pass
					30	120	5500.040	5470 to 5725	Pass
					40	120	5500.060	5470 to 5725	Pass
					50	120	5500.100	5470 to 5725	Pass
		5580	/	/	20	102	5579.980	5470 to 5725	Pass
						120	5580.000	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5580.020	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5579.980	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	/	/	20	102	5700.080	5470 to 5725	Pass
						120	5700.060	5470 to 5725	Pass
						138	5700.060	5470 to 5725	Pass
					-30	120	5700.080	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 822 of 839

					10	120	5700.040	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5700.040	5470 to 5725	Pass
					50	120	5700.020	5470 to 5725	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.060	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.040	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.060	5725 to 5850	Pass
		5785	/	/	20	102	5785.060	5725 to 5850	Pass
						120	5785.040	5725 to 5850	Pass
						138	5785.040	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.000	5725 to 5850	Pass
					-10	120	5785.080	5725 to 5850	Pass
					0	120	5785.040	5725 to 5850	Pass
					10	120	5785.060	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
					50	120	5785.060	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5824.960	5725 to 5850	Pass
						138	5825.040	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5824.980	5725 to 5850	Pass
					0	120	5824.980	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.000	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5824.980	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.120	5150 to 5250	Pass
						138	5190.000	5150 to 5250	Pass
					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.080	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.120	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.040	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 823 of 839

				50	120	5190.080	5150 to 5250	Pass
				20	102	5230.120	5150 to 5250	Pass
					120	5230.120	5150 to 5250	Pass
					138	5230.120	5150 to 5250	Pass
					120	5230.120	5150 to 5250	Pass
				-30	120	5230.080	5150 to 5250	Pass
				-20	120	5230.080	5150 to 5250	Pass
				-10	120	5230.080	5150 to 5250	Pass
				0	120	5230.120	5150 to 5250	Pass
				10	120	5230.080	5150 to 5250	Pass
				30	120	5230.080	5150 to 5250	Pass
				40	120	5230.120	5150 to 5250	Pass
				50	120	5230.120	5150 to 5250	Pass
				20	102	5270.040	5250 to 5350	Pass
					120	5270.080	5250 to 5350	Pass
					138	5270.000	5250 to 5350	Pass
					120	5270.000	5250 to 5350	Pass
				-30	120	5269.960	5250 to 5350	Pass
				-20	120	5270.000	5250 to 5350	Pass
				-10	120	5270.000	5250 to 5350	Pass
				0	120	5270.000	5250 to 5350	Pass
				10	120	5270.080	5250 to 5350	Pass
				30	120	5270.080	5250 to 5350	Pass
				40	120	5270.000	5250 to 5350	Pass
				50	120	5270.080	5250 to 5350	Pass
				20	102	5310.080	5250 to 5350	Pass
					120	5310.120	5250 to 5350	Pass
					138	5310.040	5250 to 5350	Pass
					120	5310.080	5250 to 5350	Pass
				-30	120	5310.080	5250 to 5350	Pass
				-20	120	5310.120	5250 to 5350	Pass
				-10	120	5310.120	5250 to 5350	Pass
				0	120	5310.120	5250 to 5350	Pass
				10	120	5310.080	5250 to 5350	Pass
				30	120	5310.080	5250 to 5350	Pass
				40	120	5310.080	5250 to 5350	Pass
				50	120	5310.120	5250 to 5350	Pass
				20	102	5510.080	5470 to 5725	Pass
					120	5510.000	5470 to 5725	Pass
					138	5510.080	5470 to 5725	Pass
					120	5510.120	5470 to 5725	Pass
				-30	120	5510.120	5470 to 5725	Pass
				-20	120	5510.040	5470 to 5725	Pass
				-10	120	5510.080	5470 to 5725	Pass
				0	120	5510.040	5470 to 5725	Pass
				10	120	5510.040	5470 to 5725	Pass
				30	120	5510.080	5470 to 5725	Pass
				40	120	5510.080	5470 to 5725	Pass
				50	120	5510.040	5470 to 5725	Pass
				20	102	5550.080	5470 to 5725	Pass
					120	5550.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 824 of 839

						138	5550.080	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.040	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.080	5470 to 5725	Pass
					40	120	5550.040	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
		5670	/	/	20	102	5670.160	5470 to 5725	Pass
						120	5670.160	5470 to 5725	Pass
						138	5670.080	5470 to 5725	Pass
					-30	120	5670.040	5470 to 5725	Pass
					-20	120	5670.120	5470 to 5725	Pass
					-10	120	5670.120	5470 to 5725	Pass
					0	120	5670.080	5470 to 5725	Pass
					10	120	5670.120	5470 to 5725	Pass
					30	120	5670.120	5470 to 5725	Pass
					40	120	5670.160	5470 to 5725	Pass
					50	120	5670.080	5470 to 5725	Pass
		5755	/	/	20	102	5755.080	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.080	5725 to 5850	Pass
					-20	120	5755.120	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.080	5725 to 5850	Pass
					10	120	5755.120	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
		5795	/	/	20	102	5795.080	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.160	5725 to 5850	Pass
					-30	120	5795.080	5725 to 5850	Pass
					-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.080	5725 to 5850	Pass
					0	120	5795.120	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	102	5210.150	5150 to 5250	Pass
						120	5210.150	5150 to 5250	Pass
						138	5210.150	5150 to 5250	Pass
					-30	120	5210.150	5150 to 5250	Pass
					-20	120	5210.225	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 825 of 839

					-10	120	5210.150	5150 to 5250	Pass
					0	120	5210.150	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.150	5150 to 5250	Pass
					40	120	5210.150	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	/	/	20	102	5290.075	5250 to 5350	Pass
						120	5290.000	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.000	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.000	5250 to 5350	Pass
					40	120	5290.000	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	/	/	20	102	5530.075	5470 to 5725	Pass
						120	5530.150	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.150	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	/	/	20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.000	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	/	/	20	102	5775.150	5725 to 5850	Pass
						120	5775.000	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.150	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.150	5725 to 5850	Pass
					0	120	5775.150	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 826 of 839

					30	120	5775.150	5725 to 5850	Pass
					40	120	5775.150	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
802.11ac (VHT160)	MIMO	5570	/	/	20	102	5570.075	5470 to 5725	Pass
						120	5570.000	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.150	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
		5250	/	/	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.075	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.075	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	102	5180.040	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.060	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.060	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.080	5150 to 5250	Pass
					40	120	5180.060	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	RU242	Left	20	102	5200.040	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.060	5150 to 5250	Pass
					-20	120	5200.060	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5200.120	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.100	5150 to 5250	Pass
					50	120	5200.120	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 827 of 839

		5240	RU242	Left	20	102	5240.040	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.060	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.080	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.080	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5260	RU242	Left	20	102	5260.040	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.080	5250 to 5350	Pass
					-20	120	5260.080	5250 to 5350	Pass
					-10	120	5260.060	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.000	5250 to 5350	Pass
					50	120	5260.060	5250 to 5350	Pass
		5300	RU242	Left	20	102	5300.060	5250 to 5350	Pass
						120	5300.020	5250 to 5350	Pass
						138	5300.060	5250 to 5350	Pass
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.100	5250 to 5350	Pass
					10	120	5300.040	5250 to 5350	Pass
					30	120	5300.080	5250 to 5350	Pass
					40	120	5300.020	5250 to 5350	Pass
					50	120	5300.080	5250 to 5350	Pass
		5320	RU242	Left	20	102	5320.060	5250 to 5350	Pass
						120	5320.040	5250 to 5350	Pass
						138	5320.160	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.120	5250 to 5350	Pass
					-10	120	5320.080	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.060	5250 to 5350	Pass
					30	120	5320.100	5250 to 5350	Pass
					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.020	5250 to 5350	Pass
		5500	RU242	Left	20	102	5500.060	5470 to 5725	Pass
						120	5500.020	5470 to 5725	Pass
						138	5500.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 828 of 839

					-30	120	5500.000	5470 to 5725	Pass
					-20	120	5500.020	5470 to 5725	Pass
					-10	120	5500.080	5470 to 5725	Pass
					0	120	5500.020	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5500.020	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5500.040	5470 to 5725	Pass
		5580	RU242	Left	20	102	5580.020	5470 to 5725	Pass
						120	5579.980	5470 to 5725	Pass
						138	5579.980	5470 to 5725	Pass
					-30	120	5579.960	5470 to 5725	Pass
					-20	120	5580.040	5470 to 5725	Pass
					-10	120	5580.040	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.040	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5580.000	5470 to 5725	Pass
					50	120	5579.980	5470 to 5725	Pass
		5700	RU242	Left	20	102	5700.020	5470 to 5725	Pass
						120	5700.000	5470 to 5725	Pass
						138	5700.020	5470 to 5725	Pass
					-30	120	5700.020	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.060	5470 to 5725	Pass
					0	120	5700.060	5470 to 5725	Pass
					10	120	5700.060	5470 to 5725	Pass
					30	120	5700.040	5470 to 5725	Pass
					40	120	5700.040	5470 to 5725	Pass
					50	120	5699.960	5470 to 5725	Pass
		5745	RU242	Left	20	102	5745.000	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5744.960	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass
					10	120	5745.000	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	RU242	Left	20	102	5785.040	5725 to 5850	Pass
						120	5785.080	5725 to 5850	Pass
						138	5785.040	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.060	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 829 of 839

					0	120	5785.020	5725 to 5850	Pass
					10	120	5785.080	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.040	5725 to 5850	Pass
		5825	RU242	Left	20	102	5824.980	5725 to 5850	Pass
						120	5825.060	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5825.060	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass
					10	120	5825.000	5725 to 5850	Pass
					30	120	5825.040	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
					50	120	5825.080	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	102	5190.080	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.120	5150 to 5250	Pass
					-30	120	5190.120	5150 to 5250	Pass
					-20	120	5190.120	5150 to 5250	Pass
					-10	120	5190.120	5150 to 5250	Pass
					0	120	5190.120	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.120	5150 to 5250	Pass
		5230	RU484	Left	20	102	5230.160	5150 to 5250	Pass
						120	5230.120	5150 to 5250	Pass
						138	5230.120	5150 to 5250	Pass
					-30	120	5230.160	5150 to 5250	Pass
					-20	120	5230.120	5150 to 5250	Pass
					-10	120	5230.120	5150 to 5250	Pass
					0	120	5230.160	5150 to 5250	Pass
					10	120	5230.200	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.160	5150 to 5250	Pass
					50	120	5230.120	5150 to 5250	Pass
		5270	RU484	Left	20	102	5270.040	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.080	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 830 of 839

					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.040	5250 to 5350	Pass
					20	102	5310.160	5250 to 5350	Pass
						120	5310.120	5250 to 5350	Pass
						138	5310.120	5250 to 5350	Pass
					-30	120	5310.120	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.120	5250 to 5350	Pass
					0	120	5310.080	5250 to 5350	Pass
					10	120	5310.120	5250 to 5350	Pass
					30	120	5310.120	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.080	5250 to 5350	Pass
					20	102	5510.120	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass
						138	5510.120	5470 to 5725	Pass
						138	5510.120	5470 to 5725	Pass
					-30	120	5510.120	5470 to 5725	Pass
					-20	120	5510.120	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.120	5470 to 5725	Pass
					30	120	5510.120	5470 to 5725	Pass
					40	120	5510.080	5470 to 5725	Pass
					50	120	5510.120	5470 to 5725	Pass
					20	102	5550.080	5470 to 5725	Pass
						120	5550.120	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.120	5470 to 5725	Pass
					30	120	5550.120	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.080	5470 to 5725	Pass
					20	102	5670.120	5470 to 5725	Pass
						120	5670.200	5470 to 5725	Pass
						138	5670.080	5470 to 5725	Pass
						138	5670.080	5470 to 5725	Pass
					-30	120	5670.080	5470 to 5725	Pass
					-20	120	5670.080	5470 to 5725	Pass
					-10	120	5670.120	5470 to 5725	Pass
					0	120	5670.080	5470 to 5725	Pass
					10	120	5670.120	5470 to 5725	Pass
					30	120	5670.120	5470 to 5725	Pass
					40	120	5670.120	5470 to 5725	Pass
					50	120	5670.120	5470 to 5725	Pass
					20	102	5755.120	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 831 of 839

						120	5755.080	5725 to 5850	Pass
						138	5755.120	5725 to 5850	Pass
					-30	120	5755.080	5725 to 5850	Pass
					-20	120	5755.120	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.160	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.120	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
		5795	RU484	Left	20	102	5795.120	5725 to 5850	Pass
						120	5795.040	5725 to 5850	Pass
						138	5795.080	5725 to 5850	Pass
					-30	120	5795.120	5725 to 5850	Pass
					-20	120	5795.120	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	20	102	5210.150	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.150	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.150	5150 to 5250	Pass
					0	120	5210.150	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.150	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
		5290	RU996	Left	20	102	5290.075	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.000	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.150	5250 to 5350	Pass
					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
		5530	RU996	Left	20	102	5530.150	5470 to 5725	Pass
						120	5530.150	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 832 of 839

802.11ax (HEW160)	MIMO	5610	RU996	Left	-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.150	5470 to 5725	Pass
					10	120	5530.150	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
					20	102	5610.075	5470 to 5725	Pass
						120	5610.000	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.150	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.000	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.150	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	RU996	Left	20	102	5775.075	5725 to 5850	Pass
						120	5775.150	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.150	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.150	5725 to 5850	Pass
					40	120	5775.150	5725 to 5850	Pass
					50	120	5775.225	5725 to 5850	Pass
		5570	2xRU996	Left	20	102	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.150	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.075	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.000	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
		5250	2xRU996	Left	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.150	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.000	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 833 of 839

					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.150	5150 to 5350	Pass
					50	120	5250.000	5150 to 5350	Pass
802.11be (EHT20)	MIMO	5180	RU242	Left	20	102	5180.080	5150 to 5250	Pass
						120	5180.040	5150 to 5250	Pass
						138	5180.060	5150 to 5250	Pass
					-30	120	5180.060	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.060	5150 to 5250	Pass
					40	120	5180.040	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	RU242	Left	20	102	5200.020	5150 to 5250	Pass
						120	5200.040	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
					-30	120	5200.100	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5200.060	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.060	5150 to 5250	Pass
					50	120	5200.120	5150 to 5250	Pass
		5240	RU242	Left	20	102	5240.020	5150 to 5250	Pass
						120	5240.080	5150 to 5250	Pass
						138	5240.060	5150 to 5250	Pass
					-30	120	5240.080	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.100	5150 to 5250	Pass
					10	120	5240.040	5150 to 5250	Pass
					30	120	5240.060	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5260	RU242	Left	20	102	5259.980	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5260.060	5250 to 5350	Pass
					-30	120	5260.000	5250 to 5350	Pass
					-20	120	5260.020	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.060	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 834 of 839

				50	120	5260.040	5250 to 5350	Pass
				20	102	5299.980	5250 to 5350	Pass
					120	5299.980	5250 to 5350	Pass
					138	5300.080	5250 to 5350	Pass
					120	5300.020	5250 to 5350	Pass
				-30	120	5300.020	5250 to 5350	Pass
				-20	120	5300.040	5250 to 5350	Pass
				-10	120	5300.020	5250 to 5350	Pass
				0	120	5300.040	5250 to 5350	Pass
				10	120	5300.080	5250 to 5350	Pass
				30	120	5300.000	5250 to 5350	Pass
				40	120	5300.020	5250 to 5350	Pass
				50	120	5300.000	5250 to 5350	Pass
				20	102	5320.080	5250 to 5350	Pass
					120	5320.060	5250 to 5350	Pass
					138	5320.120	5250 to 5350	Pass
					120	5320.080	5250 to 5350	Pass
				-30	120	5320.080	5250 to 5350	Pass
				-20	120	5320.040	5250 to 5350	Pass
				-10	120	5320.060	5250 to 5350	Pass
				0	120	5320.120	5250 to 5350	Pass
				10	120	5320.100	5250 to 5350	Pass
				30	120	5320.060	5250 to 5350	Pass
				40	120	5320.060	5250 to 5350	Pass
				50	120	5320.080	5250 to 5350	Pass
				20	102	5500.020	5470 to 5725	Pass
					120	5500.000	5470 to 5725	Pass
					138	5500.000	5470 to 5725	Pass
					120	5500.000	5470 to 5725	Pass
				-30	120	5500.000	5470 to 5725	Pass
				-20	120	5500.060	5470 to 5725	Pass
				-10	120	5500.060	5470 to 5725	Pass
				0	120	5500.000	5470 to 5725	Pass
				10	120	5500.040	5470 to 5725	Pass
				30	120	5500.080	5470 to 5725	Pass
				40	120	5500.020	5470 to 5725	Pass
				50	120	5500.000	5470 to 5725	Pass
				20	102	5580.040	5470 to 5725	Pass
					120	5579.980	5470 to 5725	Pass
					138	5580.080	5470 to 5725	Pass
					120	5580.060	5470 to 5725	Pass
				-30	120	5580.060	5470 to 5725	Pass
				-20	120	5580.000	5470 to 5725	Pass
				-10	120	5580.020	5470 to 5725	Pass
				0	120	5580.060	5470 to 5725	Pass
				10	120	5579.960	5470 to 5725	Pass
				30	120	5579.980	5470 to 5725	Pass
				40	120	5579.980	5470 to 5725	Pass
				50	120	5579.980	5470 to 5725	Pass
				20	102	5700.000	5470 to 5725	Pass
					120	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 835 of 839

						138	5700.040	5470 to 5725	Pass
					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.020	5470 to 5725	Pass
					-10	120	5700.080	5470 to 5725	Pass
					0	120	5700.040	5470 to 5725	Pass
					10	120	5699.980	5470 to 5725	Pass
					30	120	5700.060	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5700.060	5470 to 5725	Pass
		5745	RU242	Left	20	102	5745.000	5725 to 5850	Pass
						120	5745.040	5725 to 5850	Pass
						138	5744.960	5725 to 5850	Pass
					-30	120	5745.040	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5744.980	5725 to 5850	Pass
					0	120	5745.040	5725 to 5850	Pass
					10	120	5745.060	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.060	5725 to 5850	Pass
		5785	RU242	Left	20	102	5784.980	5725 to 5850	Pass
						120	5785.060	5725 to 5850	Pass
						138	5785.060	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.040	5725 to 5850	Pass
					0	120	5785.040	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.060	5725 to 5850	Pass
					40	120	5785.080	5725 to 5850	Pass
					50	120	5785.080	5725 to 5850	Pass
		5825	RU242	Left	20	102	5824.980	5725 to 5850	Pass
						120	5824.940	5725 to 5850	Pass
						138	5825.040	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.040	5725 to 5850	Pass
					-10	120	5824.960	5725 to 5850	Pass
					0	120	5825.040	5725 to 5850	Pass
					10	120	5824.980	5725 to 5850	Pass
					30	120	5824.980	5725 to 5850	Pass
					40	120	5824.960	5725 to 5850	Pass
					50	120	5825.020	5725 to 5850	Pass
802.11be (EHT40)	MIMO	5190	RU484	Left	20	102	5190.080	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.080	5150 to 5250	Pass
					-30	120	5190.160	5150 to 5250	Pass
					-20	120	5190.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 836 of 839

					-10	120	5190.120	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.160	5150 to 5250	Pass
		5230	RU484	Left	20	102	5230.080	5150 to 5250	Pass
						120	5230.120	5150 to 5250	Pass
						138	5230.120	5150 to 5250	Pass
					-30	120	5230.160	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.120	5150 to 5250	Pass
					50	120	5230.120	5150 to 5250	Pass
		5270	RU484	Left	20	102	5270.120	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.000	5250 to 5350	Pass
					-10	120	5270.000	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.000	5250 to 5350	Pass
					50	120	5270.120	5250 to 5350	Pass
		5310	RU484	Left	20	102	5310.080	5250 to 5350	Pass
						120	5310.160	5250 to 5350	Pass
						138	5310.120	5250 to 5350	Pass
					-30	120	5310.080	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.160	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.160	5250 to 5350	Pass
					30	120	5310.040	5250 to 5350	Pass
					40	120	5310.120	5250 to 5350	Pass
					50	120	5310.120	5250 to 5350	Pass
		5510	RU484	Left	20	102	5510.080	5470 to 5725	Pass
						120	5510.120	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.160	5470 to 5725	Pass
					-20	120	5510.000	5470 to 5725	Pass
					-10	120	5510.120	5470 to 5725	Pass
					0	120	5510.080	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 837 of 839

					30	120	5510.080	5470 to 5725	Pass
					40	120	5510.120	5470 to 5725	Pass
					50	120	5510.080	5470 to 5725	Pass
		5550	RU484	Left	20	102	5550.120	5470 to 5725	Pass
						120	5550.120	5470 to 5725	Pass
						138	5550.120	5470 to 5725	Pass
					-30	120	5550.080	5470 to 5725	Pass
					-20	120	5550.080	5470 to 5725	Pass
					-10	120	5550.120	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.080	5470 to 5725	Pass
					30	120	5550.120	5470 to 5725	Pass
					40	120	5550.160	5470 to 5725	Pass
					50	120	5550.120	5470 to 5725	Pass
		5670	RU484	Left	20	102	5670.120	5470 to 5725	Pass
						120	5670.080	5470 to 5725	Pass
						138	5670.080	5470 to 5725	Pass
					-30	120	5670.120	5470 to 5725	Pass
					-20	120	5670.160	5470 to 5725	Pass
					-10	120	5670.160	5470 to 5725	Pass
					0	120	5670.080	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.200	5470 to 5725	Pass
					40	120	5670.080	5470 to 5725	Pass
					50	120	5670.080	5470 to 5725	Pass
		5755	RU484	Left	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.040	5725 to 5850	Pass
					-20	120	5755.080	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.120	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.040	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	RU484	Left	20	102	5795.120	5725 to 5850	Pass
						120	5795.080	5725 to 5850	Pass
						138	5795.040	5725 to 5850	Pass
					-30	120	5795.120	5725 to 5850	Pass
					-20	120	5795.120	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.120	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.080	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.160	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 838 of 839

802.11be (EHT80)	MIMO	5210	RU996	Left	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.150	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.150	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
		5290	RU996	Left	20	102	5290.150	5250 to 5350	Pass
						120	5290.075	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.000	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.075	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.000	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.000	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
		5530	RU996	Left	20	102	5530.075	5470 to 5725	Pass
						120	5530.075	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.225	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
		5610	RU996	Left	20	102	5610.150	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass
						138	5610.075	5470 to 5725	Pass
					-30	120	5610.000	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.150	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
		5775	RU996	Left	20	102	5775.075	5725 to 5850	Pass
						120	5775.075	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233113

Page: 839 of 839

					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.075	5725 to 5850	Pass
					0	120	5775.150	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
802.11be (EHT160)	MIMO	5570	2xRU996	Left	20	102	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.150	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.150	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.150	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass
		5250	2xRU996	Left	20	102	5250.075	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.075	5150 to 5350	Pass
					-30	120	5250.075	5150 to 5350	Pass
					-20	120	5250.075	5150 to 5350	Pass
					-10	120	5250.000	5150 to 5350	Pass
					0	120	5250.075	5150 to 5350	Pass
					10	120	5250.075	5150 to 5350	Pass
					30	120	5250.075	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.075	5150 to 5350	Pass

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com