

CIRCUIT DIAGRAMS

INDEX

1. NTE-180 AIS TRANSPONDER

1.1 NTE-180 CHASSIS

1.2 CAG-2180 LNA UNIT

1.3 CMN-2180 TRX UNIT

1.4 CDJ-2180 CONT UNIT

1.5 CMJ-2180 MODEM UNIT

2. NCM-722 AIS CONTROLLER

2.1 NCM-722 CHASSIS

2.2 CDJ-2047 CONTROL UNIT

2.3 CBD-1569 POWER SUPPLY UNIT

2.4 CQD-1809 PC I/F UNIT


2.5 CDE-989 LCD UNIT

3. NQE-3111 CONNECTION BOX


3.1 NQE-3111 CHASSIS


3.2 CQD-1820 TERMINAL UNIT


3.3 CBL-1221 FILTER UNIT





PC1:H-7PCJID0089A
 PD1:H-7PDJID0017A
 PC2:H-7PCJID0097A
 (GPS ANT)




















CMN-2180 TRX UNIT (7/8)



























Drawing List
 1: MPC8500E
 2: Memories
 3: MPC850 Peripheral
 4: PLD
 5: Bus Buffer
 6: PC Interface
 7: LCD/Dimmer
 8: UART 1
 9: UART 2
 10: PNL IF/Relay
 11: Power/Up-On Res./DeCap C
 12: Dumping Resistor






PC1
H7PCA0003




Reset Signals



JTAG Port








PLD


Address Decoder & Control



CDJ-2047 CONTROL UNIT (4/12)






Ethernet Transceiver







LCD / Dimmer











PNL IF/Relay


CDJ-2047 CONTROL UNIT (10/12)






CPU : 10
FROM : 2 x 2
SOPAN : 6
PLD : 4
Ether : 4
UART : 5
以下のICに各1個
5/6/10/11/12/14
15/16/17/18/32
以下のPMTに各1個
2/3/4/5/6/7/8/11
13/15/17/19/21
合計 : 102



Pull-Down Resistors



CDJ-2047 CONTROL UNIT (11/12)



Dumping Resister

