



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dB $\mu$ V/m] | AVG Limit [dB $\mu$ V/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,136.950       | 37.48                    | 54.0                     | 16.52           | 13.87           | H            | 209.8         | 1.0                |
| 2  | 5,150.000       | 37.33                    | 54.0                     | 16.67           | 13.95           | H            | 285.7         | 1.0                |
| 2  | 5,227.950       | 76.75                    |                          |                 | 14.22           | H            | 209.8         | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,141.500       | 53.01                    | 74.0                     | 20.99           | 13.9            | V            | 328.2         | 1.0                |
| 2  | 5,150.000       | 51.68                    | 74.0                     | 22.32           | 13.95           | V            | 131.7         | 1.0                |
| 2  | 5,227.950       | 93.47                    |                          |                 | 14.22           | V            | 328.2         | 1.0                |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,137.300       | 37.59              | 54.0               | 16.41           | 13.88           | V            | 286.2         | 1.0                |
| 2  | 5,150.000       | 37.58              | 54.0               | 16.42           | 13.95           | V            | 312.6         | 1.0                |
| 2  | 5,228.300       | 80.25              |                    |                 | 14.22           | V            | 312.6         | 1.0                |



## REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5230MHz: Fundamental frequency.




802.11ac (20MHz)

|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 36 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,149.600       | 56.54              | 74.0               | 17.46           | 13.95           | H            | 5.1           | 1.0                |
| 1  | 5,150.000       | 56.54              | 74.0               | 17.46           | 13.95           | H            | 5.1           | 1.0                |
| 1  | 5,181.550       | 97.27              |                    |                 | 14.19           | H            | 5.1           | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dB $\mu$ V/m] | AVG Limit [dB $\mu$ V/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,136.550       | 37.85                    | 54.0                     | 16.15           | 13.87           | H            | 325.8         | 1.0                |
| 1  | 5,150.000       | 37.74                    | 54.0                     | 16.26           | 13.95           | H            | 77.2          | 1.0                |
| 1  | 5,178.850       | 83.08                    |                          |                 | 14.17           | H            | 273.2         | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,149.150       | 58.88              | 74.0               | 15.12           | 13.94           | V            | 181.3         | 1.0                |
| 1  | 5,150.000       | 56.87              | 74.0               | 17.13           | 13.95           | V            | 358.0         | 1.0                |
| 1  | 5,179.300       | 99.38              |                    |                 | 14.17           | V            | 1.0           | 1.0                |





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,149.150       | 41.61              | 54.0               | 12.39           | 13.94           | V            | 176.4         | 1.0                |
| 1  | 5,150.000       | 41.62              | 54.0               | 12.38           | 13.95           | V            | 176.4         | 1.0                |
| 1  | 5,178.850       | 88.14              |                    |                 | 14.17           | V            | 176.4         | 1.0                |



## REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5180MHz: Fundamental frequency.



|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 40 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,140.300       | 37.61              | 54.0               | 16.39           | 13.89           | H            | 308.0         | 1.0                |
| 2  | 5,150.000       | 37.55              | 54.0               | 16.45           | 13.94           | H            | 5.1           | 1.0                |
| 2  | 5,201.200       | 84.56              |                    |                 | 14.3            | H            | 5.1           | 1.0                |




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,135.200       | 52.5                     | 74.0                     | 21.5            | 13.86           | H            | 157.4         | 1.0                |
| 2  | 5,150.000       | 50.91                    | 74.0                     | 23.09           | 13.94           | H            | 209.8         | 2.0                |
| 2  | 5,203.600       | 96.93                    |                          |                 | 14.29           | H            | 4.6           | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,146.900       | 53.94                    | 74.0                     | 20.06           | 13.93           | V            | 359.1         | 1.0                |
| 2  | 5,150.000       | 53.21                    | 74.0                     | 20.79           | 13.95           | V            | 209.9         | 2.0                |
| 2  | 5,198.800       | 100.55                   |                          |                 | 14.3            | V            | 175.3         | 1.0                |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,148.400       | 39.09              | 54.0               | 14.91           | 13.94           | V            | 5.1           | 1.0                |
| 2  | 5,150.000       | 39.06              | 54.0               | 14.94           | 13.95           | V            | 5.1           | 1.0                |
| 2  | 5,201.200       | 87.49              |                    |                 | 14.3            | V            | 175.3         | 1.0                |



## REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5200MHz: Fundamental frequency.



|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 48 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,113.375       | 52.28                    | 74.0                     | 21.72           | 13.74           | H            | 1.8           | 2.0                |
| 3  | 5,150.000       | 51.86                    | 74.0                     | 22.14           | 13.95           | H            | 144.2         | 1.0                |
| 3  | 5,238.250       | 94.58                    |                          |                 | 14.19           | H            | 194.3         | 1.0                |




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,137.000       | 37.27              | 54.0               | 16.73           | 13.87           | H            | 95.3          | 1.0                |
| 3  | 5,150.000       | 37.3               | 54.0               | 16.7            | 13.95           | H            | 194.4         | 1.0                |
| 3  | 5,241.625       | 81.76              |                    |                 | 14.18           | H            | 355.5         | 2.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,113.000       | 55.9                     | 74.0                     | 18.1            | 13.74           | V            | 293.5         | 1.0                |
| 3  | 5,150.000       | 54.81                    | 74.0                     | 19.19           | 13.95           | V            | 65.3          | 2.0                |
| 3  | 5,241.250       | 100.72                   |                          |                 | 14.18           | V            | 340.4         | 1.0                |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,137.750       | 40.84              | 54.0               | 13.16           | 13.88           | V            | 181.3         | 2.0                |
| 3  | 5,150.000       | 40.83              | 54.0               | 13.17           | 13.95           | V            | 181.3         | 2.0                |
| 3  | 5,241.250       | 87.66              |                    |                 | 14.18           | V            | 359.1         | 1.0                |



## REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5240MHz: Fundamental frequency.




802.11ac (40MHz)

|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 38 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,147.500       | 53.14              | 74.0               | 20.86           | 13.93           | H            | 205.7         | 1.0                |
| 1  | 5,150.000       | 52.06              | 74.0               | 21.94           | 13.95           | H            | 208.6         | 2.0                |
| 1  | 5,183.500       | 89.89              |                    |                 | 14.2            | H            | 281.5         | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,149.500       | 37.62              | 54.0               | 16.38           | 13.95           | H            | 220.6         | 1.0                |
| 1  | 5,150.000       | 37.58              | 54.0               | 16.42           | 13.95           | H            | 294.7         | 1.0                |
| 1  | 5,188.000       | 77.58              |                    |                 | 14.24           | H            | 195.0         | 1.0                |




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,116.000       | 54.65              | 74.0               | 19.35           | 13.76           | V            | 1.0           | 1.0                |
| 1  | 5,150.000       | 51.81              | 74.0               | 22.19           | 13.95           | V            | 1.0           | 1.0                |
| 1  | 5,195.500       | 94.57              |                    |                 | 14.3            | V            | 274.3         | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,149.000       | 38.27              | 54.0               | 15.73           | 13.94           | V            | 326.9         | 1.0                |
| 1  | 5,150.000       | 38.33              | 54.0               | 15.67           | 13.95           | V            | 326.9         | 1.0                |
| 1  | 5,192.500       | 81.3               |                    |                 | 14.27           | V            | 276.7         | 1.0                |

**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5190MHz: Fundamental frequency.



|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 46 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,146.050       | 53.13                    | 74.0                     | 20.87           | 13.93           | H            | 352.1         | 1.0                |
| 2  | 5,150.000       | 51.89                    | 74.0                     | 22.11           | 13.95           | H            | 152.0         | 1.0                |
| 2  | 5,238.800       | 88.44                    |                          |                 | 14.19           | H            | 276.7         | 1.0                |




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,138.000       | 37.35              | 54.0               | 16.65           | 13.88           | H            | 178.2         | 1.0                |
| 2  | 5,150.000       | 37.38              | 54.0               | 16.62           | 13.95           | H            | 203.3         | 1.0                |
| 2  | 5,232.150       | 75.57              |                    |                 | 14.21           | H            | 278.5         | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,148.150       | 52.53                    | 74.0                     | 21.47           | 13.94           | V            | 308.5         | 2.0                |
| 2  | 5,150.000       | 51.59                    | 74.0                     | 22.41           | 13.95           | V            | 117.9         | 1.0                |
| 2  | 5,234.950       | 93.81                    |                          |                 | 14.2            | V            | 315.0         | 1.0                |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 2  | 5,136.950       | 37.73              | 54.0               | 16.27           | 13.87           | V            | 315.6         | 1.0                |
| 2  | 5,150.000       | 37.65              | 54.0               | 16.35           | 13.95           | V            | 290.5         | 1.0                |
| 2  | 5,227.950       | 80.03              |                    |                 | 14.22           | V            | 315.6         | 1.0                |



## REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5230MHz: Fundamental frequency.




802.11ac (80MHz)

|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 42 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 10 | 5,147.400       | 52.93              | 74.0               | 21.07           | 13.93           | H            | 205.1         | 1.0                |
| 10 | 5,150.000       | 51.25              | 74.0               | 22.75           | 13.95           | H            | 1.0           | 1.0                |
| 10 | 5,214.550       | 86.04              |                    |                 | 14.26           | H            | 205.1         | 1.0                |




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 10 | 5,149.525       | 37.98              | 54.0               | 16.02           | 13.95           | H            | 208.7         | 1.0                |
| 10 | 5,150.000       | 37.92              | 54.0               | 16.08           | 13.95           | H            | 208.7         | 1.0                |
| 10 | 5,207.325       | 71.76              |                    |                 | 14.28           | H            | 208.7         | 1.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 10 | 5,140.175       | 54.49                    | 74.0                     | 19.51           | 13.89           | V            | 264.9         | 1.0                |
| 10 | 5,150.000       | 52.76                    | 74.0                     | 21.24           | 13.95           | V            | 359.0         | 1.0                |
| 10 | 5,203.075       | 92.25                    |                          |                 | 14.29           | V            | 264.9         | 1.0                |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 10 | 5,149.525       | 39.09              | 54.0               | 14.91           | 13.95           | V            | 310.4         | 1.0                |
| 10 | 5,150.000       | 39.06              | 54.0               | 14.94           | 13.95           | V            | 310.4         | 1.0                |
| 10 | 5,207.325       | 75.87              |                    |                 | 14.28           | V            | 256.6         | 1.0                |



## REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5210MHz: Fundamental frequency.




**Band 2:**

**802.11a**

|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 52 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,261.750       | 96.76                    |                          |                 | 14.14           | H            | 206.2         | 1.0                |
| 4  | 5,350.000       | 51.51                    | 74.0                     | 22.49           | 14.27           | H            | 311.6         | 2.0                |
| 4  | 5,350.575       | 52.6                     | 74.0                     | 21.4            | 14.27           | H            | 1.0           | 1.0                |




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.900       | 84.32              |                    |                 | 14.15           | H            | 203.8         | 1.0                |
| 4  | 5,350.000       | 37.72              | 54.0               | 16.28           | 14.27           | H            | 206.3         | 2.0                |
| 4  | 5,351.050       | 37.72              | 54.0               | 16.28           | 14.28           | H            | 355.0         | 2.0                |



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.430       | 103.97                   |                          |                 | 14.15           | V            | 341.3         | 1.0                |
| 4  | 5,350.000       | 55.39                    | 74.0                     | 18.61           | 14.27           | V            | 359.1         | 1.0                |
| 4  | 5,386.675       | 57.26                    | 74.0                     | 16.74           | 14.32           | V            | 312.8         | 2.0                |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.900       | 91.64              |                    |                 | 14.15           | V            | 333.0         | 1.0                |
| 4  | 5,350.000       | 41.79              | 54.0               | 12.21           | 14.27           | V            | 282.8         | 1.0                |
| 4  | 5,350.575       | 41.86              | 54.0               | 12.14           | 14.27           | V            | 282.8         | 1.0                |



## REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.