MPE Calculations

Systems operating under the provision of 47 CFR 1.1307(b)(1) shall be operated in a manor that ensures that the public is not exposed to radio frequency energy levels in excess of the FCC guidelines.

The EUT will only be used with a separation of 20 centimeters or greater between the antenna and the body of the user or nearby persons and can therefore be considered a mobile transmitter per 47 CFR 2.1091(b). The MPE calculation for this exposure is shown below.

Using the Antennas with highest output power:

The peak radiated output power (EIRP) is calculated as follows:

| Antenna | Frequency (GHz) | Power input to the antenna (P) (dBm) | Power gain of the antenna (G) (dBi) | EIRP (P+G) (dBm) | EIRP Log ^{-1(dBm/10)} (mW) |
|-------------|--------------------|--------------------------------------|-------------------------------------|------------------------|---|
| HP Vail 2.0 | 2.4 | 24.87 | 2.95 | 27.82 | 605.34 |
| HP Vail 2.0 | 5 | 19.80 | 3.12 | 22.92 | 195.88 |

EIRP = P + G

Where

P = Power input to the antenna (mW).

G = Power gain of the antenna (dBi)

The numeric gain (G) of the antenna with a gain specified in dB is determined by:

| Antenna | Frequency (GHz) | Antenna Gain (G) (dBi) | Numeric Antenna Gain Log ^{-1(dBm/10)} (dB) |
|-------------|--------------------|------------------------------|---|
| HP Vail 2.0 | 2.4 | 2.95 | 1.97 |
| HP Vail 2.0 | 5 | 3.12 | 2.05 |

 $G = Log^{-1}$ (dB antenna gain/10)

Power density at the specific separation:

| Antenna | Frequency (GHz) | Power input to the antenna (P) (mW) | Numeric Power Gain of the Antenna (G) (dB) | Maximum Power Spectral Density S=PG/(4R ² π) (mW/cm ²) | Maximum Power Spectral Density Limit (mW/cm²) |
|-------------|--------------------|-------------------------------------|--|---|---|
| HP Vail 2.0 | 2.4 | 306.90 | 1.97 | 0.120 | 1.00 |
| HP Vail 2.0 | 5 | 95.50 | 2.05 | 0.039 | 1.00 |

 $S = PG/(4R^2\pi)$

Where

S = Maximum power density (mW/cm²)

P = Power input to the antenna (mW).

G = Numeric power gain of the antenna

R = Distance to the center of the radiation of the antenna (20cm = limit for MPE)

The maximum permissible exposure (MPE) for the general population is 1mW/cm².

The power density at 20cm does not exceed the 1mW/cm² limit. Therefore, the exposure condition is compliant with FCC rules.