



Appendix for Test report

Appendix A: DTS (6 dB) Bandwidth

In this document, the "DTS6dBBW" refers to the measured "DTS (6 dB) Bandwidth" value. In this Appendix, the "fc(DTS6dBBW)" refers to the centre of the measured "DTS6dBBW". The introduction of the "fc(DTS6dBBW)" is due to that other measurements use it as the spectrum analyzer setting.


For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	DTS6dBBW[MHz]	Verdict
11B	L	2412	Ant 1	7.60	pass
11B	M	2437	Ant 1	7.60	pass
11B	H	2462	Ant 1	7.19	pass
11G	L	2412	Ant 1	15.49	pass
11G	L	2417	Ant 1	15.77	pass
11G	M	2437	Ant 1	16.08	pass
11G	H	2462	Ant 1	15.74	pass
11N20	L	2412	Ant 1	15.72	pass
11N20	M	2437	Ant 1	16.29	pass
11N20	H	2462	Ant 1	15.74	pass
11N40	L	2422	Ant 1	35.18	pass
11N40	M	2437	Ant 1	35.48	pass
11N40	H	2452	Ant 1	35.51	pass


Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L_2412@Ant 1






2.5 11G_L_2417@Ant 1




2.6 11G_M@Ant 1






2.7 11G_H@Ant 1






2.8 11N20_L@Ant 1






2.9 11N20_M@Ant 1






2.10 11N20_H@Ant 1






2.11 11N40_L@Ant 1






2.12 11N40_M@Ant 1





2.13 11N40_H@Ant 1



Appendix B: Occupied Bandwidth


For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Occupied Bandwidth [MHz]	Verdict
11B	L	2412	Ant 1	11.77	pass
11B	M	2437	Ant 1	11.90	pass
11B	H	2462	Ant 1	11.85	pass
11G	L	2412	Ant 1	16.43	pass
11G	L	2417	Ant 1	16.47	pass
11G	M	2437	Ant 1	16.50	pass
11G	H	2462	Ant 1	16.44	pass
11N20	L	2412	Ant 1	17.48	pass
11N20	M	2437	Ant 1	17.56	pass
11N20	H	2462	Ant 1	17.48	pass
11N40	L	2422	Ant 1	36.11	pass
11N40	M	2437	Ant 1	36.22	pass
11N40	H	2452	Ant 1	36.08	pass


Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L_2012@Ant 1






2.5 11G_L_2017@Ant 1






2.6 11G_M@Ant 1






2.7 11G_H@Ant 1





2.8 11N20_L@Ant 1





Agilent Spectrum Analyzer - Occupied BW

RL RF 50 Ω AC SENSE:INT ALIGN AUTO 05:27:55 PM Feb 03, 2018

Center Freq 2.437000000 GHz Center Freq: 2.437000000 GHz Radio Std: None
Trig: Free Run Avg/Hold: > 10/10
#IFGain: Low #Atten: 40 dB Radio Device: BTS

Ref Offset 1 dB
Ref 25.00 dBm

10 dB/div
Log

Center 2.437 GHz Span 40 MHz
#Res BW 200 kHz #VBW 620 kHz Sweep 1 ms

Occupied Bandwidth 17.564 MHz
Total Power 21.4 dBm

Transmit Freq Error -26.724 kHz
OBW Power 99.00 %
x dB Bandwidth 20.68 MHz x dB -26.00 dB

Frequency
Center Freq
2.437000000 GHz


CF Step
4.000000 MHz
Auto Man

Freq Offset
0 Hz

MSG STATUS




2.10 11N20_H@Ant 1






2.11 11N40_L@Ant 1






2.12 11N40_M@Ant 1





2.12 11N40_H@Ant 1



Appendix C: Duty Cycle


Part I - Test Results

Test Mode	TX Freq. [MHz]	Ant	Duty cycle [%]
11B	CH1,CH6,CH11	Ant 1	97.5
11G	CH1, CH2,CH6,CH11	Ant 1	87.2
11N20SISO	CH1, CH6,CH11	Ant 1	86.4
11N40SISO	CH3, CH6,CH9	Ant 1	73.1




Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11G_L@Ant 1






2.3 11N20_L&H@Ant 1





2.4 11N40_M@Ant 1




Appendix D: Maximum Conducted Average Output Power

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Duty Cycle [%]	Power[dBm]	Verdict
11B	L	2412	Ant 1	97.5	17.62	pass
11B	M	2437	Ant 1	97.5	17.14	pass
11B	H	2462	Ant 1	97.5	17.74	pass
11G	L	2412	Ant 1	87.2	14.50	pass
11G	L	2417	Ant 1	87.2	16.28	pass
11G	M	2437	Ant 1	87.2	16.40	pass
11G	H	2462	Ant 1	87.2	16.83	pass
11N20	L	2412	Ant 1	86.4	14.52	pass
11N20	M	2437	Ant 1	86.4	14.31	pass
11N20	H	2462	Ant 1	86.4	14.71	pass
11N40	L	2422	Ant 1	73.1	13.81	pass
11N40	M	2437	Ant 1	73.1	14.07	pass
11N40	H	2452	Ant 1	73.1	14.29	pass


Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L_2412@Ant 1






2.5 11G_L_2417@Ant 1






2.6 11G_M@Ant 1






2.7 11G_H@Ant 1






2.8 11N20_L@Ant 1






2.9 11N20_M@Ant 1






2.10 11N20_H@Ant 1






2.11 11N40_L@Ant 1





2.12 11N40_M@Ant 1





Agilent Spectrum Analyzer - The duty cycle factor 1.36 dB added.

Center Freq 2.45200000 GHz

#Avg Type: RMS
Avg/Hold: 500/500

Trace 1 2 3 4 5 6
Type A W W W W W W W W
Det A A A A A A

PNO: Fast → Trig: Free Run
IFGain: Low Atten: 38 dB

Ref Offset 2.36 dB
Ref 30.00 dBm

Mkr1 2.452 00 GHz
Band Power 14.286 dBm

10 dB/div
Log

Start 2.41200 GHz
#Res BW 390 kHz

Stop 2.49200 GHz
Sweep 1.000 ms (601 pts)

#VBW 1.2 MHz*

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.452 00 GHz	-16.343 dBm	Band Power	36.27 MHz	14.286 dB
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								

MSG STATUS

Frequency

Auto Tune

Center Freq
2.45200000 GHz

Start Freq
2.41200000 GHz

Stop Freq
2.49200000 GHz

CF Step
8.000000 MHz
Man

Auto

Freq Offset
0 Hz


Appendix E: Maximum Power Spectral Density Level

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Duty Cycle [%]	PSD[dBm/10 kHz]	Verdict
11B	L	2412	Ant 1	97.5	-10.30	pass
11B	M	2437	Ant 1	97.5	-10.53	pass
11B	H	2462	Ant 1	97.5	-9.94	pass
11G	L	2412	Ant 1	87.2	-14.54	pass
11G	L	2417	Ant 1	87.2	-12.34	pass
11G	M	2437	Ant 1	87.2	-12.74	pass
11G	H	2462	Ant 1	87.2	-11.97	pass
11N20	L	2412	Ant 1	86.4	-14.39	pass
11N20	M	2437	Ant 1	86.4	-14.90	pass
11N20	H	2462	Ant 1	86.4	-14.27	pass
11N40	L	2422	Ant 1	73.1	-17.35	pass
11N40	M	2437	Ant 1	73.1	-17.54	pass
11N40	H	2452	Ant 1	73.1	-17.28	pass

Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L_2412@Ant 1






2.5 11G_L_2417@Ant 1






2.6 11G_M@Ant 1






2.7 11G_H@Ant 1






2.8 11N20_L@Ant 1






2.9 11N20_M@Ant 1






2.10 11N20_H@Ant 1






2.11 11N40_L@Ant 1






2.12 11N40_M@Ant 1



2.13 11N40_H@Ant 1



Appendix F: Band Edges Compliance

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Carrier Power[dBm]	Max.Spurious Level[dBm]	Verdict
11B	L	2412	Ant 1	9.92	-34.25	pass
11B	H	2462	Ant 1	9.86	-51.37	pass
11G	L	2412	Ant 1	3.80	-31.04	pass
11G	L	2417	Ant 1	3.78	-30.31	pass
11G	H	2462	Ant 1	6.05	-37.21	pass
11N20	L	2412	Ant 1	3.81	-31.14	pass
11N20	H	2462	Ant 1	4.04	-41.27	pass
11N40	L	2422	Ant 1	0.27	-31.20	pass
11N40	H	2452	Ant 1	-0.10	-41.20	pass

Part II - Test Plots


2.1 11B_L@Ant 1




2.2 11B_H@Ant 1



2.3 11G_L_2412@Ant 1




[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



2.9 11N40_H@Ant 1



Appendix G: Unwanted Emissions into Non-Restricted Frequency

Bands

In this Appendix, the "Pref", which is used as the reference level, refers to the peak power level in any 100 kHz bandwidth within the fundamental emission, the "Puw" refers to the maximum emission power in 100 kHz band segments outside of the authorized frequency band.

Considering that the higher ratio of RBW to the span for the frequency ranges below 30 MHz makes the results determination be complicated, a narrower RBW other than 100 kHz is used for these ranges. The measured value should add a RBW correction factor (RBWCF) where $RBWCF [dB] = 10 \times \lg(100 [kHz]/\text{narrower RBW} [kHz])$. As to this Appendix, the narrower RBW is 1 kHz and RBWCF is 20 dB for the frequency 9 kHz to 150 kHz, and the narrower RBW is 10 kHz and RBWCF is 10 dB for the frequency 150 kHz to 30 MHz.

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain and used as respective results for each chain, due to the relative-limit requirement.

In the result table, the "< Limit" denotes that "The Puw [dBm] is less than Pref[dBm]-30[dBm], see test plots for detailed".

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Pref[dBm]	Puw[dBm]	Verdict
11B	L	2412	Ant 1	8.04	<limit	pass
11B	M	2437	Ant 1	7.89	<limit	pass
11B	H	2462	Ant 1	8.54	<limit	pass
11G	L	2412	Ant 1	3.43	<limit	pass
11G	L	2417	Ant 1	5.71	<limit	pass
11G	M	2437	Ant 1	5.40	<limit	pass
11G	H	2462	Ant 1	6.05	<limit	pass
11N20	L	2412	Ant 1	3.84	<limit	pass
11N20	M	2437	Ant 1	3.28	<limit	pass
11N20	H	2462	Ant 1	4.05	<limit	pass
11N40	L	2422	Ant 1	0.61	<limit	pass
11N40	M	2437	Ant 1	0.09	<limit	pass
11N40	H	2452	Ant 1	0.42	<limit	pass



Part II - Test Plots


2.1 11B_L@Ant 1


Pref:








Puw:

















2.2 11B_M@Ant 1


Pref:








Puw:
















2.3 11B_H@Ant 1


Pref:








Puw:

















2.4 11G_L_2412@Ant 1


Pref:








Puw:

















2.5 11G_L_2417@Ant 1


Pref:








Puw:
















2.6 11G_M@Ant 1

Pref:





Puw:

