

RL RF 50 Ω A enter Freq 2.4120000		SENSE:IN Fast ↔ Trig	त : Free Run	ALIGN AUTO #Avg Type	: RMS	TF	2 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE WWWWWWW DET PNNNNN
	IFGair		en: 30 dB				
Ref Offset 2.35 d dB/div Ref 20.00 dB						MKr1 4	50.00 ms I.06 dBm
g			1				
1.0 Annie diterien dependenden den den dere	and a star of the base of the late			- di a basa an di ta jara si badi	ومارية أندروك وبأرجابك	ha da bin bardin Kanada kangangan	a bar on the state particular A strange of the state of the stat
.0							
.0							
.0							
.0							
.0							
.0							
enter 2.412000000 GHz	Z						Span 0 Hz
s BW 8 MHz		#VBW 8.0				100.0 ms	
N 1 t	× 50.00 ms	Ƴ 4.06 dBm	FUNCTION	FUNCTION WIDTH	FU	JNCTION VALUE	<u>^</u>
							=
							•
			m	STATUS			•
	Duty	Cvcle N	/NT n20) 2437MHz			
		/ Cycle N	VNT n20) 2437MHz			
RL RF 50 Ω A	AC DOO GHz	SENSE:IN	π	2437MHz Align Auto #Avg Type	:: RMS	TF	7 AM Mar 25, 2024
RL RF 50 Ω A	AC DOO GHz	SENSE:IN		ALIGN AUTO	: RMS	TF	7 AM Mar 25, 2024
RL RF 50 Ω A nter Freq 2.4370000 Ref Offset 2.36 c	A AC DOO GHZ IFGair dB	SENSE:IN	त : Free Run	ALIGN AUTO	:: RMS	TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF 50 Ω A inter Freq 2.4370000 Ref Offset 2.36 d dB/div Ref 20.00 dB	A AC DOO GHZ IFGair dB	SENSE:IN	त : Free Run	ALIGN AUTO	:: RMS	TF Mkr1	7 AM Mar 25, 2024 RACE 1 2 3 4 5 6 TYPE WWWWWW DET P NNNN
RL RF 50Ω A nter Freq 2.4370000 Ref Offset 2.36 c dB/div Ref 20.00 dBr 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	A AC DOO GHZ IFGair dB	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO	: RMS	TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF 50 Ω A nter Freq 2.4370000 Ref Offset 2.36 α Ref Offset 2.36 α Ref 20.00 dBr 9 0 Ref 20.00 dBr	A AC DOO GHZ PNO: IFGair dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO		TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF 50 Ω A nter Freq 2.4370000	A AC DOO GHZ PNO: IFGair dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO		TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF 50Ω A nter Freq 2.4370000 Ref Offset 2.36 c dB/div Ref 20.00 dBr 9 9 9 10 10 10 10 10 10 10 10 10 10	A AC DOO GHZ PNO: IFGair dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO	: RMS	TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF S0 Ω A nter Freq 2.4370000 Ref Offset2.36 c Ref Offset2.36 c dB/div Ref 20.00 dBr Ref 20.00 dBr 0 Ref 20.00 dBr Ref 20.00 dBr	A AC DOO GHZ PNO: IFGair dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO		TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF 50 Ω A nter Freq 2.4370000 Ref Offset2.36 c dB/div Ref 20.00 dBr 9 0 0 0 0 0 0 0 0 0 0 0 0 0	A AC DOO GHZ PNO: IFGair dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO		TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
Ref Offset 2.36 c dB/div Ref 20.00 dBr	A AC DOO GHZ PNO: IFGair dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO		TF Mkr1	7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF 50 Ω A nter Freq 2.4370000 Ref Offset 2.36 d B/div Ref 20.00 dB 0 0 0 0 0 0 0 0 0 0 0 0 0	AC DOO GHZ PNO: IFGai dB m	Fast →→ Trig iLow #Att	त : Free Run	ALIGN AUTO		TF Mkr1	7 AM Mar 25, 2024 AM Mar 25, 2024 I 2 3 4 4 I 2 3 4 4 I 2 1 2 4 4 I 2 4 4 I 2 1 4 4 4 I 2 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
RL RF 50.0 A nter Freq 2.4370000 Ref Offset 2.36 of dB/div Ref 20.00 dBr dB/div Ref 20.00 dBr Ref 20.00 dBr	AC DOO GHZ PNO: IFGai dB m	Fast →→ Trig iLow #Att	IT I I I I I I I I I I I I I I I I I I	ALIGN AUTO			7 AM Mar 25, 2024 AACE 1 2 3 4 5 6 TYPE NNNNN DET NNNNN 50.00 ms
RL RF S0 Ω A nter Freq 2.4370000 Ref 0ffset 2.36 c G B/div Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi Ref 20.00 dBi <t< td=""><td>A AC AC AC AC PNC: IFGai AC PNC: IFGai AC AC PNC: IFGai AC AC AC AC PNC: IFGai AC AC AC AC AC AC AC AC AC AC</td><td>SENSE:IN Fast →→ Trig #Att</td><td>IT I I I I I I I I I I I I I I I I I I</td><td>ALIGN AUTO</td><td>Sweep</td><td></td><td>7 AM Mar 25, 2024 ACE 1, 2 3 4 5 6 Type With the State State 1, 2 3 4 5 6 State 1, 2 4 5 6</td></t<>	A AC AC AC AC PNC: IFGai AC PNC: IFGai AC AC PNC: IFGai AC AC AC AC PNC: IFGai AC AC AC AC AC AC AC AC AC AC	SENSE:IN Fast →→ Trig #Att	IT I I I I I I I I I I I I I I I I I I	ALIGN AUTO	Sweep		7 AM Mar 25, 2024 ACE 1, 2 3 4 5 6 Type With the State State 1, 2 3 4 5 6 State 1, 2 4 5 6
RL RF S0 Q A nter Freq 2.4370000 Ref Offset 2.36 c G B/div Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.36 c Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.36 c Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.36 c Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.36 c Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.36 c Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.37000000 GHz Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.437000000 GHz Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.4370000000 GHz Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.4370000000 GHz Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.4370000000 GHz Ref 20.00 dBr Ref 20.00 dBr Ref 0ffset 2.4370000000 GHz Ref 20.00 dBr Ref 20.00 dBr	AC DOO GHZ PNO: IFGai dB m control the the the the the physical sector of the control the the the the the control the the the the control the the the the the control the the the the the control the the the the the the control the the the the the the control the the the the the the the the control the	SENSE:IN Fast →→ Trig Hardw #Att	T Free Run E Free Run 1 1 1 1 1 1 1 1 1 1 1 1 1	ALIGN AUTO #Avg Type	Sweep	TR Mkr1 : 3 100.0 ms	7 AM Mar 25, 2024 ACE 1, 2 3 4 5 6 Type With the State State 1, 2 3 4 5 6 State 1, 2 4 5 6
RL RF S0.0 A nter Freq 2.4370000 Ref Offset 2.36 c B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div Ref 20.00 dBr B/div Ref 20.00 dBr 0 B/div B/div B/div B/div B/div 0 B/div B/div B/div B/div B/div 0 B/div B/div B/div B/div B/div B/div 0 B/div B/div B/div B/div B/div	A AC AC AC AC PNC: IFGai AC PNC: IFGai AC AC PNC: IFGai AC AC AC AC PNC: IFGai AC AC AC AC AC AC AC AC AC AC	SENSE:IN Fast →→ Trig #Att	T Free Run E Free Run 1 1 1 1 1 1 1 1 1 1 1 1 1	ALIGN AUTO #Avg Type	Sweep	TR Mkr1 : 3 100.0 ms	7 AM Mar 25, 2024 ACE 1, 2 3 4 5 6 Type With the State State 1, 2 3 4 5 6 State 1, 2 4 5 6
RL RF SO Q A nter Freq 2.4370000 Ref Offset 2.36 c G B/div Ref 20.00 dBj Ref 20.00 dBj Marking Ref 20.00 dBj Ref 20.00 dBj Ref 0 ffset 2.36 c Ref 20.00 dBj Ref 0 ffset 2.37 c Ref 20.00 dBj	A AC AC AC AC PNC: IFGai AC PNC: IFGai AC AC PNC: IFGai AC AC AC AC PNC: IFGai AC AC AC AC AC AC AC AC AC AC	SENSE:IN Fast →→ Trig #Att	T Free Run E Free Run 1 1 1 1 1 1 1 1 1 1 1 1 1	ALIGN AUTO #Avg Type	Sweep	TR Mkr1 : 3 100.0 ms	7 AM Mar 25, 2024 ACE 1, 2 3 4 5 6 Type With the State State 1, 2 3 4 5 6 State 1, 2 4 5 6
RL RF S0 Ω A inter Freq 2.4370000 Ref 0ffset 2.36 c G GB/div Ref 20.00 dBi Ref 20.00 dBi G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G G <	A AC AC AC AC PNC: IFGai AC PNC: IFGai AC AC PNC: IFGai AC AC AC AC PNC: IFGai AC AC AC AC AC AC AC AC AC AC	SENSE:IN Fast →→ Trig #Att	T Free Run E Free Run 1 1 1 1 1 1 1 1 1 1 1 1 1	ALIGN AUTO #Avg Type	Sweep	TR Mkr1 : 3 100.0 ms	7 AM Mar 25, 2024 ACE 1, 2 3 4 5 6 Type With the State State 1, 2 3 4 5 6 State 1, 2 4 5 6



Agilent Spectrum Analyzer - Sw R L RF 50 9		SENSE:INT		ALIGN AUTO		11:05:0	5 AM Mar 25, 2024
nter Freq 2.4620	00000 GHz	Trime	ree Run	#Avg Type:	RMS	TF	ACE 1 2 3 4 5 6
	PNO: IFGair						
Ref Offset 2						Mkr1	50.00 ms I.86 dBm
dB/div Ref 20.00	<u>abm</u>						
0 Little in a the basic in the local	film have a list the constraint where the	den den den den den de		n des des des des	an hai bitu kana ka	to kar los des d e s	here have based by reading
0							
o 							
0							
0							
0							
0							
nter 2.462000000	GHz						Span 0 Hz
s BW 8 MHz		#VBW 8.0 M			-		(10001 pts)
MODE TRC SCL	× 50.00 ms	Y 1.86 dBm	FUNCTION FUN	VCTION WIDTH	FU	NCTION VALUE	
							=
		m					•
				STATUS			
		/ Cycle NVI	<u>VT n40 2</u>	422MHz			
Agilent Spectrum Analyzer - Sw R L RF 50 9	Ω AC	SENSE:INT		ALIGN AUTO #Avg Type:	DMS	11:05:4	AM Mar 25, 2024 ACE 1 2 3 4 5 6
nter Freq 2.4220	PNO: IFGair		ree Run : 30 dB	#rig type.	Ring		
Ref Offset 2						Mkr1	50.00 ms
dB/div Ref 20.00	dBm					-1	.37 dBm
0			1				
	ann a chisi ann ant i a dhèinn ann tha bhinn	and the state of the	an a				il is hiller, en skale is barre
0							
0							
0							
0							
nter 2.422000000	GHz						Span 0 Hz
s BW 8 MHz		#VBW 8.0 M					(10001 pts)
MODE TRC SCL	× 50.00 ms	Y -1.37 dBm	FUNCTION FUN	NCTION WIDTH	FU	NCTION VALUE	
							=



gilent Spectrum Analyzer - Swept SA							
RL RF 50Ω A nter Freq 2.4370000		SENSE:IN	T	ALIGN AUTO #Avg Ty	pe: RMS	TF	5 AM Mar 25, 2024 RACE 1 2 3 4 5 6
nter Frey 2.4570000	PNO:		: Free Run	#/18 I J			
	IFGain	Low #Att	ten: 30 dB				
Ref Offset 2.36 d						Mkr1	50.00 ms
dB/div Ref 20.00 dBr	m					-	.82 dBm
0			1				
0 minutelisteritent		ali a data da da da da da		in a strate (19) as molecus diff.	a da ana ang bina kana aka a ka	to mboologiant	and the state of the
Confe Section of Departments and the sector is an effective scheme of the sector is a sector in the sector in the sector is a sector in the sector in the sector is a sector in the sector in the sector is a sector in the sector in the sector is a sector in the sector in the sector is a sector in the sector				anne faltar pinali, e fabric para			
,							
nter 2.437000000 GHz	z						Span 0 Hz
s BW 8 MHz		#VBW 8.0	MHz		Sweep	100.0 ms	(10001 pts)
MODE TRC SCL	X	Y	FUNCTION	FUNCTION WIDTH	F	JNCTION VALUE	<u>^</u>
N 1 t	50.00 ms	-1.82 dBm					
							=
				STATUS			
					7		
		Cycle IV		2452MH	<u> </u>		
lgilent Spectrum Analyzer - Swept SA RL RF 50 Ω A		SENSE:IN	TT I	ALIGN AUTO		11:06:5	1 AM Mar 25, 2024
nter Freq 2.4520000						11.00.5	
	JUU GHZ	Tric	r: Free Run	#Avg Ty	pe: RMS	TF	RACE 1 2 3 4 5 6
	DUU GHZ PNO: IFGain	uot -): Free Run ten: 30 dB	#Avg Ty	pe: RMS	TF	RACE 1 2 3 4 5 6 TYPE WWWWWW DET P NNNNN
Dof Offect 2.39 d	PNO: IFGain	uot -		#Avg Ty	pe: RMS	TF Mkr1	DET PNNNN 50.00 ms
Ref Offset 2.38 d 3B/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Ty	pe: RMS	TF Mkr1	DET PNNNN
B/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj	pe: RMS	TF Mkr1	DET PNNNN 50.00 ms
dB/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Ty	pe: RMS	TF Mkr1	DET PNNNN 50.00 ms
dB/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
B/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
B/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
B/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
aB/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
aB/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
AB/div Ref 20.00 dBr	PNO: IFGain	uot -		#Avg Tyj		TF Mkr1	DET PNNNN 50.00 ms
aB/div Ref 20.00 dBr	PNO: IFGain	uot -				TF Mkr1	DET PNNNN 50.00 ms
aB/div Ref 20.00 dBr	PNO: IFGain m IS IS IS IS IS IS IS IS IS IS IS IS IS	uot -				TF Mkr1	50.00 ms 1.34 dBm
18/div Ref 20.00 dBr	PNO: IFGain m IS IS IS IS IS IS IS IS IS IS IS IS IS	uot -	ten: 30 dB			TF Mkr1 -1	50.00 ms .34 dBm
IB/div Ref 20.00 dBr IB/div Ref 20.00 dBr IB/div IB/div	PNO: IFGain III III IIII IIII IIIII IIIII IIIIII	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms 1.34 dBm
IB/cliv Ref 20.00 dBr Image: State of the stat	PNO: IFGain m IS IS IS IS IS IS IS IS IS IS IS IS IS		ten: 30 dB	#Avg Typ	Sweep	TF Mkr1 -1	50.00 ms .34 dBm
aB/div Ref 20.00 dBr	PNO: IFGain IB m Interpreter and the second second Interpreter and the second s	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms .34 dBm
IB/div Ref 20.00 dBr Image: State of the state	PNO: IFGain IB m Interpreter and the second second Interpreter and the second s	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms .34 dBm
IB/div Ref 20.00 dBr Image: State of the state	PNO: IFGain IB m Interpreter and the second second Interpreter and the second s	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms .34 dBm
IB/div Ref 20.00 dBr Image: State of the state	PNO: IFGain IB m Interpreter and the second second Interpreter and the second s	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms .34 dBm
IB/div Ref 20.00 dBr Image: State of the state	PNO: IFGain IB m Interpreter and the second second Interpreter and the second s	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms .34 dBm
IB/div Ref 20.00 dBr Image: State of the state	PNO: IFGain IB m Interpreter and the second second Interpreter and the second s	Low #Att	In the second se		Sweep	TF Mkr1 -1	50.00 ms .34 dBm



14. Antenna Requirement

14.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

14.2 Test Result


The EUT antenna is Internal antenna, fulfill the requirement of this section.

Page: 87 of 92



15. EUT Photographs

EUT Photo 1



EUT Photo 2




Page: 88 of 92



EUT Photo 3



EUT Photo 4






16. EUT Test Setup Photographs

Conducted Emissions Photo



Radiated Measurement Photos







Page: 91 of 92



STATEMENT

1. The equipment lists are traceable to the national reference standards.

2. The test report can not be partially copied unless prior written approval is issued from our lab.

3. The test report is invalid without the "special seal for inspection and testing".

4. The test report is invalid without the signature of the approver.

5. The test process and test result is only related to the Unit Under Test.

6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.

7. The quality system of our laboratory is in accordance with ISO/IEC17025.

8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: http://www.chnbctc.com

E-Mail: bctc@bctc-lab.com.cn

***** END ****

No.: BCTC/RF-EMC-005

Page: 92 of 92

Edition: B.1