






















11BE20MIMO_Ant1_5745_52Tone+26Tone_RU37+RU2





Date: 16.OCT.2022 21:22:24


11BE20MIMO_Ant1_5745_106Tone+26Tone_RU53+RU4



Date: 16.OCT.2022 21:24:08









Power spectral density for Large RU

Test Result


Test Mode	Antenna	Freq(MHz)	Large RU	configure	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5210	484Tone+242Tone	④	-3.05	≤11.00	PASS
	Ant2	5210	484Tone+242Tone	④	-1.78	≤11.00	PASS
	total	5210	484Tone+242Tone	④	0.64	≤11.00	PASS
	Ant1	5290	484Tone+242Tone	②	-5.04	≤11.00	PASS
	Ant2	5290	484Tone+242Tone	②	-3.48	≤11.00	PASS
	total	5290	484Tone+242Tone	②	-1.18	≤11.00	PASS
	Ant1	5530	484Tone+242Tone	④	-2.73	≤11.00	PASS
	Ant2	5530	484Tone+242Tone	④	-0.33	≤11.00	PASS
	total	5530	484Tone+242Tone	④	1.64	≤11.00	PASS
	Ant1	5775	484Tone+242Tone	④	-5.51	≤30.00	PASS
	Ant2	5775	484Tone+242Tone	④	-4.07	≤30.00	PASS
	total	5775	484Tone+242Tone	④	-1.72	≤30.00	PASS
11BE160MIMO	Ant1	5250	996Tone+484Tone	③	-8.08	≤11.00	PASS
			996Tone+996Tone	⑨	-8.91	≤11.00	PASS
	Ant2	5250	996Tone+484Tone	③	-7.12	≤11.00	PASS
			996Tone+996Tone	⑨	-7.22	≤11.00	PASS
	total	5250	996Tone+484Tone	③	-4.56	≤11.00	PASS
			996Tone+996Tone	⑨	-4.97	≤11.00	PASS
	Ant1	5570	996Tone+484Tone	③	-6.62	≤11.00	PASS
			996Tone+996Tone	⑨	-8.39	≤11.00	PASS
	Ant2	5570	996Tone+484Tone	③	-4.17	≤11.00	PASS
			996Tone+996Tone	⑨	-6.38	≤11.00	PASS
	total	5570	996Tone+484Tone	③	-2.21	≤11.00	PASS
			996Tone+996Tone	⑨	-4.26	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs

















11BE160MIMO_Ant1_5570_996Tone+484Tone_3




Date: 12.OCT.2022 07:36:32

11BE160MIMO_Ant1_5570_996Tone+996Tone_9



Date: 31.OCT.2022 22:35:50





Power spectral density for Puncturing Mode

Test Result


Test Mode	Antenna	Freq(MHz)	Puncturing	Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5210	Puncturing 20M	③	-3.53	≤11.00	PASS
	Ant2	5210	Puncturing 20M	③	-2.16	≤11.00	PASS
	total	5210	Puncturing 20M	③	0.22	≤11.00	PASS
	Ant1	5290	Puncturing 20M	②	-4.8	≤11.00	PASS
	Ant2	5290	Puncturing 20M	②	-3.29	≤11.00	PASS
	total	5290	Puncturing 20M	②	-0.97	≤11.00	PASS
	Ant1	5530	Puncturing 20M	③	-4.16	≤11.00	PASS
	Ant2	5530	Puncturing 20M	③	-2.29	≤11.00	PASS
	total	5530	Puncturing 20M	③	-0.12	≤11.00	PASS
	Ant1	5775	Puncturing 20M	③	-5.71	≤30.00	PASS
	Ant2	5775	Puncturing 20M	③	-4.34	≤30.00	PASS
	total	5775	Puncturing 20M	③	-1.96	≤30.00	PASS
11BE160MIMO	Ant1	5250	Puncturing 20M	①	-8.61	≤11.00	PASS
			Puncturing 40M	②	-8.36	≤11.00	PASS
				③	-7.84	≤11.00	PASS
			Puncturing 20M	⑧	-6.25	≤11.00	PASS
	Ant2	5250	Puncturing 20M	①	-6.72	≤11.00	PASS
			Puncturing 40M	②	-6.45	≤11.00	PASS
				③	-6.14	≤11.00	PASS
			Puncturing 20M	⑧	-4.7	≤11.00	PASS
	total	5250	Puncturing 20M	①	-4.55	≤11.00	PASS
			Puncturing 40M	②	-4.29	≤11.00	PASS
				③	-3.9	≤11.00	PASS
			Puncturing 20M	⑧	-2.40	≤11.00	PASS
	Ant1	5570	Puncturing 40M	③	-8.06	≤11.00	PASS
			Puncturing 20M	⑧	-7.78	≤11.00	PASS
	Ant2	5570	Puncturing 40M	③	-5.83	≤11.00	PASS
			Puncturing 20M	⑧	-5.59	≤11.00	PASS
	total	5570	Puncturing 40M	③	-3.79	≤11.00	PASS
			Puncturing 20M	⑧	-3.54	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs












11BE160MIMO_Ant1_5250_Puncturing 20M_1



Date: 28.OCT.2022 22:01:00

11BE160MIMO_Ant1_5250_Puncturing 40M_2



Date: 28.OCT.2022 22:09:23



11BE160MIMO_Ant1_5250_Puncturing 40M_3



Date: 28.OCT.2022 22:33:41


11BE160MIMO_Ant1_5250_Puncturing 20M_8




Date: 12.OCT.2022 09:43:35



11BE160MIMO_Ant2_5250_Puncturing 20M_1




11BE160MIMO_Ant2_5250_Puncturing 40M_2






11BE160MIMO_Ant2_5250_Puncturing 40M_3



11BE160MIMO_Ant2_5250_Puncturing 20M_8





11BE160MIMO_Ant1_5570_Puncturing 40M_3



Date: 28.OCT.2022 22:22:05


11BE160MIMO_Ant1_5570_Puncturing 20M_8




Date: 28.OCT.2022 22:17:56



11BE160MIMO_Ant2_5570_Puncturing 40M_3




11BE160MIMO_Ant2_5570_Puncturing 20M_8






Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.157	51.96	-13.64	65.60	41.50	0.03	10.43	QP
2	0.157	32.26	-33.34	65.60	21.80	0.03	10.43	Average
3	0.247	40.88	-20.98	61.86	30.50	0.00	10.38	QP
4	0.247	25.68	-36.28	61.86	15.20	0.00	10.38	Average
5	1.060	40.49	-15.51	56.00	30.50	-0.11	10.10	QP
6	1.060	26.89	-29.11	56.00	16.90	-0.11	10.10	Average
7	1.172	40.18	-15.82	56.00	30.19	-0.11	10.10	QP
8	1.172	29.28	-26.72	56.00	19.29	-0.11	10.10	Average
9	1.374	39.17	-16.83	56.00	29.19	-0.11	10.09	QP
10	1.374	27.47	-28.53	56.00	17.49	-0.11	10.09	Average
11	1.645	38.76	-17.24	56.00	28.81	-0.12	10.07	QP
12	1.645	28.26	-27.74	56.00	18.31	-0.12	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Relative Humidity :	22~23℃
		Temperature :	41~42 %



<U-NII-1, 2A, 2C>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1+2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 1+2	802.11a	40	5200	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 1+2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	44	5220	MCS0	Full RU	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT40	38	5190	MCS0	Full RU	-
Mode 20	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT40	46	5230	MCS0	Full RU	-
Mode 21	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT40	54	5270	MCS0	Full RU	-
Mode 22	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT40	62	5310	MCS0	Full RU	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT40	102	5510	MCS0	Full RU	-
Mode 24	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT40	110	5550	MCS0	Full RU	-
Mode 25	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT40	134	5670	MCS0	Full RU	-
Mode 26	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT80	42	5210	MCS0	Full RU	-
Mode 27	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT80	58	5290	MCS0	Full RU	-
Mode 28	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	106	5530	MCS0	Full RU	-
Mode 29	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	122	5610	MCS0	Full RU	-
Mode 30	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Full RU	-
Mode 31	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	Full RU	-
Mode 41	U-NII-2C-3	5.47-5.85	CDD 1+2	802.11a	144	5720	6Mbps	-	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 42	U-NII-2C-3	5.47-5.85	CDD 1+2	802.11be EHT20	144	5720	MCS0	Full RU	-
Mode 43	U-NII-2C-3	5.47-5.85	CDD 1+2	802.11be EHT40	142	5710	MCS0	Full RU	-
Mode 44	U-NII-2C-3	5.47-5.85	CDD 1+2	802.11be EHT80	138	5690	MCS0	Full RU	-
Mode 45	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	36	5180	MCS0	Single RU	26/0
Mode 46	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	64	5320	MCS0	Single RU	26/8
Mode 47	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	100	5500	MCS0	Single RU	106/53
Mode 48	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	140	5700	MCS0	Single RU	106/54
Mode 51	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT20	36	5180	MCS0	Small RU	Index 37+2
Mode 52	U-NII-1	5.25-5.35	CDD 1+2	802.11be EHT20	64	5320	MCS0	Small RU	Index 40+6
Mode 53	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	100	5500	MCS0	Small RU	Index 53+4
Mode 54	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT20	140	5700	MCS0	Small RU	Index 54+4



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 57	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT80	42	5210	MCS0	Puncturing 20M	③
Mode 58	U-NII-2A	5.15-5.25	CDD 1+2	802.11be EHT80	58	5290	MCS0	Puncturing 20M	②
Mode 59	U-NII-2C	5.15-5.25	CDD 1+2	802.11be EHT80	106	5530	MCS0	Puncturing 20M	③
Mode 60	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Puncturing 40M	②
Mode 61	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Puncturing 40M	③
Mode 62	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	Puncturing 40M	③
Mode 63	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Puncturing 20M	①
Mode 64	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Puncturing 20M	⑧
Mode 65	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	Puncturing 20M	⑧



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-1	5.15-5.25	CDD 1+2	802.11be EHT80	42	5210	MCS0	Large RU 484+242	④
Mode 68	U-NII-2A	5.25-5.35	CDD 1+2	802.11be EHT80	58	5290	MCS0	Large RU 484+242	②
Mode 69	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT80	106	5530	MCS0	Large RU 484+242	④
Mode 70	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Large RU 996+484	③
Mode 71	U-NII-2A	5.15-5.35	CDD 1+2	802.11be EHT160	50	5250	MCS0	Large RU 996*2	⑨
Mode 72	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	Large RU 996+484	③
Mode 73	U-NII-2C	5.47-5.725	CDD 1+2	802.11be EHT160	114	5570	MCS0	Large RU 996*2	⑨



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 75	LTE B48	-	-	-	-	-	-	-	-
	U-NII-1	5.15-5.25	CDD 1+2	802.11a	36	5180	6Mbps	-	-
	-	2400-2483.5	18	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
Mode 76	LTE B48	-	-	-	-	-	-	-	-
	U-NII-1	5.15-5.25	CDD 1+2	802.11a	36	5180	6Mbps	-	-
	-	2400-2483.5	CDD 1+2	802.11g	01	2412	6Mbps	-	-
Mode 77	U-NII-1	5.15-5.25	CDD 1+2	802.11a	36	5180	6Mbps		LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
2	802.11a	40	10400.00	45.07	68.30	-23.23	V	PEAK	Pass	Harmonic
3	802.11a	48	10480.00	46.33	68.30	-21.97	V	PEAK	Pass	Harmonic
4	802.11a	52	10520.00	45.38	68.30	-22.92	H	PEAK	Pass	Harmonic
5	802.11a	60	10600	44.97	74	-29.03	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.48	47.38	54.00	-6.62	H	AVERAGE	Pass	Band Edge
7	802.11a	100	5460.00	45.74	54.00	-8.26	H	AVERAGE	Pass	Band Edge
8	802.11a	116	11160.00	33.75	54.00	-20.25	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5726.93	62.11	68.30	-6.19	H	PEAK	Pass	Band Edge
10	802.11be EHT20	36	5149.94	50.05	54.00	-3.95	V	AVERAGE	Pass	Band Edge
11	802.11be EHT20	44	10440.00	45.53	68.30	-22.77	V	PEAK	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11be EHT20	48	10480.00	46.06	68.30	-22.24	V	PEAK	Pass	Harmonic
13	802.11be EHT20	52	10520.00	45.08	68.30	-23.22	V	PEAK	Pass	Harmonic
14	802.11be EHT20	60	10600	45.39	74	-28.61	H	PEAK	Pass	Harmonic
15	802.11be EHT20	64	5350.01	46.68	54.00	-7.32	H	AVERAGE	Pass	Band Edge
16	802.11be EHT20	100	5459.92	46.48	54.00	-7.52	H	AVERAGE	Pass	Band Edge
17	802.11be EHT20	116	11160.00	46.02	74.00	-27.98	V	PEAK	Pass	Harmonic
18	802.11be EHT20	140	5733.25	58.14	68.30	-10.16	H	PEAK	Pass	Band Edge
19	802.11be EHT40	38	5149.45	47.49	54.00	-6.51	H	AVERAGE	Pass	Band Edge
20	802.11be EHT40	46	10460.00	46.13	68.30	-22.17	H	PEAK	Pass	Harmonic
21	802.11be EHT40	54	10540.00	45.41	68.30	-22.89	H	PEAK	Pass	Harmonic
22	802.11be EHT40	62	5351.22	47.71	54.00	-6.29	H	AVERAGE	Pass	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11be EHT40	102	5459.88	49.13	54.00	-4.87	H	AVERAGE	Pass	Band Edge
24	802.11be EHT40	110	11100.00	46.46	74.00	-27.54	H	PEAK	Pass	Harmonic
25	802.11be EHT40	134	5725.19	59.88	68.30	-8.42	H	PEAK	Pass	Band Edge
26	802.11be EHT80	42	5115.98	48.16	54.00	-5.84	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	5373.14	50.65	54.00	-3.35	H	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	5452.32	49.29	54.00	-4.71	H	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	5457.26	45.19	54.00	-8.81	V	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	5430.70	49.37	54.00	-4.63	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	5468.70	63.44	68.30	-4.86	V	PEAK	Pass	Band Edge
41	802.11a	144	11440.00	45.57	74.00	-28.43	H	PEAK	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
42	802.11be EHT20	144	11440.00	46.46	74.00	-27.54	V	PEAK	Pass	Harmonic
43	802.11be EHT40	142	11420.00	45.99	74.00	-28.01	V	PEAK	Pass	Harmonic
44	802.11be EHT80	138	11380.00	45.89	74.00	-28.11	V	PEAK	Pass	Harmonic
45	802.11be EHT20	36	5102.83	46.27	54.00	-7.73	V	AVERAGE	Pass	Band Edge
46	802.11be EHT20	64	5459.52	44.69	54.00	-9.31	H	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	5459.38	44.72	54.00	-9.28	V	AVERAGE	Pass	Band Edge
48	802.11be EHT20	140	5735.14	57.37	68.30	-10.93	H	PEAK	Pass	Band Edge
51	802.11be EHT20	36	5100	46.97	54	-7.03	H	Average	Pass	Band Edge
52	802.11be EHT20	64	5350.20	45.56	54.00	-8.44	H	Average	Pass	Band Edge
53	802.11be EHT20	100	5458.64	45.54	54.00	-8.46	H	Average	Pass	Band Edge
54	802.11be EHT20	140	5725.56	55.76	68.30	-12.54	H	Peak	Pass	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11be EHT80	42	5132.38	50.85	54.00	-3.15	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	5353.49	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
59	802.11be EHT80	106	5451.26	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
60	802.11be EHT160	50	5392.45	50.47	54.00	-3.53	H	AVERAGE	Pass	Band Edge
61	802.11be EHT160	50	5091.12	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge
62	802.11be EHT160	114	5742.09	64.42	68.30	-3.88	H	PEAK	Pass	Band Edge
63	802.11be EHT160	50	5352.12	50.09	54.00	-3.91	H	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	5352.16	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
65	802.11be EHT160	114	5450.88	49.58	54.00	-4.42	H	AVERAGE	Pass	Band Edge



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
67	802.11be EHT80	42	5150	50.99	54.00	-3.01	H	Average	Pass	Band Edge
68	802.11be EHT80	58	5372.40	49.59	54.00	-4.41	H	Average	Pass	Band Edge
69	802.11be EHT80	106	5453.84	46.54	54.00	-7.46	H	Average	Pass	Band Edge
70	802.11be EHT160	50	5111.84	50.61	54.00	-3.39	H	Average	Pass	Band Edge
71	802.11be EHT160	50	5133.76	50.34	54.00	-3.66	H	Average	Pass	Band Edge
72	802.11be EHT160	114	5448.72	50.66	54.00	-3.34	H	Average	Pass	Band Edge
73	802.11be EHT160	114	5728.36	64.83	68.30	-3.47	H	Peak	Pass	Band Edge







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
75	LTE B48	-	-	-	-	-	-	-	-	-
	802.11a	36	5149.97	47.68	54.00	-6.32	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	2486.44	46.37	54.00	-7.63	V	AVERAGE	Pass	Band Edge
76	LTE B48	-	-	-	-	-	-	-	-	-
	802.11a	36	5149.99	48.80	54.00	-5.20	H	AVERAGE	Pass	Band Edge
	802.11g	01	2389.95	49.26	54.00	-4.74	H	AVERAGE	Pass	Band Edge
77	802.11a	36	48.43	31.50	40.00	-8.50	V	Peak	Pass	LF





		1																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT		CDD 1+2																																																																																																														
Pol.		Horizontal						Fundamental																																																																																																								
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.37</td><td>59.54</td><td>74.00</td><td>-14.46</td><td>43.78</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.37	59.54	74.00	-14.46	43.78	34.45	10.62	29.31	0.00	100	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.33</td><td>-----</td><td>-----</td><td>94.62</td><td>34.42</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.33	-----	-----	94.62	34.42	10.63	29.34	0.00	100	119	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5145.37	59.54	74.00	-14.46	43.78	34.45	10.62	29.31	0.00	100	119	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5180.00	110.33	-----	-----	94.62	34.42	10.63	29.34	0.00	100	119	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.99</td><td>54.00</td><td>-3.01</td><td>35.23</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.99	54.00	-3.01	35.23	34.45	10.62	29.31	0.00	100	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.72</td><td>-----</td><td>-----</td><td>87.01</td><td>34.42</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.72	-----	-----	87.01	34.42	10.63	29.34	0.00	100	119
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5150.00	50.99	54.00	-3.01	35.23	34.45	10.62	29.31	0.00	100	119	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5180.00	102.72	-----	-----	87.01	34.42	10.63	29.34	0.00	100	119	AVERAGE																																																																																																				




Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.52</td><td>58.92</td><td>74.00</td><td>-15.08</td><td>43.16</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>300</td><td>68</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	58.92	74.00	-15.08	43.16	34.45	10.62	29.31	0.00	300	68
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.52	58.92	74.00	-15.08	43.16	34.45	10.62	29.31	0.00	300	68	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.18</td><td>-----</td><td>-----</td><td>92.47</td><td>34.42</td><td>10.63</td><td>29.34</td><td>0.00</td><td>300</td><td>68</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.18	-----	-----	92.47	34.42	10.63	29.34	0.00	300	68
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	108.18	-----	-----	92.47	34.42	10.63	29.34	0.00	300	68	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.91</td><td>48.03</td><td>54.00</td><td>-5.97</td><td>32.27</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>300</td><td>68</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.91	48.03	54.00	-5.97	32.27	34.45	10.62	29.31	0.00	300	68
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.91	48.03	54.00	-5.97	32.27	34.45	10.62	29.31	0.00	300	68	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.74</td><td>-----</td><td>-----</td><td>85.05</td><td>34.41</td><td>10.63</td><td>29.35</td><td>0.00</td><td>300</td><td>68</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.74	-----	-----	85.05	34.41	10.63	29.35	0.00	300	68
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	100.74	-----	-----	85.05	34.41	10.63	29.35	0.00	300	68	AVERAGE																																											




Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>45.81</td><td>68.30</td><td>-22.49</td><td>59.39</td><td>37.35</td><td>15.55</td><td>66.48</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	45.81	68.30	-22.49	59.39	37.35	15.55	66.48	0.00	300	0	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>44.95</td><td>68.30</td><td>-23.35</td><td>58.53</td><td>37.35</td><td>15.55</td><td>66.48</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	44.95	68.30	-23.35	58.53	37.35	15.55	66.48	0.00	100	0	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 10360.00	45.81	68.30	-22.49	59.39	37.35	15.55	66.48	0.00	300	0	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 10360.00	44.95	68.30	-23.35	58.53	37.35	15.55	66.48	0.00	100	0	PEAK																																																																																															





		2																																																				
Mode		Harmonic																																																				
		U-NII-1_5.15-5.25_802.11a_CH40_5200MHz																																																				
ANT		CDD 1+2																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>44.93</td><td>68.30</td><td>-23.37</td><td>58.40</td><td>37.38</td><td>15.58</td><td>66.43</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	44.93	68.30	-23.37	58.40	37.38	15.58	66.43	0.00	300	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10400.00	44.93	68.30	-23.37	58.40	37.38	15.58	66.43	0.00	300	0 PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.07</td><td>68.30</td><td>-23.23</td><td>58.54</td><td>37.38</td><td>15.58</td><td>66.43</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.07	68.30	-23.23	58.54	37.38	15.58	66.43	0.00	100	0 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10400.00	45.07	68.30	-23.23	58.54	37.38	15.58	66.43	0.00	100	0 PEAK																																											





		3																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																									
ANT		CDD 1+2																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>45.25</td><td>68.30</td><td>-23.05</td><td>58.53</td><td>37.44</td><td>15.62</td><td>66.34</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	45.25	68.30	-23.05	58.53	37.44	15.62	66.34	0.00	300	0 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10480.00	45.25	68.30	-23.05	58.53	37.44	15.62	66.34	0.00	300	0 PEAK																																																
<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>46.33</td><td>68.30</td><td>-21.97</td><td>59.61</td><td>37.44</td><td>15.62</td><td>66.34</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	46.33	68.30	-21.97	59.61	37.44	15.62	66.34	0.00	100	0 PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10480.00	46.33	68.30	-21.97	59.61	37.44	15.62	66.34	0.00	100	0 PEAK																																																







Mode	4																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>45.38</td><td>68.30</td><td>-22.92</td><td>58.57</td><td>37.46</td><td>15.64</td><td>66.29</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10520.00	45.38	68.30	-22.92	58.57	37.46	15.64	66.29	0.00	300	0 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>45.34</td><td>68.30</td><td>-22.96</td><td>58.53</td><td>37.46</td><td>15.64</td><td>66.29</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10520.00	45.34	68.30	-22.96	58.53	37.46	15.64	66.29	0.00	100	0 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10520.00	45.38	68.30	-22.92	58.57	37.46	15.64	66.29	0.00	300	0 PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10520.00	45.34	68.30	-22.96	58.53	37.46	15.64	66.29	0.00	100	0 PEAK																																																																																														







Mode	5																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																					
ANT	CDD 1+2																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>57.64</td><td>37.52</td><td>15.68</td><td>66.20</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.64	74.00	-29.36	57.64	37.52	15.68	66.20	0.00	300	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>57.97</td><td>37.52</td><td>15.68</td><td>66.20</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.97	74.00	-29.03	57.97	37.52	15.68	66.20	0.00	100	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10600.00	44.64	74.00	-29.36	57.64	37.52	15.68	66.20	0.00	300	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10600.00	44.97	74.00	-29.03	57.97	37.52	15.68	66.20	0.00	100	0 PEAK																																																																																											





Mode	6																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																															
ANT	CDD 1+2																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5351.30</td><td>57.69</td><td>74.00</td><td>-16.31</td><td>41.98</td><td>34.40</td><td>10.83</td><td>29.52</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>115 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.30	57.69	74.00	-16.31	41.98	34.40	10.83	29.52								0.00	100								cm	deg									115 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5320.00</td><td>110.26</td><td>-----</td><td>-----</td><td>94.56</td><td>34.40</td><td>10.80</td><td>29.50</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>115 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	110.26	-----	-----	94.56	34.40	10.80	29.50								0.00	100								cm	deg									115 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5351.30	57.69	74.00	-16.31	41.98	34.40	10.83	29.52																																																																																																																								
							0.00	100																																																																																																																								
							cm	deg																																																																																																																								
								115 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5320.00	110.26	-----	-----	94.56	34.40	10.80	29.50																																																																																																																								
							0.00	100																																																																																																																								
							cm	deg																																																																																																																								
								115 PEAK																																																																																																																								
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.48</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>31.67</td><td>34.40</td><td>10.83</td><td>29.52</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>115 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.48	47.38	54.00	-6.62	31.67	34.40	10.83	29.52								0.00	100								cm	deg									115 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5320.00</td><td>102.44</td><td>-----</td><td>-----</td><td>86.74</td><td>34.40</td><td>10.79</td><td>29.49</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>115 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.44	-----	-----	86.74	34.40	10.79	29.49								0.00	100								cm	deg									115 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5350.48	47.38	54.00	-6.62	31.67	34.40	10.83	29.52																																																																																																																								
							0.00	100																																																																																																																								
							cm	deg																																																																																																																								
								115 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5320.00	102.44	-----	-----	86.74	34.40	10.79	29.49																																																																																																																								
							0.00	100																																																																																																																								
							cm	deg																																																																																																																								
								115 AVERAGE																																																																																																																								







Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.19</td><td>56.31</td><td>74.00</td><td>-17.69</td><td>40.51</td><td>34.45</td><td>10.96</td><td>29.61</td><td>0.00</td><td>325</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.19	56.31	74.00	-17.69	40.51	34.45	10.96	29.61	0.00	325	63	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.74</td><td>-----</td><td>-----</td><td>94.03</td><td>34.40</td><td>10.80</td><td>29.49</td><td>0.00</td><td>325</td><td>63</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.74	-----	-----	94.03	34.40	10.80	29.49	0.00	325	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5446.19	56.31	74.00	-17.69	40.51	34.45	10.96	29.61	0.00	325	63	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	109.74	-----	-----	94.03	34.40	10.80	29.49	0.00	325	63	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.39</td><td>45.78</td><td>54.00</td><td>-8.22</td><td>30.07</td><td>34.40</td><td>10.83</td><td>29.52</td><td>0.00</td><td>325</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.39	45.78	54.00	-8.22	30.07	34.40	10.83	29.52	0.00	325	63	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.98</td><td>-----</td><td>-----</td><td>85.27</td><td>34.40</td><td>10.80</td><td>29.49</td><td>0.00</td><td>325</td><td>63</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.98	-----	-----	85.27	34.40	10.80	29.49	0.00	325	63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5351.39	45.78	54.00	-8.22	30.07	34.40	10.83	29.52	0.00	325	63	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	100.98	-----	-----	85.27	34.40	10.80	29.49	0.00	325	63	AVERAGE																																																																																																			



Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10640.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>58.07</td><td>37.55</td><td>15.71</td><td>66.15</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	45.18	74.00	-28.82	58.07	37.55	15.71	66.15	0.00	100	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10640.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>57.56</td><td>37.55</td><td>15.71</td><td>66.15</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	44.67	74.00	-29.33	57.56	37.55	15.71	66.15	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10640.00	45.18	74.00	-28.82	58.07	37.55	15.71	66.15	0.00	100	360	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10640.00	44.67	74.00	-29.33	57.56	37.55	15.71	66.15	0.00	100	0	PEAK																																																																																						




Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.82</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>41.20</td><td>34.46</td><td>10.98</td><td>29.62</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>56.93</td><td>68.30</td><td>-11.37</td><td>41.10</td><td>34.47</td><td>10.99</td><td>29.63</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.82	57.02	74.00	-16.98	41.20	34.46	10.98	29.62	0.00	100	110	PEAK	2	5469.52	56.93	68.30	-11.37	41.10	34.47	10.99	29.63	0.00	100	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.12</td><td>-----</td><td>-----</td><td>94.24</td><td>34.49</td><td>11.05</td><td>29.66</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.12	-----	-----	94.24	34.49	11.05	29.66	0.00	100	110	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.82	57.02	74.00	-16.98	41.20	34.46	10.98	29.62	0.00	100	110	PEAK																																																																																																					
2	5469.52	56.93	68.30	-11.37	41.10	34.47	10.99	29.63	0.00	100	110	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	110.12	-----	-----	94.24	34.49	11.05	29.66	0.00	100	110	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>29.92</td><td>34.46</td><td>10.98</td><td>29.62</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	45.74	54.00	-8.26	29.92	34.46	10.98	29.62	0.00	100	110	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.37</td><td>-----</td><td>-----</td><td>85.48</td><td>34.50</td><td>11.04</td><td>29.65</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.37	-----	-----	85.48	34.50	11.04	29.65	0.00	100	110	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5460.00	45.74	54.00	-8.26	29.92	34.46	10.98	29.62	0.00	100	110	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	101.37	-----	-----	85.48	34.50	11.04	29.65	0.00	100	110	AVERAGE																																																																																																					





		7																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																	
ANT		CDD 1+2																																																																																																	
Pol.		Fundamental																																																																																																	
Peak	Vertical																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.73</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>40.47</td><td>34.45</td><td>10.96</td><td>29.61</td><td>0.00</td><td>321</td><td>59 PEAK</td></tr><tr><td>2</td><td>5461.53</td><td>55.48</td><td>68.30</td><td>-12.82</td><td>39.66</td><td>34.46</td><td>10.98</td><td>29.62</td><td>0.00</td><td>321</td><td>59 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.73	56.27	74.00	-17.73	40.47	34.45	10.96	29.61	0.00	321	59 PEAK	2	5461.53	55.48	68.30	-12.82	39.66	34.46	10.98	29.62	0.00	321	59 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.58</td><td>-----</td><td>-----</td><td>91.70</td><td>34.49</td><td>11.05</td><td>29.66</td><td>0.00</td><td>321</td><td>59 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.58	-----	-----	91.70	34.49	11.05	29.66	0.00	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5448.73	56.27	74.00	-17.73	40.47	34.45	10.96	29.61	0.00	321	59 PEAK																																																																																								
2	5461.53	55.48	68.30	-12.82	39.66	34.46	10.98	29.62	0.00	321	59 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	107.58	-----	-----	91.70	34.49	11.05	29.66	0.00	321	59 PEAK																																																																																								
Avg	Vertical																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.51</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>29.33</td><td>34.46</td><td>10.98</td><td>29.62</td><td>0.00</td><td>321</td><td>59 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.51	45.15	54.00	-8.85	29.33	34.46	10.98	29.62	0.00	321	59 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.46</td><td>-----</td><td>-----</td><td>83.57</td><td>34.50</td><td>11.04</td><td>29.65</td><td>0.00</td><td>321</td><td>59 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.46	-----	-----	83.57	34.50	11.04	29.65	0.00	321	59 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5457.51	45.15	54.00	-8.85	29.33	34.46	10.98	29.62	0.00	321	59 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5500.00	99.46	-----	-----	83.57	34.50	11.04	29.65	0.00	321	59 AVERAGE																																																																																								



		7																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																								
ANT		CDD 1+2																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>57.64</td><td>37.80</td><td>15.90</td><td>65.73</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	45.61	74.00	-28.39	57.64	37.80	15.90	65.73	0.00	100	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11000.00	45.61	74.00	-28.39	57.64	37.80	15.90	65.73	0.00	100	360	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>57.50</td><td>37.80</td><td>15.90</td><td>65.73</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	45.47	74.00	-28.53	57.50	37.80	15.90	65.73	0.00	100	0	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11000.00	45.47	74.00	-28.53	57.50	37.80	15.90	65.73	0.00	100	0	PEAK																																														






Mode	8																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>57.43</td><td>37.94</td><td>15.98</td><td>65.64</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	45.71	74.00	-28.29	57.43	37.94	15.98	65.64	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>58.28</td><td>37.94</td><td>15.98</td><td>65.64</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 11160.00	46.56	74.00	-27.44	58.28	37.94	15.98	65.64	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 11160.00	45.71	74.00	-28.29	57.43	37.94	15.98	65.64	0.00	100	360	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																										
1 11160.00	46.56	74.00	-27.44	58.28	37.94	15.98	65.64	0.00	100	0	PEAK																																																																																										





Mode	9																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a peak at 5726.93 MHz. A red line indicates the 5G BAND 1-3 limit at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5726.93</td><td>62.11</td><td>68.30</td><td>-6.19</td><td>46.01</td><td>34.58</td><td>11.31</td><td>29.79</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>116 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.93	62.11	68.30	-6.19	46.01	34.58	11.31	29.79								0.00	100									116 PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a peak at 5700.00 MHz. A red line indicates the 5G BAND 1-3 limit at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.50</td><td>-----</td><td>-----</td><td>93.51</td><td>34.51</td><td>11.28</td><td>29.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>116 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	109.50	-----	-----	93.51	34.51	11.28	29.80								0.00	100									116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5726.93	62.11	68.30	-6.19	46.01	34.58	11.31	29.79																																																																																																						
							0.00	100																																																																																																						
								116 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5700.00	109.50	-----	-----	93.51	34.51	11.28	29.80																																																																																																						
							0.00	100																																																																																																						
								116 PEAK																																																																																																						
Avg	Blank	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a peak at 5700.00 MHz. A red line indicates the 5G BAND 1-3 (AVG) limit at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.90</td><td>-----</td><td>-----</td><td>85.92</td><td>34.50</td><td>11.28</td><td>29.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>116 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.90	-----	-----	85.92	34.50	11.28	29.80								0.00	100									116 AVERAGE																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5700.00	101.90	-----	-----	85.92	34.50	11.28	29.80																																																																																																						
							0.00	100																																																																																																						
								116 AVERAGE																																																																																																						







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.46</td><td>58.46</td><td>68.30</td><td>-9.84</td><td>42.23</td><td>34.67</td><td>11.34</td><td>29.78</td><td>0.00</td><td>351</td><td>63 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.46	58.46	68.30	-9.84	42.23	34.67	11.34	29.78	0.00	351	63 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.18</td><td>-----</td><td>-----</td><td>90.22</td><td>34.49</td><td>11.27</td><td>29.80</td><td>0.00</td><td>351</td><td>63 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.18	-----	-----	90.22	34.49	11.27	29.80	0.00	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5755.46	58.46	68.30	-9.84	42.23	34.67	11.34	29.78	0.00	351	63 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	106.18	-----	-----	90.22	34.49	11.27	29.80	0.00	351	63 PEAK																																																																																									
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.28</td><td>-----</td><td>-----</td><td>82.32</td><td>34.49</td><td>11.27</td><td>29.80</td><td>0.00</td><td>351</td><td>63 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	98.28	-----	-----	82.32	34.49	11.27	29.80	0.00	351	63 AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	98.28	-----	-----	82.32	34.49	11.27	29.80	0.00	351	63 AVERAGE																																																																																									



Mode	9																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	CDD 1+2																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>57.00</td><td>38.16</td><td>16.10</td><td>65.51</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.75	74.00	-28.25	57.00	38.16	16.10	65.51	0.00	100	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>57.44</td><td>38.16</td><td>16.10</td><td>65.51</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	46.19	74.00	-27.81	57.44	38.16	16.10	65.51	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11400.00	45.75	74.00	-28.25	57.00	38.16	16.10	65.51	0.00	100	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11400.00	46.19	74.00	-27.81	57.44	38.16	16.10	65.51	0.00	100	0	PEAK																																																																																											





Mode	10																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.03</td><td>59.95</td><td>74.00</td><td>-14.05</td><td>44.19</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.03	59.95	74.00	-14.05	44.19	34.45	10.62	29.31	0.00	100	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.03	59.95	74.00	-14.05	44.19	34.45	10.62	29.31	0.00	100	110	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.07</td><td>-----</td><td>-----</td><td>93.38</td><td>34.41</td><td>10.63</td><td>29.35</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.07	-----	-----	93.38	34.41	10.63	29.35	0.00	100	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	109.07	-----	-----	93.38	34.41	10.63	29.35	0.00	100	110	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.61</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>32.78</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.61	48.54	54.00	-5.46	32.78	34.45	10.62	29.31	0.00	100	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5145.61	48.54	54.00	-5.46	32.78	34.45	10.62	29.31	0.00	100	110	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.39</td><td>-----</td><td>-----</td><td>84.68</td><td>34.42</td><td>10.63</td><td>29.34</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.39	-----	-----	84.68	34.42	10.63	29.34	0.00	100	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	100.39	-----	-----	84.68	34.42	10.63	29.34	0.00	100	110	AVERAGE																																											





Mode	10																																																							
	Band Edge																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.62</td><td>61.35</td><td>74.00</td><td>-12.65</td><td>45.59</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>364</td><td>61 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.62	61.35	74.00	-12.65	45.59	34.45	10.62	29.31	0.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5148.62	61.35	74.00	-12.65	45.59	34.45	10.62	29.31	0.00	364	61 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.55</td><td>-----</td><td>-----</td><td>90.82</td><td>34.43</td><td>10.63</td><td>29.33</td><td>0.00</td><td>364</td><td>61 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	106.55	-----	-----	90.82	34.43	10.63	29.33	0.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	106.55	-----	-----	90.82	34.43	10.63	29.33	0.00	364	61 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>50.05</td><td>54.00</td><td>-3.95</td><td>34.29</td><td>34.45</td><td>10.62</td><td>29.31</td><td>0.00</td><td>364</td><td>61 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.94	50.05	54.00	-3.95	34.29	34.45	10.62	29.31	0.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5149.94	50.05	54.00	-3.95	34.29	34.45	10.62	29.31	0.00	364	61 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.37</td><td>-----</td><td>-----</td><td>83.64</td><td>34.43</td><td>10.63</td><td>29.33</td><td>0.00</td><td>364</td><td>61 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	99.37	-----	-----	83.64	34.43	10.63	29.33	0.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	99.37	-----	-----	83.64	34.43	10.63	29.33	0.00	364	61 AVERAGE																																													




Mode	10																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.44</td><td>68.30</td><td>-23.86</td><td>58.02</td><td>37.35</td><td>15.55</td><td>66.48</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.44	68.30	-23.86	58.02	37.35	15.55	66.48	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.12</td><td>68.30</td><td>-23.18</td><td>58.70</td><td>37.35</td><td>15.55</td><td>66.48</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.12	68.30	-23.18	58.70	37.35	15.55	66.48	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10360.00	44.44	68.30	-23.86	58.02	37.35	15.55	66.48	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10360.00	45.12	68.30	-23.18	58.70	37.35	15.55	66.48	0.00	100	0	PEAK																																																																																								





		11																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																									
ANT		CDD 1+2																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>45.40</td><td>68.30</td><td>-22.90</td><td>58.78</td><td>37.41</td><td>15.60</td><td>66.39</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	45.40	68.30	-22.90	58.78	37.41	15.60	66.39	0.00	300	0 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10440.00	45.40	68.30	-22.90	58.78	37.41	15.60	66.39	0.00	300	0 PEAK																																																
		Vertical																																																									
Peak Avg																																																											
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>45.53</td><td>68.30</td><td>-22.77</td><td>58.91</td><td>37.41</td><td>15.60</td><td>66.39</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></tbody></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	45.53	68.30	-22.77	58.91	37.41	15.60	66.39	0.00	100	0 PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10440.00	45.53	68.30	-22.77	58.91	37.41	15.60	66.39	0.00	100	0 PEAK																																																



		12																																																												
Mode		Harmonic																																																												
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																												
ANT		CDD 1+2																																																												
Pol.		Horizontal						Vertical																																																						
Peak Avg																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>44.94</td><td>68.30</td><td>-23.36</td><td>58.22</td><td>37.44</td><td>15.62</td><td>66.34</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>																Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	44.94	68.30	-23.36	58.22	37.44	15.62	66.34	0.00	300	0 PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																				
1	10480.00	44.94	68.30	-23.36	58.22	37.44	15.62	66.34	0.00	300	0 PEAK																																																			
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>46.06</td><td>68.30</td><td>-22.24</td><td>59.34</td><td>37.44</td><td>15.62</td><td>66.34</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>																Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10480.00	46.06	68.30	-22.24	59.34	37.44	15.62	66.34	0.00	100	0 PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																				
1	10480.00	46.06	68.30	-22.24	59.34	37.44	15.62	66.34	0.00	100	0 PEAK																																																			



		13																																																									
Mode		Harmonic																																																									
		U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																									
ANT		CDD 1+2																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10520.00</td><td>44.92</td><td>68.30</td><td>-23.38</td><td>58.11</td><td>37.46</td><td>15.64</td><td>66.29</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10520.00	44.92	68.30	-23.38	58.11	37.46	15.64	66.29	0.00	300	0	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 10520.00	44.92	68.30	-23.38	58.11	37.46	15.64	66.29	0.00	300	0	PEAK																																																
		Vertical																																																									
																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10520.00</td><td>45.08</td><td>68.30</td><td>-23.22</td><td>58.27</td><td>37.46</td><td>15.64</td><td>66.29</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10520.00	45.08	68.30	-23.22	58.27	37.46	15.64	66.29	0.00	100	0	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 10520.00	45.08	68.30	-23.22	58.27	37.46	15.64	66.29	0.00	100	0	PEAK																																																