


Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.66	1.11	4.77	14.30
CH46	5230	5.60	1.11	6.71	14.30

CH38



Date: 28.JUN.2018 20:42:30

CH46




Date: 28.JUN.2018 20:43:55

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.28	1.11	5.39	14.30
CH46	5230	5.91	1.11	7.02	14.30

CH38



Date: 28.JUN.2018 20:50:00

CH46




Date: 28.JUN.2018 20:51:06

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.71	14.30
CH46	5230	11.62	14.30

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.71	0.63	-1.08	14.30



Date: 28.JUN.2018 21:13:16

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.63	0.63	-1.00	14.30



Date: 28.JUN.2018 21:09:17

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.78	0.63	-0.15	14.30



Date: 28.JUN.2018 21:05:35


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.05	14.30

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.29	0.55	4.84	27.30
CH157	5785	4.06	0.55	4.61	27.30
CH165	5825	3.67	0.55	4.22	27.30

TX CH149




Date: 28.JUN.2018 16:49:16

TX CH157



Date: 28.JUN.2018 16:50:27

TX CH165




Date: 28.JUN.2018 16:51:38

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.98	0.55	6.53	27.30
CH157	5785	4.63	0.55	5.18	27.30
CH165	5825	4.47	0.55	5.02	27.30

TX CH149




Date: 28.JUN.2018 17:25:59

TX CH157



Date: 28.JUN.2018 17:27:29

TX CH165




Date: 28.JUN.2018 17:28:45

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.20	0.55	5.75	27.30
CH157	5785	4.63	0.55	5.18	27.30
CH165	5825	3.94	0.55	4.49	27.30

TX CH149




Date: 28.JUN.2018 17:38:44

TX CH157



Date: 28.JUN.2018 17:40:18

TX CH165



Date: 28.JUN.2018 17:42:59


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.53	27.30
CH157	5785	9.77	27.30
CH165	5825	9.36	27.30

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.58	1.11	3.69	27.30
CH159	5795	2.51	1.11	3.62	27.30

TX CH151



Date: 28.JUN.2018 20:36:20

TX CH159




Date: 28.JUN.2018 20:37:44

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.59	1.11	3.70	27.30
CH159	5795	2.37	1.11	3.48	27.30

TX CH151



Date: 28.JUN.2018 20:45:59

TX CH159




Date: 28.JUN.2018 20:47:08

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.77	1.11	3.88	27.30
CH159	5795	2.38	1.11	3.49	27.30

TX CH151



Date: 28.JUN.2018 20:54:37

TX CH159



Date: 28.JUN.2018 20:56:28


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.52	27.30
CH159	5795	8.30	27.30

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.92	0.63	-1.29	27.30


TX CH155



Date: 28.JUN.2018 21:14:32

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.73	0.63	-1.10	27.30



Date: 28.JUN.2018 21:11:34

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-1.62	0.63	-0.99	27.30



Date: 28.JUN.2018 21:07:16


Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.65	27.30

Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.00	0.00	8.00	14.26
CH40	5200	7.79	0.00	7.79	14.26
CH48	5240	8.70	0.00	8.70	14.26




Date: 18.JUL.2018 13:46:40

CH40



Date: 18.JUL.2018 13:47:41

CH48




Date: 18.JUL.2018 13:48:43

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.90	0.00	7.90	14.26
CH40	5200	7.81	0.00	7.81	14.26
CH48	5240	8.80	0.00	8.80	14.26

CH36




Date: 18.JUL.2018 13:54:49

CH40



Date: 18.JUL.2018 13:55:49

CH48




Date: 18.JUL.2018 13:56:54

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.36	0.00	8.36	14.26
CH40	5200	8.17	0.00	8.17	14.26
CH48	5240	8.57	0.00	8.57	14.26

CH36




Date: 18.JUL.2018 11:51:51

CH40



Date: 18.JUL.2018 11:55:02

CH48



Date: 18.JUL.2018 11:57:18


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.86	14.26
CH40	5200	12.70	14.26
CH48	5240	13.46	14.26

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.48	0.17	4.65	14.26
CH46	5230	6.28	0.17	6.45	14.26

CH38



Date: 18.JUL.2018 14:33:25

CH46




Date: 18.JUL.2018 14:34:34

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.27	0.17	4.44	14.26
CH46	5230	6.43	0.17	6.60	14.26

CH38



Date: 18.JUL.2018 14:39:10

CH46




Date: 18.JUL.2018 14:40:20

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.17	0.17	5.34	14.26
CH46	5230	6.78	0.17	6.95	14.26

CH38



Date: 18.JUL.2018 14:27:31

CH46



Date: 18.JUL.2018 14:29:14


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.60	14.26
CH46	5230	11.45	14.26

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.42	0.00	5.42	27.26
CH157	5785	5.32	0.00	5.32	27.26
CH165	5825	5.00	0.00	5.00	27.26

TX CH149




Date: 18.JUL.2018 13:49:53

TX CH157



Date: 18.JUL.2018 13:51:44

TX CH165




Date: 18.JUL.2018 13:52:54

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.02	0.00	6.02	27.26
CH157	5785	6.00	0.00	6.00	27.26
CH165	5825	5.74	0.00	5.74	27.26

TX CH149




Date: 18.JUL.2018 13:58:06

TX CH157



Date: 18.JUL.2018 13:59:23

TX CH165




Date: 18.JUL.2018 14:00:34

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.17	0.00	6.17	27.26
CH157	5785	5.78	0.00	5.78	27.26
CH165	5825	5.11	0.00	5.11	27.26

TX CH149




Date: 18.JUL.2018 11:58:30

TX CH157



Date: 18.JUL.2018 11:59:39

TX CH165



Date: 18.JUL.2018 12:00:47


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.65	27.26
CH157	5785	10.48	27.26
CH165	5825	10.07	27.26

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.13	0.17	3.30	27.26
CH159	5795	3.00	0.17	3.17	27.26

TX CH151



Date: 18.JUL.2018 14:35:52

TX CH159




Date: 18.JUL.2018 14:37:18

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.52	0.17	3.69	27.26
CH159	5795	3.50	0.17	3.67	27.26

TX CH151



Date: 18.JUL.2018 14:41:49

TX CH159




Date: 18.JUL.2018 14:43:01

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.56	0.17	3.73	27.26
CH159	5795	3.37	0.17	3.54	27.26

TX CH151



Date: 18.JUL.2018 14:30:15

TX CH159




Date: 18.JUL.2018 14:31:31

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.35	27.26
CH159	5795	8.24	27.26


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.09	0.55	8.64	14.26
CH40	5200	7.92	0.55	8.47	14.26
CH48	5240	7.78	0.55	8.33	14.26




Date: 18.JUL.2018 14:12:27

CH40



Date: 18.JUL.2018 14:13:27


CH48



Date: 18.JUL.2018 14:14:26


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.92	0.55	8.47	14.26
CH40	5200	7.88	0.55	8.43	14.26
CH48	5240	7.86	0.55	8.41	14.26




Date: 18.JUL.2018 14:19:22

CH40



Date: 18.JUL.2018 14:20:15


CH48



Date: 18.JUL.2018 14:21:18


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.36	0.55	8.91	14.26
CH40	5200	8.30	0.55	8.85	14.26
CH48	5240	7.61	0.55	8.16	14.26




Date: 18.JUL.2018 14:04:18

CH40



Date: 18.JUL.2018 14:05:52

CH48



Date: 18.JUL.2018 14:06:51


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.44	14.26
CH40	5200	13.35	14.26
CH48	5240	13.07	14.26

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.49	1.11	5.60	14.26
CH46	5230	6.34	1.11	7.45	14.26

CH38



Date: 18.JUL.2018 14:54:43

CH46




Date: 18.JUL.2018 14:56:04

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.29	1.11	5.40	14.26
CH46	5230	6.39	1.11	7.50	14.26

CH38



Date: 18.JUL.2018 15:01:08

CH46




Date: 18.JUL.2018 15:02:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.19	1.11	6.30	14.26
CH46	5230	6.72	1.11	7.83	14.26

CH38



Date: 18.JUL.2018 14:45:59

CH46



Date: 18.JUL.2018 14:47:29

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.55	14.26
CH46	5230	12.36	14.26

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.63	0.63	0.00	14.26



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.75	0.63	-0.12	14.26



Date: 18.JUL.2018 15:19:53

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.12	0.63	0.75	14.26




Date: 18.JUL.2018 15:24:15

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	5.00	14.26


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.57	0.55	6.12	27.26
CH157	5785	5.44	0.55	5.99	27.26
CH165	5825	5.06	0.55	5.61	27.26




Date: 18.JUL.2018 14:15:24

TX CH157



Date: 18.JUL.2018 14:16:41

TX CH165




Date: 18.JUL.2018 14:17:38

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.09	0.55	6.64	27.26
CH157	5785	6.08	0.55	6.63	27.26
CH165	5825	5.75	0.55	6.30	27.26

TX CH149




Date: 18.JUL.2018 14:22:21

TX CH157



Date: 18.JUL.2018 14:23:23

TX CH165




Date: 18.JUL.2018 14:24:32

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.22	0.55	6.77	27.26
CH157	5785	5.88	0.55	6.43	27.26
CH165	5825	5.27	0.55	5.82	27.26

TX CH149




Date: 18.JUL.2018 14:07:48

TX CH157



Date: 18.JUL.2018 14:09:05

TX CH165



Date: 18.JUL.2018 14:10:09


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.29	27.26
CH157	5785	11.13	27.26
CH165	5825	10.69	27.26

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.09	1.11	4.20	27.26
CH159	5795	2.94	1.11	4.05	27.26

TX CH151



Date: 18.JUL.2018 14:57:31

TX CH159




Date: 18.JUL.2018 14:58:58

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.50	1.11	4.61	27.26
CH159	5795	3.67	1.11	4.78	27.26

TX CH151



Date: 18.JUL.2018 15:03:12

TX CH159




Date: 18.JUL.2018 15:04:16

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.64	1.11	4.75	27.26
CH159	5795	3.25	1.11	4.36	27.26

TX CH151



Date: 18.JUL.2018 14:48:42

TX CH159



Date: 18.JUL.2018 14:50:08


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.29	27.26
CH159	5795	9.17	27.26

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.01	0.63	0.64	27.26


TX CH155



Date: 18.JUL.2018 15:16:57

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.46	0.63	1.09	27.26



Date: 18.JUL.2018 15:21:13

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.71	0.63	1.34	27.26



Date: 18.JUL.2018 15:23:00

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.80	27.26

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.987600
120	5179.987200
102	5179.986000
Max. Deviation (MHz)	0.0140
Max. Deviation (ppm)	2.70

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.985600
10	5179.985200
20	5179.984800
30	5179.984800
40	5179.984800
Max. Deviation (MHz)	0.015600
Max. Deviation (ppm)	3.011583

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.984800
120	5744.984400
102	5744.984000
Max. Deviation (MHz)	0.01600
Max. Deviation (ppm)	2.79

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.983600
10	5744.983200
20	5744.983200
30	5744.983200
40	5744.982800
Max. Deviation (MHz)	0.017600
Max. Deviation (ppm)	3.063534

End of Test Report