

Conducted Spurious Emission


TestMode	Antenna	Channel	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	5.59	5.59	---	PASS
			30~1000	5.59	-41.92	≤-14.41	PASS
			1000~26500	5.59	-32.8	≤-14.41	PASS
		2437	Reference	6.98	6.98	---	PASS
			30~1000	6.98	-41.55	≤-13.02	PASS
			1000~26500	6.98	-32.37	≤-13.02	PASS
		2462	Reference	5.36	5.36	---	PASS
			30~1000	5.36	-41.63	≤-14.64	PASS
			1000~26500	5.36	-32.72	≤-14.64	PASS
11G	Ant1	2412	Reference	1.21	1.21	---	PASS
			30~1000	1.21	-41.3	≤-18.79	PASS
			1000~26500	1.21	-32.25	≤-18.79	PASS
		2437	Reference	1.84	1.84	---	PASS
			30~1000	1.84	-42.05	≤-18.16	PASS
			1000~26500	1.84	-32.53	≤-18.16	PASS
		2462	Reference	-0.21	-0.21	---	PASS
			30~1000	-0.21	-40.32	≤-20.21	PASS
			1000~26500	-0.21	-32.01	≤-20.21	PASS
11N20SISO	Ant1	2412	Reference	2.02	2.02	---	PASS
			30~1000	2.02	-41.18	≤-17.98	PASS
			1000~26500	2.02	-32.24	≤-17.98	PASS
		2437	Reference	1.14	1.14	---	PASS
			30~1000	1.14	-40.97	≤-18.86	PASS
			1000~26500	1.14	-31.92	≤-18.86	PASS
		2462	Reference	0.29	0.29	---	PASS
			30~1000	0.29	-41.03	≤-19.71	PASS
			1000~26500	0.29	-32.97	≤-19.71	PASS
11N40SISO	Ant1	2422	Reference	1.63	1.63	---	PASS
			30~1000	1.63	-40.97	≤-18.37	PASS
			1000~26500	1.63	-31.98	≤-18.37	PASS
		2437	Reference	0.61	0.61	---	PASS
			30~1000	0.61	-41.3	≤-19.39	PASS
			1000~26500	0.61	-32.55	≤-19.39	PASS
		2452	Reference	0.55	0.55	---	PASS
			30~1000	0.55	-41.19	≤-19.45	PASS
			1000~26500	0.55	-33.01	≤-19.45	PASS




11B Ant1 2437 0-Reference



11B Ant1 2437 30-1000



11B Ant1 2437 1000-26500



11B Ant1 2462 0-Reference




11B Ant1 2462 30-1000



11B Ant1 2462 1000-26500



11G Ant1 2412 0-Reference



11G Ant1 2412 30-1000




11G Ant1 2412 1000-26500




11G Ant1 2437 0-Reference



11G Ant1 2437 30-1000



11G Ant1 2437 1000-26500



11G Ant1 2462 0-Reference



11G Ant1 2462 30-1000





11G Ant1 2462 1000-26500

















Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.005000	15.26	40.00	24.74	100.0	H	327.0	-18.8
105.286923	16.43	43.50	27.07	100.0	H	192.0	-18.9
238.587308	16.86	46.00	29.14	100.0	H	39.0	-17.8
423.372308	23.72	46.00	22.28	100.0	H	0.0	-13.2
890.986923	28.55	46.00	17.45	100.0	H	58.0	-4.9

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
53.130769	14.91	40.00	25.09	100.0	V	70.0	-18.5
105.324231	16.25	43.50	27.25	100.0	V	266.0	-18.9
429.416154	23.61	46.00	22.39	100.0	V	172.0	-13.1
888.114231	26.83	46.00	19.17	100.0	V	60.0	-4.9

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4808.500000	---	41.00	54.00	13.00	150.0	H	35.0	13.3
4812.500000	51.83	---	74.00	22.17	150.0	H	172.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch1
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4806.000000	---	40.91	54.00	13.09	150.0	V	3.0	13.3
4815.000000	52.48	---	74.00	21.52	150.0	V	132.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch1
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7215.291667	43.98	---	74.00	30.02	150.0	H	67.0	8.7
7221.191667	---	36.07	54.00	17.93	150.0	H	354.0	8.7
12039.525000	50.42	---	74.00	23.58	150.0	H	184.0	16.2
12042.966667	---	42.16	54.00	11.84	150.0	H	76.0	16.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch1
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7101.716667	44.04	---	74.00	29.96	150.0	V	0.0	8.5
7137.608333	---	35.39	54.00	18.61	150.0	V	5.0	8.6
12140.808333	51.60	---	74.00	22.40	150.0	V	289.0	16.5
12155.066667	---	41.87	54.00	12.13	150.0	V	242.0	16.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
 Model: RRE0R50
 Test Mode: WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168510993/A003856301-003
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4901.500000	---	41.03	54.00	12.97	150.0	H	48.0	13.3
4915.000000	52.16	---	74.00	21.85	150.0	H	13.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4858.500000	52.04	---	74.00	21.96	150.0	V	35.0	13.3
4862.000000	---	40.90	54.00	13.10	150.0	V	304.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7432.608333	---	35.11	54.00	18.89	150.0	H	292.0	8.4
7463.091667	45.80	---	74.00	28.20	150.0	H	292.0	8.6
12044.933333	---	41.92	54.00	12.08	150.0	H	0.0	16.3
12114.258333	51.50	---	74.00	22.50	150.0	H	257.0	15.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8399.716667	---	38.47	54.00	15.53	150.0	V	342.0	9.1
8400.208333	45.49	---	74.00	28.51	150.0	V	330.0	9.1
12141.300000	---	42.10	54.00	11.90	150.0	V	4.0	16.5
12145.725000	51.16	---	74.00	22.84	150.0	V	4.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4926.000000	---	40.94	54.00	13.06	150.0	H	44.0	13.3
4959.000000	52.27	---	74.00	21.73	150.0	H	39.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4904.000000	---	41.14	54.00	12.86	150.0	V	300.0	13.3
4913.000000	51.85	---	74.00	22.15	150.0	V	87.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.000000	---	36.30	54.00	17.70	150.0	H	166.0	8.4
7464.075000	44.25	---	74.00	29.75	150.0	H	236.0	8.6
12113.275000	50.58	---	74.00	23.42	150.0	H	193.0	15.8
12134.416667	---	41.96	54.00	12.04	150.0	H	315.0	16.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7441.458333	44.61	---	74.00	29.39	150.0	V	139.0	8.4
7452.275000	---	35.49	54.00	18.51	150.0	V	79.0	8.5
12143.266667	---	42.17	54.00	11.83	150.0	V	224.0	16.6
12154.575000	51.04	---	74.00	22.96	150.0	V	103.0	16.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	53.89	---	74.00	20.11	150.0	H	68.0	13.3
4863.500000	---	40.66	54.00	13.34	150.0	H	106.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4845.500000	---	40.94	54.00	13.06	150.0	V	250.0	13.3
4866.000000	51.58	---	74.00	22.42	150.0	V	268.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11g_Ch6
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7440.966667	---	35.30	54.00	18.70	150.0	H	22.0	8.4
7449.816667	44.03	---	74.00	29.97	150.0	H	67.0	8.5
12126.550000	50.82	---	74.00	23.18	150.0	H	32.0	16.1
12135.400000	---	42.23	54.00	11.77	150.0	H	32.0	16.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11g_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8399.716667	---	37.31	54.00	16.69	150.0	V	325.0	9.1
8400.208333	45.38	---	74.00	28.62	150.0	V	325.0	9.1
12129.008333	---	42.57	54.00	11.43	150.0	V	202.0	16.2
12153.100000	50.79	---	74.00	23.21	150.0	V	336.0	16.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4890.500000	52.00	---	74.00	22.00	150.0	H	42.0	13.3
4909.000000	---	40.98	54.00	13.02	150.0	H	307.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4865.500000	52.17	---	74.00	21.83	150.0	V	262.0	13.3
4899.500000	---	41.13	54.00	12.87	150.0	V	299.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7417.366667	---	36.23	54.00	17.77	150.0	H	358.0	8.3
7417.366667	43.96	---	74.00	30.04	150.0	H	358.0	8.3
12040.508333	---	43.65	54.00	10.35	150.0	H	137.0	16.2
12049.850000	50.67	---	74.00	23.33	150.0	H	358.0	16.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n20_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7302.808333	---	35.60	54.00	18.40	150.0	V	7.0	8.3
7313.133333	43.79	---	74.00	30.21	150.0	V	305.0	8.2
12035.591667	---	41.92	54.00	12.08	150.0	V	160.0	16.1
12045.425000	50.84	---	74.00	23.16	150.0	V	0.0	16.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4894.500000	51.65	---	74.00	22.35	150.0	H	263.0	13.3
4899.500000	---	40.81	54.00	13.19	150.0	H	299.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.000000	---	40.91	54.00	13.09	150.0	V	331.0	13.3
4886.000000	51.79	---	74.00	22.21	150.0	V	358.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7259.541667	43.98	---	74.00	30.02	150.0	H	241.0	8.5
7304.283333	---	35.20	54.00	18.80	150.0	H	0.0	8.3
12137.366667	---	42.73	54.00	11.27	150.0	H	118.0	16.4
12150.150000	50.61	---	74.00	23.39	150.0	H	220.0	16.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch6
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8398.241667	44.52	---	74.00	29.48	150.0	V	34.0	9.1
8399.716667	---	38.29	54.00	15.71	150.0	V	342.0	9.1
12140.808333	---	42.30	54.00	11.70	150.0	V	255.0	16.5
12146.708333	50.37	---	74.00	23.63	150.0	V	83.0	16.6

Final_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

Wi-Fi 802.11 b mode

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2369.117647	51.85	---	74.00	22.15	150.0	H	134.0	8.5
2387.941177	---	42.15	54.00	11.85	150.0	H	127.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2339.705882	50.24	---	74.00	23.76	150.0	V	197.0	8.4
2363.235294	---	40.37	54.00	13.63	150.0	V	96.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2495.000000	---	42.02	54.00	11.98	150.0	H	73.0	9.0
2498.235294	52.20	---	74.00	21.80	150.0	H	124.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.588235	50.99	---	74.00	23.01	150.0	V	0.0	9.0
2486.470588	---	41.69	54.00	12.31	150.0	V	320.0	9.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 g mode**EUT Information**

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin

**Critical Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.588235	---	43.50	54.00	10.50	150.0	H	122.0	8.5
2389.117647	58.79	---	74.00	15.21	150.0	H	141.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11g_Ch1
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.000000	---	40.28	54.00	13.72	150.0	V	91.0	8.5
2389.117647	52.49	---	74.00	21.51	150.0	V	145.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11g_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	54.40	---	74.00	19.60	150.0	H	120.0	8.9
2483.529412	---	43.56	54.00	10.44	150.0	H	120.0	8.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11g_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2495.882353	---	40.76	54.00	13.24	150.0	V	184.0	8.9
2496.176471	51.82	---	74.00	22.18	150.0	V	330.0	8.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 n(HT20) mode**EUT Information**

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin

**Critical Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.117647	57.49	---	74.00	16.51	150.0	H	116.0	8.5
2389.705882	---	44.17	54.00	9.83	150.0	H	104.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11n20_Ch1
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.529412	---	40.43	54.00	13.57	150.0	V	142.0	8.5
2390.000000	52.53	---	74.00	21.47	150.0	V	95.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n20_Ch11
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.117647	60.80	---	74.00	13.20	150.0	H	147.0	8.9
2484.117647	---	45.42	54.00	8.59	150.0	H	147.0	8.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11n20_Ch11
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	53.99	---	74.00	20.01	150.0	V	219.0	8.9
2484.117647	---	42.63	54.00	11.37	150.0	V	175.0	8.9


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 n(HT40) mode

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	RRE0R50
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168510993/A003856301-003
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.117647	58.08	---	74.00	15.92	150.0	H	120.0	8.5
2390.000000	---	46.71	54.00	7.29	150.0	H	125.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch3
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2382.941177	51.31	---	74.00	22.69	150.0	V	291.0	8.5
2385.000000	---	41.43	54.00	12.57	150.0	V	141.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch9
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.529412	---	47.77	54.00	6.23	150.0	H	137.0	8.9
2484.117647	56.25	---	74.00	17.75	150.0	H	111.0	8.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: RRE0R50
Test Mode: WIFI 2.4G_11n40_Ch9
Order No/Sample No: 168510993/A003856301-003
Test Voltage: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.823529	53.28	---	74.00	20.72	150.0	V	90.0	8.9
2485.000000	---	43.01	54.00	10.99	150.0	V	90.0	8.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

