


802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	45.46	54.49	-9.03	74.00	-28.54	100	100	Peak	Horizontal		
2	4874.00	44.00	53.03	-9.03	54.00	-10.00	100	100	Average	Horizontal		
3	7311.00	47.41	54.48	-7.07	74.00	-26.59	300	167	Peak	Horizontal		
4	7311.00	43.47	50.54	-7.07	54.00	-10.53	300	167	Average	Horizontal		
5	12185.00	49.68	49.82	-0.14	74.00	-24.32	400	222	Peak	Horizontal		
6	12185.00	44.91	45.05	-0.14	54.00	-9.09	400	222	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	41.78	50.81	-9.03	74.00	-32.22	300	35	Peak	Vertical		
2	4874.00	41.70	50.73	-9.03	54.00	-12.30	300	35	Average	Vertical		
3	7311.00	46.51	53.58	-7.07	74.00	-27.49	300	194	Peak	Vertical		
4	7311.00	35.76	42.83	-7.07	54.00	-18.24	300	194	Average	Vertical		
5	12185.00	54.49	54.63	-0.14	74.00	-19.51	100	104	Peak	Vertical		
6	12185.00	52.99	53.13	-0.14	54.00	-1.01	100	104	Average	Vertical		

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	44.37	53.32	-8.95	74.00	-29.63	100	99	Peak	Horizontal		
2	4924.00	41.63	50.58	-8.95	54.00	-12.37	100	99	Average	Horizontal		
3	7386.00	44.76	51.94	-7.18	74.00	-29.24	300	176	Peak	Horizontal		
4	7386.00	40.54	47.72	-7.18	54.00	-13.46	300	176	Average	Horizontal		
5	12310.00	45.68	45.57	0.11	74.00	-28.32	100	295	Peak	Horizontal		
6	12310.00	47.37	47.26	0.11	54.00	-6.63	100	295	Average	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	42.68	51.63	-8.95	74.00	-31.32	300	360	Peak	Vertical		
2	4924.00	40.00	48.95	-8.95	54.00	-14.00	300	360	Average	Vertical		
3	7386.00	43.47	50.65	-7.18	74.00	-30.53	200	202	Peak	Vertical		
4	7386.00	36.78	43.96	-7.18	54.00	-17.22	200	202	Average	Vertical		
5	12310.00	49.42	49.31	0.11	74.00	-24.58	100	109	Peak	Vertical		
6	12310.00	48.38	48.27	0.11	54.00	-5.62	100	109	Average	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	39.59	48.60	-9.01	74.00	-34.41	180	168	Peak	Horizontal		
2	4824.00	29.70	38.71	-9.01	54.00	-24.30	180	168	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	38.55	47.56	-9.01	74.00	-35.45	187	47	Peak	Vertical		
2	4824.00	28.27	37.28	-9.01	54.00	-25.73	187	47	Average	Vertical		

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	46.74	53.81	-7.07	74.00	-27.26	180	85	Peak	Horizontal		
2	7311.00	35.94	43.01	-7.07	54.00	-18.06	180	85	Average	Horizontal		
3	12185.00	50.32	58.46	-0.14	74.00	-23.68	400	357	Peak	Horizontal		
4	12185.00	39.48	39.62	-0.14	54.00	-14.52	400	357	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	46.29	53.36	-7.07	74.00	-27.71	300	60	Peak	Vertical		
2	7311.00	34.69	41.76	-7.07	54.00	-19.31	300	60	Average	Vertical		
3	12185.00	53.65	53.79	-0.14	74.00	-20.35	400	120	Peak	Vertical		
4	12185.00	43.00	43.14	-0.14	54.00	-11.00	400	120	Average	Vertical		


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	41.63	50.58	-8.95	74.00	-32.37	180	87	Peak	Horizontal	
2	4924.00	31.50	40.45	-8.95	54.00	-22.50	180	87	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	37.95	46.90	-8.95	74.00	-36.05	300	305	Peak	Vertical	
2	4924.00	30.11	39.06	-8.95	54.00	-23.89	300	305	Average	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	38.45	47.46	-9.01	74.00	-35.55	280	235	Peak	Horizontal		
2	4824.00	29.73	38.74	-9.01	54.00	-24.27	280	235	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	38.85	47.86	-9.01	74.00	-35.15	300	194	Peak	Vertical		
2	4824.00	29.69	38.70	-9.01	54.00	-24.31	300	194	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	45.53	52.60	-7.07	74.00	-28.47	400	161	Peak	Horizontal		
2	7311.00	36.54	43.61	-7.07	54.00	-17.46	400	161	Average	Horizontal		
3	12185.00	47.93	48.07	-0.14	74.00	-26.07	400	213	Peak	Horizontal		
4	12185.00	39.51	39.65	-0.14	54.00	-14.49	400	213	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	45.97	53.04	-7.07	74.00	-28.03	100	67	Peak	Vertical		
2	7311.00	35.82	42.89	-7.07	54.00	-18.18	100	67	Average	Vertical		
3	12185.00	53.79	53.93	-0.14	74.00	-20.21	100	116	Peak	Vertical		
4	12185.00	43.03	43.17	-0.14	54.00	-10.97	100	116	Average	Vertical		


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	39.52	48.47	-8.95	74.00	-34.48	300	258	Peak	Horizontal	
2	4924.00	31.57	40.52	-8.95	54.00	-22.43	300	258	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322







Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	38.13	47.08	-8.95	74.00	-35.87	100	245	Peak	Vertical	
2	4924.00	30.23	39.18	-8.95	54.00	-23.77	100	245	Average	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
			Factor	dB	dB		Note
1	0.49	5.81	-3.82	9.63	46.15	-40.34 Average	line1
2	0.49	9.20	-0.43	9.63	56.15	-46.95 QP	line1
3	0.79	5.58	-4.06	9.64	46.00	-40.42 Average	line1
4	0.79	9.95	-0.31	9.64	56.00	-46.05 QP	line1
5	2.56	5.35	-4.31	9.66	46.00	-40.65 Average	line1
6	2.56	16.93	9.27	9.66	56.00	-37.07 QP	line1
7	4.42	6.07	-3.62	9.69	46.00	-39.93 Average	line1
8	4.42	19.46	9.77	9.69	56.00	-36.54 QP	line1
9	17.08	15.12	5.35	9.77	50.00	-34.88 Average	line1
10	17.08	21.11	11.34	9.77	60.00	-38.89 QP	line1
11	25.83	26.42	16.68	9.74	50.00	-23.58 Average	line1
12	25.83	31.72	21.98	9.74	60.00	-28.28 QP	line1

Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
			Factor	dB	dB		Note
1	0.72	5.60	-4.03	9.63	46.00	-40.40 Average	neutral
2	0.72	9.80	0.17	9.63	56.00	-46.20 QP	neutral
3	0.98	5.58	-4.06	9.64	46.00	-40.42 Average	neutral
4	0.98	8.73	-0.91	9.64	56.00	-47.27 QP	neutral
5	3.64	5.56	-4.13	9.69	46.00	-40.44 Average	neutral
6	3.64	16.88	7.19	9.69	56.00	-39.12 QP	neutral
7	3.83	5.82	-3.87	9.69	46.00	-40.18 Average	neutral
8	3.83	20.16	10.47	9.69	56.00	-35.84 QP	neutral
9	16.41	15.42	5.58	9.84	50.00	-34.58 Average	neutral
10	16.41	20.13	10.29	9.84	60.00	-39.87 QP	neutral
11	25.20	26.71	16.84	9.87	50.00	-23.29 Average	neutral
12	25.20	31.78	21.91	9.87	60.00	-28.22 QP	neutral

Appendix C: Test Results of Radiated Spurious Emissions for 2nd

Source of WFI32E02UC

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2315.31	54.85	17.95	36.90	74.00	-19.15	291	75	Peak	Horizontal	
2 *	2437.00	114.33	76.91	37.42	74.00	40.33	291	75	Peak	Horizontal	
3	2626.71	54.95	17.32	37.63	74.00	-19.05	291	75	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.67	53.18	15.98	37.20	74.00	-20.82	243	155	Peak	Vertical	
2 *	2437.00	106.28	68.86	37.42	74.00	32.28	243	155	Peak	Vertical	
3	2501.75	55.41	17.86	37.55	74.00	-18.59	243	155	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.77	43.07	6.21	36.86	54.00	-10.93	291	75	Average	Horizontal	
2 *	2437.00	111.71	74.29	37.42	54.00	57.71	291	75	Average	Horizontal	
3	2483.46	42.70	5.16	37.54	54.00	-11.30	291	75	Average	Horizontal	


Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.94	40.46	3.29	37.17	54.00	-13.54	243	155	Average	Vertical	
2 *	2437.00	103.78	66.36	37.42	54.00	49.78	243	155	Average	Vertical	
3	2629.43	41.71	4.09	37.62	54.00	-12.29	243	155	Average	Vertical	




802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2398.00	43.79	6.62	37.17	54.00	-10.21	292	74	Average	Horizontal		
2 *	2437.00	105.07	67.65	37.42	54.00	51.07	292	74	Average	Horizontal		
3	2483.46	43.83	6.29	37.54	54.00	-10.17	292	74	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2398.00	41.22	4.05	37.17	54.00	-12.78	376	155	Average	Vertical		
2 *	2437.00	96.36	58.94	37.42	54.00	42.36	376	155	Average	Vertical		
3	2833.45	41.58	3.81	37.77	54.00	-12.42	376	155	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.41	59.53	22.36	37.17	74.00	-14.47	291	77	Peak	Horizontal		
2 *	2437.00	115.13	77.71	37.42	74.00	41.13	291	77	Peak	Horizontal		
3	2484.05	56.59	19.05	37.54	74.00	-17.41	291	77	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.17	53.60	16.40	37.20	74.00	-20.40	242	155	Peak	Vertical		
2 *	2437.00	106.55	69.13	37.42	74.00	32.55	242	155	Peak	Vertical		
3	2779.88	55.38	17.82	37.56	74.00	-18.62	242	155	Peak	Vertical		

802.11n HT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	43.89	6.72	37.17	54.00	-10.11	291	77	Average	Horizontal	
2 *	2437.00	104.66	67.24	37.42	54.00	50.66	291	77	Average	Horizontal	
3	2483.46	44.03	6.49	37.54	54.00	-9.97	291	77	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.58	40.52	3.34	37.18	54.00	-13.48	242	155	Average	Vertical	
2 *	2437.00	96.78	59.36	37.42	54.00	42.78	242	155	Average	Vertical	
3	2799.58	41.76	4.02	37.74	54.00	-12.24	242	155	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11b

Middle Channel 9kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	63.10	44.16	18.94	119.18	-56.08	100	43	Peak	Open	
2	0.05	43.17	24.12	19.05	113.13	-69.96	100	252	Peak	Open	
3	0.06	40.96	22.13	18.83	111.72	-70.76	100	227	Peak	Open	
4	0.08	33.94	15.44	18.50	110.00	-76.06	100	250	Peak	Open	
5	0.11	29.83	11.86	17.97	106.49	-76.66	100	77	Peak	Open	
6	0.12	28.27	10.25	18.02	105.70	-77.43	100	306	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.93	49.23	30.20	19.03	68.27	-19.04	100	141	Peak	Open	
2	1.85	43.11	23.61	19.50	69.50	-26.39	100	141	Peak	Open	
3	7.22	33.37	13.02	20.35	69.50	-36.13	100	32	Peak	Open	
4	13.49	35.30	13.57	21.73	69.50	-34.20	100	182	Peak	Open	
5	17.40	35.55	13.56	21.99	69.50	-33.95	100	93	Peak	Open	
6	22.84	35.48	13.29	22.19	69.50	-34.02	100	163	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	50.37	22.51	20.16	-5.65	40.00	-17.49	300	60	Peak	Horizontal		
2	161.92	23.74	29.44	-5.70	43.50	-19.76	300	296	Peak	Horizontal		
3	241.46	26.27	32.84	-6.57	46.00	-19.73	300	308	Peak	Horizontal		
4	487.84	29.94	31.81	-1.87	46.00	-16.06	200	229	Peak	Horizontal		
5	667.29	30.84	29.49	1.35	46.00	-15.16	200	157	Peak	Horizontal		
6	845.77	34.60	30.50	4.10	46.00	-11.40	100	253	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	88.20	30.56	42.64	-12.08	43.50	-12.94	300	350	Peak	Vertical		
2	241.46	24.42	30.99	-6.57	46.00	-21.58	300	239	Peak	Vertical		
3	359.80	27.12	30.68	-3.56	46.00	-18.88	200	151	Peak	Vertical		
4	450.98	30.62	32.64	-2.02	46.00	-15.38	100	286	Peak	Vertical		
5	807.94	32.00	28.69	3.31	46.00	-14.00	300	206	Peak	Vertical		
6	847.71	34.43	30.34	4.09	46.00	-11.57	300	130	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	42.65	51.68	-9.03	74.00	-31.35	300	289	Peak	Horizontal		
2	4874.00	31.94	40.97	-9.03	54.00	-22.06	300	289	Average	Horizontal		
3	7311.00	43.82	50.89	-7.07	74.00	-30.18	353	11	Peak	Horizontal		
4	7311.00	38.32	45.39	-7.07	54.00	-15.68	353	11	Average	Horizontal		


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	41.92	50.95	-9.03	74.00	-32.08	283	360	Peak	Vertical		
2	4874.00	32.16	41.19	-9.03	54.00	-21.84	283	360	Average	Vertical		
3	7311.00	44.27	51.34	-7.07	74.00	-29.73	300	319	Peak	Vertical		
4	7311.00	36.22	43.29	-7.07	54.00	-17.78	300	319	Average	Vertical		



Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Middle Channel (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-16

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2370.30	56.41	19.22	37.19	74.00	-17.59	290	305	Peak	Horizontal	
2	2437.00	114.64	77.22	37.42	74.00	40.64	290	305	Peak	Horizontal	
3	2486.17	56.73	19.18	37.55	74.00	-17.27	290	305	Peak	Horizontal	

Middle Channel (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-16


Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2353.90	53.11	15.91	37.20	74.00	-20.89	368	156	Peak	Vertical	
2	2437.00	105.00	68.38	37.42	74.00	31.00	368	156	Peak	Vertical	
3	2894.22	55.00	17.09	37.91	74.00	-19.00	368	156	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.30	43.59	6.73	36.86	54.00	-10.41	290	305	Average	Horizontal		
2 *	2437.00	112.10	74.68	37.42	54.00	58.10	290	305	Average	Horizontal		
3	2483.70	44.91	7.37	37.54	54.00	-9.09	290	305	Average	Horizontal		

Middle Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2310.00	40.79	3.04	36.85	54.00	-13.21	368	156	Average	Vertical		
2 *	2437.00	103.30	65.68	37.42	54.00	49.30	368	156	Average	Vertical		
3	2789.55	41.81	4.16	37.65	54.00	-12.19	368	156	Average	Vertical		


802.11g

Middle Channel (Horizontal) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.53	59.14	21.97	37.17	74.00	-14.86	232	302 Peak		Horizontal		
2 *	2437.00	115.08	77.66	37.42	74.00	41.08	232	302 Peak		Horizontal		
3	2484.40	56.59	19.05	37.54	74.00	-17.41	232	302 Peak		Horizontal		

Middle Channel (Vertical) Peak




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.29	54.55	17.37	37.18	74.00	-19.45	377	156 Peak		Vertical		
2 *	2437.00	106.46	69.04	37.42	74.00	32.46	377	156 Peak		Vertical		
3	2806.43	54.93	17.19	37.74	74.00	-19.07	377	156 Peak		Vertical		

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	45.15	7.98	37.17	54.00	-8.85	232	302	Average	Horizontal		
2 *	2437.00	104.46	67.04	37.42	54.00	50.46	232	302	Average	Horizontal		
3	2484.29	43.77	6.23	37.54	54.00	-10.23	232	302	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.18	42.37	5.20	37.17	54.00	-11.63	377	156	Average	Vertical		
2 *	2437.00	96.10	58.68	37.42	54.00	42.10	377	156	Average	Vertical		
3	2841.83	41.71	3.94	37.77	54.00	-12.29	377	156	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.94	58.73	21.56	37.17	74.00	-15.27	293	76	Peak	Horizontal		
2 *	2437.00	114.57	77.15	37.42	74.00	40.57	293	76	Peak	Horizontal		
3	2484.99	57.89	20.35	37.54	74.00	-16.11	293	76	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	53.57	16.40	37.17	74.00	-20.43	368	157	Peak	Vertical		
2 *	2437.00	106.24	68.82	37.42	74.00	32.24	368	157	Peak	Vertical		
3	2487.83	54.72	17.17	37.55	74.00	-19.28	368	157	Peak	Vertical		

802.11n HT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	43.46	6.29	37.17	54.00	-10.54	293	76	Average	Horizontal		
2 *	2437.00	104.23	66.61	37.42	54.00	50.23	293	76	Average	Horizontal		
3	2483.46	44.14	6.60	37.54	54.00	-9.86	293	76	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	40.96	3.79	37.17	54.00	-13.04	368	157	Average	Vertical		
2 *	2437.00	96.16	58.74	37.42	54.00	42.16	368	157	Average	Vertical		
3	2639.46	41.79	4.18	37.61	54.00	-12.21	368	157	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11b

Middle Channel 9kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	63.31	44.37	18.94	119.18	-55.87	100	273	Peak	Open		
2	0.05	43.19	24.14	19.05	113.13	-69.94	100	178	Peak	Open		
3	0.06	40.72	21.89	18.83	111.72	-71.09	100	95	Peak	Open		
4	0.08	33.67	15.17	18.50	110.01	-76.34	100	43	Peak	Open		
5	0.10	28.06	10.13	17.93	107.36	-79.30	100	269	Peak	Open		
6	0.12	29.40	11.38	18.02	105.70	-76.30	100	169	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.93	48.78	29.75	19.03	68.27	-19.49	100	139	Peak	Open		
2	2.78	37.51	17.96	19.55	69.50	-31.99	100	133	Peak	Open		
3	10.21	35.43	13.93	21.50	69.50	-34.07	100	265	Peak	Open		
4	14.15	35.97	14.20	21.77	69.50	-33.53	100	23	Peak	Open		
5	22.90	35.64	13.45	22.19	69.50	-33.86	100	2	Peak	Open		
6	24.99	35.93	13.73	22.20	69.50	-33.57	100	118	Peak	Open		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11b


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	43.02	52.05	-9.03	74.00	-30.98	100	58	Peak	Horizontal		
2	4874.00	34.57	43.60	-9.03	54.00	-19.43	100	58	Average	Horizontal		
3	7311.00	43.83	50.90	-7.07	74.00	-30.17	200	61	Peak	Horizontal		
4	7311.00	33.53	40.60	-7.07	54.00	-20.47	200	61	Average	Horizontal		
5	12185.00	50.89	51.03	-0.14	74.00	-23.11	100	360	Peak	Horizontal		
6	12185.00	36.77	36.91	-0.14	54.00	-17.23	100	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	42.73	51.76	-9.03	74.00	-31.27	100	255	Peak	Vertical		
2	4874.00	31.73	40.76	-9.03	54.00	-22.27	100	255	Average	Vertical		
3	7311.00	44.32	51.39	-7.07	74.00	-29.68	100	225	Peak	Vertical		
4	7311.00	33.12	40.19	-7.07	54.00	-20.88	100	225	Average	Vertical		
5	12185.00	53.63	53.77	-0.14	74.00	-20.37	100	126	Peak	Vertical		
6	12185.00	41.64	41.78	-0.14	54.00	-12.36	100	126	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	44.37	53.40	-9.03	74.00	-29.63	300	290	Peak	Horizontal		
2	4874.00	34.32	43.35	-9.03	54.00	-19.68	300	290	Average	Horizontal		
3	7311.00	42.15	49.22	-7.07	74.00	-31.85	200	118	Peak	Horizontal		
4	7311.00	33.51	40.58	-7.07	54.00	-20.49	200	118	Average	Horizontal		
5	12185.00	49.89	50.03	-0.14	74.00	-24.11	400	193	Peak	Horizontal		
6	12185.00	39.60	39.74	-0.14	54.00	-14.40	400	193	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	41.87	50.90	-9.03	74.00	-32.13	400	260	Peak	Vertical		
2	4874.00	31.86	40.89	-9.03	54.00	-22.14	400	260	Average	Vertical		
3	7311.00	44.75	51.82	-7.07	74.00	-29.25	112	360	Peak	Vertical		
4	7311.00	35.12	42.19	-7.07	54.00	-18.88	112	360	Average	Vertical		
5	12185.00	54.83	54.97	-0.14	74.00	-19.17	100	278	Peak	Vertical		
6	12185.00	41.31	41.45	-0.14	54.00	-12.69	100	278	Average	Vertical		