

Appendix C: Test Results of Radiated Spurious Emissions & Conducted Emissions on a.c. mains port Test

Band Edges, 5.46GHz ~ 7.250GHz


U-NII-5

802.11ax HE20

CH01 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5919.10	62.49	71.44	-8.95	88.20	-25.71	136	155	Peak	Horizontal	
2 *	5955.00	100.92	117.73	-8.81	88.20	29.53	136	155	Peak	Horizontal	
3	7166.04	61.90	70.44	-8.54	88.20	-26.30	136	155	Peak	Horizontal	

CH01 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5923.32	62.67	71.61	-8.94	88.20	-25.53	286	34	Peak	Vertical	
2 *	5955.00	100.00	117.90	-8.81	88.20	29.70	286	34	Peak	Vertical	
3	7155.96	59.74	68.28	-8.54	88.20	-28.46	286	34	Peak	Vertical	


802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5919.00	49.54	58.49	-8.95	68.20	-18.66	136	155 RMS	Horizontal	
2 *	5922.42	99.63	108.44	-8.81	68.20	31.43	136	155 RMS	Horizontal	
3	7162.00	49.03	57.57	-8.54	68.20	-19.17	136	155 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.42	51.67	60.61	-8.94	68.20	-16.53	286	34 RMS	Vertical	
2 *	5922.42	100.50	109.31	-8.81	68.20	32.30	286	34 RMS	Vertical	
3	7160.82	48.61	57.15	-8.54	68.20	-19.59	286	34 RMS	Vertical	

802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak




802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5898.38	47.64	56.65	-9.01	68.20	-20.56	126	306	RMS	Horizontal		
2 *	6175.00	99.82	107.95	-8.13	68.20	31.62	126	306	RMS	Horizontal		
3	7159.92	49.37	57.91	-8.54	68.20	-16.83	126	306	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5904.96	47.23	56.25	-9.02	68.20	-20.97	291	27	RMS	Vertical		
2 *	6175.00	100.52	108.65	-8.13	68.20	32.32	291	27	RMS	Vertical		
3	7151.28	48.83	57.38	-8.55	68.20	-19.37	291	27	RMS	Vertical		

802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dBm	dB	cm	deg			
1	5786.50	61.10	70.15	-9.05	88.20	-27.10	100	295	Peak	Horizontal		
2 *	6415.00	108.76	116.91	-8.15	88.20	28.56	100	295	Peak	Horizontal		
3	7140.45	61.10	69.65	-8.55	88.20	-27.10	100	295	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dBm	dB	cm	deg			
1	5533.03	60.81	70.34	-9.43	88.20	-27.39	100	4	Peak	Vertical		
2 *	6415.00	108.87	117.02	-8.15	88.20	28.67	100	4	Peak	Vertical		
3	7233.89	60.69	69.19	-8.50	88.20	-27.51	100	4	Peak	Vertical		


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5815.49	48.59	57.62	-9.03	68.20	-19.61	100	295 RMS	Horizontal	
2 *	6415.00	99.05	108.00	-8.15	68.20	31.05	100	295 RMS	Horizontal	
3	7186.99	48.99	57.51	-8.52	68.20	-19.21	100	295 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5790.79	48.72	57.75	-9.03	68.20	-19.48	100	4 RMS	Vertical	
2 *	6415.00	100.35	108.46	-8.15	68.20	32.13	100	4 RMS	Vertical	
3	7243.91	48.84	57.34	-8.50	68.20	-19.36	100	4 RMS	Vertical	


802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5922.42	60.47	69.41	-8.94	88.20	-27.73	132	155	Peak	Horizontal		
2	5965.00	107.71	116.49	-8.78	88.20	19.51	132	155	Peak	Horizontal		
3	7147.68	61.97	70.52	-8.55	88.20	-26.23	132	155	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5919.54	64.97	73.92	-8.95	88.20	-23.23	329	59	Peak	Vertical		
2	5965.00	108.76	117.54	-8.78	88.20	20.56	329	59	Peak	Vertical		
3	7231.20	60.67	69.18	-8.51	88.20	-27.53	329	59	Peak	Vertical		


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5921.88	58.39	59.33	-8.94	68.28	-17.81	132	155	RMS	Horizontal		
2 *	5965.00	98.62	107.48	-8.78	68.28	30.42	132	155	RMS	Horizontal		
3	7151.10	49.15	57.70	-8.55	68.28	-19.05	132	155	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5918.28	54.52	63.49	-8.97	68.28	-13.68	329	59	RMS	Vertical		
2 *	5965.00	99.36	108.16	-8.78	68.28	31.18	329	59	RMS	Vertical		
3	7152.18	48.88	57.35	-8.55	68.28	-19.40	329	59	RMS	Vertical		

802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5767.98	59.44	68.53	-9.09	88.20	-28.76	175	329	Peak	Horizontal	
2	6165.00	108.53	116.68	-8.15	88.20	28.48	175	329	Peak	Horizontal	
3	7134.36	61.60	70.16	-8.56	88.20	-26.60	175	329	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5782.20	58.88	67.94	-9.06	88.20	-29.32	272	32	Peak	Vertical	
2	6165.00	109.44	117.59	-8.15	88.20	21.39	272	32	Peak	Vertical	
3	7149.30	60.07	68.62	-8.55	88.20	-28.13	272	32	Peak	Vertical	


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5778.78	47.51	56.57	-9.06	68.20	-20.69	175	329 RMS	Horizontal		
2 *	6165.00	99.12	107.27	-8.15	68.20	30.92	175	329 RMS	Horizontal		
3	7158.30	49.05	57.59	-8.54	68.20	-19.15	175	329 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5779.50	47.40	56.46	-9.06	68.20	-20.80	272	32 RMS	Vertical		
2 *	6165.00	99.78	107.93	-8.15	68.20	31.58	272	32 RMS	Vertical		
3	7161.54	49.08	57.62	-8.54	68.20	-19.12	272	32 RMS	Vertical		


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5838.17	61.17	70.22	-9.05	88.20	-27.03	105	297 Peak	Horizontal	
2 *	6405.00	108.62	116.76	-8.14	88.20	28.42	105	297 Peak	Horizontal	
3	7199.16	61.83	70.35	-8.52	88.20	-26.37	105	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5903.92	60.80	69.83	-9.03	88.20	-27.40	100	3 Peak	Vertical	
2 *	6405.00	109.42	117.56	-8.14	88.20	21.22	100	3 Peak	Vertical	
3	7228.16	61.16	69.67	-8.51	88.20	-27.04	100	3 Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5753.56	49.62	58.75	-9.13	68.20	-18.58	105	297 RMS	Horizontal	
2 *	6405.00	99.74	107.88	-8.14	68.20	31.54	105	297 RMS	Horizontal	
3	7193.00	49.82	58.34	-8.52	68.20	-18.38	105	297 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5749.67	49.34	58.52	-9.18	68.20	-18.86	100	3 RMS	Vertical	
2 *	6405.00	100.45	108.62	-8.14	68.20	32.28	100	3 RMS	Vertical	
3	7142.60	49.83	58.38	-8.55	68.20	-18.37	100	3 RMS	Vertical	

802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5924.94	61.65	70.58	-8.93	88.20	-26.55	179	320	Peak	Horizontal		
2	5985.00	107.15	115.88	-8.73	88.20	19.95	179	320	Peak	Horizontal		
3	7136.88	61.55	70.11	-8.56	88.20	-26.65	179	320	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5919.18	67.25	76.20	-8.95	88.20	-20.95	333	55	Peak	Vertical		
2	5985.00	107.00	116.63	-8.73	88.20	19.70	333	55	Peak	Vertical		
3	7161.90	60.45	68.99	-8.54	88.20	-27.75	333	55	Peak	Vertical		


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5987.84	58.80	59.81	-9.01	68.20	-17.40	179	320	RMS	Horizontal		
2 *	5985.00	97.05	105.78	-8.73	68.20	26.05	179	320	RMS	Horizontal		
3	7161.72	49.26	57.80	-8.54	68.20	-18.94	179	320	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5919.00	56.75	65.71	-8.96	68.20	-11.45	333	55	RMS	Vertical		
2 *	5985.00	98.06	107.59	-8.73	68.20	30.66	333	55	RMS	Vertical		
3	7187.10	49.14	57.66	-8.52	68.20	-19.06	333	55	RMS	Vertical		

802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5653.68	61.20	70.51	-9.31	88.20	-27.00	236	100	Peak	Horizontal		
2 *	6145.00	107.47	115.67	-8.20	88.20	19.27	236	100	Peak	Horizontal		
3	7235.68	61.25	69.75	-8.50	88.20	-26.95	236	100	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5728.50	61.32	70.55	-9.23	88.20	-26.88	291	54	Peak	Vertical		
2 *	6145.00	107.09	116.09	-8.20	88.20	19.69	291	54	Peak	Vertical		
3	7160.14	61.79	70.33	-8.54	88.20	-26.41	291	54	Peak	Vertical		


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5779.69	48.91	57.97	-9.06	68.20	-19.29	236	100	RMS	Horizontal		
2 *	6145.00	95.26	103.46	-8.20	68.20	27.06	236	100	RMS	Horizontal		
3	7186.63	49.24	57.76	-8.52	68.20	-18.96	236	100	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5715.97	48.90	56.19	-9.29	68.20	-19.30	291	54	RMS	Vertical		
2 *	6145.00	95.40	104.60	-9.20	68.20	28.20	291	54	RMS	Vertical		
3	7185.92	49.17	57.69	-8.52	68.20	-19.03	291	54	RMS	Vertical		

802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dBm	cm	deg		
1	5821.58	61.32	70.35	-9.03	88.20	-26.88	179	295 Peak	Horizontal
2 *	6385.00	108.06	116.23	-8.17	88.20	19.06	179	295 Peak	Horizontal
3	7221.72	60.83	69.34	-8.51	88.20	-27.37	179	295 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dBm	cm	deg		
1	5735.66	61.26	70.46	-9.20	88.20	-26.94	210	4 Peak	Vertical
2 *	6385.00	109.32	117.49	-8.17	88.20	21.12	210	4 Peak	Vertical
3	7225.66	61.01	69.52	-8.51	88.20	-27.19	210	4 Peak	Vertical


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.65	49.13	58.45	-9.32	68.20	-19.07	179	295 RMS	Horizontal
2 *	6385.00	98.72	106.89	-8.17	68.20	38.52	179	295 RMS	Horizontal
3	7155.13	49.71	58.25	-8.54	68.20	-18.49	179	295 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5923.97	49.21	58.14	-8.93	68.20	-18.99	210	4 RMS	Vertical
2 *	6385.00	99.31	107.48	-8.17	68.20	31.11	210	4 RMS	Vertical
3	7161.57	49.59	58.13	-8.54	68.20	-18.61	210	4 RMS	Vertical

802.11ax HE160

CH15 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5988.74	63.44	72.45	-9.01	88.20	-24.76	158	334	Peak	Horizontal		
2 *	5925.00	104.82	113.34	-8.52	88.20	16.62	158	334	Peak	Horizontal		
3	7197.36	61.18	69.70	-8.52	88.20	-27.02	158	334	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5923.32	69.88	78.82	-8.94	88.20	-18.32	270	34	Peak	Vertical		
2 *	5925.00	111.52	120.04	-8.52	88.20	23.32	270	34	Peak	Vertical		
3	7133.82	63.89	72.45	-8.56	88.20	-24.31	270	34	Peak	Vertical		

802.11ax HE160

CH15 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5988.20	51.86	60.87	-9.01	68.20	-16.34	158	334	RMS	Horizontal		
2 *	6025.00	95.15	103.67	-8.52	68.20	26.95	158	334	RMS	Horizontal		
3	7164.06	49.30	57.84	-8.54	68.20	-18.90	158	334	RMS	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5924.94	58.45	67.38	-8.93	68.20	-9.75	270	34	RMS	Vertical		
2 *	6025.00	99.60	108.12	-8.52	68.20	31.40	270	34	RMS	Vertical		
3	7187.82	51.66	60.18	-8.52	68.20	-16.54	270	34	RMS	Vertical		

802.11ax HE160

CH47 (Horizontal) Peak




CH47 (Vertical) Peak




802.11ax HE160

CH47 (Horizontal) RMS



CH47 (Vertical) RMS




802.11ax HE160

CH79 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5516.92	61.70	71.10	-9.40	88.20	-26.50	100	295 Peak	Horizontal	
2 *	6345.00	106.95	115.23	-8.20	88.20	18.75	100	295 Peak	Horizontal	
3	7169.45	61.72	70.25	-8.53	88.20	-26.48	100	295 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5846.28	61.28	70.34	-9.06	88.20	-26.92	249	13 Peak	Vertical	
2 *	6345.00	107.99	116.27	-8.20	88.20	19.79	249	13 Peak	Vertical	
3	7161.57	61.39	69.93	-8.54	88.20	-26.81	249	13 Peak	Vertical	

802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS





U-NII-6

802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5779.69	48.91	57.97	-9.06	68.20	-19.29	185	292	RMS	Horizontal		
2 *	6435.00	100.32	106.59	-8.18	68.20	32.12	185	292	RMS	Horizontal		
3	7209.68	48.90	57.42	-8.52	68.20	-19.30	185	292	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.92	48.68	57.73	-9.05	68.20	-19.52	221	4	RMS	Vertical		
2 *	6435.00	100.40	106.58	-8.18	68.20	32.20	221	4	RMS	Vertical		
3	7212.05	49.03	57.55	-8.52	68.20	-19.17	221	4	RMS	Vertical		

802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5797.95	69.93	69.94	-9.01	88.20	-27.27	100	295	Peak	Horizontal	
2	6475.00	108.89	117.13	-8.24	88.20	20.60	100	295	Peak	Horizontal	
3	7181.26	61.50	70.63	-8.53	88.20	-26.70	100	295	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5640.07	60.98	70.31	-9.33	88.20	-27.22	100	4	Peak	Vertical	
2	6475.00	108.89	116.77	-8.24	88.20	20.33	100	4	Peak	Vertical	
3	7152.62	61.13	69.68	-8.55	88.20	-27.07	100	4	Peak	Vertical	


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5796.88	48.67	57.69	-9.02	68.20	-19.53	100	295	RMS	Horizontal		
2 *	6475.00	99.72	107.96	-8.24	68.20	31.52	100	295	RMS	Horizontal		
3	7247.85	48.92	57.42	-8.50	68.20	-19.28	100	295	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5806.54	48.78	57.79	-9.01	68.20	-19.42	100	4	RMS	Vertical		
2 *	6475.00	99.86	108.10	-8.24	68.20	31.66	100	4	RMS	Vertical		
3	7205.97	49.11	57.62	-8.51	68.20	-19.09	100	4	RMS	Vertical		

802.11ax HE20

CH113 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5891.89	61.52	70.52	-9.00	88.20	-26.68	192	298 Peak	Horizontal			
2 *	6515.00	108.55	116.80	-8.25	88.20	20.35	192	298 Peak	Horizontal			
3	7135.44	60.79	69.35	-8.56	88.20	-27.41	192	298 Peak	Horizontal			

CH113 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5731.01	60.28	69.50	-9.22	88.20	-27.92	220	20 Peak	Vertical			
2 *	6515.00	109.47	117.72	-8.25	88.20	21.27	220	20 Peak	Vertical			
3	7182.34	60.60	69.13	-8.53	88.20	-27.60	220	20 Peak	Vertical			


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5894.75	48.65	57.66	-9.01	68.20	-19.55	192	298 RMS	Horizontal
2 *	6515.00	99.38	107.63	-8.25	68.20	31.18	192	298 RMS	Horizontal
3	7215.27	49.05	57.57	-8.52	68.20	-19.15	192	298 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5776.83	48.53	57.69	-9.07	68.20	-19.67	220	20 RMS	Vertical
2 *	6515.00	100.27	108.52	-8.25	68.20	32.97	220	20 RMS	Vertical
3	7224.22	48.91	57.42	-8.51	68.20	-19.29	220	20 RMS	Vertical

802.11ax HE40

CH99 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5641.51	61.71	71.03	-9.32	88.20	-26.49	100		295 Peak	Horizontal	
2 *	6445.00	108.67	117.87	-8.20	88.20	29.67	100		295 Peak	Horizontal	
3	7169.86	62.35	70.89	-8.54	88.20	-25.85	100		295 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5739.29	61.76	70.98	-9.22	88.20	-26.44	223		20 Peak	Vertical	
2 *	6445.00	109.39	117.59	-8.20	88.20	21.19	223		20 Peak	Vertical	
3	7158.71	60.97	69.51	-8.54	88.20	-27.23	223		20 Peak	Vertical	


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5778.26	49.87	58.13	-9.06	68.20	-19.13	100	295 RMS	Horizontal		
2	6445.00	98.91	187.11	-8.20	68.20	30.71	100	295 RMS	Horizontal		
3	7207.76	49.35	57.86	-8.51	68.20	-18.85	100	295 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5780.41	48.73	57.79	-9.06	68.20	-19.47	223	20 RMS	Vertical		
2	6445.00	100.22	186.42	-8.20	68.20	32.02	223	20 RMS	Vertical		
3	7240.69	49.15	57.65	-8.50	68.20	-19.05	223	20 RMS	Vertical		

802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5727.07	61.16	70.40	-9.24	88.20	-27.04	100	295	Peak	Horizontal		
2 *	6485.00	108.30	116.55	-8.25	88.20	28.35	100	295	Peak	Horizontal		
3	7145.11	62.29	70.84	-8.55	88.20	-25.91	100	295	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5734.94	60.96	70.16	-9.20	88.20	-27.24	100	295	Peak	Vertical		
2 *	6485.00	108.65	116.90	-8.25	88.20	28.70	100	295	Peak	Vertical		
3	7234.61	61.05	69.55	-8.50	88.20	-27.15	100	295	Peak	Vertical		


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5753.92	48.76	57.91	-9.13	68.20	-19.42	100	295 RMS	Horizontal	
2 *	6485.00	98.40	106.65	-8.25	68.20	38.20	100	295 RMS	Horizontal	
3	7189.50	49.29	57.81	-8.52	68.20	-18.91	100	295 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5730.65	48.66	57.90	-9.22	68.20	-19.52	230	29 RMS	Vertical	
2 *	6485.00	99.61	108.86	-8.25	68.20	31.61	230	29 RMS	Vertical	
3	7194.87	49.05	57.57	-8.52	68.20	-19.15	230	29 RMS	Vertical	

802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5892.61	49.05	58.06	-9.01	68.20	-19.15	183	290 RMS		Horizontal		
2 *	6525.00	98.71	106.94	-8.23	68.20	38.74	183	290 RMS		Horizontal		
3	7177.68	49.13	57.66	-8.53	68.20	-19.07	183	290 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5768.60	48.75	57.84	-9.09	68.20	-19.45	226	30 RMS		Vertical		
2 *	6525.00	99.53	107.76	-8.23	68.20	39.56	226	30 RMS		Vertical		
3	7174.10	49.32	57.85	-8.53	68.20	-18.88	226	30 RMS		Vertical		

802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.14	49.41	58.54	-9.13	68.20	-18.79	122	298 RMS	Horizontal		
2 *	6465.00	98.36	106.58	-8.22	68.20	30.16	122	298 RMS	Horizontal		
3	7176.25	49.83	58.36	-8.53	68.20	-18.37	122	298 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5797.24	49.01	58.03	-9.02	68.20	-19.19	124	9 RMS	Vertical		
2 *	6465.00	99.33	107.55	-8.22	68.20	31.13	124	9 RMS	Vertical		
3	7199.88	49.58	58.10	-8.52	68.20	-18.62	124	9 RMS	Vertical		


802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5720.27	61.98	71.25	-9.27	88.20	-26.22	109	296	Peak	Horizontal		
2 *	6545.00	106.77	114.98	-8.21	88.20	18.57	109	296	Peak	Horizontal		
3	7155.49	62.68	71.22	-8.54	88.20	-25.52	109	296	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5572.41	61.48	70.96	-9.48	88.20	-26.72	236	20	Peak	Vertical		
2 *	6545.00	109.24	117.45	-8.21	88.20	21.04	236	20	Peak	Vertical		
3	7137.23	61.55	70.10	-8.55	88.20	-26.65	236	20	Peak	Vertical		


802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5768.24	49.87	58.16	-9.09	68.20	-19.13	109	296 RMS	Horizontal		
2 *	6545.00	97.78	105.99	-8.21	68.20	29.58	109	296 RMS	Horizontal		
3	7155.13	49.68	58.22	-8.54	68.20	-18.52	109	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5839.48	48.98	58.04	-9.06	68.20	-19.22	236	20 RMS	Vertical		
2 *	6545.00	99.52	107.73	-8.21	68.20	31.32	236	20 RMS	Vertical		
3	7179.47	49.56	58.09	-8.53	68.20	-18.64	236	20 RMS	Vertical		

802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.14	49.47	58.60	-9.13	68.20	-18.73	100	300	RMS	Horizontal		
2	6505.00	91.44	99.71	-8.27	68.20	23.24	100	300	RMS	Horizontal		
3	7166.59	50.09	58.63	-8.54	68.20	-18.11	100	300	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5655.83	49.20	58.50	-9.30	68.20	-19.00	100	4	RMS	Vertical		
2	6505.00	92.45	100.72	-8.27	68.20	24.25	100	4	RMS	Vertical		
3	7152.98	49.89	58.44	-8.55	68.20	-18.31	100	4	RMS	Vertical		

U-NII-7

802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5798.43	61.15	70.18	-9.03	88.20	-27.05	100	295	Peak	Horizontal		
2	6535.00	108.45	116.68	-8.23	88.20	28.48	100	295	Peak	Horizontal		
3	7198.21	61.44	69.96	-8.52	88.20	-26.76	100	295	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5500.10	61.64	71.02	-9.38	88.20	-26.56	209	5	Peak	Vertical		
2	6535.00	109.19	117.42	-8.23	88.20	29.99	209	5	Peak	Vertical		
3	7140.45	62.18	70.73	-8.55	88.20	-26.02	209	5	Peak	Vertical		


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5752.49	48.97	58.11	-9.14	68.20	-19.23	100	295	RMS	Horizontal	
2	6535.00	98.69	106.92	-8.23	68.20	30.49	100	295	RMS	Horizontal	
3	7184.49	49.66	58.19	-8.53	68.20	-18.54	100	295	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5766.45	48.86	57.96	-9.10	68.20	-19.34	209	5	RMS	Vertical	
2	6535.00	99.06	106.19	-8.23	68.20	31.76	209	5	RMS	Vertical	
3	7189.50	49.54	58.06	-8.52	68.20	-18.66	209	5	RMS	Vertical	

802.11ax HE20

CH149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5823.73	61.26	70.30	-9.04	88.20	-26.94	100			247 Peak	Horizontal	
2	6695.00	108.29	116.61	-8.32	88.20	28.00	100			247 Peak	Horizontal	
3	7246.42	61.36	69.86	-8.50	88.20	-26.84	100			247 Peak	Horizontal	

CH149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5785.78	61.08	70.13	-9.05	88.20	-27.12	100			7 Peak	Vertical	
2	6695.00	108.87	117.19	-8.32	88.20	28.67	100			7 Peak	Vertical	
3	7165.87	62.12	70.66	-8.54	88.20	-26.08	100			7 Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5728.27	49.88	58.35	-9.27	68.28	-19.12	100	247 RMS	Horizontal	
2 *	6695.08	99.12	107.44	-8.32	68.28	39.92	100	247 RMS	Horizontal	
3	7195.94	49.63	58.15	-8.52	68.28	-18.57	100	247 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5768.24	49.88	58.09	-9.09	68.28	-19.28	100	7 RMS	Vertical	
2 *	6695.08	108.15	108.47	-8.32	68.28	31.95	100	7 RMS	Vertical	
3	7190.93	49.63	58.15	-8.52	68.28	-18.57	100	7 RMS	Vertical	

802.11ax HE20

CH181 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5642.58	61.22	70.54	-9.32	88.20	-26.98		118		230 Peak	Horizontal	
2 *	6855.00	107.50	115.93	-8.43	88.20	19.30		118		230 Peak	Horizontal	
3	7194.15	61.92	70.44	-8.52	88.20	-26.28		118		230 Peak	Horizontal	

CH181 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5814.42	61.15	70.18	-9.03	88.20	-27.05		225		34 Peak	Vertical	
2 *	6855.00	109.11	117.54	-8.43	88.20	20.91		225		34 Peak	Vertical	
3	7190.21	62.16	70.68	-8.52	88.20	-26.04		225		34 Peak	Vertical	


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5892.25	49.01	58.01	-9.00	68.20	-19.19	118	230 RMS	Horizontal	
2 *	6855.00	98.27	100.70	-8.43	68.20	30.07	118	230 RMS	Horizontal	
3	7190.21	49.81	58.33	-8.52	68.20	-18.39	118	230 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5746.40	48.97	58.11	-9.14	68.20	-19.23	225	34 RMS	Vertical	
2 *	6855.00	99.17	107.60	-8.43	68.20	30.97	225	34 RMS	Vertical	
3	7176.25	49.47	58.00	-8.53	68.20	-18.73	225	34 RMS	Vertical	


802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5688.48	69.96	70.31	-9.35	88.20	-27.24	189	245 Peak	Horizontal	
2 *	6875.00	107.80	116.28	-8.48	88.20	19.60	189	245 Peak	Horizontal	
3	7226.73	61.56	70.07	-8.51	88.20	-26.64	189	245 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5714.90	61.00	70.29	-9.29	88.20	-27.20	100	33 Peak	Vertical	
2 *	6875.00	108.14	116.62	-8.48	88.20	19.94	100	33 Peak	Vertical	
3	7176.97	62.36	70.89	-8.53	88.20	-25.84	100	33 Peak	Vertical	


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5777.90	48.99	58.05	-9.06	68.20	-19.21	189	245 RMS		Horizontal		
2 *	6875.00	97.73	106.21	-8.48	68.20	29.53	189	245 RMS		Horizontal		
3	7199.88	49.64	58.16	-8.52	68.20	-18.56	189	245 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5923.25	48.86	57.80	-8.94	68.20	-19.34	100	33 RMS		Vertical		
2 *	6875.00	99.15	107.63	-8.48	68.20	39.99	100	33 RMS		Vertical		
3	7193.79	49.66	58.18	-8.52	68.20	-18.54	100	33 RMS		Vertical		

802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5766.81	48.90	58.00	-9.10	68.20	-19.30	100	296 RMS	Horizontal	
2 *	6565.00	98.13	108.35	-8.22	68.20	29.93	100	296 RMS	Horizontal	
3	7196.66	49.27	57.79	-8.52	68.20	-18.93	100	296 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5766.09	48.80	57.90	-9.10	68.20	-19.40	100	5 RMS	Vertical	
2 *	6565.00	100.19	108.41	-8.22	68.20	31.99	100	5 RMS	Vertical	
3	7195.94	49.46	57.98	-8.52	68.20	-18.74	100	5 RMS	Vertical	


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5785.06	61.07	70.12	-9.05	88.20	-27.13	100	248	Peak	Horizontal		
2 *	6725.00	108.09	117.07	-8.38	88.20	20.49	100	248	Peak	Horizontal		
3	7230.67	61.99	70.50	-8.51	88.20	-26.21	100	248	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5732.44	60.77	69.98	-9.21	88.20	-27.43	224	22	Peak	Vertical		
2 *	6725.00	108.79	117.17	-8.38	88.20	20.59	224	22	Peak	Vertical		
3	7226.37	60.72	69.23	-8.51	88.20	-27.48	224	22	Peak	Vertical		


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5783.27	48.75	57.80	-9.05	68.20	-19.45	100	248	RMS	Horizontal		
2 *	6725.00	98.40	106.78	-8.38	68.20	38.20	100	248	RMS	Horizontal		
3	7200.24	49.34	57.86	-8.52	68.20	-18.86	100	248	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.63	48.67	57.80	-9.13	68.20	-19.53	224	22	RMS	Vertical		
2 *	6725.00	99.19	107.57	-8.38	68.20	39.99	224	22	RMS	Vertical		
3	7199.52	49.27	57.79	-8.52	68.20	-18.93	224	22	RMS	Vertical		