

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.97	-13	40.97	Pass	401
0.15	30	0.01	Peak	0.27	-54.42	-13	41.42	Pass	2986
30	500	0.1	Peak	476.8	-45.15	-13	32.15	Pass	4701
500	1000	0.1	Peak	824.2	32.49	-13	-45.49	NA	5001
1000	10000	1	Peak	8464	-23.96	-13	10.96	Pass	9002




1.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.2	-13	41.2	Pass	401
0.15	30	0.01	Peak	0.17	-52.17	-13	39.17	Pass	2986
30	500	0.1	Peak	478.2	-45.14	-13	32.14	Pass	4701
500	1000	0.1	Peak	836.5	32.69	-13	-45.69	NA	5001
1000	10000	1	Peak	7177	-24.13	-13	11.13	Pass	9002



1.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.26	-13	42.26	Pass	401
0.15	30	0.01	Peak	0.15	-53.65	-13	40.65	Pass	2986
30	500	0.1	Peak	469.4	-44.87	-13	31.87	Pass	4701
500	1000	0.1	Peak	848.8	32.49	-13	-45.49	NA	5001
1000	10000	1	Peak	6806	-24.19	-13	11.19	Pass	9002



2. GSM_PCS


2.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.37	-13	47.37	Pass	401
0.15	30	0.01	Peak	0.54	-61.15	-13	48.15	Pass	2986
30	1000	0.1	Peak	980.587	-49.73	-13	36.73	Pass	9701
1000	3000	1	Peak	1850	25.8	-13	-38.8	NA	2001
3000	20000	1	Peak	3701	-42.62	-13	29.62	Pass	17003




2.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.57	-13	48.57	Pass	401
0.15	30	0.01	Peak	0.18	-60.39	-13	47.39	Pass	2986
30	1000	0.1	Peak	861.608	-49.5	-13	36.5	Pass	9701
1000	3000	1	Peak	1880	29.24	-13	-42.24	NA	2001
3000	20000	1	Peak	3760	-39.75	-13	26.75	Pass	17003



2.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.77	-13	47.77	Pass	401
0.15	30	0.01	Peak	0.2	-59.34	-13	46.34	Pass	2986
30	1000	0.1	Peak	958.172	-50.14	-13	37.14	Pass	9701
1000	3000	1	Peak	1910	29.59	-13	-42.59	NA	2001
3000	20000	1	Peak	3819	-41.59	-13	28.59	Pass	17003



3. GPRS_GSM850


3.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.09	-13	41.09	Pass	401
0.15	30	0.01	Peak	0.15	-53.7	-13	40.7	Pass	2986
30	500	0.1	Peak	488.5	-44.21	-13	31.21	Pass	4701
500	1000	0.1	Peak	824.1	32.51	-13	-45.51	NA	5001
1000	10000	1	Peak	7660	-23.47	-13	10.47	Pass	9002




3.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.79	-13	42.79	Pass	401
0.15	30	0.01	Peak	0.15	-54.23	-13	41.23	Pass	2986
30	500	0.1	Peak	420.7	-44.64	-13	31.64	Pass	4701
500	1000	0.1	Peak	836.7	32.72	-13	-45.72	NA	5001
1000	10000	1	Peak	6902	-23.15	-13	10.15	Pass	9002



3.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-55.94	-13	42.94	Pass	401
0.15	30	0.01	Peak	0.15	-54.44	-13	41.44	Pass	2986
30	500	0.1	Peak	364.9	-44.53	-13	31.53	Pass	4701
500	1000	0.1	Peak	848.9	32.47	-13	-45.47	NA	5001
1000	10000	1	Peak	6810	-23.15	-13	10.15	Pass	9002



4. GPRS_PCS


4.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.98	-13	48.98	Pass	401
0.15	30	0.01	Peak	0.16	-59.78	-13	46.78	Pass	2986
30	1000	0.1	Peak	505.7	-49.69	-13	36.69	Pass	9701
1000	3000	1	Peak	1850	19.41	-13	-32.41	NA	2001
3000	20000	1	Peak	17410	-43.99	-13	30.99	Pass	17003




4.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.8	-13	48.8	Pass	401
0.15	30	0.01	Peak	0.2	-59.56	-13	46.56	Pass	2986
30	1000	0.1	Peak	692.6	-49.53	-13	36.53	Pass	9701
1000	3000	1	Peak	1880	17.72	-13	-30.72	NA	2001
3000	20000	1	Peak	16084	-44.71	-13	31.71	Pass	17003



4.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.87	-13	47.87	Pass	401
0.15	30	0.01	Peak	0.15	-59.92	-13	46.92	Pass	2986
30	1000	0.1	Peak	910.541	-50.12	-13	37.12	Pass	9701
1000	3000	1	Peak	1910	20.21	-13	-33.21	NA	2001
3000	20000	1	Peak	17839	-44.53	-13	31.53	Pass	17003



5. EGPRS_GSM850


5.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.28	-13	42.28	Pass	401
0.15	30	0.01	Peak	0.33	-53.87	-13	40.87	Pass	2986
30	500	0.1	Peak	476.6	-44.97	-13	31.97	Pass	4701
500	1000	0.1	Peak	824.2	29.99	-13	-42.99	NA	5001
1000	10000	1	Peak	7262	-24	-13	11	Pass	9002




5.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.7	-13	42.7	Pass	401
0.15	30	0.01	Peak	0.16	-54.57	-13	41.57	Pass	2986
30	500	0.1	Peak	421.5	-44.52	-13	31.52	Pass	4701
500	1000	0.1	Peak	836.6	29.5	-13	-42.5	NA	5001
1000	10000	1	Peak	8466	-23.56	-13	10.56	Pass	9002



5.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.28	-13	42.28	Pass	401
0.15	30	0.01	Peak	0.2	-54.28	-13	41.28	Pass	2986
30	500	0.1	Peak	367.5	-44.99	-13	31.99	Pass	4701
500	1000	0.1	Peak	848.8	29.43	-13	-42.43	NA	5001
1000	10000	1	Peak	7482	-24.05	-13	11.05	Pass	9002



6. EGPRS_PCS


6.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.78	-13	47.78	Pass	401
0.15	30	0.01	Peak	0.18	-59.79	-13	46.79	Pass	2986
30	1000	0.1	Peak	868.413	-49.86	-13	36.86	Pass	9701
1000	3000	1	Peak	1850	22.46	-13	-35.46	NA	2001
3000	20000	1	Peak	17294	-43.73	-13	30.73	Pass	17003




6.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.84	-13	47.84	Pass	401
0.15	30	0.01	Peak	0.27	-60.71	-13	47.71	Pass	2986
30	1000	0.1	Peak	828.3	-50.26	-13	37.26	Pass	9701
1000	3000	1	Peak	1880	21.1	-13	-34.1	NA	2001
3000	20000	1	Peak	17939	-44.96	-13	31.96	Pass	17003



6.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.46	-13	47.46	Pass	401
0.15	30	0.01	Peak	0.17	-60.63	-13	47.63	Pass	2986
30	1000	0.1	Peak	862.809	-49.11	-13	36.11	Pass	9701
1000	3000	1	Peak	1910	22.95	-13	-35.95	NA	2001
3000	20000	1	Peak	17785	-44.57	-13	31.57	Pass	17003



7. WCDMA_Band2

7.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.62	-13	51.62	Pass	401
0.15	30	0.01	Peak	0.15	-63.34	-13	50.34	Pass	2986
30	1000	0.1	Peak	965.477	-53.16	-13	40.16	Pass	9701
1000	3000	1	Peak	1851	23.6	-13	-36.6	NA	2001
3000	20000	1	Peak	14845	-28.44	-13	15.44	Pass	17003



7.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.56	-13	52.56	Pass	401
0.15	30	0.01	Peak	0.28	-63.9	-13	50.9	Pass	2986
30	1000	0.1	Peak	939.76	-53.61	-13	40.61	Pass	9701
1000	3000	1	Peak	1879	23.91	-13	-36.91	NA	2001
3000	20000	1	Peak	17733	-28.36	-13	15.36	Pass	17003



7.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.72	-13	51.72	Pass	401
0.15	30	0.01	Peak	0.15	-64.14	-13	51.14	Pass	2986
30	1000	0.1	Peak	896.631	-53.67	-13	40.67	Pass	9701
1000	3000	1	Peak	1906	24.47	-13	-37.47	NA	2001
3000	20000	1	Peak	17790	-28.16	-13	15.16	Pass	17003



8. WCDMA_Band4

8.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.91	-13	52.91	Pass	401
0.15	30	0.01	Peak	0.26	-64.5	-13	51.5	Pass	2986
30	1000	0.1	Peak	936.258	-53.55	-13	40.55	Pass	9701
1000	3000	1	Peak	1714	24.28	-13	-37.28	NA	2001
3000	20000	1	Peak	14911	-28.16	-13	15.16	Pass	17003



8.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.17	-13	52.17	Pass	401
0.15	30	0.01	Peak	0.24	-64.77	-13	51.77	Pass	2986
30	1000	0.1	Peak	766.3	-53.98	-13	40.98	Pass	9701
1000	3000	1	Peak	1731	24.3	-13	-37.3	NA	2001
3000	20000	1	Peak	17826	-28.46	-13	15.46	Pass	17003



8.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.88	-13	52.88	Pass	401
0.15	30	0.01	Peak	0.47	-64.01	-13	51.01	Pass	2986
30	1000	0.1	Peak	904.437	-54.18	-13	41.18	Pass	9701
1000	3000	1	Peak	1751	24.49	-13	-37.49	NA	2001
3000	20000	1	Peak	19279	-28.05	-13	15.05	Pass	17003



9. WCDMA_Band5

9.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.04	-13	53.04	Pass	401
0.15	30	0.01	Peak	0.15	-64.26	-13	51.26	Pass	2986
30	500	0.1	Peak	474	-55.04	-13	42.04	Pass	4701
500	1000	0.1	Peak	825.8	16.69	-13	-29.69	NA	5001
1000	10000	1	Peak	7508	-33.94	-13	20.94	Pass	9002



9.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.5	-13	50.5	Pass	401
0.15	30	0.01	Peak	0.18	-63.89	-13	50.89	Pass	2986
30	500	0.1	Peak	461.2	-54.65	-13	41.65	Pass	4701
500	1000	0.1	Peak	837.6	17.22	-13	-30.22	NA	5001
1000	10000	1	Peak	6947	-33.56	-13	20.56	Pass	9002



9.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.03	-13	52.03	Pass	401
0.15	30	0.01	Peak	0.2	-64.09	-13	51.09	Pass	2986
30	500	0.1	Peak	493.7	-54.81	-13	41.81	Pass	4701
500	1000	0.1	Peak	845.7	17.89	-13	-30.89	NA	5001
1000	10000	1	Peak	7279	-34.19	-13	21.19	Pass	9002



10. LTE_Band2


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	851.602	-65.05	-13	52.05	Pass	9701
1000	1840	1	RMS	1840	-53.13	-13	40.13	Pass	841
1840	1920	1	RMS	1850.2	22.57	60	37.43	Pass	401
1920	3000	1	RMS	2927	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11998	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.18	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	832.3	-65.04	-13	52.04	Pass	9701
1000	1840	1	RMS	1840	-53.28	-13	40.28	Pass	841
1840	1920	1	RMS	1850.2	21.77	60	38.23	Pass	401
1920	3000	1	RMS	2983	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11997	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13601	-39.61	-13	26.61	Pass	8001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	991.895	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1830	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1879.4	22.97	60	37.03	Pass	401
1920	3000	1	RMS	2982	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	11998	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13602	-39.64	-13	26.64	Pass	8001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	846.7	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.61	-13	40.61	Pass	841
1840	1920	1	RMS	1879.4	22.28	60	37.72	Pass	401
1920	3000	1	RMS	2937	-51.27	-13	38.27	Pass	1081
3000	12000	1	RMS	11999	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13605	-39.61	-13	26.61	Pass	8001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	849.4	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1834	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1908.8	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2930	-51.27	-13	38.27	Pass	1081
3000	12000	1	RMS	11999	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13603	-39.71	-13	26.71	Pass	8001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	859.507	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1834	-53.68	-13	40.68	Pass	841
1840	1920	1	RMS	1908.8	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2995	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11995	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	58.01	Pass	2986
30	1000	0.1	RMS	847	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-52.75	-13	39.75	Pass	841
1840	1920	1	RMS	1850.2	22.62	60	37.38	Pass	401
1920	3000	1	RMS	2985	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11997	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13601	-39.67	-13	26.67	Pass	8001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	973.983	-64.93	-13	51.93	Pass	9701
1000	1840	1	RMS	1840	-52.82	-13	39.82	Pass	841
1840	1920	1	RMS	1850.2	21.93	60	38.07	Pass	401
1920	3000	1	RMS	2989	-51.27	-13	38.27	Pass	1081
3000	12000	1	RMS	12000	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.68	-13	26.68	Pass	8001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	946.865	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1840	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1878.6	23.26	60	36.74	Pass	401
1920	3000	1	RMS	2996	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	12000	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13601	-39.67	-13	26.67	Pass	8001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	933.256	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1826	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1878.6	22.27	60	37.73	Pass	401
1920	3000	1	RMS	2985	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11998	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	839.7	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1836	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1907.2	23.07	60	36.93	Pass	401
1920	3000	1	RMS	3000	-51.23	-13	38.23	Pass	1081
3000	12000	1	RMS	11996	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	945.364	-64.85	-13	51.85	Pass	9701
1000	1840	1	RMS	1840	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1907.2	22.34	60	37.66	Pass	401
1920	3000	1	RMS	3000	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11998	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13605	-39.68	-13	26.68	Pass	8001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	844.1	-64.94	-13	51.94	Pass	9701
1000	1840	1	RMS	1840	-52.04	-13	39.04	Pass	841
1840	1920	1	RMS	1850.2	22.55	60	37.45	Pass	401
1920	3000	1	RMS	2927	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11997	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13605	-39.7	-13	26.7	Pass	8001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	951.368	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1840	-52.52	-13	39.52	Pass	841
1840	1920	1	RMS	1850.2	21.71	60	38.29	Pass	401
1920	3000	1	RMS	2998	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11998	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	851.902	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1839	-53.63	-13	40.63	Pass	841
1840	1920	1	RMS	1877.8	22.67	60	37.33	Pass	401
1920	3000	1	RMS	2993	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11995	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13600	-39.61	-13	26.61	Pass	8001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	836.5	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1837	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1877.8	21.89	60	38.11	Pass	401
1920	3000	1	RMS	3000	-51.21	-13	38.21	Pass	1081
3000	12000	1	RMS	12000	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	849.5	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1827	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1905.2	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2992	-51.22	-13	38.22	Pass	1081
3000	12000	1	RMS	11995	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	950.367	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1831	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1905.2	22.35	60	37.65	Pass	401
1920	3000	1	RMS	2948	-51.22	-13	38.22	Pass	1081
3000	12000	1	RMS	11990	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	957.072	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1833	-48.29	-13	35.29	Pass	841
1840	1920	1	RMS	1850.4	22.54	60	37.46	Pass	401
1920	3000	1	RMS	2998	-51.2	-13	38.2	Pass	1081
3000	12000	1	RMS	11995	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13603	-39.68	-13	26.68	Pass	8001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	846.3	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1833	-48.77	-13	35.77	Pass	841
1840	1920	1	RMS	1850.4	21.84	60	38.16	Pass	401
1920	3000	1	RMS	2991	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11989	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	1000	0.1	RMS	848.1	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-53.61	-13	40.61	Pass	841
1840	1920	1	RMS	1875.4	23.21	60	36.79	Pass	401
1920	3000	1	RMS	2997	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	3751	-41.56	-13	28.56	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	913.343	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1830	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1875.4	22.15	60	37.85	Pass	401
1920	3000	1	RMS	2990	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	3751	-41.94	-13	28.94	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	898.633	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1839	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1900.4	23.44	60	36.56	Pass	401
1920	3000	1	RMS	2982	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	11999	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	842.6	-65.05	-13	52.05	Pass	9701
1000	1840	1	RMS	1836	-53.7	-13	40.7	Pass	841
1840	1920	1	RMS	1900.6	22.53	60	37.47	Pass	401
1920	3000	1	RMS	2930	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11998	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13603	-39.54	-13	26.54	Pass	8001



10.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	849.1	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1838	-43.84	-13	30.84	Pass	841
1840	1920	1	RMS	1850.8	22.66	60	37.34	Pass	401
1920	3000	1	RMS	2991	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11997	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13602	-39.61	-13	26.61	Pass	8001



10.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	842.8	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1838	-43.79	-13	30.79	Pass	841
1840	1920	1	RMS	1850.8	21.96	60	38.04	Pass	401
1920	3000	1	RMS	2975	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11997	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.66	-13	26.66	Pass	8001



10.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	833	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1838	-53.63	-13	40.63	Pass	841
1840	1920	1	RMS	1873.2	23.22	60	36.78	Pass	401
1920	3000	1	RMS	2990	-51.21	-13	38.21	Pass	1081
3000	12000	1	RMS	3747	-40.2	-13	27.2	Pass	9002
12000	20000	1	RMS	13602	-39.68	-13	26.68	Pass	8001



10.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	898.733	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1839	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1873.2	22.18	60	37.82	Pass	401
1920	3000	1	RMS	2986	-51.19	-13	38.19	Pass	1081
3000	12000	1	RMS	3747	-40.85	-13	27.85	Pass	9002
12000	20000	1	RMS	13605	-39.66	-13	26.66	Pass	8001



10.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	830.3	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1837	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1895.8	23.36	60	36.64	Pass	401
1920	3000	1	RMS	1922	-39.49	-13	26.49	Pass	1081
3000	12000	1	RMS	11995	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001



10.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	994.897	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1836	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1895.8	22.51	60	37.49	Pass	401
1920	3000	1	RMS	1922	-41.03	-13	28.03	Pass	1081
3000	12000	1	RMS	11993	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.67	-13	26.67	Pass	8001



10.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	864.51	-65.03	-13	52.03	Pass	9701
1000	1840	1	RMS	1833	-49.68	-13	36.68	Pass	841
1840	1920	1	RMS	1851	22.5	60	37.5	Pass	401
1920	3000	1	RMS	2986	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11998	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13602	-39.67	-13	26.67	Pass	8001



10.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	996.097	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-49.73	-13	36.73	Pass	841
1840	1920	1	RMS	1851	21.78	60	38.22	Pass	401
1920	3000	1	RMS	2991	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	11997	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001



10.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	846.1	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1835	-47.66	-13	34.66	Pass	841
1840	1920	1	RMS	1871	23.1	60	36.9	Pass	401
1920	3000	1	RMS	2992	-51.23	-13	38.23	Pass	1081
3000	12000	1	RMS	3742	-42.36	-13	29.36	Pass	9002
12000	20000	1	RMS	13598	-39.66	-13	26.66	Pass	8001



10.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.22	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	954.17	-65.04	-13	52.04	Pass	9701
1000	1840	1	RMS	1835	-50.15	-13	37.15	Pass	841
1840	1920	1	RMS	1871	22.1	60	37.9	Pass	401
1920	3000	1	RMS	2984	-51.23	-13	38.23	Pass	1081
3000	12000	1	RMS	3742	-42.7	-13	29.7	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001



10.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	858.106	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1838	-53.69	-13	40.69	Pass	841
1840	1920	1	RMS	1891	23.2	60	36.8	Pass	401
1920	3000	1	RMS	2987	-51.23	-13	38.23	Pass	1081
3000	12000	1	RMS	11998	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001



10.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	842.1	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1838	-53.6	-13	40.6	Pass	841
1840	1920	1	RMS	1891	22.27	60	37.73	Pass	401
1920	3000	1	RMS	2988	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	12000	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.55	-13	26.55	Pass	8001



11. LTE_Band4


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	952.068	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1700	-53.11	-13	40.11	Pass	701
1700	1765	1	RMS	1710.238	23.67	60	36.33	Pass	401
1765	3000	1	RMS	2985	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11997	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13599	-39.61	-13	26.61	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	981.388	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1700	-53.16	-13	40.16	Pass	701
1700	1765	1	RMS	1710.238	22.89	60	37.11	Pass	401
1765	3000	1	RMS	2998	-51.24	-13	38.24	Pass	1236
3000	12000	1	RMS	11996	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13600	-39.58	-13	26.58	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	837.6	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1680	-53.77	-13	40.77	Pass	701
1700	1765	1	RMS	1732.013	23.78	60	36.22	Pass	401
1765	3000	1	RMS	2991	-51.21	-13	38.21	Pass	1236
3000	12000	1	RMS	12000	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	825.2	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1681	-53.73	-13	40.73	Pass	701
1700	1765	1	RMS	1732.013	22.91	60	37.09	Pass	401
1765	3000	1	RMS	2977	-51.21	-13	38.21	Pass	1236
3000	12000	1	RMS	11993	-44	-13	31	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	840	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1679	-53.73	-13	40.73	Pass	701
1700	1765	1	RMS	1753.788	23.84	60	36.16	Pass	401
1765	3000	1	RMS	1765	-46.25	-13	33.25	Pass	1236
3000	12000	1	RMS	11999	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13603	-39.56	-13	26.56	Pass	8001




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	951.868	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1680	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1753.788	22.89	60	37.11	Pass	401
1765	3000	1	RMS	2985	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	12000	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13600	-39.52	-13	26.52	Pass	8001




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	873.116	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1700	-52.22	-13	39.22	Pass	701
1700	1765	1	RMS	1710.238	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2949	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11997	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	903.836	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1700	-52.99	-13	39.99	Pass	701
1700	1765	1	RMS	1710.075	22.51	60	37.49	Pass	401
1765	3000	1	RMS	2838	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	11978	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.61	-13	26.61	Pass	8001



11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	873.116	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1680	-53.73	-13	40.73	Pass	701
1700	1765	1	RMS	1731.2	23.36	60	36.64	Pass	401
1765	3000	1	RMS	2949	-51.18	-13	38.18	Pass	1236
3000	12000	1	RMS	11994	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	844.8	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1680	-53.74	-13	40.74	Pass	701
1700	1765	1	RMS	1731.2	22.47	60	37.53	Pass	401
1765	3000	1	RMS	2977	-51.23	-13	38.23	Pass	1236
3000	12000	1	RMS	11989	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13602	-39.58	-13	26.58	Pass	8001



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.22	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	854.904	-65	-13	52	Pass	9701
1000	1700	1	RMS	1699	-53.69	-13	40.69	Pass	701
1700	1765	1	RMS	1752.163	23.52	60	36.48	Pass	401
1765	3000	1	RMS	1766	-42.88	-13	29.88	Pass	1236
3000	12000	1	RMS	11992	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	834.9	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1698	-53.19	-13	40.19	Pass	701
1700	1765	1	RMS	1752.163	22.54	60	37.46	Pass	401
1765	3000	1	RMS	1765	-41.62	-13	28.62	Pass	1236
3000	12000	1	RMS	11994	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.58	-13	26.58	Pass	8001



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	855.404	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	39.57	Pass	701
1700	1765	1	RMS	1710.238	23.11	60	36.89	Pass	401
1765	3000	1	RMS	2992	-51.25	-13	38.25	Pass	1236
3000	12000	1	RMS	11991	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	849.901	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-52.86	-13	39.86	Pass	701
1700	1765	1	RMS	1710.4	22.26	60	37.74	Pass	401
1765	3000	1	RMS	3000	-51.21	-13	38.21	Pass	1236
3000	12000	1	RMS	11995	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13602	-39.67	-13	26.67	Pass	8001



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	982.088	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1682	-53.74	-13	40.74	Pass	701
1700	1765	1	RMS	1730.388	23.18	60	36.82	Pass	401
1765	3000	1	RMS	2942	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	12000	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13599	-39.61	-13	26.61	Pass	8001



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	984.29	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1677	-53.78	-13	40.78	Pass	701
1700	1765	1	RMS	1730.388	22.48	60	37.52	Pass	401
1765	3000	1	RMS	2988	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11996	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13599	-39.64	-13	26.64	Pass	8001



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	980.687	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1678	-53.74	-13	40.74	Pass	701
1700	1765	1	RMS	1750.375	23.2	60	36.8	Pass	401
1765	3000	1	RMS	2991	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11991	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13610	-39.65	-13	26.65	Pass	8001



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	972.982	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1680	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1750.375	22.49	60	37.51	Pass	401
1765	3000	1	RMS	2990	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11995	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	837.6	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1693	-49.2	-13	36.2	Pass	701
1700	1765	1	RMS	1710.563	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2991	-51.19	-13	38.19	Pass	1236
3000	12000	1	RMS	11987	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13602	-39.66	-13	26.66	Pass	8001



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	983.589	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1693	-50.14	-13	37.14	Pass	701
1700	1765	1	RMS	1710.563	22.51	60	37.49	Pass	401
1765	3000	1	RMS	2995	-51.19	-13	38.19	Pass	1236
3000	12000	1	RMS	11999	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13599	-39.63	-13	26.63	Pass	8001



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	848.9	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1675	-53.74	-13	40.74	Pass	701
1700	1765	1	RMS	1728.113	23.28	60	36.72	Pass	401
1765	3000	1	RMS	2980	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11998	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	844.4	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1680	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1728.113	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2999	-51.25	-13	38.25	Pass	1236
3000	12000	1	RMS	11990	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13604	-39.66	-13	26.66	Pass	8001



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	834	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1679	-53.74	-13	40.74	Pass	701
1700	1765	1	RMS	1745.5	23.33	60	36.67	Pass	401
1765	3000	1	RMS	1765	-49.76	-13	36.76	Pass	1236
3000	12000	1	RMS	11999	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13602	-39.65	-13	26.65	Pass	8001



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.36	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	987.892	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1680	-53.78	-13	40.78	Pass	701
1700	1765	1	RMS	1745.5	22.44	60	37.56	Pass	401
1765	3000	1	RMS	1765	-49.75	-13	36.75	Pass	1236
3000	12000	1	RMS	11995	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	998.599	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1698	-41.28	-13	28.28	Pass	701
1700	1765	1	RMS	1710.725	23.18	60	36.82	Pass	401
1765	3000	1	RMS	2839	-51.21	-13	38.21	Pass	1236
3000	12000	1	RMS	11985	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	864.31	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1698	-42.5	-13	29.5	Pass	701
1700	1765	1	RMS	1710.725	22.44	60	37.56	Pass	401
1765	3000	1	RMS	2999	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	11999	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13601	-39.71	-13	26.71	Pass	8001



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	973.683	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1699	-43.17	-13	30.17	Pass	701
1700	1765	1	RMS	1725.838	23.16	60	36.84	Pass	401
1765	3000	1	RMS	2992	-51.24	-13	38.24	Pass	1236
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.6	-13	26.6	Pass	8001



11.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	975.184	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1699	-45.41	-13	32.41	Pass	701
1700	1765	1	RMS	1725.838	22.28	60	37.72	Pass	401
1765	3000	1	RMS	3000	-51.25	-13	38.25	Pass	1236
3000	12000	1	RMS	11998	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001



11.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	846.1	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1680	-53.76	-13	40.76	Pass	701
1700	1765	1	RMS	1740.788	23.25	60	36.75	Pass	401
1765	3000	1	RMS	1767	-26.69	-13	13.69	Pass	1236
3000	12000	1	RMS	11998	-44	-13	31	Pass	9002
12000	20000	1	RMS	13601	-39.67	-13	26.67	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	865.811	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1678	-53.68	-13	40.68	Pass	701
1700	1765	1	RMS	1740.788	22.46	60	37.54	Pass	401
1765	3000	1	RMS	1767	-27.7	-13	14.7	Pass	1236
3000	12000	1	RMS	12000	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13599	-39.65	-13	26.65	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	842.7	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1700	-49.1	-13	36.1	Pass	701
1700	1765	1	RMS	1711.05	23.09	60	36.91	Pass	401
1765	3000	1	RMS	2991	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	11987	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13602	-39.66	-13	26.66	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	980.687	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1700	-49.22	-13	36.22	Pass	701
1700	1765	1	RMS	1711.05	22.39	60	37.61	Pass	401
1765	3000	1	RMS	2990	-51.19	-13	38.19	Pass	1236
3000	12000	1	RMS	11997	-44	-13	31	Pass	9002
12000	20000	1	RMS	13604	-39.57	-13	26.57	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	828.4	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1688	-52.34	-13	39.34	Pass	701
1700	1765	1	RMS	1723.563	23.12	60	36.88	Pass	401
1765	3000	1	RMS	2993	-51.19	-13	38.19	Pass	1236
3000	12000	1	RMS	11997	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13599	-39.53	-13	26.53	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	981.588	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1688	-52.89	-13	39.89	Pass	701
1700	1765	1	RMS	1723.563	22.26	60	37.74	Pass	401
1765	3000	1	RMS	2984	-51.16	-13	38.16	Pass	1236
3000	12000	1	RMS	12000	-43.96	-13	30.96	Pass	9002
12000	20000	1	RMS	13602	-39.68	-13	26.68	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	845.9	-64.85	-13	51.85	Pass	9701
1000	1700	1	RMS	1700	-45.03	-13	32.03	Pass	701
1700	1765	1	RMS	1736.075	23.14	60	36.86	Pass	401
1765	3000	1	RMS	1772	-26.94	-13	13.94	Pass	1236
3000	12000	1	RMS	11997	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13601	-39.6	-13	26.6	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	833.4	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1700	-45.59	-13	32.59	Pass	701
1700	1765	1	RMS	1736.075	22.3	60	37.7	Pass	401
1765	3000	1	RMS	1772	-28.75	-13	15.75	Pass	1236
3000	12000	1	RMS	12000	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13599	-39.66	-13	26.66	Pass	8001



12. LTE_Band5


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.49	-13	57.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	814	0.1	RMS	813.5	-64.79	-13	51.79	Pass	7841
814	860	0.1	RMS	824.3	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	868.7	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1648	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	6798	-45.38	-13	32.38	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	813.9	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	824.3	17.8	60	42.2	Pass	461
860	1000	0.1	RMS	954.1	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	812.7	-65.32	-13	52.32	Pass	7841
814	860	0.1	RMS	836.1	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	872.4	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1672	-49.42	-13	36.42	Pass	2001
3000	10000	1	RMS	6802	-45.4	-13	32.4	Pass	7001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.21	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	813.5	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	836.1	17.87	60	42.13	Pass	461
860	1000	0.1	RMS	881.6	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1672	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6802	-45.41	-13	32.41	Pass	7001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	812	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	847.8	18.65	60	41.35	Pass	461
860	1000	0.1	RMS	923	-65.04	-13	52.04	Pass	1401
1000	3000	1	RMS	1695	-49.82	-13	36.82	Pass	2001
3000	10000	1	RMS	6800	-45.38	-13	32.38	Pass	7001




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	810.8	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	847.9	17.82	60	42.18	Pass	461
860	1000	0.1	RMS	985.4	-65.07	-13	52.07	Pass	1401
1000	3000	1	RMS	1695	-50.56	-13	37.56	Pass	2001
3000	10000	1	RMS	6796	-45.46	-13	32.46	Pass	7001




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813.6	-64.32	-13	51.32	Pass	7841
814	860	0.1	RMS	824.2	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	894.3	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1648	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	6800	-45.35	-13	32.35	Pass	7001




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	814	0.1	RMS	813.5	-64.57	-13	51.57	Pass	7841
814	860	0.1	RMS	824.2	18.1	60	41.9	Pass	461
860	1000	0.1	RMS	975.3	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1648	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6798	-45.42	-13	32.42	Pass	7001



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	811.5	-65.14	-13	52.14	Pass	7841
814	860	0.1	RMS	835.2	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	863.6	-65.09	-13	52.09	Pass	1401
1000	3000	1	RMS	1670	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	811.5	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	835.2	18.21	60	41.79	Pass	461
860	1000	0.1	RMS	968.7	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1670	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	6799	-45.41	-13	32.41	Pass	7001



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.2	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	813.2	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	846.2	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	988.9	-65.02	-13	52.02	Pass	1401
1000	3000	1	RMS	1692	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	6801	-45.32	-13	32.32	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	803.9	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	846.2	18.08	60	41.92	Pass	461
860	1000	0.1	RMS	976.9	-64.93	-13	51.93	Pass	1401
1000	3000	1	RMS	1692	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	6800	-45.36	-13	32.36	Pass	7001



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	814	0.1	RMS	812.5	-56.05	-13	43.05	Pass	7841
814	860	0.1	RMS	824.3	18.92	60	41.08	Pass	461
860	1000	0.1	RMS	921.7	-65.04	-13	52.04	Pass	1401
1000	3000	1	RMS	1648	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	813.6	-64.8	-13	51.8	Pass	7841
814	860	0.1	RMS	824.3	17.86	60	42.14	Pass	461
860	1000	0.1	RMS	870.4	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1648	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6801	-45.42	-13	32.42	Pass	7001



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	811.3	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	834.3	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	950.9	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1668	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6800	-45.43	-13	32.43	Pass	7001



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	813.7	-65.4	-13	52.4	Pass	7841
814	860	0.1	RMS	834.3	18.25	60	41.75	Pass	461
860	1000	0.1	RMS	947.2	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1668	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6801	-45.42	-13	32.42	Pass	7001



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	814	0.1	RMS	811.4	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	844.3	18.95	60	41.05	Pass	461
860	1000	0.1	RMS	991.1	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1688	-48.51	-13	35.51	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	811.1	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	844.3	18.19	60	41.81	Pass	461
860	1000	0.1	RMS	865.4	-64.99	-13	51.99	Pass	1401
1000	3000	1	RMS	1688	-49.33	-13	36.33	Pass	2001
3000	10000	1	RMS	6800	-45.34	-13	32.34	Pass	7001



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	57.86	Pass	2986
30	814	0.1	RMS	814	-61.53	-13	48.53	Pass	7841
814	860	0.1	RMS	824.6	19.47	60	40.53	Pass	461
860	1000	0.1	RMS	959.1	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1649	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6797	-45.36	-13	32.36	Pass	7001



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	814	-61.54	-13	48.54	Pass	7841
814	860	0.1	RMS	824.6	18.57	60	41.43	Pass	461
860	1000	0.1	RMS	871.2	-65.13	-13	52.13	Pass	1401
1000	3000	1	RMS	1649	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6799	-45.41	-13	32.41	Pass	7001



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	814	-64.46	-13	51.46	Pass	7841
814	860	0.1	RMS	832.1	19.58	60	40.42	Pass	461
860	1000	0.1	RMS	999.9	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1664	-49.72	-13	36.72	Pass	2001
3000	10000	1	RMS	6798	-45.42	-13	32.42	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813.9	-57.48	-13	44.48	Pass	7841
814	860	0.1	RMS	832.1	18.72	60	41.28	Pass	461
860	1000	0.1	RMS	961.9	-65.13	-13	52.13	Pass	1401
1000	3000	1	RMS	1664	-50.4	-13	37.4	Pass	2001
3000	10000	1	RMS	6800	-45.42	-13	32.42	Pass	7001



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	794.1	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	839.6	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	974.5	-65.13	-13	52.13	Pass	1401
1000	3000	1	RMS	1679	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6800	-45.39	-13	32.39	Pass	7001



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	57.72	Pass	2986
30	814	0.1	RMS	812.4	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	839.6	18.64	60	41.36	Pass	461
860	1000	0.1	RMS	861.8	-65.04	-13	52.04	Pass	1401
1000	3000	1	RMS	1679	-49.19	-13	36.19	Pass	2001
3000	10000	1	RMS	6797	-45.48	-13	32.48	Pass	7001



13. LTE_Band12


13.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	689	0.1	RMS	688.5	-65.32	-13	52.32	Pass	6591
689	726	0.1	RMS	699.268	20.6	60	39.4	Pass	401
726	1000	0.1	RMS	852.8	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1398	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	6800	-45.36	-13	32.36	Pass	7001




13.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.19	-72.16	-13	59.16	Pass	2986
30	689	0.1	RMS	688.6	-65.36	-13	52.36	Pass	6591
689	726	0.1	RMS	699.268	19.6	60	40.4	Pass	401
726	1000	0.1	RMS	959.8	-64.88	-13	51.88	Pass	2741
1000	3000	1	RMS	1398	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001




13.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	689	0.1	RMS	498.3	-65.71	-13	52.71	Pass	6591
689	726	0.1	RMS	707.038	20.6	60	39.4	Pass	401
726	1000	0.1	RMS	978.3	-64.74	-13	51.74	Pass	2741
1000	3000	1	RMS	1414	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	6801	-45.43	-13	32.43	Pass	7001




13.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	689	0.1	RMS	485.9	-65.77	-13	52.77	Pass	6591
689	726	0.1	RMS	707.038	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	987.1	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1414	-49.32	-13	36.32	Pass	2001
3000	10000	1	RMS	6801	-45.38	-13	32.38	Pass	7001




13.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	618.5	-65.82	-13	52.82	Pass	6591
689	726	0.1	RMS	714.808	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	830.9	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1429	-46.39	-13	33.39	Pass	2001
3000	10000	1	RMS	6799	-45.45	-13	32.45	Pass	7001




13.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	689	0.1	RMS	488.2	-65.78	-13	52.78	Pass	6591
689	726	0.1	RMS	714.808	19.03	60	40.97	Pass	401
726	1000	0.1	RMS	933.8	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1429	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6800	-45.32	-13	32.32	Pass	7001




13.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	689	0.1	RMS	688.6	-65.12	-13	52.12	Pass	6591
689	726	0.1	RMS	699.268	20.51	60	39.49	Pass	401
726	1000	0.1	RMS	990.9	-64.78	-13	51.78	Pass	2741
1000	3000	1	RMS	1398	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	6799	-45.44	-13	32.44	Pass	7001




13.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.33	-72.58	-13	59.58	Pass	2986
30	689	0.1	RMS	688.5	-65.53	-13	52.53	Pass	6591
689	726	0.1	RMS	699.268	19.63	60	40.37	Pass	401
726	1000	0.1	RMS	855.3	-64.86	-13	51.86	Pass	2741
1000	3000	1	RMS	1398	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6801	-45.42	-13	32.42	Pass	7001



13.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	689	0.1	RMS	621.5	-65.8	-13	52.8	Pass	6591
689	726	0.1	RMS	706.205	20.31	60	39.69	Pass	401
726	1000	0.1	RMS	925.5	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1412	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	6800	-45.42	-13	32.42	Pass	7001



13.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-13	59.04	Pass	2986
30	689	0.1	RMS	487	-65.76	-13	52.76	Pass	6591
689	726	0.1	RMS	706.205	19.25	60	40.75	Pass	401
726	1000	0.1	RMS	845.7	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1412	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6797	-45.41	-13	32.41	Pass	7001



13.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	689	0.1	RMS	611.6	-65.79	-13	52.79	Pass	6591
689	726	0.1	RMS	713.235	20.74	60	39.26	Pass	401
726	1000	0.1	RMS	970.5	-64.78	-13	51.78	Pass	2741
1000	3000	1	RMS	1426	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	6797	-45.44	-13	32.44	Pass	7001



13.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.21	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	510.3	-65.77	-13	52.77	Pass	6591
689	726	0.1	RMS	713.235	19.74	60	40.26	Pass	401
726	1000	0.1	RMS	965.6	-64.88	-13	51.88	Pass	2741
1000	3000	1	RMS	1426	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	6800	-45.35	-13	32.35	Pass	7001



13.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-13	59.08	Pass	2986
30	689	0.1	RMS	688.6	-65.4	-13	52.4	Pass	6591
689	726	0.1	RMS	699.36	20.31	60	39.69	Pass	401
726	1000	0.1	RMS	936.9	-64.83	-13	51.83	Pass	2741
1000	3000	1	RMS	1398	-47.26	-13	34.26	Pass	2001
3000	10000	1	RMS	6799	-45.35	-13	32.35	Pass	7001



13.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	689	0.1	RMS	688.7	-65.21	-13	52.21	Pass	6591
689	726	0.1	RMS	699.36	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	956.2	-64.77	-13	51.77	Pass	2741
1000	3000	1	RMS	1398	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	6802	-45.36	-13	32.36	Pass	7001



13.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.24	-72.65	-13	59.65	Pass	2986
30	689	0.1	RMS	510.3	-65.73	-13	52.73	Pass	6591
689	726	0.1	RMS	705.373	20.15	60	39.85	Pass	401
726	1000	0.1	RMS	970.8	-64.71	-13	51.71	Pass	2741
1000	3000	1	RMS	1410	-47.23	-13	34.23	Pass	2001
3000	10000	1	RMS	6800	-45.37	-13	32.37	Pass	7001



13.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	689	0.1	RMS	498.4	-65.73	-13	52.73	Pass	6591
689	726	0.1	RMS	705.373	19.27	60	40.73	Pass	401
726	1000	0.1	RMS	998.7	-64.83	-13	51.83	Pass	2741
1000	3000	1	RMS	1410	-48.27	-13	35.27	Pass	2001
3000	10000	1	RMS	6798	-45.37	-13	32.37	Pass	7001



13.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	689	0.1	RMS	507.7	-65.74	-13	52.74	Pass	6591
689	726	0.1	RMS	711.293	19.91	60	40.09	Pass	401
726	1000	0.1	RMS	950.8	-64.77	-13	51.77	Pass	2741
1000	3000	1	RMS	1422	-45.39	-13	32.39	Pass	2001
3000	10000	1	RMS	6800	-45.35	-13	32.35	Pass	7001



13.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	689	0.1	RMS	598.8	-65.76	-13	52.76	Pass	6591
689	726	0.1	RMS	711.293	19.08	60	40.92	Pass	401
726	1000	0.1	RMS	982.6	-64.86	-13	51.86	Pass	2741
1000	3000	1	RMS	1422	-46.54	-13	33.54	Pass	2001
3000	10000	1	RMS	6801	-45.27	-13	32.27	Pass	7001



13.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	689	0.1	RMS	688.9	-64.77	-13	51.77	Pass	6591
689	726	0.1	RMS	699.545	20.12	60	39.88	Pass	401
726	1000	0.1	RMS	987.8	-64.65	-13	51.65	Pass	2741
1000	3000	1	RMS	1399	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6800	-45.33	-13	32.33	Pass	7001

