



Appendix A

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Wireless Router

Test Model: TR300

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Ling Zhu



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	7.586	≥ 0.5	Pass
NVNT	b	2437	Ant0	7.585	≥ 0.5	Pass
NVNT	b	2462	Ant0	7.548	≥ 0.5	Pass
NVNT	g	2412	Ant0	16.026	≥ 0.5	Pass
NVNT	g	2437	Ant0	16.379	≥ 0.5	Pass
NVNT	g	2462	Ant0	14.438	≥ 0.5	Pass
NVNT	n20	2412	Ant0	17.573	≥ 0.5	Pass
NVNT	n20	2437	Ant0	16.264	≥ 0.5	Pass
NVNT	n20	2462	Ant0	17.619	≥ 0.5	Pass
NVNT	n40	2422	Ant0	29.172	≥ 0.5	Pass
NVNT	n40	2437	Ant0	35.818	≥ 0.5	Pass
NVNT	n40	2452	Ant0	34.816	≥ 0.5	Pass
NVNT	ax20	2412	Ant0	18.433	≥ 0.5	Pass
NVNT	ax20	2437	Ant0	18.099	≥ 0.5	Pass
NVNT	ax20	2462	Ant0	16.417	≥ 0.5	Pass
NVNT	ax40	2422	Ant0	35.573	≥ 0.5	Pass
NVNT	ax40	2437	Ant0	35.801	≥ 0.5	Pass
NVNT	ax40	2452	Ant0	35.1	≥ 0.5	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0




-6dB Bandwidth NVNT b 2437MHz Ant0






-6dB Bandwidth NVNT b 2462MHz Ant0




-6dB Bandwidth NVNT g 2412MHz Ant0






-6dB Bandwidth NVNT g 2437MHz Ant0




-6dB Bandwidth NVNT g 2462MHz Ant0






-6dB Bandwidth NVNT n20 2412MHz Ant0




-6dB Bandwidth NVNT n20 2437MHz Ant0






-6dB Bandwidth NVNT n20 2462MHz Ant0




-6dB Bandwidth NVNT n40 2422MHz Ant0






-6dB Bandwidth NVNT n40 2437MHz Ant0




-6dB Bandwidth NVNT n40 2452MHz Ant0






-6dB Bandwidth NVNT ax20 2412MHz Ant0




-6dB Bandwidth NVNT ax20 2437MHz Ant0






-6dB Bandwidth NVNT ax20 2462MHz Ant0




-6dB Bandwidth NVNT ax40 2422MHz Ant0






-6dB Bandwidth NVNT ax40 2437MHz Ant0



-6dB Bandwidth NVNT ax40 2452MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	5.982	≥ 0.5	Pass
NVNT	b	2437	Ant1	7.73	≥ 0.5	Pass
NVNT	b	2462	Ant1	8.106	≥ 0.5	Pass
NVNT	g	2412	Ant1	16.377	≥ 0.5	Pass
NVNT	g	2437	Ant1	16.305	≥ 0.5	Pass
NVNT	g	2462	Ant1	12.791	≥ 0.5	Pass
NVNT	n20	2412	Ant1	17.622	≥ 0.5	Pass
NVNT	n20	2437	Ant1	17.365	≥ 0.5	Pass
NVNT	n20	2462	Ant1	16.476	≥ 0.5	Pass
NVNT	n40	2422	Ant1	32.243	≥ 0.5	Pass
NVNT	n40	2437	Ant1	28.248	≥ 0.5	Pass
NVNT	n40	2452	Ant1	26.37	≥ 0.5	Pass
NVNT	ax20	2412	Ant1	18.37	≥ 0.5	Pass
NVNT	ax20	2437	Ant1	16.127	≥ 0.5	Pass
NVNT	ax20	2462	Ant1	18.201	≥ 0.5	Pass
NVNT	ax40	2422	Ant1	36.356	≥ 0.5	Pass
NVNT	ax40	2437	Ant1	37.266	≥ 0.5	Pass
NVNT	ax40	2452	Ant1	36.252	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1



-6dB Bandwidth NVNT b 2437MHz Ant1





-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1






-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1






-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1






-6dB Bandwidth NVNT n20 2462MHz Ant1




-6dB Bandwidth NVNT n40 2422MHz Ant1






-6dB Bandwidth NVNT n40 2437MHz Ant1




-6dB Bandwidth NVNT n40 2452MHz Ant1






-6dB Bandwidth NVNT ax20 2412MHz Ant1




-6dB Bandwidth NVNT ax20 2437MHz Ant1






-6dB Bandwidth NVNT ax20 2462MHz Ant1




-6dB Bandwidth NVNT ax40 2422MHz Ant1






-6dB Bandwidth NVNT ax40 2437MHz Ant1



-6dB Bandwidth NVNT ax40 2452MHz Ant1





A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	16.92	30	Pass
NVNT	b	2437	Ant0	17.13	30	Pass
NVNT	b	2462	Ant0	17.17	30	Pass
NVNT	g	2412	Ant0	17.10	30	Pass
NVNT	g	2437	Ant0	17.11	30	Pass
NVNT	g	2462	Ant0	17.39	30	Pass
NVNT	n20	2412	Ant0	16.88	30	Pass
NVNT	n20	2437	Ant0	17.20	30	Pass
NVNT	n20	2462	Ant0	16.88	30	Pass
NVNT	n40	2422	Ant0	16.35	30	Pass
NVNT	n40	2437	Ant0	16.88	30	Pass
NVNT	n40	2452	Ant0	17.08	30	Pass
NVNT	ax20	2412	Ant0	16.62	30	Pass
NVNT	ax20	2437	Ant0	16.67	30	Pass
NVNT	ax20	2462	Ant0	16.66	30	Pass
NVNT	ax40	2422	Ant0	17.02	30	Pass
NVNT	ax40	2437	Ant0	17.06	30	Pass
NVNT	ax40	2452	Ant0	17.15	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	16.97	30	Pass
NVNT	b	2437	Ant1	17.05	30	Pass
NVNT	b	2462	Ant1	17.24	30	Pass
NVNT	g	2412	Ant1	16.99	30	Pass
NVNT	g	2437	Ant1	17.26	30	Pass
NVNT	g	2462	Ant1	17.33	30	Pass
NVNT	n20	2412	Ant1	16.93	30	Pass
NVNT	n20	2437	Ant1	17.18	30	Pass
NVNT	n20	2462	Ant1	16.87	30	Pass
NVNT	n40	2422	Ant1	16.69	30	Pass
NVNT	n40	2437	Ant1	16.96	30	Pass
NVNT	n40	2452	Ant1	17.02	30	Pass
NVNT	ax20	2412	Ant1	16.53	30	Pass
NVNT	ax20	2437	Ant1	17.17	30	Pass
NVNT	ax20	2462	Ant1	17.12	30	Pass
NVNT	ax40	2422	Ant1	16.53	30	Pass
NVNT	ax40	2437	Ant1	17.27	30	Pass
NVNT	ax40	2452	Ant1	16.79	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	16.88	16.93	19.92	30	Pass
NVNT	n20	2437	17.20	17.18	20.20	30	Pass
NVNT	n20	2462	16.88	16.87	19.89	30	Pass
NVNT	n40	2422	16.35	16.69	19.53	30	Pass
NVNT	n40	2437	16.88	16.96	19.93	30	Pass
NVNT	n40	2452	17.08	17.02	20.06	30	Pass
NVNT	ax20	2412	16.62	16.53	19.59	30	Pass
NVNT	ax 20	2437	16.67	17.17	19.94	30	Pass
NVNT	ax 20	2462	16.66	17.12	19.91	30	Pass
NVNT	ax 40	2422	17.02	16.53	19.79	30	Pass
NVNT	ax 40	2437	17.06	17.27	20.18	30	Pass
NVNT	ax 40	2452	17.15	16.79	19.98	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-6.85	8	Pass
NVNT	b	2437	Ant0	-7.57	8	Pass
NVNT	b	2462	Ant0	-6.52	8	Pass
NVNT	g	2412	Ant0	-10.92	8	Pass
NVNT	g	2437	Ant0	-10.53	8	Pass
NVNT	g	2462	Ant0	-10.79	8	Pass
NVNT	n20	2412	Ant0	-10.68	8	Pass
NVNT	n20	2437	Ant0	-10.53	8	Pass
NVNT	n20	2462	Ant0	-12.63	8	Pass
NVNT	n40	2422	Ant0	-14.83	8	Pass
NVNT	n40	2437	Ant0	-13.14	8	Pass
NVNT	n40	2452	Ant0	-12.84	8	Pass
NVNT	ax20	2412	Ant0	-14.52	8	Pass
NVNT	ax20	2437	Ant0	-14.57	8	Pass
NVNT	ax20	2462	Ant0	-13.16	8	Pass
NVNT	ax40	2422	Ant0	-16.01	8	Pass
NVNT	ax40	2437	Ant0	-16.56	8	Pass
NVNT	ax40	2452	Ant0	-17.15	8	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-6.78	8	Pass
NVNT	b	2437	Ant1	-7.51	8	Pass
NVNT	b	2462	Ant1	-5.34	8	Pass
NVNT	g	2412	Ant1	-10.3	8	Pass
NVNT	g	2437	Ant1	-10.23	8	Pass
NVNT	g	2462	Ant1	-9.94	8	Pass
NVNT	n20	2412	Ant1	-10.66	8	Pass
NVNT	n20	2437	Ant1	-10.06	8	Pass
NVNT	n20	2462	Ant1	-12.50	8	Pass
NVNT	n40	2422	Ant1	-14.48	8	Pass
NVNT	n40	2437	Ant1	-12.46	8	Pass
NVNT	n40	2452	Ant1	-13.24	8	Pass
NVNT	ax20	2412	Ant1	-14.30	8	Pass
NVNT	ax20	2437	Ant1	-14.40	8	Pass
NVNT	ax20	2462	Ant1	-14.01	8	Pass
NVNT	ax40	2422	Ant1	-16.74	8	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ax40	2437	Ant1	-15.76	8	Pass
NVNT	ax40	2452	Ant1	-16.38	8	Pass

MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/3kHz)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	-10.68	-10.66	-7.66	7.99	Pass
NVNT	n20	2437	-10.53	-10.06	-7.28	7.99	Pass
NVNT	n20	2462	-12.63	-12.50	-9.55	7.99	Pass
NVNT	n40	2422	-14.83	-14.48	-11.64	7.99	Pass
NVNT	n40	2437	-13.14	-12.46	-9.78	7.99	Pass
NVNT	n40	2452	-12.84	-13.24	-10.03	7.99	Pass
NVNT	ax20	2412	-14.52	-14.30	-11.40	7.99	Pass
NVNT	ax 20	2437	-14.57	-14.40	-11.47	7.99	Pass
NVNT	ax 20	2462	-13.16	-14.01	-10.55	7.99	Pass
NVNT	ax 40	2422	-16.01	-16.74	-13.35	7.99	Pass
NVNT	ax 40	2437	-16.56	-15.76	-13.13	7.99	Pass
NVNT	ax 40	2452	-17.15	-16.38	-13.74	7.99	Pass






Test Graphs

PSD NVNT b 2412MHz Ant0




PSD NVNT b 2437MHz Ant0






PSD NVNT b 2462MHz Ant0




PSD NVNT g 2412MHz Ant0










PSD NVNT g 2437MHz Ant0







PSD NVNT g 2462MHz Ant0























Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1






PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1










PSD NVNT g 2437MHz Ant1







PSD NVNT g 2462MHz Ant1



















PSD NVNT ax40 2437MHz Ant1



PSD NVNT ax40 2452MHz Ant1





A.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-50.96	-20	Pass
NVNT	b	2462	Ant0	-61.45	-20	Pass
NVNT	g	2412	Ant0	-45.08	-20	Pass
NVNT	g	2462	Ant0	-57.07	-20	Pass
NVNT	n20	2412	Ant0	-43.97	-20	Pass
NVNT	n20	2462	Ant0	-57.14	-20	Pass
NVNT	n40	2422	Ant0	-38.49	-20	Pass
NVNT	n40	2452	Ant0	-51.96	-20	Pass
NVNT	ax20	2412	Ant0	-45.86	-20	Pass
NVNT	ax20	2462	Ant0	-55.18	-20	Pass
NVNT	ax40	2422	Ant0	-36.4	-20	Pass
NVNT	ax40	2452	Ant0	-49.22	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant0 Ref




Band Edge NVNT b 2412MHz Ant0 Emission






Band Edge NVNT b 2462MHz Ant0 Ref




Band Edge NVNT b 2462MHz Ant0 Emission






Band Edge NVNT g 2412MHz Ant0 Ref




Band Edge NVNT g 2412MHz Ant0 Emission






Band Edge NVNT g 2462MHz Ant0 Ref




Band Edge NVNT g 2462MHz Ant0 Emission






Band Edge NVNT n20 2412MHz Ant0 Ref




Band Edge NVNT n20 2412MHz Ant0 Emission






Band Edge NVNT n20 2462MHz Ant0 Ref




Band Edge NVNT n20 2462MHz Ant0 Emission






Band Edge NVNT n40 2422MHz Ant0 Ref




Band Edge NVNT n40 2422MHz Ant0 Emission






Band Edge NVNT n40 2452MHz Ant0 Ref




Band Edge NVNT n40 2452MHz Ant0 Emission






Band Edge NVNT ax20 2412MHz Ant0 Ref




Band Edge NVNT ax20 2412MHz Ant0 Emission






Band Edge NVNT ax20 2462MHz Ant0 Ref




Band Edge NVNT ax20 2462MHz Ant0 Emission






Band Edge NVNT ax40 2422MHz Ant0 Ref




Band Edge NVNT ax40 2422MHz Ant0 Emission






Band Edge NVNT ax40 2452MHz Ant0 Ref



Band Edge NVNT ax40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-52.54	-20	Pass
NVNT	b	2462	Ant1	-59.92	-20	Pass
NVNT	g	2412	Ant1	-46.01	-20	Pass
NVNT	g	2462	Ant1	-57.68	-20	Pass
NVNT	n20	2412	Ant1	-46.06	-20	Pass
NVNT	n20	2462	Ant1	-55.89	-20	Pass
NVNT	n40	2422	Ant1	-38.03	-20	Pass
NVNT	n40	2452	Ant1	-51.04	-20	Pass
NVNT	ax20	2412	Ant1	-47.37	-20	Pass
NVNT	ax20	2462	Ant1	-55.65	-20	Pass
NVNT	ax40	2422	Ant1	-34.43	-20	Pass
NVNT	ax40	2452	Ant1	-51.19	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission






Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission






Band Edge NVNT n20 2462MHz Ant1 Ref




Band Edge NVNT n20 2462MHz Ant1 Emission






Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission






Band Edge NVNT n40 2452MHz Ant1 Ref




Band Edge NVNT n40 2452MHz Ant1 Emission






Band Edge NVNT ax20 2412MHz Ant1 Ref




Band Edge NVNT ax20 2412MHz Ant1 Emission






Band Edge NVNT ax20 2462MHz Ant1 Ref




Band Edge NVNT ax20 2462MHz Ant1 Emission






Band Edge NVNT ax40 2422MHz Ant1 Ref




Band Edge NVNT ax40 2422MHz Ant1 Emission






Band Edge NVNT ax40 2452MHz Ant1 Ref



Band Edge NVNT ax40 2452MHz Ant1 Emission





A.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-52.77	-20	Pass
NVNT	b	2437	Ant0	-54.2	-20	Pass
NVNT	b	2462	Ant0	-52.25	-20	Pass
NVNT	g	2412	Ant0	-48.02	-20	Pass
NVNT	g	2437	Ant0	-47.9	-20	Pass
NVNT	g	2462	Ant0	-48.9	-20	Pass
NVNT	n20	2412	Ant0	-48.82	-20	Pass
NVNT	n20	2437	Ant0	-48.69	-20	Pass
NVNT	n20	2462	Ant0	-46.85	-20	Pass
NVNT	n40	2422	Ant0	-45.57	-20	Pass
NVNT	n40	2437	Ant0	-46.21	-20	Pass
NVNT	n40	2452	Ant0	-46.47	-20	Pass
NVNT	ax20	2412	Ant0	-46.28	-20	Pass
NVNT	ax20	2437	Ant0	-44.77	-20	Pass
NVNT	ax20	2462	Ant0	-47.03	-20	Pass
NVNT	ax40	2422	Ant0	-43.62	-20	Pass
NVNT	ax40	2437	Ant0	-44.26	-20	Pass
NVNT	ax40	2452	Ant0	-44.03	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant0 Ref




Tx. Spurious NVNT b 2412MHz Ant0 Emission





Tx. Spurious NVNT b 2437MHz Ant0 Ref



Tx. Spurious NVNT b 2437MHz Ant0 Emission

