


Data: 277 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:22:24



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH36 OFDM 6M

Power : 44

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	15538.72	41.58	54.00	-12.42	30.48	7.56	38.16	34.62	329	150	Average	VERTICAL
2	15539.38	54.60	74.00	-19.40	43.50	7.56	38.16	34.62	329	150	Peak	VERTICAL

Data: 278 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:22:46



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH36 OFDM 6M

Power : 44

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15539.12	41.42	54.00	-12.58	30.32	7.56	38.16	315	150	Average	HORIZONTAL
2	15544.76	53.92	74.00	-20.08	42.79	7.56	38.19	315	150	Peak	HORIZONTAL

Data: 279 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:23:20



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH40 OFDM 6M

Power : 44

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15595.42	41.46	54.00	-12.54	30.26	7.58	38.29	34.67	308	150 Average	VERTICAL
2	15603.21	54.44	74.00	-19.56	43.26	7.58	38.29	34.69	308	150 Peak	VERTICAL

Data: 280 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:23:48



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH40 OFDM 6M

Power : 44

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15595.19	53.83	74.00	-20.17	42.63	7.58	38.29	34.67	297	150 Peak	HORIZONTAL
2	15595.21	41.38	54.00	-12.62	30.18	7.58	38.29	34.67	297	150 Average	HORIZONTAL

Data: 281 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:24:54



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH48 OFDM 6M

Power : 44

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15720.75	42.02	54.00	-11.98	30.68	7.62	38.50	314	150	Average	VERTICAL
2	15721.57	54.59	74.00	-19.41	43.25	7.62	38.50	314	150	Peak	VERTICAL

Data: 282 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:25:17



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH48 OFDM 6M

Power : 44

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15715.46	41.74	54.00	-12.26	30.40	7.62	38.50	34.78	281	150 Average	HORIZONTAL
2	15722.72	54.48	74.00	-19.52	43.14	7.62	38.50	34.78	281	150 Peak	HORIZONTAL

Data: 283 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:26:39



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH52 OFDM 6M

Power : 71

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15778.85	55.40	74.00	-18.60	44.00	7.64	38.60	281	150	Peak	VERTICAL
2	15779.78	41.92	54.00	-12.08	30.52	7.64	38.60	281	150	Average	VERTICAL

Data: 284 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:27:04



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH52 OFDM 6M

Power : 71

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15775.27	55.09	74.00	-18.91	43.67	7.64	38.60	254	150	Peak	HORIZONTAL
2	15780.29	41.96	54.00	-12.04	30.56	7.64	38.60	254	150	Average	HORIZONTAL

Data: 285 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:28:03



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH60 OFDM 6M

Power : 65

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10602.26	52.09	74.00	-21.91	42.03	6.21	38.78	34.93	244	150 Peak	VERTICAL
2	10603.33	39.52	54.00	-14.48	29.46	6.21	38.78	34.93	244	150 Average	VERTICAL

Data: 286 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:28:22



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH60 OFDM 6M

Power : 65

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10605.66	39.45	54.00	-14.55	29.39	6.21	38.78	34.93	230	150 Average	HORIZONTAL
2	10606.04	52.62	74.00	-21.38	42.56	6.21	38.78	34.93	230	150 Peak	HORIZONTAL

Data: 287 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:30:18



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH64 OFDM 6M

Power : 46

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamplifier Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	10638.37	39.41	54.00	-14.59	29.32	6.23	38.77	34.91	202	150	Average	VERTICAL
2	10640.03	52.46	74.00	-21.54	42.37	6.23	38.77	34.91	202	150	Peak	VERTICAL

Data: 288 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:30:45



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH64 OFDM 6M

Power : 46

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	10636.51	39.36	54.00	-14.64	29.27	6.23	38.77	34.91	188	150	Average	HORIZONTAL
2	10643.89	52.29	74.00	-21.71	42.20	6.23	38.77	34.91	188	150	Peak	HORIZONTAL

Data: 289 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:31:38



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH100 OFDM 6M

Power : 47

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10997.50	52.81	74.00	-21.19	42.37	6.40	38.70	34.66	207	150 Peak	VERTICAL
2	11001.17	39.51	54.00	-14.49	29.07	6.40	38.70	34.66	207	150 Average	VERTICAL

Data: 290 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:32:07



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH100 OFDM 6M

Power : 47

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10999.81	52.73	74.00	-21.27	42.29	6.40	38.70	34.66	237	150 Peak	HORIZONTAL
2	11002.00	39.70	54.00	-14.30	29.26	6.40	38.70	34.66	237	150 Average	HORIZONTAL

Data: 291 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:33:26



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11A CH116 OFDM 6M

Power : 70

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11155.19	52.63	74.00	-21.37	42.14	6.44	38.70	34.65	281	150 Peak	VERTICAL
2	11162.50	39.39	54.00	-14.61	28.90	6.44	38.70	34.65	281	150 Average	VERTICAL

Data: 292 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:33:47



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11A CH116 OFDM 6M

Power : 70

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11158.94	51.83	74.00	-22.17	41.34	6.44	38.70	34.65	274	150 Peak	HORIZONTAL
2	11161.88	38.98	54.00	-15.02	28.49	6.44	38.70	34.65	274	150 Average	HORIZONTAL

Data: 293 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)


Date: 2015-07-16 Time: 23:34:49



	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11399.52	40.02	54.00	-13.98	29.44	6.51	38.70	34.63	312	150 Average	VERTICAL
2	11400.16	52.79	74.00	-21.21	42.21	6.51	38.70	34.63	312	150 Peak	VERTICAL

Data: 294 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:35:14




Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11A CH140 OFDM 6M
Power : 49
Memo-1-1 : EUT Z
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11396.49	39.68	54.00	-14.32	29.10	6.51	38.70	34.63	288	150 Average	HORIZONTAL
2	11400.75	52.90	74.00	-21.10	42.32	6.51	38.70	34.63	288	150 Peak	HORIZONTAL

Data: 301 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:41:23



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N20 CH36 MCS0
Power : 44
Memo-1-1 : EUT Z
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15537.31	54.04	74.00	-19.96	42.94	7.56	38.16	34.62	206	150 Peak	VERTICAL
2	15539.18	41.08	54.00	-12.92	29.98	7.56	38.16	34.62	206	150 Average	VERTICAL

Data: 302 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:41:47



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N20 CH36 MCS0
Power : 44
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15536.43	40.99	54.00	-13.01	29.89	7.56	38.16	34.62	181	150 Average	HORIZONTAL
2	15541.88	54.01	74.00	-19.99	42.91	7.56	38.16	34.62	181	150 Peak	HORIZONTAL

Data: 303 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:44:45



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N20 CH40 MCS0
Power : 44
Memo-1-1 : EUT Z
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15602.23	55.20	74.00	-18.80	44.02	7.58	38.29	171	150	Peak	VERTICAL
2	15604.04	41.07	54.00	-12.93	29.89	7.58	38.29	171	150	Average	VERTICAL

Data: 304 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:45:06



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N20 CH40 MCS0
Power : 44
Memo-1-1 : EUT Z
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15600.69	54.32	74.00	-19.68	43.14	7.58	38.29	195	150	Peak	HORIZONTAL
2	15603.72	40.88	54.00	-13.12	29.70	7.58	38.29	195	150	Average	HORIZONTAL

Data: 305 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:45:31



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N20 CH48 MCS0
Power : 44
Memo-1-1 : EUT Z
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	15720.82	54.77	74.00	-19.23	43.43	7.62	38.50	34.78	215	150	Peak	VERTICAL
2	15721.63	41.57	54.00	-12.43	30.23	7.62	38.50	34.78	215	150	Average	VERTICAL

Data: 306 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:45:46



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N20 CH48 MCS0
Power : 44
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15719.76	54.56	74.00	-19.44	43.22	7.62	38.50	34.78	202	150 Peak	HORIZONTAL
2	15721.03	41.48	54.00	-12.52	30.14	7.62	38.50	34.78	202	150 Average	HORIZONTAL

Data: 307 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:46:23



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N20 CH52 MCS0
Power : 71
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15777.40	41.77	54.00	-12.23	30.37	7.64	38.60	192	150	Average	VERTICAL
2	15779.95	55.24	74.00	-18.76	43.84	7.64	38.60	192	150	Peak	VERTICAL

Data: 308 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:46:45



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N20 CH52 MCS0
Power : 71
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15778.19	41.72	54.00	-12.28	30.32	7.64	38.60	34.84	202	150 Average	HORIZONTAL
2	15784.74	54.72	74.00	-19.28	43.29	7.64	38.63	34.84	202	150 Peak	HORIZONTAL

Data: 309 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:49:11



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N20 CH60 MCS0
Power : 70
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10602.24	39.60	54.00	-14.40	29.54	6.21	38.78	34.93	215	150 Average	VERTICAL
2	10602.90	52.79	74.00	-21.21	42.73	6.21	38.78	34.93	215	150 Peak	VERTICAL

Data: 310 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:49:40



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N20 CH60 MCS0
Power : 70
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	10601.27	39.55	54.00	-14.45	29.49	6.21	38.78	34.93	205	150	Average	HORIZONTAL
2	10604.04	52.75	74.00	-21.25	42.69	6.21	38.78	34.93	205	150	Peak	HORIZONTAL

Data: 311 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:50:23



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N20 CH64 MCS0
Power : 58
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamplifier Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	10635.03	39.35	54.00	-14.65	29.26	6.23	38.77	34.91	180	150	Average	VERTICAL
2	10644.74	52.30	74.00	-21.70	42.21	6.23	38.77	34.91	180	150	Peak	VERTICAL

Data: 312 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:50:59



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N20 CH64 MCS0
Power : 58
Memo-1-1 : EUT Z
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10636.04	52.75	74.00	-21.25	42.66	6.23	38.77	160	150	Peak	HORIZONTAL
2	10636.73	39.32	54.00	-14.68	29.23	6.23	38.77	160	150	Average	HORIZONTAL

Data: 313 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:51:38



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11N20 CH100 MCS0

Power : 55

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10995.72	39.66	54.00	-14.34	29.22	6.40	38.70	34.66	148	150 Average	VERTICAL
2	10998.99	52.73	74.00	-21.27	42.29	6.40	38.70	34.66	148	150 Peak	VERTICAL

Data: 314 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:52:01



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11N20 CH100 MCS0

Power : 55

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	10996.09	39.52	54.00	-14.48	29.08	6.40	38.70	34.66	129	150 Average	HORIZONTAL
2	11001.59	52.66	74.00	-21.34	42.22	6.40	38.70	34.66	129	150 Peak	HORIZONTAL

Data: 315 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:55:25



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11N20 CH116 MCS0

Power : 70

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11158.13	39.37	54.00	-14.63	28.88	6.44	38.70	34.65	169	150 Average	VERTICAL
2	11159.63	53.34	74.00	-20.66	42.85	6.44	38.70	34.65	169	150 Peak	VERTICAL

Data: 316 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:55:58



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11N20 CH116 MCS0

Power : 70

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11158.59	39.26	54.00	-14.74	28.77	6.44	38.70	34.65	175	150 Average	HORIZONTAL
2	11161.68	53.49	74.00	-20.51	43.00	6.44	38.70	34.65	175	150 Peak	HORIZONTAL

Data: 317 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:57:11



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11N20 CH140 MCS0

Power : 57

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	11399.49	52.45	74.00	-21.55	41.87	6.51	38.70	34.63	136	150	Peak	VERTICAL
2	11402.58	39.98	54.00	-14.02	29.40	6.51	38.70	34.63	136	150	Average	VERTICAL

Data: 318 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-16 Time: 23:57:30



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11N20 CH140 MCS0

Power : 57

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11403.33	39.72	54.00	-14.28	29.14	6.51	38.70	34.63	167	150 Average	HORIZONTAL
2	11404.29	52.66	74.00	-21.34	42.08	6.51	38.70	34.63	167	150 Peak	HORIZONTAL

Data: 325 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:37:40



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N40 CH38 MCS0
Power : 41
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15571.99	54.80	74.00	-19.20	43.65	7.57	38.22	34.64	205	150 Peak	VERTICAL
2	15573.65	41.32	54.00	-12.68	30.20	7.57	38.22	34.67	205	150 Average	VERTICAL

Data: 326 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:38:08



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N40 CH38 MCS0
Power : 41
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15571.06	41.27	54.00	-12.73	30.12	7.57	38.22	165	150	Average	HORIZONTAL
2	15572.37	54.79	74.00	-19.21	43.64	7.57	38.22	165	150	Peak	HORIZONTAL

Data: 327 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:39:15



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N40 CH46 MCS0
Power : 52
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15693.81	55.09	74.00	-18.91	43.79	7.61	38.44	34.75	215	150 Peak	VERTICAL
2	15693.94	41.80	54.00	-12.20	30.50	7.61	38.44	34.75	215	150 Average	VERTICAL

Data: 328 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:39:42




Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N40 CH46 MCS0
Power : 52
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15692.63	41.78	54.00	-12.22	30.48	7.61	38.44	34.75	179	150 Average	HORIZONTAL
2	15693.16	55.05	74.00	-18.95	43.75	7.61	38.44	34.75	179	150 Peak	HORIZONTAL

Data: 329 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:40:39



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N40 CH54 MCS0
Power : 76
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15810.69	41.53	54.00	-12.47	30.09	7.65	38.66	34.87	130	150 Average	VERTICAL
2	15814.86	55.68	74.00	-18.32	44.24	7.65	38.66	34.87	130	150 Peak	VERTICAL

Data: 330 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:41:08



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N40 CH54 MCS0
Power : 76
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	15806.38	41.57	54.00	-12.43	30.13	7.65	38.66	34.87	168	150	Average	HORIZONTAL
2	15813.97	54.72	74.00	-19.28	43.28	7.65	38.66	34.87	168	150	Peak	HORIZONTAL

Data: 331 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:42:11



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z
Mode : TX 11N40 CH62 MCS0
Power : 37
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	15933.24	55.24	74.00	-18.76	43.65	7.69	38.88	34.98	206	150	Peak	VERTICAL
2	15934.25	42.20	54.00	-11.80	30.61	7.69	38.88	34.98	206	150	Average	VERTICAL

Data: 332 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:42:38



Trace: (Discrete)


Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z
Mode : TX 11N40 CH62 MCS0
Power : 37
Memo-1-1 : EUT 2
Memo-1-2 : ANT Y
: 2TX - Dipole
: Start 1.5m
: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	15925.21	55.40	74.00	-18.60	43.78	7.69	38.88	145	150	Peak	HORIZONTAL
2	15927.32	42.17	54.00	-11.83	30.55	7.69	38.88	145	150	Average	HORIZONTAL

Data: 333 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:43:32



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11N40 CH102 MCS0

Power : 34

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11015.14	53.33	74.00	-20.67	42.89	6.40	38.70	34.66	184	150 Peak	VERTICAL
2	11018.21	39.68	54.00	-14.32	29.24	6.40	38.70	34.66	184	150 Average	VERTICAL

Data: 334 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:43:57



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11N40 CH102 MCS0

Power : 34

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamplifier Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	11022.71	52.53	74.00	-21.47	42.08	6.41	38.70	34.66	212	150	Peak	HORIZONTAL
2	11024.58	39.80	54.00	-14.20	29.35	6.41	38.70	34.66	212	150	Average	HORIZONTAL

Data: 335 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:45:10



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11N40 CH110 MCS0

Power : 67

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamplifier Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11096.54	52.91	74.00	-21.09	42.43	6.43	38.70	181	150	Peak	VERTICAL
2	11099.10	39.41	54.00	-14.59	28.93	6.43	38.70	181	150	Average	VERTICAL

Data: 336 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:45:37



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11N40 CH110 MCS0

Power : 67

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11096.01	39.47	54.00	-14.53	28.99	6.43	38.70	34.65	148	150 Average	HORIZONTAL
2	11100.56	52.89	74.00	-21.11	42.41	6.43	38.70	34.65	148	150 Peak	HORIZONTAL

Data: 337 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:46:43



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 VERTICAL

Eut : BCM943228Z

Mode : TX 11N40 CH134 MCS0

Power : 66

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole


: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss Factor	Preamp Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	deg	cm		
1	11340.35	39.96	54.00	-14.04	29.40	6.49	38.70	34.63	189	150 Average	VERTICAL
2	11341.38	52.66	74.00	-21.34	42.10	6.49	38.70	34.63	189	150 Peak	VERTICAL

Data: 338 File: E:\客戶\broadcom\BCM943228Z.EM6 (348)

Date: 2015-07-17 Time: 00:47:10



Trace: (Discrete)

Condition: FCC CLASS-B PK 3m HORNANT-20150617 HORIZONTAL

Eut : BCM943228Z

Mode : TX 11N40 CH134 MCS0

Power : 66

Memo-1-1 : EUT 2

Memo-1-2 : ANT Y

: 2TX - Dipole

: Start 1.5m

: G-1

	Freq	Level	Limit Line	Over Limit	Read Level	Cable Loss	Antenna Factor	Preamplifier Factor	T/Pos	A/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	deg	cm		
1	11340.16	52.91	74.00	-21.09	42.35	6.49	38.70	34.63	141	150	Peak	HORIZONTAL
2	11342.74	39.94	54.00	-14.06	29.38	6.49	38.70	34.63	141	150	Average	HORIZONTAL