

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz_EIRP

1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.67	3.00	25.67	<=33.01	Pass
			2	23.18	3.00	26.18	<=33.01	Pass
			5	22.39	3.00	25.39	<=33.01	Pass
		3	0	22.86	3.00	25.86	<=33.01	Pass
			2	23.09	3.00	26.09	<=33.01	Pass
			3	22.85	3.00	25.85	<=33.01	Pass
		6	0	21.81	3.00	24.81	<=33.01	Pass
	1880	1	0	22.54	3.00	25.54	<=33.01	Pass
			2	23.25	3.00	26.25	<=33.01	Pass
			5	22.44	3.00	25.44	<=33.01	Pass
		3	0	22.95	3.00	25.95	<=33.01	Pass
			2	23.18	3.00	26.18	<=33.01	Pass
			3	22.92	3.00	25.92	<=33.01	Pass
		6	0	21.95	3.00	24.95	<=33.01	Pass
	1909.3	1	0	21.90	3.00	24.90	<=33.01	Pass
			2	22.48	3.00	25.48	<=33.01	Pass
			5	21.47	3.00	24.47	<=33.01	Pass
		3	0	22.27	3.00	25.27	<=33.01	Pass
			2	22.34	3.00	25.34	<=33.01	Pass
			3	22.00	3.00	25.00	<=33.01	Pass
		6	0	21.25	3.00	24.25	<=33.01	Pass
16QAM	1850.7	1	0	21.54	3.00	24.54	<=33.01	Pass
			2	22.17	3.00	25.17	<=33.01	Pass
			5	21.41	3.00	24.41	<=33.01	Pass
		3	0	21.80	3.00	24.80	<=33.01	Pass
			2	22.02	3.00	25.02	<=33.01	Pass
			3	21.79	3.00	24.79	<=33.01	Pass
		6	0	20.78	3.00	23.78	<=33.01	Pass
	1880	1	0	21.41	3.00	24.41	<=33.01	Pass
			2	22.18	3.00	25.18	<=33.01	Pass
			5	21.41	3.00	24.41	<=33.01	Pass
		3	0	22.06	3.00	25.06	<=33.01	Pass
			2	22.25	3.00	25.25	<=33.01	Pass
			3	21.99	3.00	24.99	<=33.01	Pass
		6	0	20.93	3.00	23.93	<=33.01	Pass
	1909.3	1	0	20.96	3.00	23.96	<=33.01	Pass
			2	21.60	3.00	24.60	<=33.01	Pass
			5	20.65	3.00	23.65	<=33.01	Pass
		3	0	21.51	3.00	24.51	<=33.01	Pass
			2	21.61	3.00	24.61	<=33.01	Pass
			3	21.25	3.00	24.25	<=33.01	Pass
		6	0	20.32	3.00	23.32	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.65	3.00	24.65	<=33.01	Pass
			7	23.45	3.00	26.45	<=33.01	Pass
			14	21.92	3.00	24.92	<=33.01	Pass
		8	0	21.76	3.00	24.76	<=33.01	Pass
			4	22.18	3.00	25.18	<=33.01	Pass
			7	21.98	3.00	24.98	<=33.01	Pass
		15	0	21.87	3.00	24.87	<=33.01	Pass
	1880	1	0	21.93	3.00	24.93	<=33.01	Pass
			7	23.37	3.00	26.37	<=33.01	Pass
			14	21.56	3.00	24.56	<=33.01	Pass
		8	0	22.00	3.00	25.00	<=33.01	Pass
			4	22.19	3.00	25.19	<=33.01	Pass
			7	21.86	3.00	24.86	<=33.01	Pass
	15	0	21.90	3.00	24.90	<=33.01	Pass	
	1908.5	1	0	21.53	3.00	24.53	<=33.01	Pass
			7	22.95	3.00	25.95	<=33.01	Pass
			14	20.87	3.00	23.87	<=33.01	Pass
		8	0	21.61	3.00	24.61	<=33.01	Pass
			4	21.78	3.00	24.78	<=33.01	Pass
			7	21.36	3.00	24.36	<=33.01	Pass
		15	0	21.45	3.00	24.45	<=33.01	Pass
16QAM		1851.5	1	0	21.20	3.00	24.20	<=33.01
	7			22.89	3.00	25.89	<=33.01	Pass
	14			21.40	3.00	24.40	<=33.01	Pass
	8		0	20.86	3.00	23.86	<=33.01	Pass
			4	21.28	3.00	24.28	<=33.01	Pass
			7	21.11	3.00	24.11	<=33.01	Pass
	15		0	20.88	3.00	23.88	<=33.01	Pass
	1880	1	0	21.09	3.00	24.09	<=33.01	Pass
			7	22.61	3.00	25.61	<=33.01	Pass
			14	20.82	3.00	23.82	<=33.01	Pass
		8	0	21.01	3.00	24.01	<=33.01	Pass
			4	21.23	3.00	24.23	<=33.01	Pass
			7	20.89	3.00	23.89	<=33.01	Pass
	15	0	20.91	3.00	23.91	<=33.01	Pass	
	1908.5	1	0	20.47	3.00	23.47	<=33.01	Pass
			7	21.98	3.00	24.98	<=33.01	Pass
			14	20.00	3.00	23.00	<=33.01	Pass
		8	0	20.68	3.00	23.68	<=33.01	Pass
			4	20.84	3.00	23.84	<=33.01	Pass
			7	20.43	3.00	23.43	<=33.01	Pass
		15	0	20.52	3.00	23.52	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1852.5	1	0	21.81	3.00	24.81	<=33.01	Pass	
			13	23.06	3.00	26.06	<=33.01	Pass	
			24	22.11	3.00	25.11	<=33.01	Pass	
		12	0	21.90	3.00	24.90	<=33.01	Pass	
			6	22.11	3.00	25.11	<=33.01	Pass	
			13	22.19	3.00	25.19	<=33.01	Pass	
		25	0	22.04	3.00	25.04	<=33.01	Pass	
		1880	1	0	22.08	3.00	25.08	<=33.01	Pass
				13	22.77	3.00	25.77	<=33.01	Pass
	24			21.52	3.00	24.52	<=33.01	Pass	
	12		0	22.02	3.00	25.02	<=33.01	Pass	
			6	21.94	3.00	24.94	<=33.01	Pass	
			13	21.74	3.00	24.74	<=33.01	Pass	
	25	0	21.88	3.00	24.88	<=33.01	Pass		
	1907.5	1	0	22.39	3.00	25.39	<=33.01	Pass	
			13	22.47	3.00	25.47	<=33.01	Pass	
			24	21.01	3.00	24.01	<=33.01	Pass	
		12	0	22.02	3.00	25.02	<=33.01	Pass	
			6	21.70	3.00	24.70	<=33.01	Pass	
			13	21.43	3.00	24.43	<=33.01	Pass	
		25	0	21.71	3.00	24.71	<=33.01	Pass	
16QAM		1852.5	1	0	20.82	3.00	23.82	<=33.01	Pass
				13	22.07	3.00	25.07	<=33.01	Pass
	24			21.14	3.00	24.14	<=33.01	Pass	
	12		0	20.90	3.00	23.90	<=33.01	Pass	
			6	21.10	3.00	24.10	<=33.01	Pass	
			13	21.20	3.00	24.20	<=33.01	Pass	
	25		0	21.05	3.00	24.05	<=33.01	Pass	
	1880	1	0	21.30	3.00	24.30	<=33.01	Pass	
			13	22.05	3.00	25.05	<=33.01	Pass	
			24	20.82	3.00	23.82	<=33.01	Pass	
		12	0	21.11	3.00	24.11	<=33.01	Pass	
			6	21.04	3.00	24.04	<=33.01	Pass	
			13	20.84	3.00	23.84	<=33.01	Pass	
	25	0	20.92	3.00	23.92	<=33.01	Pass		
	1907.5	1	0	21.63	3.00	24.63	<=33.01	Pass	
			13	21.69	3.00	24.69	<=33.01	Pass	
			24	20.29	3.00	23.29	<=33.01	Pass	
		12	0	21.10	3.00	24.10	<=33.01	Pass	
			6	20.75	3.00	23.75	<=33.01	Pass	
			13	20.48	3.00	23.48	<=33.01	Pass	
		25	0	20.78	3.00	23.78	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.67	3.00	24.67	<=33.01	Pass
			25	23.18	3.00	26.18	<=33.01	Pass

			49	21.91	3.00	24.91	<=33.01	Pass	
			25	0	22.13	3.00	25.13	<=33.01	Pass
				13	22.25	3.00	25.25	<=33.01	Pass
				25	22.08	3.00	25.08	<=33.01	Pass
		50	0	22.12	3.00	25.12	<=33.01	Pass	
		1880	1	0	22.30	3.00	25.30	<=33.01	Pass
				25	22.97	3.00	25.97	<=33.01	Pass
				49	21.07	3.00	24.07	<=33.01	Pass
			25	0	22.19	3.00	25.19	<=33.01	Pass
				13	22.00	3.00	25.00	<=33.01	Pass
	25			21.65	3.00	24.65	<=33.01	Pass	
	50		0	21.94	3.00	24.94	<=33.01	Pass	
	1905		1	0	22.40	3.00	25.40	<=33.01	Pass
		25		22.95	3.00	25.95	<=33.01	Pass	
		49		20.44	3.00	23.44	<=33.01	Pass	
		25	0	22.37	3.00	25.37	<=33.01	Pass	
			13	21.98	3.00	24.98	<=33.01	Pass	
			25	21.28	3.00	24.28	<=33.01	Pass	
		50	0	21.87	3.00	24.87	<=33.01	Pass	

16QAM	1855	1	0	21.24	3.00	24.24	<=33.01	Pass	
			25	22.72	3.00	25.72	<=33.01	Pass	
			49	21.38	3.00	24.38	<=33.01	Pass	
		12	0	22.02	3.00	25.02	<=33.01	Pass	
			19	22.35	3.00	25.35	<=33.01	Pass	
			38	22.07	3.00	25.07	<=33.01	Pass	
		27	0	22.82	3.00	25.82	<=33.01	Pass	
		1880	1	0	21.43	3.00	24.43	<=33.01	Pass
				25	22.13	3.00	25.13	<=33.01	Pass
				49	20.26	3.00	23.26	<=33.01	Pass
	12		0	22.25	3.00	25.25	<=33.01	Pass	
			19	22.05	3.00	25.05	<=33.01	Pass	
			38	21.42	3.00	24.42	<=33.01	Pass	
	27		0	22.77	3.00	25.77	<=33.01	Pass	
	1905	1	0	21.39	3.00	24.39	<=33.01	Pass	
			25	22.03	3.00	25.03	<=33.01	Pass	
			49	19.58	3.00	22.58	<=33.01	Pass	
		12	0	22.48	3.00	25.48	<=33.01	Pass	
			19	22.14	3.00	25.14	<=33.01	Pass	
			38	20.91	3.00	23.91	<=33.01	Pass	
		27	23	22.52	3.00	25.52	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.20	3.00	25.20	<=33.01	Pass
			38	22.80	3.00	25.80	<=33.01	Pass
			74	22.34	3.00	25.34	<=33.01	Pass
		36	0	22.02	3.00	25.02	<=33.01	Pass
			18	22.19	3.00	25.19	<=33.01	Pass
			39	21.98	3.00	24.98	<=33.01	Pass

		75	0	22.00	3.00	25.00	<=33.01	Pass
			0	22.77	3.00	25.77	<=33.01	Pass
			38	22.83	3.00	25.83	<=33.01	Pass
	1880	1	74	21.31	3.00	24.31	<=33.01	Pass
			0	22.25	3.00	25.25	<=33.01	Pass
			18	22.10	3.00	25.10	<=33.01	Pass
		36	39	21.40	3.00	24.40	<=33.01	Pass
			0	21.86	3.00	24.86	<=33.01	Pass
			75	22.55	3.00	25.55	<=33.01	Pass
	1902.5	1	38	22.68	3.00	25.68	<=33.01	Pass
			74	20.55	3.00	23.55	<=33.01	Pass
			0	21.99	3.00	24.99	<=33.01	Pass
		36	18	21.94	3.00	24.94	<=33.01	Pass
			39	21.04	3.00	24.04	<=33.01	Pass
			75	21.56	3.00	24.56	<=33.01	Pass
	16QAM	1857.5	0	21.74	3.00	24.74	<=33.01	Pass
			38	22.46	3.00	25.46	<=33.01	Pass
			74	22.03	3.00	25.03	<=33.01	Pass
		12	0	21.77	3.00	24.77	<=33.01	Pass
			31	22.03	3.00	25.03	<=33.01	Pass
			63	21.82	3.00	24.82	<=33.01	Pass
		27	0	22.73	3.00	25.73	<=33.01	Pass
		1880	0	21.96	3.00	24.96	<=33.01	Pass
			38	22.05	3.00	25.05	<=33.01	Pass
			74	20.52	3.00	23.52	<=33.01	Pass
		12	0	22.16	3.00	25.16	<=33.01	Pass
			31	21.95	3.00	24.95	<=33.01	Pass
			63	20.71	3.00	23.71	<=33.01	Pass
		27	0	22.60	3.00	25.60	<=33.01	Pass
		1902.5	0	21.76	3.00	24.76	<=33.01	Pass
			38	21.97	3.00	24.97	<=33.01	Pass
			74	19.84	3.00	22.84	<=33.01	Pass
		12	0	21.80	3.00	24.80	<=33.01	Pass
			31	21.75	3.00	24.75	<=33.01	Pass
			63	20.02	3.00	23.02	<=33.01	Pass
		27	48	22.14	3.00	25.14	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.05	3.00	25.05	<=33.01	Pass
			50	23.19	3.00	26.19	<=33.01	Pass
			99	22.38	3.00	25.38	<=33.01	Pass
		50	0	21.89	3.00	24.89	<=33.01	Pass
			25	22.09	3.00	25.09	<=33.01	Pass
			50	21.89	3.00	24.89	<=33.01	Pass
		100	0	21.89	3.00	24.89	<=33.01	Pass
	1880	1	0	22.42	3.00	25.42	<=33.01	Pass
			50	23.05	3.00	26.05	<=33.01	Pass
			99	20.97	3.00	23.97	<=33.01	Pass

		50	0	22.11	3.00	25.11	<=33.01	Pass
			25	22.00	3.00	25.00	<=33.01	Pass
			50	21.16	3.00	24.16	<=33.01	Pass
		100	0	21.66	3.00	24.66	<=33.01	Pass
	1900	1	0	22.54	3.00	25.54	<=33.01	Pass
			50	22.95	3.00	25.95	<=33.01	Pass
			99	20.23	3.00	23.23	<=33.01	Pass
		50	0	21.91	3.00	24.91	<=33.01	Pass
			25	21.86	3.00	24.86	<=33.01	Pass
			50	21.09	3.00	24.09	<=33.01	Pass
		100	0	21.51	3.00	24.51	<=33.01	Pass
16QAM	1860	1	0	21.14	3.00	24.14	<=33.01	Pass
			50	22.39	3.00	25.39	<=33.01	Pass
			99	21.60	3.00	24.60	<=33.01	Pass
		12	0	21.45	3.00	24.45	<=33.01	Pass
			44	22.21	3.00	25.21	<=33.01	Pass
			88	21.57	3.00	24.57	<=33.01	Pass
		27	0	22.47	3.00	25.47	<=33.01	Pass
	1880	1	0	21.75	3.00	24.75	<=33.01	Pass
			50	22.38	3.00	25.38	<=33.01	Pass
			99	20.33	3.00	23.33	<=33.01	Pass
		12	0	21.69	3.00	24.69	<=33.01	Pass
			44	22.11	3.00	25.11	<=33.01	Pass
			88	20.31	3.00	23.31	<=33.01	Pass
		27	0	22.12	3.00	25.12	<=33.01	Pass
	1900	1	0	22.02	3.00	25.02	<=33.01	Pass
			50	22.50	3.00	25.50	<=33.01	Pass
			99	19.82	3.00	22.82	<=33.01	Pass
		12	0	21.77	3.00	24.77	<=33.01	Pass
			44	22.00	3.00	25.00	<=33.01	Pass
			88	19.67	3.00	22.67	<=33.01	Pass
		27	73	21.98	3.00	24.98	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Effective (Isotropic) Radiated Power Output Data

2.1 B4_1.4MHz_EIRP

2.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.83	6.00	28.83	<=30	Pass
			2	23.51	6.00	29.51	<=30	Pass
			5	22.67	6.00	28.67	<=30	Pass
		3	0	23.26	6.00	29.26	<=30	Pass
			2	23.47	6.00	29.47	<=30	Pass
			3	23.18	6.00	29.18	<=30	Pass
	1732.5	6	0	21.98	6.00	27.98	<=30	Pass
		1	0	22.70	6.00	28.70	<=30	Pass
			2	23.41	6.00	29.41	<=30	Pass
			5	22.63	6.00	28.63	<=30	Pass
		3	0	23.18	6.00	29.18	<=30	Pass

		6	2	23.39	6.00	29.39	<=30	Pass
			3	23.17	6.00	29.17	<=30	Pass
			0	22.20	6.00	28.20	<=30	Pass
	1754.3	1	0	22.83	6.00	28.83	<=30	Pass
			2	23.51	6.00	29.51	<=30	Pass
			5	22.69	6.00	28.69	<=30	Pass
		3	0	23.19	6.00	29.19	<=30	Pass
			2	23.40	6.00	29.40	<=30	Pass
			3	23.13	6.00	29.13	<=30	Pass
		6	0	22.12	6.00	28.12	<=30	Pass
16QAM	1710.7	1	0	21.56	6.00	27.56	<=30	Pass
			2	22.32	6.00	28.32	<=30	Pass
			5	21.52	6.00	27.52	<=30	Pass
		3	0	22.18	6.00	28.18	<=30	Pass
			2	22.40	6.00	28.40	<=30	Pass
			3	22.10	6.00	28.10	<=30	Pass
		6	0	21.02	6.00	27.02	<=30	Pass
	1732.5	1	0	21.84	6.00	27.84	<=30	Pass
			2	22.57	6.00	28.57	<=30	Pass
			5	21.80	6.00	27.80	<=30	Pass
		3	0	22.19	6.00	28.19	<=30	Pass
			2	22.43	6.00	28.43	<=30	Pass
			3	22.20	6.00	28.20	<=30	Pass
		6	0	21.23	6.00	27.23	<=30	Pass
	1754.3	1	0	21.57	6.00	27.57	<=30	Pass
			2	22.38	6.00	28.38	<=30	Pass
			5	21.59	6.00	27.59	<=30	Pass
		3	0	22.23	6.00	28.23	<=30	Pass
			2	22.44	6.00	28.44	<=30	Pass
			3	22.18	6.00	28.18	<=30	Pass
		6	0	21.07	6.00	27.07	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.2 B4_3MHz_EIRP

2.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.32	6.00	28.32	<=30	Pass
			7	23.87	6.00	29.87	<=30	Pass
			14	22.11	6.00	28.11	<=30	Pass
		8	0	22.17	6.00	28.17	<=30	Pass
			4	22.41	6.00	28.41	<=30	Pass
			7	22.09	6.00	28.09	<=30	Pass
		15	0	22.13	6.00	28.13	<=30	Pass
	1732.5	1	0	22.28	6.00	28.28	<=30	Pass
			7	23.77	6.00	29.77	<=30	Pass
			14	22.11	6.00	28.11	<=30	Pass
		8	0	22.37	6.00	28.37	<=30	Pass
			4	22.60	6.00	28.60	<=30	Pass
			7	22.30	6.00	28.30	<=30	Pass
		15	0	22.32	6.00	28.32	<=30	Pass
	1753.5	1	0	22.24	6.00	28.24	<=30	Pass

			7	23.77	6.00	29.77	<=30	Pass		
			14	22.04	6.00	28.04	<=30	Pass		
		8	0	22.24	6.00	28.24	<=30	Pass		
			4	22.50	6.00	28.50	<=30	Pass		
			7	22.19	6.00	28.19	<=30	Pass		
		15	0	22.18	6.00	28.18	<=30	Pass		
		16QAM	1711.5	1	0	21.65	6.00	27.65	<=30	Pass
					7	23.15	6.00	29.15	<=30	Pass
					14	21.36	6.00	27.36	<=30	Pass
8	0			21.30	6.00	27.30	<=30	Pass		
	4			21.56	6.00	27.56	<=30	Pass		
	7			21.27	6.00	27.27	<=30	Pass		
15	0			21.19	6.00	27.19	<=30	Pass		
1732.5	1			0	21.38	6.00	27.38	<=30	Pass	
				7	22.93	6.00	28.93	<=30	Pass	
			14	21.26	6.00	27.26	<=30	Pass		
	8		0	21.37	6.00	27.37	<=30	Pass		
			4	21.63	6.00	27.63	<=30	Pass		
			7	21.33	6.00	27.33	<=30	Pass		
	15		0	21.31	6.00	27.31	<=30	Pass		
	1753.5		1	0	21.09	6.00	27.09	<=30	Pass	
				7	22.70	6.00	28.70	<=30	Pass	
14				21.01	6.00	27.01	<=30	Pass		
8			0	21.30	6.00	27.30	<=30	Pass		
			4	21.53	6.00	27.53	<=30	Pass		
			7	21.23	6.00	27.23	<=30	Pass		
15			0	21.24	6.00	27.24	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2.3 B4_5MHz_EIRP

2.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.50	6.00	28.50	<=30	Pass
			13	23.27	6.00	29.27	<=30	Pass
			24	22.20	6.00	28.20	<=30	Pass
		12	0	22.19	6.00	28.19	<=30	Pass
			6	22.18	6.00	28.18	<=30	Pass
			13	22.08	6.00	28.08	<=30	Pass
		25	0	22.12	6.00	28.12	<=30	Pass
	1732.5	1	0	22.33	6.00	28.33	<=30	Pass
			13	23.16	6.00	29.16	<=30	Pass
			24	22.11	6.00	28.11	<=30	Pass
		12	0	22.34	6.00	28.34	<=30	Pass
			6	22.34	6.00	28.34	<=30	Pass
			13	22.23	6.00	28.23	<=30	Pass
		25	0	22.29	6.00	28.29	<=30	Pass
	1752.5	1	0	22.39	6.00	28.39	<=30	Pass
			13	23.11	6.00	29.11	<=30	Pass
			24	22.09	6.00	28.09	<=30	Pass
		12	0	22.30	6.00	28.30	<=30	Pass
			6	22.23	6.00	28.23	<=30	Pass

			13	22.11	6.00	28.11	<=30	Pass	
		25	0	22.18	6.00	28.18	<=30	Pass	
16QAM	1712.5	1	0	21.25	6.00	27.25	<=30	Pass	
			13	22.04	6.00	28.04	<=30	Pass	
			24	20.97	6.00	26.97	<=30	Pass	
			0	21.21	6.00	27.21	<=30	Pass	
		12	6	21.18	6.00	27.18	<=30	Pass	
			13	21.09	6.00	27.09	<=30	Pass	
			25	0	21.12	6.00	27.12	<=30	Pass
		1732.5	1	0	21.58	6.00	27.58	<=30	Pass
				13	22.47	6.00	28.47	<=30	Pass
	24			21.41	6.00	27.41	<=30	Pass	
	12		0	21.40	6.00	27.40	<=30	Pass	
			6	21.40	6.00	27.40	<=30	Pass	
			13	21.30	6.00	27.30	<=30	Pass	
	25		0	21.29	6.00	27.29	<=30	Pass	
	1752.5		1	0	21.47	6.00	27.47	<=30	Pass
				13	22.21	6.00	28.21	<=30	Pass
		24		21.18	6.00	27.18	<=30	Pass	
		12	0	21.30	6.00	27.30	<=30	Pass	
			6	21.22	6.00	27.22	<=30	Pass	
			13	21.11	6.00	27.11	<=30	Pass	
		25	0	21.21	6.00	27.21	<=30	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

2.4 B4_10MHz_EIRP

2.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.39	6.00	28.39	<=30	Pass
			25	23.32	6.00	29.32	<=30	Pass
			49	22.17	6.00	28.17	<=30	Pass
		25	0	22.21	6.00	28.21	<=30	Pass
			13	22.20	6.00	28.20	<=30	Pass
			25	22.12	6.00	28.12	<=30	Pass
		50	0	22.17	6.00	28.17	<=30	Pass
	1732.5	1	0	22.30	6.00	28.30	<=30	Pass
			25	23.35	6.00	29.35	<=30	Pass
			49	21.94	6.00	27.94	<=30	Pass
		25	0	22.40	6.00	28.40	<=30	Pass
			13	22.41	6.00	28.41	<=30	Pass
			25	22.24	6.00	28.24	<=30	Pass
		50	0	22.33	6.00	28.33	<=30	Pass
	1750	1	0	22.67	6.00	28.67	<=30	Pass
			25	23.29	6.00	29.29	<=30	Pass
			49	21.75	6.00	27.75	<=30	Pass
		25	0	22.48	6.00	28.48	<=30	Pass
			13	22.28	6.00	28.28	<=30	Pass
			25	22.01	6.00	28.01	<=30	Pass
		50	0	22.25	6.00	28.25	<=30	Pass
16QAM	1715	1	0	21.81	6.00	27.81	<=30	Pass
			25	22.74	6.00	28.74	<=30	Pass

		12	49	21.51	6.00	27.51	<=30	Pass
			0	22.28	6.00	28.28	<=30	Pass
			19	22.27	6.00	28.27	<=30	Pass
			38	22.15	6.00	28.15	<=30	Pass
		27	0	23.31	6.00	29.31	<=30	Pass
	1732.5	1	0	21.41	6.00	27.41	<=30	Pass
			25	22.52	6.00	28.52	<=30	Pass
			49	21.09	6.00	27.09	<=30	Pass
		12	0	22.35	6.00	28.35	<=30	Pass
			19	22.44	6.00	28.44	<=30	Pass
			38	22.11	6.00	28.11	<=30	Pass
		27	0	23.18	6.00	29.18	<=30	Pass
	1750	1	0	21.52	6.00	27.52	<=30	Pass
			25	22.22	6.00	28.22	<=30	Pass
			49	20.72	6.00	26.72	<=30	Pass
		12	0	22.59	6.00	28.59	<=30	Pass
			19	22.35	6.00	28.35	<=30	Pass
			38	21.90	6.00	27.90	<=30	Pass
		27	23	23.20	6.00	29.20	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.5 B4_15MHz_EIRP

2.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.81	6.00	28.81	<=30	Pass
			38	23.11	6.00	29.11	<=30	Pass
			74	22.78	6.00	28.78	<=30	Pass
		36	0	22.19	6.00	28.19	<=30	Pass
			18	22.33	6.00	28.33	<=30	Pass
			39	22.23	6.00	28.23	<=30	Pass
		75	0	22.20	6.00	28.20	<=30	Pass
	1732.5	1	0	22.81	6.00	28.81	<=30	Pass
			38	23.26	6.00	29.26	<=30	Pass
			74	22.28	6.00	28.28	<=30	Pass
		36	0	22.41	6.00	28.41	<=30	Pass
			18	22.51	6.00	28.51	<=30	Pass
			39	22.13	6.00	28.13	<=30	Pass
		75	0	22.28	6.00	28.28	<=30	Pass
	1747.5	1	0	23.62	6.00	29.62	<=30	Pass
			38	23.31	6.00	29.31	<=30	Pass
			74	22.20	6.00	28.20	<=30	Pass
		36	0	22.79	6.00	28.79	<=30	Pass
			18	22.59	6.00	28.59	<=30	Pass
			39	22.00	6.00	28.00	<=30	Pass
		75	0	22.42	6.00	28.42	<=30	Pass
16QAM	1717.5	1	0	22.34	6.00	28.34	<=30	Pass
			38	22.67	6.00	28.67	<=30	Pass
			74	22.33	6.00	28.33	<=30	Pass
		12	0	22.11	6.00	28.11	<=30	Pass
			31	22.22	6.00	28.22	<=30	Pass
			63	22.11	6.00	28.11	<=30	Pass

		27	0	23.17	6.00	29.17	<=30	Pass
		1	0	21.94	6.00	27.94	<=30	Pass
			38	22.41	6.00	28.41	<=30	Pass
			74	21.42	6.00	27.42	<=30	Pass
		12	0	22.16	6.00	28.16	<=30	Pass
			31	22.36	6.00	28.36	<=30	Pass
			63	21.68	6.00	27.68	<=30	Pass
		27	0	23.05	6.00	29.05	<=30	Pass
	1747.5	1	0	22.81	6.00	28.81	<=30	Pass
			38	22.58	6.00	28.58	<=30	Pass
			74	21.45	6.00	27.45	<=30	Pass
		12	0	22.73	6.00	28.73	<=30	Pass
			31	22.37	6.00	28.37	<=30	Pass
			63	21.51	6.00	27.51	<=30	Pass
		27	48	23.35	6.00	29.35	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

2.6 B4_20MHz_EIRP

2.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.57	6.00	28.57	<=30	Pass
			50	23.41	6.00	29.41	<=30	Pass
			99	22.68	6.00	28.68	<=30	Pass
		50	0	22.07	6.00	28.07	<=30	Pass
			25	22.33	6.00	28.33	<=30	Pass
			50	22.23	6.00	28.23	<=30	Pass
		100	0	22.15	6.00	28.15	<=30	Pass
	1732.5	1	0	22.49	6.00	28.49	<=30	Pass
			50	23.48	6.00	29.48	<=30	Pass
			99	21.84	6.00	27.84	<=30	Pass
		50	0	22.29	6.00	28.29	<=30	Pass
			25	22.44	6.00	28.44	<=30	Pass
			50	21.94	6.00	27.94	<=30	Pass
		100	0	22.12	6.00	28.12	<=30	Pass
	1745	1	0	23.51	6.00	29.51	<=30	Pass
			50	23.59	6.00	29.59	<=30	Pass
			99	21.69	6.00	27.69	<=30	Pass
		50	0	22.77	6.00	28.77	<=30	Pass
			25	22.54	6.00	28.54	<=30	Pass
			50	21.79	6.00	27.79	<=30	Pass
		100	0	22.31	6.00	28.31	<=30	Pass
16QAM	1720	1	0	21.77	6.00	27.77	<=30	Pass
			50	22.68	6.00	28.68	<=30	Pass
			99	21.96	6.00	27.96	<=30	Pass
		12	0	21.76	6.00	27.76	<=30	Pass
			44	22.42	6.00	28.42	<=30	Pass
			88	21.92	6.00	27.92	<=30	Pass
		27	0	22.82	6.00	28.82	<=30	Pass
	1732.5	1	0	21.79	6.00	27.79	<=30	Pass
			50	22.80	6.00	28.80	<=30	Pass
			99	21.15	6.00	27.15	<=30	Pass

		12	0	21.80	6.00	27.80	<=30	Pass
			44	22.55	6.00	28.55	<=30	Pass
			88	21.20	6.00	27.20	<=30	Pass
		27	0	22.63	6.00	28.63	<=30	Pass
	1745	1	0	22.98	6.00	28.98	<=30	Pass
			50	23.12	6.00	29.12	<=30	Pass
			99	21.22	6.00	27.22	<=30	Pass
		12	0	22.68	6.00	28.68	<=30	Pass
			44	22.63	6.00	28.63	<=30	Pass
			88	20.99	6.00	26.99	<=30	Pass
		27	73	23.09	6.00	29.09	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

3. Effective (Isotropic) Radiated Power Output Data

3.1 B5_1.4MHz_ERP

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.52	6.00	28.37	<=38.45	Pass
			2	23.82	6.00	27.67	<=38.45	Pass
			5	22.32	6.00	26.17	<=38.45	Pass
		3	0	24.68	6.00	28.53	<=38.45	Pass
			2	24.91	6.00	28.76	<=38.45	Pass
			3	22.82	6.00	26.67	<=38.45	Pass
		6	0	21.75	6.00	25.60	<=38.45	Pass
	836.5	1	0	23.03	6.00	26.88	<=38.45	Pass
			2	23.25	6.00	27.10	<=38.45	Pass
			5	22.23	6.00	26.08	<=38.45	Pass
		3	0	23.25	6.00	27.10	<=38.45	Pass
			2	23.48	6.00	27.33	<=38.45	Pass
			3	22.81	6.00	26.66	<=38.45	Pass
		6	0	21.73	6.00	25.58	<=38.45	Pass
	848.3	1	0	22.40	6.00	26.25	<=38.45	Pass
			2	23.06	6.00	26.91	<=38.45	Pass
			5	24.11	6.00	27.96	<=38.45	Pass
		3	0	22.79	6.00	26.64	<=38.45	Pass
			2	23.02	6.00	26.87	<=38.45	Pass
			3	22.78	6.00	26.63	<=38.45	Pass
		6	0	21.80	6.00	25.65	<=38.45	Pass
16QAM	824.7	1	0	23.50	6.00	27.35	<=38.45	Pass
			2	22.82	6.00	26.67	<=38.45	Pass
			5	21.33	6.00	25.18	<=38.45	Pass
		3	0	23.81	6.00	27.66	<=38.45	Pass
			2	24.05	6.00	27.90	<=38.45	Pass
			3	21.91	6.00	25.76	<=38.45	Pass
		6	0	20.83	6.00	24.68	<=38.45	Pass
	836.5	1	0	22.06	6.00	25.91	<=38.45	Pass
			2	22.42	6.00	26.27	<=38.45	Pass
			5	21.42	6.00	25.27	<=38.45	Pass
		3	0	22.28	6.00	26.13	<=38.45	Pass
			0	22.28	6.00	26.13	<=38.45	Pass

			2	22.52	6.00	26.37	<=38.45	Pass
			3	21.79	6.00	25.64	<=38.45	Pass
		6	0	20.80	6.00	24.65	<=38.45	Pass
	848.3	1	0	21.23	6.00	25.08	<=38.45	Pass
			2	21.97	6.00	25.82	<=38.45	Pass
			5	23.09	6.00	26.94	<=38.45	Pass
		3	0	21.86	6.00	25.71	<=38.45	Pass
			2	22.07	6.00	25.92	<=38.45	Pass
			3	21.83	6.00	25.68	<=38.45	Pass
		6	0	20.74	6.00	24.59	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.2 B5_3MHz_ERP

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.54	6.00	28.39	<=38.45	Pass
			7	23.85	6.00	27.70	<=38.45	Pass
			14	21.98	6.00	25.83	<=38.45	Pass
		8	0	21.88	6.00	25.73	<=38.45	Pass
			4	22.35	6.00	26.20	<=38.45	Pass
			7	22.09	6.00	25.94	<=38.45	Pass
		15	0	22.01	6.00	25.86	<=38.45	Pass
	836.5	1	0	22.91	6.00	26.76	<=38.45	Pass
			7	23.62	6.00	27.47	<=38.45	Pass
			14	21.80	6.00	25.65	<=38.45	Pass
		8	0	21.92	6.00	25.77	<=38.45	Pass
			4	22.19	6.00	26.04	<=38.45	Pass
			7	21.89	6.00	25.74	<=38.45	Pass
		15	0	21.86	6.00	25.71	<=38.45	Pass
	847.5	1	0	22.01	6.00	25.86	<=38.45	Pass
			7	23.34	6.00	27.19	<=38.45	Pass
			14	24.17	6.00	28.02	<=38.45	Pass
		8	0	21.93	6.00	25.78	<=38.45	Pass
			4	22.29	6.00	26.14	<=38.45	Pass
			7	22.00	6.00	25.85	<=38.45	Pass
		15	0	22.03	6.00	25.88	<=38.45	Pass
16QAM	825.5	1	0	24.01	6.00	27.86	<=38.45	Pass
			7	23.34	6.00	27.19	<=38.45	Pass
			14	21.39	6.00	25.24	<=38.45	Pass
		8	0	21.04	6.00	24.89	<=38.45	Pass
			4	21.41	6.00	25.26	<=38.45	Pass
			7	21.17	6.00	25.02	<=38.45	Pass
		15	0	20.98	6.00	24.83	<=38.45	Pass
	836.5	1	0	21.99	6.00	25.84	<=38.45	Pass
			7	22.74	6.00	26.59	<=38.45	Pass
			14	20.96	6.00	24.81	<=38.45	Pass
		8	0	20.84	6.00	24.69	<=38.45	Pass
			4	21.14	6.00	24.99	<=38.45	Pass
			7	20.86	6.00	24.71	<=38.45	Pass
		15	0	20.78	6.00	24.63	<=38.45	Pass
	847.5	1	0	20.95	6.00	24.80	<=38.45	Pass

			7	22.36	6.00	26.21	<=38.45	Pass
			14	23.24	6.00	27.09	<=38.45	Pass
		8	0	21.05	6.00	24.90	<=38.45	Pass
			4	21.27	6.00	25.12	<=38.45	Pass
			7	20.98	6.00	24.83	<=38.45	Pass
		15	0	20.98	6.00	24.83	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

3.3 B5_5MHz_ERP

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.52	6.00	28.37	<=38.45	Pass
			13	23.13	6.00	26.98	<=38.45	Pass
			24	22.26	6.00	26.11	<=38.45	Pass
		12	0	23.46	6.00	27.31	<=38.45	Pass
			6	23.57	6.00	27.42	<=38.45	Pass
			13	22.19	6.00	26.04	<=38.45	Pass
		25	0	22.09	6.00	25.94	<=38.45	Pass
	836.5	1	0	22.80	6.00	26.65	<=38.45	Pass
			13	22.77	6.00	26.62	<=38.45	Pass
			24	21.92	6.00	25.77	<=38.45	Pass
		12	0	21.84	6.00	25.69	<=38.45	Pass
			6	21.87	6.00	25.72	<=38.45	Pass
			13	21.88	6.00	25.73	<=38.45	Pass
		25	0	21.83	6.00	25.68	<=38.45	Pass
	846.5	1	0	22.26	6.00	26.11	<=38.45	Pass
			13	22.96	6.00	26.81	<=38.45	Pass
			24	24.27	6.00	28.12	<=38.45	Pass
		12	0	22.14	6.00	25.99	<=38.45	Pass
			6	22.05	6.00	25.90	<=38.45	Pass
			13	22.98	6.00	26.83	<=38.45	Pass
		25	0	22.01	6.00	25.86	<=38.45	Pass
16QAM	826.5	1	0	23.34	6.00	27.19	<=38.45	Pass
			13	21.94	6.00	25.79	<=38.45	Pass
			24	21.05	6.00	24.90	<=38.45	Pass
		12	0	22.45	6.00	26.30	<=38.45	Pass
			6	22.55	6.00	26.40	<=38.45	Pass
			13	21.23	6.00	25.08	<=38.45	Pass
		25	0	21.12	6.00	24.97	<=38.45	Pass
	836.5	1	0	21.93	6.00	25.78	<=38.45	Pass
			13	21.98	6.00	25.83	<=38.45	Pass
			24	21.14	6.00	24.99	<=38.45	Pass
		12	0	20.89	6.00	24.74	<=38.45	Pass
			6	20.92	6.00	24.77	<=38.45	Pass
			13	20.94	6.00	24.79	<=38.45	Pass
		25	0	20.80	6.00	24.65	<=38.45	Pass
	846.5	1	0	21.38	6.00	25.23	<=38.45	Pass
			13	22.13	6.00	25.98	<=38.45	Pass
			24	23.43	6.00	27.28	<=38.45	Pass
		12	0	21.09	6.00	24.94	<=38.45	Pass
			6	21.00	6.00	24.85	<=38.45	Pass

			13	21.98	6.00	25.83	<=38.45	Pass
		25	0	20.97	6.00	24.82	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

3.4 B5_10MHz_ERP

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.57	6.00	28.42	<=38.45	Pass
			25	23.29	6.00	27.14	<=38.45	Pass
			49	21.93	6.00	25.78	<=38.45	Pass
		25	0	23.28	6.00	27.13	<=38.45	Pass
			13	23.43	6.00	27.28	<=38.45	Pass
			25	22.16	6.00	26.01	<=38.45	Pass
	836.5	50	0	22.12	6.00	25.97	<=38.45	Pass
			0	22.32	6.00	26.17	<=38.45	Pass
			25	23.09	6.00	26.94	<=38.45	Pass
		1	49	22.08	6.00	25.93	<=38.45	Pass
			0	21.42	6.00	25.27	<=38.45	Pass
			13	21.44	6.00	25.29	<=38.45	Pass
		25	25	22.12	6.00	25.97	<=38.45	Pass
			0	22.10	6.00	25.95	<=38.45	Pass
		50	0	22.49	6.00	26.34	<=38.45	Pass
			25	23.30	6.00	27.15	<=38.45	Pass
			49	24.30	6.00	28.15	<=38.45	Pass
	844	25	0	22.46	6.00	26.31	<=38.45	Pass
			13	22.35	6.00	26.20	<=38.45	Pass
			25	23.01	6.00	26.86	<=38.45	Pass
		50	0	22.25	6.00	26.10	<=38.45	Pass
16QAM	829	1	0	24.06	6.00	27.91	<=38.45	Pass
			25	22.75	6.00	26.60	<=38.45	Pass
			49	21.30	6.00	25.15	<=38.45	Pass
		12	0	23.18	6.00	27.03	<=38.45	Pass
			19	22.35	6.00	26.20	<=38.45	Pass
			38	22.06	6.00	25.91	<=38.45	Pass
	836.5	27	0	23.00	6.00	26.85	<=38.45	Pass
			0	21.50	6.00	25.35	<=38.45	Pass
			25	22.19	6.00	26.04	<=38.45	Pass
		1	49	21.21	6.00	25.06	<=38.45	Pass
			0	21.43	6.00	25.28	<=38.45	Pass
			19	22.10	6.00	25.95	<=38.45	Pass
		12	38	22.07	6.00	25.92	<=38.45	Pass
			0	23.15	6.00	27.00	<=38.45	Pass
		27	0	21.29	6.00	25.14	<=38.45	Pass
			25	22.21	6.00	26.06	<=38.45	Pass
			49	23.31	6.00	27.16	<=38.45	Pass
	844	12	0	22.42	6.00	26.27	<=38.45	Pass
			19	22.32	6.00	26.17	<=38.45	Pass
			38	22.75	6.00	26.60	<=38.45	Pass
		27	23	22.97	6.00	26.82	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

4. Effective (Isotropic) Radiated Power Output Data

4.1 B7_5MHz_EIRP

4.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	22.33	6.00	28.33	<=33.01	Pass
			13	22.15	6.00	28.15	<=33.01	Pass
			24	22.12	6.00	28.12	<=33.01	Pass
		12	0	21.25	6.00	27.25	<=33.01	Pass
			6	21.23	6.00	27.23	<=33.01	Pass
			13	21.12	6.00	27.12	<=33.01	Pass
		25	0	21.17	6.00	27.17	<=33.01	Pass
	2535	1	0	22.56	6.00	28.56	<=33.01	Pass
			13	22.40	6.00	28.40	<=33.01	Pass
			24	22.43	6.00	28.43	<=33.01	Pass
		12	0	21.60	6.00	27.60	<=33.01	Pass
			6	21.51	6.00	27.51	<=33.01	Pass
			13	21.29	6.00	27.29	<=33.01	Pass
		25	0	21.45	6.00	27.45	<=33.01	Pass
	2567.5	1	0	22.68	6.00	28.68	<=33.01	Pass
			13	22.58	6.00	28.58	<=33.01	Pass
			24	22.59	6.00	28.59	<=33.01	Pass
		12	0	21.61	6.00	27.61	<=33.01	Pass
			6	21.50	6.00	27.50	<=33.01	Pass
			13	21.53	6.00	27.53	<=33.01	Pass
		25	0	21.68	6.00	27.68	<=33.01	Pass
16QAM	2502.5	1	0	21.36	6.00	27.36	<=33.01	Pass
			13	21.10	6.00	27.10	<=33.01	Pass
			24	21.02	6.00	27.02	<=33.01	Pass
		12	0	20.23	6.00	26.23	<=33.01	Pass
			6	20.20	6.00	26.20	<=33.01	Pass
			13	20.11	6.00	26.11	<=33.01	Pass
		25	0	20.17	6.00	26.17	<=33.01	Pass
	2535	1	0	21.77	6.00	27.77	<=33.01	Pass
			13	21.69	6.00	27.69	<=33.01	Pass
			24	21.75	6.00	27.75	<=33.01	Pass
		12	0	20.67	6.00	26.67	<=33.01	Pass
			6	20.56	6.00	26.56	<=33.01	Pass
			13	20.36	6.00	26.36	<=33.01	Pass
		25	0	20.44	6.00	26.44	<=33.01	Pass
	2567.5	1	0	21.73	6.00	27.73	<=33.01	Pass
			13	21.63	6.00	27.63	<=33.01	Pass
			24	21.63	6.00	27.63	<=33.01	Pass
		12	0	20.49	6.00	26.49	<=33.01	Pass
6			20.39	6.00	26.39	<=33.01	Pass	
13			20.44	6.00	26.44	<=33.01	Pass	
25		0	20.62	6.00	26.62	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

4.2 B7_10MHz_EIRP

4.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	22.47	6.00	28.47	<=33.01	Pass
			25	22.35	6.00	28.35	<=33.01	Pass
			49	22.09	6.00	28.09	<=33.01	Pass
		25	0	21.35	6.00	27.35	<=33.01	Pass
			13	21.49	6.00	27.49	<=33.01	Pass
			25	21.44	6.00	27.44	<=33.01	Pass
		50	0	21.46	6.00	27.46	<=33.01	Pass
	2535	1	0	22.58	6.00	28.58	<=33.01	Pass
			25	22.64	6.00	28.64	<=33.01	Pass
			49	22.04	6.00	28.04	<=33.01	Pass
		25	0	21.30	6.00	27.30	<=33.01	Pass
			13	21.11	6.00	27.11	<=33.01	Pass
			25	21.26	6.00	27.26	<=33.01	Pass
		50	0	21.57	6.00	27.57	<=33.01	Pass
	2565	1	0	22.45	6.00	28.45	<=33.01	Pass
			25	22.96	6.00	28.96	<=33.01	Pass
			49	22.81	6.00	28.81	<=33.01	Pass
		25	0	21.77	6.00	27.77	<=33.01	Pass
			13	21.72	6.00	27.72	<=33.01	Pass
			25	21.67	6.00	27.67	<=33.01	Pass
		50	0	21.88	6.00	27.88	<=33.01	Pass
16QAM	2505	1	0	22.09	6.00	28.09	<=33.01	Pass
			25	21.99	6.00	27.99	<=33.01	Pass
			49	21.63	6.00	27.63	<=33.01	Pass
		12	0	21.53	6.00	27.53	<=33.01	Pass
			19	21.52	6.00	27.52	<=33.01	Pass
			38	21.42	6.00	27.42	<=33.01	Pass
		27	0	22.50	6.00	28.50	<=33.01	Pass
	2535	1	0	21.67	6.00	27.67	<=33.01	Pass
			25	21.83	6.00	27.83	<=33.01	Pass
			49	21.28	6.00	27.28	<=33.01	Pass
		12	0	21.41	6.00	27.41	<=33.01	Pass
			19	21.68	6.00	27.68	<=33.01	Pass
			38	21.02	6.00	27.02	<=33.01	Pass
		27	0	22.64	6.00	28.64	<=33.01	Pass
	2565	1	0	21.38	6.00	27.38	<=33.01	Pass
			25	21.96	6.00	27.96	<=33.01	Pass
			49	21.84	6.00	27.84	<=33.01	Pass
		12	0	21.67	6.00	27.67	<=33.01	Pass
			19	21.93	6.00	27.93	<=33.01	Pass
			38	21.37	6.00	27.37	<=33.01	Pass
		27	23	22.69	6.00	28.69	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4.3 B7_15MHz_EIRP

4.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	22.43	6.00	28.43	<=33.01	Pass
			38	22.41	6.00	28.41	<=33.01	Pass
			74	22.70	6.00	28.70	<=33.01	Pass
		36	0	21.61	6.00	27.61	<=33.01	Pass
			18	21.74	6.00	27.74	<=33.01	Pass
			39	21.69	6.00	27.69	<=33.01	Pass
		75	0	21.65	6.00	27.65	<=33.01	Pass
	2535	1	0	22.63	6.00	28.63	<=33.01	Pass
			38	22.54	6.00	28.54	<=33.01	Pass
			74	22.09	6.00	28.09	<=33.01	Pass
		36	0	21.46	6.00	27.46	<=33.01	Pass
			18	21.26	6.00	27.26	<=33.01	Pass
			39	21.08	6.00	27.08	<=33.01	Pass
		75	0	21.58	6.00	27.58	<=33.01	Pass
	2562.5	1	0	22.08	6.00	28.08	<=33.01	Pass
			38	22.80	6.00	28.80	<=33.01	Pass
			74	23.02	6.00	29.02	<=33.01	Pass
		36	0	21.38	6.00	27.38	<=33.01	Pass
			18	21.54	6.00	27.54	<=33.01	Pass
			39	21.66	6.00	27.66	<=33.01	Pass
		75	0	21.81	6.00	27.81	<=33.01	Pass
16QAM	2507.5	1	0	22.00	6.00	28.00	<=33.01	Pass
			38	22.05	6.00	28.05	<=33.01	Pass
			74	22.34	6.00	28.34	<=33.01	Pass
		12	0	21.64	6.00	27.64	<=33.01	Pass
			31	21.63	6.00	27.63	<=33.01	Pass
			63	22.48	6.00	28.48	<=33.01	Pass
		27	0	22.63	6.00	28.63	<=33.01	Pass
	2535	1	0	21.70	6.00	27.70	<=33.01	Pass
			38	21.68	6.00	27.68	<=33.01	Pass
			74	21.24	6.00	27.24	<=33.01	Pass
		12	0	21.62	6.00	27.62	<=33.01	Pass
			31	21.59	6.00	27.59	<=33.01	Pass
			63	22.31	6.00	28.31	<=33.01	Pass
		27	0	22.48	6.00	28.48	<=33.01	Pass
	2562.5	1	0	21.30	6.00	27.30	<=33.01	Pass
			38	22.08	6.00	28.08	<=33.01	Pass
			74	22.32	6.00	28.32	<=33.01	Pass
		12	0	21.21	6.00	27.21	<=33.01	Pass
31			21.72	6.00	27.72	<=33.01	Pass	
63			23.31	6.00	29.31	<=33.01	Pass	
27		48	22.42	6.00	28.42	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

4.4 B7_20MHz_EIRP

4.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	22.04	6.00	28.04	<=33.01	Pass

			50	22.79	6.00	28.79	<=33.01	Pass	
			99	22.98	6.00	28.98	<=33.01	Pass	
			50	0	21.60	6.00	27.60	<=33.01	Pass
				25	21.89	6.00	27.89	<=33.01	Pass
				50	21.84	6.00	27.84	<=33.01	Pass
		100	0	21.74	6.00	27.74	<=33.01	Pass	
	2535	1	0	22.80	6.00	28.80	<=33.01	Pass	
			50	22.79	6.00	28.79	<=33.01	Pass	
			99	21.89	6.00	27.89	<=33.01	Pass	
		50	0	21.42	6.00	27.42	<=33.01	Pass	
			25	21.13	6.00	27.13	<=33.01	Pass	
			50	20.81	6.00	26.81	<=33.01	Pass	
	100	0	21.42	6.00	27.42	<=33.01	Pass		
	2560	1	0	22.35	6.00	28.35	<=33.01	Pass	
			50	23.08	6.00	29.08	<=33.01	Pass	
			99	23.53	6.00	29.53	<=33.01	Pass	
		50	0	21.80	6.00	27.80	<=33.01	Pass	
			25	22.08	6.00	28.08	<=33.01	Pass	
			50	21.73	6.00	27.73	<=33.01	Pass	
	100	0	21.82	6.00	27.82	<=33.01	Pass		
16QAM	2510	1	0	21.26	6.00	27.26	<=33.01	Pass	
			50	22.09	6.00	28.09	<=33.01	Pass	
			99	22.33	6.00	28.33	<=33.01	Pass	
		12	0	21.26	6.00	27.26	<=33.01	Pass	
			44	21.90	6.00	27.90	<=33.01	Pass	
			88	22.77	6.00	28.77	<=33.01	Pass	
		27	0	22.42	6.00	28.42	<=33.01	Pass	
	2535	1	0	22.01	6.00	28.01	<=33.01	Pass	
			50	22.09	6.00	28.09	<=33.01	Pass	
			99	21.17	6.00	27.17	<=33.01	Pass	
		12	0	21.63	6.00	27.63	<=33.01	Pass	
			44	21.79	6.00	27.79	<=33.01	Pass	
			88	21.94	6.00	27.94	<=33.01	Pass	
	27	0	22.16	6.00	28.16	<=33.01	Pass		
	2560	1	0	21.85	6.00	27.85	<=33.01	Pass	
			50	22.42	6.00	28.42	<=33.01	Pass	
			99	22.87	6.00	28.87	<=33.01	Pass	
		12	0	21.51	6.00	27.51	<=33.01	Pass	
			44	22.14	6.00	28.14	<=33.01	Pass	
			88	24.09	6.00	30.09	<=33.01	Pass	
27		73	22.31	6.00	28.31	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									