



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.41336G	8.47	-21.53	31.17M	-54.31	2.39856G	-45.11	2.4G	-43.77	2.50318G	-52.59	23.22998G	-42.01	2
802.11g_Nss1,(6Mbps)_2TX	Pass	2.41703G	6.31	-23.69	2.13749G	-53.62	2.39992G	-32.07	2.4G	-30.52	2.51134G	-52.76	16.41117G	-41.74	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.41453G	6.14	-23.86	2.16428G	-53.71	2.39992G	-28.81	2.4G	-30.28	2.5203G	-52.03	23.51936G	-41.56	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	2.4319G	1.95	-28.05	1.96505G	-54.24	2.39952G	-37.46	2.4G	-35.36	2.50654G	-52.32	16.57509G	-41.99	2

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41336G	8.47	-21.53	2.13632G	-53.68	2.4G	-46.20	2.4G	-44.60	2.50486G	-52.84	23.55869G	-42.42	1
2412MHz	Pass	2.41336G	8.47	-21.53	31.17M	-54.31	2.39856G	-45.11	2.4G	-43.77	2.50318G	-52.59	23.22998G	-42.01	2
2437MHz	Pass	2.41336G	8.47	-21.53	2.30292G	-54.66	2.4G	-51.92	2.4G	-52.51	2.50014G	-52.70	24.52518G	-42.29	1
2437MHz	Pass	2.41336G	8.47	-21.53	2.13632G	-54.33	2.3984G	-53.38	2.4G	-55.57	2.51302G	-52.65	16.35498G	-42.33	2
2462MHz	Pass	2.41336G	8.47	-21.53	1.99186G	-54.37	2.4G	-51.59	2.4G	-52.85	2.50222G	-52.43	24.95505G	-41.94	1
2462MHz	Pass	2.41336G	8.47	-21.53	2.11885G	-54.34	2.39992G	-54.15	2.4G	-55.02	2.50646G	-52.91	16.8607G	-41.81	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41703G	6.31	-23.69	1.95575G	-53.86	2.39984G	-34.37	2.4G	-32.09	2.51126G	-52.50	23.48284G	-42.20	1
2412MHz	Pass	2.41703G	6.31	-23.69	2.13749G	-53.62	2.39992G	-32.07	2.4G	-30.52	2.51134G	-52.76	16.41117G	-41.74	2
2437MHz	Pass	2.41703G	6.31	-23.69	2.14797G	-54.47	2.4G	-50.16	2.4G	-50.99	2.50254G	-52.71	16.54322G	-41.20	1
2437MHz	Pass	2.41703G	6.31	-23.69	2.13516G	-54.22	2.39656G	-52.34	2.4G	-53.61	2.50982G	-52.27	14.96424G	-41.66	2
2462MHz	Pass	2.41703G	6.31	-23.69	2.13283G	-53.63	2.4G	-51.16	2.4G	-50.71	2.50022G	-52.77	14.50628G	-41.21	1
2462MHz	Pass	2.41703G	6.31	-23.69	2.13632G	-53.66	2.39992G	-52.80	2.4G	-54.31	2.51814G	-52.85	24.60104G	-42.17	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.41453G	6.14	-23.86	2.13982G	-54.54	2.39984G	-30.44	2.4G	-32.17	2.50598G	-52.67	24.49709G	-41.97	1
2412MHz	Pass	2.41453G	6.14	-23.86	2.16428G	-53.71	2.39992G	-28.81	2.4G	-30.28	2.5203G	-52.03	23.51936G	-41.56	2
2437MHz	Pass	2.41453G	6.14	-23.86	2.10953G	-53.54	2.4G	-50.11	2.4G	-49.62	2.50118G	-52.89	24.61228G	-41.99	1
2437MHz	Pass	2.41453G	6.14	-23.86	2.11186G	-53.25	2.3984G	-50.55	2.4G	-51.46	2.5171G	-52.55	14.80972G	-41.91	2
2462MHz	Pass	2.41453G	6.14	-23.86	2.30408G	-54.11	2.4G	-50.85	2.4G	-50.11	2.5007G	-52.42	23.20469G	-41.96	1
2462MHz	Pass	2.41453G	6.14	-23.86	2.11652G	-54.45	2.3936G	-52.81	2.4G	-53.15	2.51422G	-52.73	16.7146G	-42.19	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.4319G	1.95	-28.05	2.10589G	-53.82	2.4G	-39.35	2.4G	-38.10	2.51678G	-50.88	24.47835G	-42.14	1
2422MHz	Pass	2.4319G	1.95	-28.05	1.96505G	-54.24	2.39952G	-37.46	2.4G	-35.36	2.50654G	-52.32	16.57509G	-41.99	2
2437MHz	Pass	2.4319G	1.95	-28.05	2.16199G	-53.98	2.39936G	-42.24	2.4G	-43.05	2.52798G	-52.31	23.17423G	-41.40	1
2437MHz	Pass	2.4319G	1.95	-28.05	2.1368G	-53.73	2.39872G	-41.37	2.4G	-40.71	2.50142G	-52.37	23.53321G	-42.13	2
2452MHz	Pass	2.4319G	1.95	-28.05	2.19062G	-53.92	2.4G	-49.90	2.4G	-49.89	2.50542G	-52.28	16.55546G	-39.95	1
2452MHz	Pass	2.4319G	1.95	-28.05	2.1597G	-54.52	2.39984G	-49.44	2.4G	-50.54	2.5419G	-53.00	23.18264G	-42.06	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2412MHz

13/01/2023




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2437MHz

13/01/2023



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2462MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41336G	8.47	-21.53	1.99186G	-54.37	2.4G	-51.59	2.4G	-52.85	2.50222G	-52.43	24.95505G	-41.94	1
2.41336G	8.47	-21.53	2.11885G	-54.34	2.39992G	-54.15	2.4G	-55.02	2.50646G	-52.91	16.8607G	-41.81	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2412MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41703G	6.31	-23.69	1.95575G	-53.86	2.39984G	-34.37	2.4G	-32.09	2.51126G	-52.50	23.48284G	-42.20	1
2.41703G	6.31	-23.69	2.13749G	-53.62	2.39992G	-32.07	2.4G	-30.52	2.51134G	-52.76	16.41117G	-41.74	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2437MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41703G	6.31	-23.69	2.14797G	-54.47	2.4G	-50.16	2.4G	-50.99	2.50254G	-52.71	16.54322G	-41.20	1
2.41703G	6.31	-23.69	2.13516G	-54.22	2.39656G	-52.34	2.4G	-53.61	2.50982G	-52.27	14.96424G	-41.66	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2462MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41703G	6.31	-23.69	2.13283G	-53.63	2.4G	-51.16	2.4G	-50.71	2.50022G	-52.77	14.50628G	-41.21	1
2.41703G	6.31	-23.69	2.13632G	-53.66	2.39926G	-52.80	2.4G	-54.31	2.51814G	-52.85	14.60104G	-42.17	2

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41453G	6.14	-23.86	2.13982G	-54.54	2.39984G	-30.44	2.4G	-32.17	2.50598G	-52.67	2.49709G	-41.97	1
2.41453G	6.14	-23.86	2.16428G	-53.71	2.39992G	-28.81	2.4G	-30.28	2.5203G	-52.03	2.51936G	-41.56	2

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


CSEndB

2437MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41453G	6.14	-23.86	2.10953G	-53.54	2.4G	-50.11	2.4G	-49.62	2.50118G	-52.89	2.461228G	-41.99	1
2.41453G	6.14	-23.86	2.11186G	-53.25	2.3984G	-50.55	2.4G	-51.46	2.5171G	-52.55	2.480972G	-41.91	2

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


CSEndB

2462MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41453G	6.14	-23.86	2.30408G	-54.11	2.4G	-50.85	2.4G	-50.11	2.5007G	-52.42	23.20469G	-41.96	1
2.41453G	6.14	-23.86	2.11652G	-54.45	2.3936G	-52.81	2.4G	-53.15	2.51422G	-52.73	16.7146G	-42.19	2

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


CSEndB

2422MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4319G	1.95	-28.05	2.10589G	-53.82	2.4G	-39.35	2.4G	-38.10	2.51678G	-50.88	24.47835G	-42.14	1
2.4319G	1.95	-28.05	1.96305G	-54.24	2.39952G	-37.46	2.4G	-35.36	2.50654G	-52.32	16.57309G	-41.99	2

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


CSEndB

2437MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4319G	1.95	-28.05	2.16199G	-53.98	2.39936G	-42.24	2.4G	-43.05	2.52798G	-52.31	2.17423G	-41.40	1
2.4319G	1.95	-28.05	2.1368G	-53.73	2.39872G	-41.37	2.4G	-40.71	2.50142G	-52.37	2.33321G	-42.13	2

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


CSEndB

2452MHz

13/01/2023

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4319G	1.95	-28.05	2.19062G	-53.92	2.4G	-49.90	2.4G	-49.89	2.50542G	-52.28	16.55546G	-39.95	1
2.4319G	1.95	-28.05	2.1997G	-54.52	2.39984G	-49.44	2.4G	-50.54	2.5419G	-53.00	23.18264G	-42.06	2



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	80.44M	35.86	40.00	-4.14	3	Horizontal	0	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	95.96M	35.81	43.50	-7.69	3	Vertical	360	1.00	-
2437MHz	Pass	PK	152.22M	33.90	43.50	-9.60	3	Vertical	360	1.00	-
2437MHz	Pass	PK	575.14M	31.29	46.00	-14.71	3	Vertical	360	1.00	-
2437MHz	Pass	PK	600.36M	29.53	46.00	-16.47	3	Vertical	360	1.00	-
2437MHz	Pass	PK	959.26M	36.27	46.00	-9.73	3	Vertical	360	1.00	-
2437MHz	Pass	QP	30.13M	34.88	40.00	-5.12	3	Vertical	213	1.00	-
2437MHz	Pass	PK	80.44M	35.86	40.00	-4.14	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	94.02M	36.52	43.50	-6.98	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	192.96M	38.36	43.50	-5.14	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	575.14M	40.00	46.00	-6.00	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	600.36M	41.48	46.00	-4.52	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	838.98M	35.22	46.00	-10.78	3	Horizontal	0	1.00	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	95.96M	35.81	43.50	-7.69	-20.86	3	Vertical	360	1.00	56.67	14.71	1.09	36.66
PK	152.22M	33.90	43.50	-9.60	-18.80	3	Vertical	360	1.00	52.70	16.24	1.39	36.43
PK	575.14M	31.29	46.00	-14.71	-9.40	3	Vertical	360	1.00	40.69	24.96	2.75	37.11
PK	600.36M	29.53	46.00	-16.47	-9.48	3	Vertical	360	1.00	39.01	24.73	2.88	37.09
PK	959.26M	36.27	46.00	-9.73	-3.47	3	Vertical	360	1.00	39.74	30.07	3.77	37.31
QP	30.13M	34.88	40.00	-5.12	-12.87	3	Vertical	213	1.00	47.75	23.62	0.71	37.20

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	80.44M	35.86	40.00	-4.14	-23.29	3	Horizontal	0	1.00	59.15	12.57	0.97	36.83
PK	94.02M	36.52	43.50	-6.98	-21.24	3	Horizontal	0	1.00	57.76	14.37	1.06	36.67
PK	192.96M	38.36	43.50	-5.14	-20.74	3	Horizontal	0	1.00	59.10	14.02	1.58	36.34
PK	575.14M	40.00	46.00	-6.00	-9.40	3	Horizontal	0	1.00	49.40	24.96	2.75	37.11
PK	600.36M	41.48	46.00	-4.52	-9.48	3	Horizontal	0	1.00	50.96	24.73	2.88	37.09
PK	838.98M	35.22	46.00	-10.78	-5.90	3	Horizontal	0	1.00	41.12	28.18	3.50	37.58



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4852G	47.30	54.00	-6.70	3	Horizontal	303	1.59
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.29	54.00	-0.71	3	Horizontal	297	1.56
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.39G	53.85	54.00	-0.15	3	Horizontal	285	1.96
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.3898G	53.68	54.00	-0.32	3	Horizontal	300	2.03



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3796G	46.23	54.00	-7.77	3	Vertical	127	1.41
2412MHz	Pass	AV	2.4128G	100.65	Inf	-Inf	3	Vertical	127	1.41
2412MHz	Pass	PK	2.3892G	57.12	74.00	-16.88	3	Vertical	127	1.41
2412MHz	Pass	PK	2.4128G	102.49	Inf	-Inf	3	Vertical	127	1.41
2412MHz	Pass	AV	2.388G	46.05	54.00	-7.95	3	Horizontal	304	1.73
2412MHz	Pass	AV	2.4128G	109.54	Inf	-Inf	3	Horizontal	304	1.73
2412MHz	Pass	PK	2.3866G	56.70	74.00	-17.30	3	Horizontal	304	1.73
2412MHz	Pass	PK	2.4112G	111.26	Inf	-Inf	3	Horizontal	304	1.73
2412MHz	Pass	AV	4.82394G	44.16	54.00	-9.84	3	Vertical	300	2.88
2412MHz	Pass	PK	4.82394G	46.15	74.00	-24.85	3	Vertical	300	2.88
2412MHz	Pass	AV	4.82406G	43.37	54.00	-10.63	3	Horizontal	63	1.50
2412MHz	Pass	PK	4.824G	48.92	74.00	-25.08	3	Horizontal	63	1.50
2437MHz	Pass	AV	2.3798G	45.90	54.00	-8.10	3	Vertical	45	1.00
2437MHz	Pass	AV	2.4378G	101.36	Inf	-Inf	3	Vertical	45	1.00
2437MHz	Pass	AV	2.4914G	46.94	54.00	-7.06	3	Vertical	45	1.00
2437MHz	Pass	PK	2.365G	56.05	74.00	-17.95	3	Vertical	45	1.00
2437MHz	Pass	PK	2.4378G	103.21	Inf	-Inf	3	Vertical	45	1.00
2437MHz	Pass	PK	2.4934G	57.03	74.00	-16.97	3	Vertical	45	1.00
2437MHz	Pass	AV	2.3802G	45.99	54.00	-8.01	3	Horizontal	307	1.66
2437MHz	Pass	AV	2.4362G	108.89	Inf	-Inf	3	Horizontal	307	1.66
2437MHz	Pass	AV	2.4922G	46.81	54.00	-7.19	3	Horizontal	307	1.66
2437MHz	Pass	PK	2.3574G	56.99	74.00	-17.01	3	Horizontal	307	1.66
2437MHz	Pass	PK	2.4362G	110.71	Inf	-Inf	3	Horizontal	307	1.66
2437MHz	Pass	PK	2.4958G	57.01	74.00	-16.99	3	Horizontal	307	1.66
2437MHz	Pass	AV	4.87396G	42.22	54.00	-11.78	3	Vertical	302	1.26
2437MHz	Pass	PK	4.87396G	47.97	74.00	-26.03	3	Vertical	302	1.26
2437MHz	Pass	AV	4.874G	43.49	54.00	-10.51	3	Horizontal	311	1.61
2437MHz	Pass	PK	4.87428G	49.25	74.00	-24.75	3	Horizontal	311	1.61
2462MHz	Pass	AV	2.4612G	102.26	Inf	-Inf	3	Vertical	62	1.03
2462MHz	Pass	AV	2.487G	46.81	54.00	-7.19	3	Vertical	62	1.03
2462MHz	Pass	PK	2.4612G	104.04	Inf	-Inf	3	Vertical	62	1.03
2462MHz	Pass	PK	2.4848G	57.63	74.00	-16.37	3	Vertical	62	1.03
2462MHz	Pass	AV	2.4614G	108.55	Inf	-Inf	3	Horizontal	303	1.59
2462MHz	Pass	AV	2.4852G	47.30	54.00	-6.70	3	Horizontal	303	1.59
2462MHz	Pass	PK	2.461G	110.15	Inf	-Inf	3	Horizontal	303	1.59
2462MHz	Pass	PK	2.4942G	57.36	74.00	-16.64	3	Horizontal	303	1.59
2462MHz	Pass	AV	4.92404G	38.26	54.00	-15.74	3	Vertical	21	1.67
2462MHz	Pass	PK	4.92392G	46.21	74.00	-27.79	3	Vertical	21	1.67
2462MHz	Pass	AV	4.92408G	40.24	54.00	-13.76	3	Horizontal	311	1.78
2462MHz	Pass	PK	4.92384G	47.66	74.00	-26.34	3	Horizontal	311	1.78
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.94	54.00	-6.06	3	Vertical	239	2.50
2412MHz	Pass	AV	2.4116G	98.95	Inf	-Inf	3	Vertical	239	2.50
2412MHz	Pass	PK	2.39G	58.70	74.00	-15.30	3	Vertical	239	2.50
2412MHz	Pass	PK	2.4114G	106.55	Inf	-Inf	3	Vertical	239	2.50
2412MHz	Pass	AV	2.39G	53.29	54.00	-0.71	3	Horizontal	297	1.56
2412MHz	Pass	AV	2.4112G	105.37	Inf	-Inf	3	Horizontal	297	1.56
2412MHz	Pass	PK	2.39G	64.61	74.00	-9.39	3	Horizontal	297	1.56
2412MHz	Pass	PK	2.4112G	113.08	Inf	-Inf	3	Horizontal	297	1.56
2412MHz	Pass	AV	4.82396G	35.35	54.00	-18.65	3	Vertical	305	2.89
2412MHz	Pass	PK	4.82404G	47.25	74.00	-26.75	3	Vertical	305	2.89
2412MHz	Pass	AV	4.82396G	36.27	54.00	-17.73	3	Horizontal	306	1.37
2412MHz	Pass	PK	4.8244G	46.51	74.00	-27.49	3	Horizontal	306	1.37
2417MHz	Pass	AV	2.3856G	45.20	54.00	-8.80	3	Vertical	118	1.79
2417MHz	Pass	AV	2.4178G	97.42	Inf	-Inf	3	Vertical	118	1.79
2417MHz	Pass	PK	2.3862G	56.38	74.00	-17.62	3	Vertical	118	1.79
2417MHz	Pass	PK	2.4178G	104.91	Inf	-Inf	3	Vertical	118	1.79
2417MHz	Pass	AV	2.39G	45.92	54.00	-8.08	3	Horizontal	288	1.91
2417MHz	Pass	AV	2.4164G	106.02	Inf	-Inf	3	Horizontal	288	1.91
2417MHz	Pass	PK	2.3882G	56.74	74.00	-17.26	3	Horizontal	288	1.91



RSE TX above 1GHz_C-330_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	PK	2.4164G	113.69	Inf	-Inf	3	Horizontal	288	1.91
2437MHz	Pass	AV	2.3738G	45.23	54.00	-8.77	3	Vertical	39	1.00
2437MHz	Pass	AV	2.4362G	99.82	Inf	-Inf	3	Vertical	39	1.00
2437MHz	Pass	AV	2.4835G	46.26	54.00	-7.74	3	Vertical	39	1.00
2437MHz	Pass	PK	2.3506G	56.60	74.00	-17.40	3	Vertical	39	1.00
2437MHz	Pass	PK	2.4362G	107.87	Inf	-Inf	3	Vertical	39	1.00
2437MHz	Pass	PK	2.4914G	58.04	74.00	-15.96	3	Vertical	39	1.00
2437MHz	Pass	AV	2.3882G	45.39	54.00	-8.61	3	Horizontal	286	1.82
2437MHz	Pass	AV	2.4362G	106.43	Inf	-Inf	3	Horizontal	286	1.82
2437MHz	Pass	AV	2.4835G	46.30	54.00	-7.70	3	Horizontal	286	1.82
2437MHz	Pass	PK	2.351G	57.14	74.00	-16.86	3	Horizontal	286	1.82
2437MHz	Pass	PK	2.4362G	113.96	Inf	-Inf	3	Horizontal	286	1.82
2437MHz	Pass	PK	2.4926G	57.12	74.00	-16.88	3	Horizontal	286	1.82
2437MHz	Pass	AV	4.8742G	35.95	54.00	-18.05	3	Vertical	296	2.54
2437MHz	Pass	PK	4.87404G	46.73	74.00	-27.27	3	Vertical	296	2.54
2437MHz	Pass	AV	4.87392G	35.70	54.00	-18.30	3	Horizontal	309	1.49
2437MHz	Pass	PK	4.8756G	46.59	74.00	-27.41	3	Horizontal	309	1.49
2457MHz	Pass	AV	2.4576G	99.26	Inf	-Inf	3	Vertical	237	2.66
2457MHz	Pass	AV	2.4835G	46.83	54.00	-7.17	3	Vertical	237	2.66
2457MHz	Pass	PK	2.4578G	106.71	Inf	-Inf	3	Vertical	237	2.66
2457MHz	Pass	PK	2.4862G	57.80	74.00	-16.20	3	Vertical	237	2.66
2457MHz	Pass	AV	2.4586G	104.63	Inf	-Inf	3	Horizontal	360	2.82
2457MHz	Pass	AV	2.4835G	48.56	54.00	-5.44	3	Horizontal	360	2.82
2457MHz	Pass	PK	2.4582G	112.72	Inf	-Inf	3	Horizontal	360	2.82
2457MHz	Pass	PK	2.484G	59.57	74.00	-14.43	3	Horizontal	360	2.82
2462MHz	Pass	AV	2.4642G	96.17	Inf	-Inf	3	Vertical	194	1.49
2462MHz	Pass	AV	2.4835G	48.49	54.00	-5.51	3	Vertical	194	1.49
2462MHz	Pass	PK	2.4632G	103.86	Inf	-Inf	3	Vertical	194	1.49
2462MHz	Pass	PK	2.4835G	60.11	74.00	-13.89	3	Vertical	194	1.49
2462MHz	Pass	AV	2.4632G	103.30	Inf	-Inf	3	Horizontal	1	2.79
2462MHz	Pass	AV	2.4835G	52.97	54.00	-1.03	3	Horizontal	1	2.79
2462MHz	Pass	PK	2.4632G	111.34	Inf	-Inf	3	Horizontal	1	2.79
2462MHz	Pass	PK	2.4835G	64.18	74.00	-9.82	3	Horizontal	1	2.79
2462MHz	Pass	AV	4.92384G	35.65	54.00	-18.35	3	Vertical	30	1.87
2462MHz	Pass	PK	4.91888G	46.59	74.00	-27.41	3	Vertical	30	1.87
2462MHz	Pass	AV	4.92404G	36.03	54.00	-17.97	3	Horizontal	311	1.90
2462MHz	Pass	PK	4.92036G	46.03	74.00	-27.97	3	Horizontal	311	1.90
802.11ax HEW20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	45.98	54.00	-8.02	3	Vertical	116	1.44
2412MHz	Pass	AV	2.4126G	95.52	Inf	-Inf	3	Vertical	116	1.44
2412MHz	Pass	PK	2.39G	57.65	74.00	-16.35	3	Vertical	116	1.44
2412MHz	Pass	PK	2.4126G	106.51	Inf	-Inf	3	Vertical	116	1.44
2412MHz	Pass	AV	2.39G	53.85	54.00	-0.15	3	Horizontal	285	1.96
2412MHz	Pass	AV	2.4114G	103.93	Inf	-Inf	3	Horizontal	285	1.96
2412MHz	Pass	PK	2.39G	64.99	74.00	-9.01	3	Horizontal	285	1.96
2412MHz	Pass	PK	2.4128G	115.44	Inf	-Inf	3	Horizontal	285	1.96
2412MHz	Pass	AV	4.82408G	34.85	54.00	-19.15	3	Vertical	298	2.90
2412MHz	Pass	PK	4.82476G	46.30	74.00	-27.70	3	Vertical	298	2.90
2412MHz	Pass	AV	4.82408G	35.74	54.00	-18.26	3	Horizontal	307	1.39
2412MHz	Pass	PK	4.82444G	46.54	74.00	-27.46	3	Horizontal	307	1.39
2417MHz	Pass	AV	2.39G	44.95	54.00	-9.05	3	Vertical	118	1.48
2417MHz	Pass	AV	2.4178G	96.39	Inf	-Inf	3	Vertical	118	1.48
2417MHz	Pass	PK	2.386G	56.98	74.00	-17.02	3	Vertical	118	1.48
2417MHz	Pass	PK	2.418G	107.26	Inf	-Inf	3	Vertical	118	1.48
2417MHz	Pass	AV	2.39G	47.78	54.00	-6.22	3	Horizontal	299	1.98
2417MHz	Pass	AV	2.4178G	105.02	Inf	-Inf	3	Horizontal	299	1.98
2417MHz	Pass	PK	2.39G	59.63	74.00	-14.37	3	Horizontal	299	1.98
2417MHz	Pass	PK	2.4182G	116.10	Inf	-Inf	3	Horizontal	299	1.98
2437MHz	Pass	AV	2.383G	44.69	54.00	-9.31	3	Vertical	42	1.01
2437MHz	Pass	AV	2.4358G	98.32	Inf	-Inf	3	Vertical	42	1.01
2437MHz	Pass	AV	2.499G	45.57	54.00	-8.43	3	Vertical	42	1.01
2437MHz	Pass	PK	2.3598G	56.79	74.00	-17.21	3	Vertical	42	1.01



RSE TX above 1GHz_C-330_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.4354G	109.52	Inf	-Inf	3	Vertical	42	1.01
2437MHz	Pass	PK	2.4874G	57.65	74.00	-16.35	3	Vertical	42	1.01
2437MHz	Pass	AV	2.3882G	44.80	54.00	-9.20	3	Horizontal	298	1.48
2437MHz	Pass	AV	2.4362G	104.64	Inf	-Inf	3	Horizontal	298	1.48
2437MHz	Pass	AV	2.485G	45.92	54.00	-8.08	3	Horizontal	298	1.48
2437MHz	Pass	PK	2.3642G	56.82	74.00	-17.18	3	Horizontal	298	1.48
2437MHz	Pass	PK	2.4358G	115.72	Inf	-Inf	3	Horizontal	298	1.48
2437MHz	Pass	PK	2.497G	57.85	74.00	-16.15	3	Horizontal	298	1.48
2437MHz	Pass	AV	4.87396G	33.93	54.00	-20.07	3	Vertical	0	1.50
2437MHz	Pass	PK	4.876G	46.06	74.00	-27.94	3	Vertical	0	1.50
2437MHz	Pass	AV	4.874G	35.49	54.00	-18.51	3	Horizontal	313	1.60
2437MHz	Pass	PK	4.87408G	46.68	74.00	-27.32	3	Horizontal	313	1.60
2457MHz	Pass	AV	2.4576G	98.72	Inf	-Inf	3	Vertical	250	2.66
2457MHz	Pass	AV	2.4835G	48.79	54.00	-5.21	3	Vertical	250	2.66
2457MHz	Pass	PK	2.4576G	110.47	Inf	-Inf	3	Vertical	250	2.66
2457MHz	Pass	PK	2.4835G	62.59	74.00	-11.41	3	Vertical	250	2.66
2457MHz	Pass	AV	2.4562G	102.81	Inf	-Inf	3	Horizontal	2	1.50
2457MHz	Pass	AV	2.4835G	52.04	54.00	-1.96	3	Horizontal	2	1.50
2457MHz	Pass	PK	2.4564G	113.42	Inf	-Inf	3	Horizontal	2	1.50
2457MHz	Pass	PK	2.4835G	66.67	74.00	-7.33	3	Horizontal	2	1.50
2462MHz	Pass	AV	2.4612G	96.09	Inf	-Inf	3	Vertical	46	1.07
2462MHz	Pass	AV	2.4856G	47.24	54.00	-6.76	3	Vertical	46	1.07
2462MHz	Pass	PK	2.4598G	106.86	Inf	-Inf	3	Vertical	46	1.07
2462MHz	Pass	PK	2.4862G	58.91	74.00	-15.09	3	Vertical	46	1.07
2462MHz	Pass	AV	2.4632G	102.53	Inf	-Inf	3	Horizontal	306	1.91
2462MHz	Pass	AV	2.4835G	53.22	54.00	-0.78	3	Horizontal	306	1.91
2462MHz	Pass	PK	2.4626G	114.21	Inf	-Inf	3	Horizontal	306	1.91
2462MHz	Pass	PK	2.484G	65.11	74.00	-8.89	3	Horizontal	306	1.91
2462MHz	Pass	AV	4.92392G	35.35	54.00	-18.65	3	Vertical	20	2.92
2462MHz	Pass	PK	4.91448G	46.37	74.00	-27.63	3	Vertical	20	2.92
2462MHz	Pass	AV	4.92404G	35.92	54.00	-18.08	3	Horizontal	312	1.68
2462MHz	Pass	PK	4.91432G	46.44	74.00	-27.56	3	Horizontal	312	1.68
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	48.35	54.00	-5.65	3	Vertical	39	1.08
2422MHz	Pass	AV	2.4208G	94.54	Inf	-Inf	3	Vertical	39	1.08
2422MHz	Pass	AV	2.4876G	45.61	54.00	-8.39	3	Vertical	39	1.08
2422MHz	Pass	PK	2.39G	59.36	74.00	-14.64	3	Vertical	39	1.08
2422MHz	Pass	PK	2.4208G	105.46	Inf	-Inf	3	Vertical	39	1.08
2422MHz	Pass	PK	2.4864G	57.81	74.00	-16.19	3	Vertical	39	1.08
2422MHz	Pass	AV	2.39G	52.46	54.00	-1.54	3	Horizontal	306	1.78
2422MHz	Pass	AV	2.4228G	101.64	Inf	-Inf	3	Horizontal	306	1.78
2422MHz	Pass	AV	2.484G	45.79	54.00	-8.21	3	Horizontal	306	1.78
2422MHz	Pass	PK	2.39G	63.33	74.00	-10.67	3	Horizontal	306	1.78
2422MHz	Pass	PK	2.4212G	112.15	Inf	-Inf	3	Horizontal	306	1.78
2422MHz	Pass	PK	2.4856G	57.15	74.00	-16.85	3	Horizontal	306	1.78
2422MHz	Pass	AV	4.844G	33.96	54.00	-20.04	3	Vertical	355	1.68
2422MHz	Pass	PK	4.8548G	45.84	74.00	-28.16	3	Vertical	355	1.68
2422MHz	Pass	AV	4.844G	35.07	54.00	-18.93	3	Horizontal	304	1.34
2422MHz	Pass	PK	4.82664G	45.79	74.00	-28.21	3	Horizontal	304	1.34
2427MHz	Pass	AV	2.3898G	49.78	54.00	-4.22	3	Vertical	39	1.10
2427MHz	Pass	AV	2.4254G	96.45	Inf	-Inf	3	Vertical	39	1.10
2427MHz	Pass	AV	2.4835G	46.13	54.00	-7.87	3	Vertical	39	1.10
2427MHz	Pass	PK	2.3898G	60.06	74.00	-13.94	3	Vertical	39	1.10
2427MHz	Pass	PK	2.4258G	107.54	Inf	-Inf	3	Vertical	39	1.10
2427MHz	Pass	PK	2.4854G	57.35	74.00	-16.65	3	Vertical	39	1.10
2427MHz	Pass	AV	2.3898G	53.68	54.00	-0.32	3	Horizontal	300	2.03
2427MHz	Pass	AV	2.4282G	103.32	Inf	-Inf	3	Horizontal	300	2.03
2427MHz	Pass	AV	2.4835G	47.44	54.00	-6.56	3	Horizontal	300	2.03
2427MHz	Pass	PK	2.3894G	65.62	74.00	-8.38	3	Horizontal	300	2.03
2427MHz	Pass	PK	2.4278G	114.36	Inf	-Inf	3	Horizontal	300	2.03
2427MHz	Pass	PK	2.4838G	58.78	74.00	-15.22	3	Horizontal	300	2.03
2437MHz	Pass	AV	2.3898G	45.47	54.00	-8.53	3	Vertical	37	1.00




RSE TX above 1GHz_C-330_Radio 1

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4354G	95.74	Inf	-Inf	3	Vertical	37	1.00
2437MHz	Pass	AV	2.4835G	51.97	54.00	-2.03	3	Vertical	37	1.00
2437MHz	Pass	PK	2.3486G	56.94	74.00	-17.06	3	Vertical	37	1.00
2437MHz	Pass	PK	2.4354G	106.98	Inf	-Inf	3	Vertical	37	1.00
2437MHz	Pass	PK	2.4838G	65.52	74.00	-8.48	3	Vertical	37	1.00
2437MHz	Pass	AV	2.3894G	50.01	54.00	-3.99	3	Horizontal	288	1.80
2437MHz	Pass	AV	2.4358G	102.23	Inf	-Inf	3	Horizontal	288	1.80
2437MHz	Pass	AV	2.4858G	53.37	54.00	-0.63	3	Horizontal	288	1.80
2437MHz	Pass	PK	2.3886G	61.30	74.00	-12.70	3	Horizontal	288	1.80
2437MHz	Pass	PK	2.4358G	112.80	Inf	-Inf	3	Horizontal	288	1.80
2437MHz	Pass	PK	2.4854G	67.41	74.00	-6.59	3	Horizontal	288	1.80
2437MHz	Pass	AV	4.87408G	34.69	54.00	-19.31	3	Vertical	311	3.00
2437MHz	Pass	PK	4.8864G	45.45	74.00	-28.55	3	Vertical	311	3.00
2437MHz	Pass	AV	4.874G	34.99	54.00	-19.01	3	Horizontal	310	1.38
2437MHz	Pass	PK	4.87408G	47.03	74.00	-26.97	3	Horizontal	310	1.38
2447MHz	Pass	AV	2.3758G	44.69	54.00	-9.31	3	Vertical	251	2.64
2447MHz	Pass	AV	2.4462G	92.48	Inf	-Inf	3	Vertical	251	2.64
2447MHz	Pass	AV	2.4858G	49.43	54.00	-4.57	3	Vertical	251	2.64
2447MHz	Pass	PK	2.3882G	56.58	74.00	-17.42	3	Vertical	251	2.64
2447MHz	Pass	PK	2.4482G	103.72	Inf	-Inf	3	Vertical	251	2.64
2447MHz	Pass	PK	2.4838G	61.12	74.00	-12.88	3	Vertical	251	2.64
2447MHz	Pass	AV	2.3898G	44.67	54.00	-9.33	3	Horizontal	303	1.53
2447MHz	Pass	AV	2.4462G	98.55	Inf	-Inf	3	Horizontal	303	1.53
2447MHz	Pass	AV	2.4862G	53.00	54.00	-1.00	3	Horizontal	303	1.53
2447MHz	Pass	PK	2.3794G	57.22	74.00	-16.78	3	Horizontal	303	1.53
2447MHz	Pass	PK	2.4462G	109.23	Inf	-Inf	3	Horizontal	303	1.53
2447MHz	Pass	PK	2.4835G	65.55	74.00	-8.45	3	Horizontal	303	1.53
2452MHz	Pass	AV	2.3752G	44.60	54.00	-9.40	3	Vertical	251	2.67
2452MHz	Pass	AV	2.4528G	91.17	Inf	-Inf	3	Vertical	251	2.67
2452MHz	Pass	AV	2.4835G	48.65	54.00	-5.35	3	Vertical	251	2.67
2452MHz	Pass	PK	2.3568G	57.66	74.00	-16.34	3	Vertical	251	2.67
2452MHz	Pass	PK	2.4512G	101.99	Inf	-Inf	3	Vertical	251	2.67
2452MHz	Pass	PK	2.4856G	59.75	74.00	-14.25	3	Vertical	251	2.67
2452MHz	Pass	AV	2.39G	44.62	54.00	-9.38	3	Horizontal	304	1.86
2452MHz	Pass	AV	2.4528G	97.34	Inf	-Inf	3	Horizontal	304	1.86
2452MHz	Pass	AV	2.4835G	53.05	54.00	-0.95	3	Horizontal	304	1.86
2452MHz	Pass	PK	2.3892G	57.04	74.00	-16.96	3	Horizontal	304	1.86
2452MHz	Pass	PK	2.454G	107.95	Inf	-Inf	3	Horizontal	304	1.86
2452MHz	Pass	PK	2.4844G	64.12	74.00	-9.88	3	Horizontal	304	1.86
2452MHz	Pass	AV	4.904G	35.27	54.00	-18.73	3	Vertical	30	1.85
2452MHz	Pass	PK	4.9068G	46.32	74.00	-27.68	3	Vertical	30	1.85
2452MHz	Pass	AV	4.90392G	35.31	54.00	-18.69	3	Horizontal	312	1.85
2452MHz	Pass	PK	4.89304G	46.22	74.00	-27.78	3	Horizontal	312	1.85


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.94	54.00	-6.06	31.60	3	Vertical	239	2.50	16.34	27.44	4.16	-
AV	2.4116G	98.95	Inf	-Inf	31.70	3	Vertical	239	2.50	67.25	27.52	4.18	-
PK	2.39G	58.70	74.00	-15.30	31.60	3	Vertical	239	2.50	27.10	27.44	4.16	-
PK	2.4114G	106.55	Inf	-Inf	31.70	3	Vertical	239	2.50	74.85	27.52	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.29	54.00	-0.71	31.60	3	Horizontal	297	1.56	21.69	27.44	4.16	-
AV	2.4112G	105.37	Inf	-Inf	31.70	3	Horizontal	297	1.56	73.67	27.52	4.18	-
PK	2.39G	64.61	74.00	-9.39	31.60	3	Horizontal	297	1.56	33.01	27.44	4.16	-
PK	2.4112G	113.08	Inf	-Inf	31.70	3	Horizontal	297	1.56	81.38	27.52	4.18	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3856G	45.20	54.00	-8.80	31.57	3	Vertical	118	1.79	13.63	27.41	4.16	-
AV	2.4178G	97.42	Inf	-Inf	31.72	3	Vertical	118	1.79	65.70	27.54	4.18	-
PK	2.3862G	56.38	74.00	-17.62	31.58	3	Vertical	118	1.79	24.80	27.42	4.16	-
PK	2.4178G	104.91	Inf	-Inf	31.72	3	Vertical	118	1.79	73.19	27.54	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.92	54.00	-8.08	31.60	3	Horizontal	288	1.91	14.32	27.44	4.16	-
AV	2.4164G	106.02	Inf	-Inf	31.71	3	Horizontal	288	1.91	74.31	27.53	4.18	-
PK	2.3882G	56.74	74.00	-17.26	31.59	3	Horizontal	288	1.91	25.15	27.43	4.16	-
PK	2.4164G	113.69	Inf	-Inf	31.71	3	Horizontal	288	1.91	81.98	27.53	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3738G	45.23	54.00	-8.77	31.49	3	Vertical	39	1.00	13.74	27.34	4.15	-
AV	2.4362G	99.82	Inf	-Inf	31.76	3	Vertical	39	1.00	68.06	27.57	4.19	-
AV	2.4835G	46.26	54.00	-7.74	32.02	3	Vertical	39	1.00	14.24	27.80	4.22	-
PK	2.3506G	56.60	74.00	-17.40	31.32	3	Vertical	39	1.00	25.28	27.20	4.12	-
PK	2.4362G	107.87	Inf	-Inf	31.76	3	Vertical	39	1.00	76.11	27.57	4.19	-
PK	2.4914G	58.04	74.00	-15.96	32.07	3	Vertical	39	1.00	25.97	27.85	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	45.39	54.00	-8.61	31.59	3	Horizontal	286	1.82	13.80	27.43	4.16	-
AV	2.4362G	106.43	Inf	-Inf	31.76	3	Horizontal	286	1.82	74.67	27.57	4.19	-
AV	2.4835G	46.30	54.00	-7.70	32.02	3	Horizontal	286	1.82	14.28	27.80	4.22	-
PK	2.351G	57.14	74.00	-16.86	31.33	3	Horizontal	286	1.82	25.81	27.21	4.12	-
PK	2.4362G	113.96	Inf	-Inf	31.76	3	Horizontal	286	1.82	82.20	27.57	4.19	-
PK	2.4926G	57.12	74.00	-16.88	32.09	3	Horizontal	286	1.82	25.03	27.86	4.23	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4576G	99.26	Inf	-Inf	31.85	3	Vertical	237	2.66	67.41	27.65	4.20	-
AV	2.4835G	46.83	54.00	-7.17	32.02	3	Vertical	237	2.66	14.81	27.80	4.22	-
PK	2.4578G	106.71	Inf	-Inf	31.85	3	Vertical	237	2.66	74.86	27.65	4.20	-
PK	2.4862G	57.80	74.00	-16.20	32.04	3	Vertical	237	2.66	25.76	27.82	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4586G	104.63	Inf	-Inf	31.86	3	Horizontal	360	2.82	72.77	27.65	4.21	-
AV	2.4835G	48.56	54.00	-5.44	32.02	3	Horizontal	360	2.82	16.54	27.80	4.22	-
PK	2.4582G	112.72	Inf	-Inf	31.85	3	Horizontal	360	2.82	80.87	27.65	4.20	-
PK	2.484G	59.57	74.00	-14.43	32.02	3	Horizontal	360	2.82	27.55	27.80	4.22	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.98	54.00	-8.02	31.60	3	Vertical	116	1.44	14.38	27.44	4.16	-
AV	2.4126G	95.52	Inf	-Inf	31.71	3	Vertical	116	1.44	63.81	27.53	4.18	-
PK	2.39G	57.65	74.00	-16.35	31.60	3	Vertical	116	1.44	26.05	27.44	4.16	-
PK	2.4126G	106.51	Inf	-Inf	31.71	3	Vertical	116	1.44	74.80	27.53	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.85	54.00	-0.15	31.60	3	Horizontal	285	1.96	22.25	27.44	4.16	-
AV	2.4114G	103.93	Inf	-Inf	31.70	3	Horizontal	285	1.96	72.23	27.52	4.18	-
PK	2.39G	64.99	74.00	-9.01	31.60	3	Horizontal	285	1.96	33.39	27.44	4.16	-
PK	2.4128G	115.44	Inf	-Inf	31.71	3	Horizontal	285	1.96	83.73	27.53	4.18	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.95	54.00	-9.05	31.60	3	Vertical	118	1.48	13.35	27.44	4.16	-
AV	2.4178G	96.39	Inf	-Inf	31.72	3	Vertical	118	1.48	64.67	27.54	4.18	-
PK	2.386G	56.98	74.00	-17.02	31.58	3	Vertical	118	1.48	25.40	27.42	4.16	-
PK	2.418G	107.26	Inf	-Inf	31.72	3	Vertical	118	1.48	75.54	27.54	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.78	54.00	-6.22	31.60	3	Horizontal	299	1.98	16.18	27.44	4.16	-
AV	2.4178G	105.02	Inf	-Inf	31.72	3	Horizontal	299	1.98	73.30	27.54	4.18	-
PK	2.39G	59.63	74.00	-14.37	31.60	3	Horizontal	299	1.98	28.03	27.44	4.16	-
PK	2.4182G	116.10	Inf	-Inf	31.72	3	Horizontal	299	1.98	84.38	27.54	4.18	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4576G	98.72	Inf	-Inf	31.85	3	Vertical	250	2.66	66.87	27.65	4.20	-
AV	2.4835G	48.79	54.00	-5.21	32.02	3	Vertical	250	2.66	16.77	27.80	4.22	-
PK	2.4576G	110.47	Inf	-Inf	31.85	3	Vertical	250	2.66	78.62	27.65	4.20	-
PK	2.4835G	62.59	74.00	-11.41	32.02	3	Vertical	250	2.66	30.57	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	102.81	Inf	-Inf	31.84	3	Horizontal	2	1.50	70.97	27.64	4.20	-
AV	2.4835G	52.04	54.00	-1.96	32.02	3	Horizontal	2	1.50	20.02	27.80	4.22	-
PK	2.4564G	113.42	Inf	-Inf	31.84	3	Horizontal	2	1.50	81.58	27.64	4.20	-
PK	2.4835G	66.67	74.00	-7.33	32.02	3	Horizontal	2	1.50	34.65	27.80	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	96.09	Inf	-Inf	31.88	3	Vertical	46	1.07	64.21	27.67	4.21	-
AV	2.4856G	47.24	54.00	-6.76	32.03	3	Vertical	46	1.07	15.21	27.81	4.22	-
PK	2.4598G	106.86	Inf	-Inf	31.87	3	Vertical	46	1.07	74.99	27.66	4.21	-
PK	2.4862G	58.91	74.00	-15.09	32.04	3	Vertical	46	1.07	26.87	27.82	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4632G	102.53	Inf	-Inf	31.89	3	Horizontal	306	1.91	70.64	27.68	4.21	-
AV	2.4835G	53.22	54.00	-0.78	32.02	3	Horizontal	306	1.91	21.20	27.80	4.22	-
PK	2.4626G	114.21	Inf	-Inf	31.89	3	Horizontal	306	1.91	82.32	27.68	4.21	-
PK	2.484G	65.11	74.00	-8.89	32.02	3	Horizontal	306	1.91	33.09	27.80	4.22	-




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX






2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	95.96M	39.91	43.50	-3.59	3	Horizontal	0	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	PK	105.66M	35.20	43.50	-8.30	3	Vertical	360	1.00
2422MHz	Pass	PK	192.96M	32.32	43.50	-11.18	3	Vertical	360	1.00
2422MHz	Pass	PK	332.64M	24.98	46.00	-21.02	3	Vertical	360	1.00
2422MHz	Pass	PK	575.14M	29.55	46.00	-16.45	3	Vertical	360	1.00
2422MHz	Pass	PK	844.8M	29.97	46.00	-16.03	3	Vertical	360	1.00
2422MHz	Pass	PK	959.26M	37.77	46.00	-8.23	3	Vertical	360	1.00
2422MHz	Pass	PK	95.96M	39.91	43.50	-3.59	3	Horizontal	0	1.00
2422MHz	Pass	PK	192.96M	38.83	43.50	-4.67	3	Horizontal	0	1.00
2422MHz	Pass	PK	575.14M	39.58	46.00	-6.42	3	Horizontal	0	1.00
2422MHz	Pass	PK	600.36M	33.25	46.00	-12.75	3	Horizontal	0	1.00
2422MHz	Pass	PK	875.84M	29.22	46.00	-16.78	3	Horizontal	0	1.00
2422MHz	Pass	PK	959.26M	34.14	46.00	-11.86	3	Horizontal	0	1.00

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	35.20	43.50	-8.30	-19.69	3	Vertical	360	1.00	54.89	15.82	1.12	36.63
PK	192.96M	32.32	43.50	-11.18	-20.74	3	Vertical	360	1.00	53.06	14.02	1.58	36.34
PK	332.64M	24.98	46.00	-21.02	-15.30	3	Vertical	360	1.00	40.28	18.98	2.21	36.49
PK	575.14M	29.55	46.00	-16.45	-9.40	3	Vertical	360	1.00	38.95	24.96	2.75	37.11
PK	844.8M	29.97	46.00	-16.03	-5.71	3	Vertical	360	1.00	35.68	28.36	3.53	37.60
PK	959.26M	37.77	46.00	-8.23	-3.47	3	Vertical	360	1.00	41.24	30.07	3.77	37.31

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	95.96M	39.91	43.50	-3.59	-20.86	3	Horizontal	0	1.00	60.77	14.71	1.09	36.66
PK	192.96M	38.83	43.50	-4.67	-20.74	3	Horizontal	0	1.00	59.57	14.02	1.58	36.34
PK	575.14M	39.58	46.00	-6.42	-9.40	3	Horizontal	0	1.00	48.98	24.96	2.75	37.11
PK	600.36M	33.25	46.00	-12.75	-9.48	3	Horizontal	0	1.00	42.73	24.73	2.88	37.09
PK	875.84M	29.22	46.00	-16.78	-5.85	3	Horizontal	0	1.00	35.07	28.25	3.50	37.60
PK	959.26M	34.14	46.00	-11.86	-3.47	3	Horizontal	0	1.00	37.61	30.07	3.77	37.31

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4994G	47.06	54.00	-6.94	3	Horizontal	313	1.90
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4838G	51.44	54.00	-2.56	3	Horizontal	56	1.20
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.39G	53.50	54.00	-0.50	3	Horizontal	10	1.15
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.65	54.00	-0.35	3	Horizontal	62	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3732G	46.28	54.00	-7.72	3	Vertical	276	1.44
2412MHz	Pass	AV	2.4128G	99.71	Inf	-Inf	3	Vertical	276	1.44
2412MHz	Pass	PK	2.386G	57.42	74.00	-16.58	3	Vertical	276	1.44
2412MHz	Pass	PK	2.4128G	101.58	Inf	-Inf	3	Vertical	276	1.44
2412MHz	Pass	AV	2.3678G	46.14	54.00	-7.86	3	Horizontal	19	1.56
2412MHz	Pass	AV	2.4128G	107.11	Inf	-Inf	3	Horizontal	19	1.56
2412MHz	Pass	PK	2.376G	56.92	74.00	-17.08	3	Horizontal	19	1.56
2412MHz	Pass	PK	2.4128G	108.54	Inf	-Inf	3	Horizontal	19	1.56
2412MHz	Pass	AV	4.82832G	34.56	54.00	-19.44	3	Vertical	360	1.46
2412MHz	Pass	PK	4.82952G	46.22	74.00	-27.78	3	Vertical	360	1.46
2412MHz	Pass	AV	4.82504G	35.25	54.00	-18.75	3	Horizontal	205	2.11
2412MHz	Pass	PK	4.82472G	45.85	74.00	-28.15	3	Horizontal	205	2.11
2437MHz	Pass	AV	2.3818G	45.87	54.00	-8.13	3	Vertical	11	1.23
2437MHz	Pass	AV	2.4362G	97.83	Inf	-Inf	3	Vertical	11	1.23
2437MHz	Pass	AV	2.493G	46.76	54.00	-7.24	3	Vertical	11	1.23
2437MHz	Pass	PK	2.3674G	58.10	74.00	-15.90	3	Vertical	11	1.23
2437MHz	Pass	PK	2.4362G	99.52	Inf	-Inf	3	Vertical	11	1.23
2437MHz	Pass	PK	2.4954G	57.32	74.00	-16.68	3	Vertical	11	1.23
2437MHz	Pass	AV	2.3802G	45.88	54.00	-8.12	3	Horizontal	23	1.40
2437MHz	Pass	AV	2.4362G	104.46	Inf	-Inf	3	Horizontal	23	1.40
2437MHz	Pass	AV	2.4998G	46.80	54.00	-7.20	3	Horizontal	23	1.40
2437MHz	Pass	PK	2.3778G	56.28	74.00	-17.72	3	Horizontal	23	1.40
2437MHz	Pass	PK	2.4362G	106.29	Inf	-Inf	3	Horizontal	23	1.40
2437MHz	Pass	PK	2.4962G	57.08	74.00	-16.92	3	Horizontal	23	1.40
2437MHz	Pass	AV	4.86744G	34.86	54.00	-19.14	3	Vertical	266	1.50
2437MHz	Pass	PK	4.87784G	45.65	74.00	-28.35	3	Vertical	266	1.50
2437MHz	Pass	AV	4.86888G	34.74	54.00	-19.26	3	Horizontal	358	1.05
2437MHz	Pass	PK	4.87208G	45.31	74.00	-28.69	3	Horizontal	358	1.05
2462MHz	Pass	AV	2.4628G	98.44	Inf	-Inf	3	Vertical	14	1.50
2462MHz	Pass	AV	2.487G	47.05	54.00	-6.95	3	Vertical	14	1.50
2462MHz	Pass	PK	2.4628G	100.24	Inf	-Inf	3	Vertical	14	1.50
2462MHz	Pass	PK	2.4918G	57.87	74.00	-16.13	3	Vertical	14	1.50
2462MHz	Pass	AV	2.4614G	106.20	Inf	-Inf	3	Horizontal	313	1.90
2462MHz	Pass	AV	2.4994G	47.06	54.00	-6.94	3	Horizontal	313	1.90
2462MHz	Pass	PK	2.4612G	107.97	Inf	-Inf	3	Horizontal	313	1.90
2462MHz	Pass	PK	2.4994G	57.62	74.00	-16.38	3	Horizontal	313	1.90
2462MHz	Pass	AV	4.91584G	35.29	54.00	-18.71	3	Vertical	42	1.22
2462MHz	Pass	PK	4.9176G	46.14	74.00	-27.86	3	Vertical	42	1.22
2462MHz	Pass	AV	4.93028G	35.15	54.00	-18.85	3	Horizontal	360	2.88
2462MHz	Pass	PK	4.93252G	46.42	74.00	-27.58	3	Horizontal	360	2.88
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.50	54.00	-7.50	3	Vertical	126	1.04
2412MHz	Pass	AV	2.4152G	95.45	Inf	-Inf	3	Vertical	126	1.04
2412MHz	Pass	PK	2.39G	56.87	74.00	-17.13	3	Vertical	126	1.04
2412MHz	Pass	PK	2.4154G	104.42	Inf	-Inf	3	Vertical	126	1.04
2412MHz	Pass	AV	2.39G	50.64	54.00	-3.36	3	Horizontal	10	1.14
2412MHz	Pass	AV	2.4154G	103.77	Inf	-Inf	3	Horizontal	10	1.14
2412MHz	Pass	PK	2.39G	62.86	74.00	-11.14	3	Horizontal	10	1.14
2412MHz	Pass	PK	2.4154G	112.21	Inf	-Inf	3	Horizontal	10	1.14
2412MHz	Pass	AV	4.82816G	34.55	54.00	-19.45	3	Vertical	219	3.00
2412MHz	Pass	PK	4.8256G	46.56	74.00	-27.44	3	Vertical	219	3.00
2412MHz	Pass	AV	4.83328G	34.56	54.00	-19.44	3	Horizontal	35	1.50
2412MHz	Pass	PK	4.83152G	46.32	74.00	-27.68	3	Horizontal	35	1.50
2437MHz	Pass	AV	2.3882G	45.14	54.00	-8.86	3	Vertical	16	1.74
2437MHz	Pass	AV	2.433G	94.57	Inf	-Inf	3	Vertical	16	1.74
2437MHz	Pass	AV	2.4994G	46.03	54.00	-7.97	3	Vertical	16	1.74
2437MHz	Pass	PK	2.377G	56.54	74.00	-17.46	3	Vertical	16	1.74
2437MHz	Pass	PK	2.4338G	102.75	Inf	-Inf	3	Vertical	16	1.74
2437MHz	Pass	PK	2.4866G	57.12	74.00	-16.88	3	Vertical	16	1.74
2437MHz	Pass	AV	2.3846G	45.29	54.00	-8.71	3	Horizontal	60	1.03



RSE TX above 1GHz_C-330_Radio 3

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4298G	103.03	Inf	-Inf	3	Horizontal	60	1.03
2437MHz	Pass	AV	2.4874G	46.09	54.00	-7.91	3	Horizontal	60	1.03
2437MHz	Pass	PK	2.3574G	56.53	74.00	-17.47	3	Horizontal	60	1.03
2437MHz	Pass	PK	2.4346G	110.83	Inf	-Inf	3	Horizontal	60	1.03
2437MHz	Pass	PK	2.4842G	57.20	74.00	-16.80	3	Horizontal	60	1.03
2437MHz	Pass	AV	4.88204G	34.16	54.00	-19.84	3	Vertical	190	1.50
2437MHz	Pass	PK	4.86472G	45.00	74.00	-29.00	3	Vertical	190	1.50
2437MHz	Pass	AV	4.88212G	34.04	54.00	-19.96	3	Horizontal	38	1.50
2437MHz	Pass	PK	4.87944G	45.61	74.00	-28.39	3	Horizontal	38	1.50
2462MHz	Pass	AV	2.4558G	96.54	Inf	-Inf	3	Vertical	289	2.81
2462MHz	Pass	AV	2.4846G	46.91	54.00	-7.09	3	Vertical	289	2.81
2462MHz	Pass	PK	2.4556G	104.03	Inf	-Inf	3	Vertical	289	2.81
2462MHz	Pass	PK	2.484G	58.59	74.00	-15.41	3	Vertical	289	2.81
2462MHz	Pass	AV	2.4594G	103.18	Inf	-Inf	3	Horizontal	56	1.20
2462MHz	Pass	AV	2.4838G	51.44	54.00	-2.56	3	Horizontal	56	1.20
2462MHz	Pass	PK	2.4598G	112.07	Inf	-Inf	3	Horizontal	56	1.20
2462MHz	Pass	PK	2.4835G	64.48	74.00	-9.52	3	Horizontal	56	1.20
2462MHz	Pass	AV	4.93272G	34.48	54.00	-19.52	3	Vertical	348	1.50
2462MHz	Pass	PK	4.92664G	46.23	74.00	-27.77	3	Vertical	348	1.50
2462MHz	Pass	AV	4.92516G	34.48	54.00	-19.52	3	Horizontal	108	1.50
2462MHz	Pass	PK	4.92272G	46.06	74.00	-27.94	3	Horizontal	108	1.50
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	47.36	54.00	-6.64	3	Vertical	130	1.07
2412MHz	Pass	AV	2.4092G	94.18	Inf	-Inf	3	Vertical	130	1.07
2412MHz	Pass	PK	2.3896G	58.48	74.00	-15.52	3	Vertical	130	1.07
2412MHz	Pass	PK	2.4092G	105.98	Inf	-Inf	3	Vertical	130	1.07
2412MHz	Pass	AV	2.39G	53.50	54.00	-0.50	3	Horizontal	10	1.15
2412MHz	Pass	AV	2.418G	102.74	Inf	-Inf	3	Horizontal	10	1.15
2412MHz	Pass	PK	2.3894G	66.43	74.00	-7.57	3	Horizontal	10	1.15
2412MHz	Pass	PK	2.4178G	114.58	Inf	-Inf	3	Horizontal	10	1.15
2412MHz	Pass	AV	4.83104G	34.33	54.00	-19.67	3	Vertical	81	1.50
2412MHz	Pass	PK	4.83024G	45.83	74.00	-28.17	3	Vertical	81	1.50
2412MHz	Pass	AV	4.82944G	34.22	54.00	-19.78	3	Horizontal	135	1.45
2412MHz	Pass	PK	4.83156G	46.54	74.00	-27.46	3	Horizontal	135	1.45
2417MHz	Pass	AV	2.3896G	44.83	54.00	-9.17	3	Vertical	130	1.06
2417MHz	Pass	AV	2.414G	95.08	Inf	-Inf	3	Vertical	130	1.06
2417MHz	Pass	PK	2.3876G	56.95	74.00	-17.05	3	Vertical	130	1.06
2417MHz	Pass	PK	2.415G	106.33	Inf	-Inf	3	Vertical	130	1.06
2417MHz	Pass	AV	2.3896G	45.41	54.00	-8.59	3	Horizontal	4	1.85
2417MHz	Pass	AV	2.415G	103.80	Inf	-Inf	3	Horizontal	4	1.85
2417MHz	Pass	PK	2.3786G	57.21	74.00	-16.79	3	Horizontal	4	1.85
2417MHz	Pass	PK	2.4148G	115.18	Inf	-Inf	3	Horizontal	4	1.85
2437MHz	Pass	AV	2.3882G	44.71	54.00	-9.29	3	Vertical	3	3.00
2437MHz	Pass	AV	2.4346G	93.89	Inf	-Inf	3	Vertical	3	3.00
2437MHz	Pass	AV	2.4878G	45.46	54.00	-8.54	3	Vertical	3	3.00
2437MHz	Pass	PK	2.339G	56.37	74.00	-17.63	3	Vertical	3	3.00
2437MHz	Pass	PK	2.4358G	105.18	Inf	-Inf	3	Vertical	3	3.00
2437MHz	Pass	PK	2.497G	57.15	74.00	-16.85	3	Vertical	3	3.00
2437MHz	Pass	AV	2.3838G	44.76	54.00	-9.24	3	Horizontal	60	1.00
2437MHz	Pass	AV	2.4318G	103.06	Inf	-Inf	3	Horizontal	60	1.00
2437MHz	Pass	AV	2.4835G	45.55	54.00	-8.45	3	Horizontal	60	1.00
2437MHz	Pass	PK	2.3554G	56.62	74.00	-17.38	3	Horizontal	60	1.00
2437MHz	Pass	PK	2.4322G	114.23	Inf	-Inf	3	Horizontal	60	1.00
2437MHz	Pass	PK	2.4994G	57.37	74.00	-16.63	3	Horizontal	60	1.00
2437MHz	Pass	AV	4.88088G	33.64	54.00	-20.36	3	Vertical	338	1.50
2437MHz	Pass	PK	4.87288G	45.78	74.00	-28.22	3	Vertical	338	1.50
2437MHz	Pass	AV	4.88284G	33.68	54.00	-20.32	3	Horizontal	60	2.04
2437MHz	Pass	PK	4.8762G	45.35	74.00	-28.65	3	Horizontal	60	2.04
2462MHz	Pass	AV	2.4638G	94.50	Inf	-Inf	3	Vertical	14	1.92
2462MHz	Pass	AV	2.4835G	50.82	54.00	-3.18	3	Vertical	14	1.92
2462MHz	Pass	PK	2.4646G	106.49	Inf	-Inf	3	Vertical	14	1.92
2462MHz	Pass	PK	2.4835G	65.66	74.00	-8.34	3	Vertical	14	1.92



RSE TX above 1GHz_C-330_Radio 3

Appendix F.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	AV	2.4578G	103.29	Inf	-Inf	3	Horizontal	62	1.22
2462MHz	Pass	AV	2.4852G	51.94	54.00	-2.06	3	Horizontal	62	1.22
2462MHz	Pass	PK	2.4572G	115.06	Inf	-Inf	3	Horizontal	62	1.22
2462MHz	Pass	PK	2.4858G	65.91	74.00	-8.09	3	Horizontal	62	1.22
2462MHz	Pass	AV	4.93224G	34.04	54.00	-19.96	3	Vertical	135	3.00
2462MHz	Pass	PK	4.92708G	46.66	74.00	-27.34	3	Vertical	135	3.00
2462MHz	Pass	AV	4.93368G	34.17	54.00	-19.83	3	Horizontal	107	1.00
2462MHz	Pass	PK	4.9278G	46.04	74.00	-27.96	3	Horizontal	107	1.00
802.11ax HEW40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	47.38	54.00	-6.62	3	Vertical	126	1.12
2422MHz	Pass	AV	2.42G	92.07	Inf	-Inf	3	Vertical	126	1.12
2422MHz	Pass	AV	2.4992G	45.60	54.00	-8.40	3	Vertical	126	1.12
2422MHz	Pass	PK	2.3896G	59.86	74.00	-14.14	3	Vertical	126	1.12
2422MHz	Pass	PK	2.4204G	103.17	Inf	-Inf	3	Vertical	126	1.12
2422MHz	Pass	PK	2.4948G	56.76	74.00	-17.24	3	Vertical	126	1.12
2422MHz	Pass	AV	2.3888G	49.87	54.00	-4.13	3	Horizontal	60	1.00
2422MHz	Pass	AV	2.4168G	100.79	Inf	-Inf	3	Horizontal	60	1.00
2422MHz	Pass	AV	2.4848G	45.76	54.00	-8.24	3	Horizontal	60	1.00
2422MHz	Pass	PK	2.39G	67.49	74.00	-6.51	3	Horizontal	60	1.00
2422MHz	Pass	PK	2.4168G	111.82	Inf	-Inf	3	Horizontal	60	1.00
2422MHz	Pass	PK	2.4984G	57.62	74.00	-16.38	3	Horizontal	60	1.00
2422MHz	Pass	AV	4.82808G	34.30	54.00	-19.70	3	Vertical	7	1.50
2422MHz	Pass	PK	4.82816G	46.17	74.00	-27.83	3	Vertical	7	1.50
2422MHz	Pass	AV	4.82912G	34.27	54.00	-19.73	3	Horizontal	220	2.03
2422MHz	Pass	PK	4.85392G	46.44	74.00	-27.56	3	Horizontal	220	2.03
2437MHz	Pass	AV	2.389G	44.76	54.00	-9.24	3	Vertical	169	1.50
2437MHz	Pass	AV	2.4274G	89.91	Inf	-Inf	3	Vertical	169	1.50
2437MHz	Pass	AV	2.4842G	45.82	54.00	-8.18	3	Vertical	169	1.50
2437MHz	Pass	PK	2.3806G	57.04	74.00	-16.96	3	Vertical	169	1.50
2437MHz	Pass	PK	2.427G	100.50	Inf	-Inf	3	Vertical	169	1.50
2437MHz	Pass	PK	2.4918G	57.38	74.00	-16.62	3	Vertical	169	1.50
2437MHz	Pass	AV	2.3898G	47.04	54.00	-6.96	3	Horizontal	65	1.01
2437MHz	Pass	AV	2.4222G	100.16	Inf	-Inf	3	Horizontal	65	1.01
2437MHz	Pass	AV	2.4835G	51.10	54.00	-2.90	3	Horizontal	65	1.01
2437MHz	Pass	PK	2.3898G	58.76	74.00	-15.24	3	Horizontal	65	1.01
2437MHz	Pass	PK	2.4218G	111.41	Inf	-Inf	3	Horizontal	65	1.01
2437MHz	Pass	PK	2.4835G	63.32	74.00	-10.68	3	Horizontal	65	1.01
2437MHz	Pass	AV	4.89384G	33.96	54.00	-20.04	3	Vertical	-0	2.21
2437MHz	Pass	PK	4.85816G	45.54	74.00	-28.46	3	Vertical	-0	2.21
2437MHz	Pass	AV	4.85408G	34.01	54.00	-19.99	3	Horizontal	120	1.50
2437MHz	Pass	PK	4.89224G	45.69	74.00	-28.31	3	Horizontal	120	1.50
2447MHz	Pass	AV	2.3478G	44.72	54.00	-9.28	3	Vertical	290	2.80
2447MHz	Pass	AV	2.4546G	92.55	Inf	-Inf	3	Vertical	290	2.80
2447MHz	Pass	AV	2.4835G	48.72	54.00	-5.28	3	Vertical	290	2.80
2447MHz	Pass	PK	2.365G	56.62	74.00	-17.38	3	Vertical	290	2.80
2447MHz	Pass	PK	2.4554G	103.68	Inf	-Inf	3	Vertical	290	2.80
2447MHz	Pass	PK	2.4838G	60.90	74.00	-13.10	3	Vertical	290	2.80
2447MHz	Pass	AV	2.3894G	44.84	54.00	-9.16	3	Horizontal	62	1.00
2447MHz	Pass	AV	2.4518G	100.25	Inf	-Inf	3	Horizontal	62	1.00
2447MHz	Pass	AV	2.4835G	53.65	54.00	-0.35	3	Horizontal	62	1.00
2447MHz	Pass	PK	2.3574G	56.19	74.00	-17.81	3	Horizontal	62	1.00
2447MHz	Pass	PK	2.4526G	111.27	Inf	-Inf	3	Horizontal	62	1.00
2447MHz	Pass	PK	2.4838G	67.71	74.00	-6.29	3	Horizontal	62	1.00
2452MHz	Pass	AV	2.3764G	44.67	54.00	-9.33	3	Vertical	289.9	2.82
2452MHz	Pass	AV	2.4508G	91.65	Inf	-Inf	3	Vertical	289.9	2.82
2452MHz	Pass	AV	2.488G	48.00	54.00	-6.00	3	Vertical	289.9	2.82
2452MHz	Pass	PK	2.3688G	57.13	74.00	-16.87	3	Vertical	289.9	2.82
2452MHz	Pass	PK	2.4592G	103.32	Inf	-Inf	3	Vertical	289.9	2.82
2452MHz	Pass	PK	2.4848G	64.26	74.00	-9.74	3	Vertical	289.9	2.82
2452MHz	Pass	AV	2.39G	44.71	54.00	-9.29	3	Horizontal	58	1.21
2452MHz	Pass	AV	2.4568G	99.28	Inf	-Inf	3	Horizontal	58	1.21
2452MHz	Pass	AV	2.4868G	53.32	54.00	-0.68	3	Horizontal	58	1.21



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2452MHz	Pass	PK	2.3688G	57.04	74.00	-16.96	3	Horizontal	58	1.21
2452MHz	Pass	PK	2.4564G	110.44	Inf	-Inf	3	Horizontal	58	1.21
2452MHz	Pass	PK	2.4868G	68.95	74.00	-5.05	3	Horizontal	58	1.21
2452MHz	Pass	AV	4.90752G	34.09	54.00	-19.91	3	Vertical	146	1.56
2452MHz	Pass	PK	4.92176G	46.45	74.00	-27.55	3	Vertical	146	1.56
2452MHz	Pass	AV	4.89768G	34.11	54.00	-19.89	3	Horizontal	186	1.00
2452MHz	Pass	PK	4.90864G	46.55	74.00	-27.45	3	Horizontal	186	1.00


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.50	54.00	-7.50	31.54	3	Vertical	126	1.04	14.96	27.38	4.16	-
AV	2.4152G	95.45	Inf	-Inf	31.64	3	Vertical	126	1.04	63.81	27.46	4.18	-
PK	2.39G	56.87	74.00	-17.13	31.54	3	Vertical	126	1.04	25.33	27.38	4.16	-
PK	2.4154G	104.42	Inf	-Inf	31.64	3	Vertical	126	1.04	72.78	27.46	4.18	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.64	54.00	-3.36	31.54	3	Horizontal	10	1.14	19.10	27.38	4.16	-
AV	2.4154G	103.77	Inf	-Inf	31.64	3	Horizontal	10	1.14	72.13	27.46	4.18	-
PK	2.39G	62.86	74.00	-11.14	31.54	3	Horizontal	10	1.14	31.32	27.38	4.16	-
PK	2.4154G	112.21	Inf	-Inf	31.64	3	Horizontal	10	1.14	80.57	27.46	4.18	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4558G	96.54	Inf	-Inf	31.81	3	Vertical	289	2.81	64.73	27.61	4.20	-
AV	2.4846G	46.91	54.00	-7.09	31.89	3	Vertical	289	2.81	15.02	27.67	4.22	-
PK	2.4556G	104.03	Inf	-Inf	31.81	3	Vertical	289	2.81	72.22	27.61	4.20	-
PK	2.484G	58.59	74.00	-15.41	31.89	3	Vertical	289	2.81	26.70	27.67	4.22	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4594G	103.18	Inf	-Inf	31.83	3	Horizontal	56	1.20	71.35	27.62	4.21	-
AV	2.4838G	51.44	54.00	-2.56	31.89	3	Horizontal	56	1.20	19.55	27.67	4.22	-
PK	2.4598G	112.07	Inf	-Inf	31.83	3	Horizontal	56	1.20	80.24	27.62	4.21	-
PK	2.4835G	64.48	74.00	-9.52	31.89	3	Horizontal	56	1.20	32.59	27.67	4.22	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.36	54.00	-6.64	31.54	3	Vertical	130	1.07	15.82	27.38	4.16	-
AV	2.4092G	94.18	Inf	-Inf	31.62	3	Vertical	130	1.07	62.56	27.44	4.18	-
PK	2.3896G	58.48	74.00	-15.52	31.54	3	Vertical	130	1.07	26.94	27.38	4.16	-
PK	2.4092G	105.98	Inf	-Inf	31.62	3	Vertical	130	1.07	74.36	27.44	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.50	54.00	-0.50	31.54	3	Horizontal	10	1.15	21.96	27.38	4.16	-
AV	2.418G	102.74	Inf	-Inf	31.65	3	Horizontal	10	1.15	71.09	27.47	4.18	-
PK	2.3894G	66.43	74.00	-7.57	31.54	3	Horizontal	10	1.15	34.89	27.38	4.16	-
PK	2.4178G	114.58	Inf	-Inf	31.65	3	Horizontal	10	1.15	82.93	27.47	4.18	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	44.83	54.00	-9.17	31.54	3	Vertical	130	1.06	13.29	27.38	4.16	-
AV	2.414G	95.08	Inf	-Inf	31.64	3	Vertical	130	1.06	63.44	27.46	4.18	-
PK	2.3876G	56.95	74.00	-17.05	31.54	3	Vertical	130	1.06	25.41	27.38	4.16	-
PK	2.415G	106.33	Inf	-Inf	31.64	3	Vertical	130	1.06	74.69	27.46	4.18	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.41	54.00	-8.59	31.54	3	Horizontal	4	1.85	13.87	27.38	4.16	-
AV	2.415G	103.80	Inf	-Inf	31.64	3	Horizontal	4	1.85	72.16	27.46	4.18	-
PK	2.3786G	57.21	74.00	-16.79	31.51	3	Horizontal	4	1.85	25.70	27.36	4.15	-
PK	2.4148G	115.18	Inf	-Inf	31.64	3	Horizontal	4	1.85	83.54	27.46	4.18	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	94.50	Inf	-Inf	31.84	3	Vertical	14	1.92	62.66	27.63	4.21	-
AV	2.4835G	50.82	54.00	-3.18	31.89	3	Vertical	14	1.92	18.93	27.67	4.22	-
PK	2.4646G	106.49	Inf	-Inf	31.84	3	Vertical	14	1.92	74.65	27.63	4.21	-
PK	2.4835G	65.66	74.00	-8.34	31.89	3	Vertical	14	1.92	33.77	27.67	4.22	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	103.29	Inf	-Inf	31.82	3	Horizontal	62	1.22	71.47	27.62	4.20	-
AV	2.4852G	51.94	54.00	-2.06	31.89	3	Horizontal	62	1.22	20.05	27.67	4.22	-
PK	2.4572G	115.06	Inf	-Inf	31.81	3	Horizontal	62	1.22	83.25	27.61	4.20	-
PK	2.4858G	65.91	74.00	-8.09	31.89	3	Horizontal	62	1.22	34.02	27.67	4.22	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.76	54.00	-9.24	31.54	3	Vertical	169	1.50	13.22	27.38	4.16	-
AV	2.4274G	89.91	Inf	-Inf	31.70	3	Vertical	169	1.50	58.21	27.51	4.19	-
AV	2.4842G	45.82	54.00	-8.18	31.89	3	Vertical	169	1.50	13.93	27.67	4.22	-
PK	2.3806G	57.04	74.00	-16.96	31.51	3	Vertical	169	1.50	25.53	27.36	4.15	-
PK	2.427G	100.50	Inf	-Inf	31.70	3	Vertical	169	1.50	68.80	27.51	4.19	-
PK	2.4918G	57.38	74.00	-16.62	31.91	3	Vertical	169	1.50	25.47	27.68	4.23	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.04	54.00	-6.96	31.54	3	Horizontal	65	1.01	15.50	27.38	4.16	-
AV	2.4222G	100.16	Inf	-Inf	31.67	3	Horizontal	65	1.01	68.49	27.49	4.18	-
AV	2.4835G	51.10	54.00	-2.90	31.89	3	Horizontal	65	1.01	19.21	27.67	4.22	-
PK	2.3898G	58.76	74.00	-15.24	31.54	3	Horizontal	65	1.01	27.22	27.38	4.16	-
PK	2.4218G	111.41	Inf	-Inf	31.67	3	Horizontal	65	1.01	79.74	27.49	4.18	-
PK	2.4835G	63.32	74.00	-10.68	31.89	3	Horizontal	65	1.01	31.43	27.67	4.22	-


2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2447MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	37.76M	36.79	40.00	-3.21	3	Horizontal	0	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	256.98M	22.95	46.00	-23.05	3	Vertical	360	1.00
2437MHz	Pass	PK	369.5M	26.28	46.00	-19.72	3	Vertical	360	1.00
2437MHz	Pass	PK	518.88M	40.79	46.00	-5.21	3	Vertical	360	1.00
2437MHz	Pass	PK	575.14M	31.52	46.00	-14.48	3	Vertical	360	1.00
2437MHz	Pass	QP	30M	33.99	40.00	-6.01	3	Vertical	268	2.90
2437MHz	Pass	QP	38.93M	36.16	40.00	-3.84	3	Vertical	175	1.00
2437MHz	Pass	PK	37.76M	36.79	40.00	-3.21	3	Horizontal	0	1.00
2437MHz	Pass	PK	101.78M	27.91	43.50	-15.59	3	Horizontal	0	1.00
2437MHz	Pass	PK	249.22M	27.91	46.00	-18.09	3	Horizontal	0	1.00
2437MHz	Pass	PK	383.08M	25.63	46.00	-20.37	3	Horizontal	0	1.00
2437MHz	Pass	PK	575.14M	31.26	46.00	-14.74	3	Horizontal	0	1.00
2437MHz	Pass	PK	598.42M	34.20	46.00	-11.80	3	Horizontal	0	1.00

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	256.98M	22.95	46.00	-23.05	-6.47	3	Vertical	360	1.00	29.42	18.40	2.29	27.16
PK	369.5M	26.28	46.00	-19.72	-4.84	3	Vertical	360	1.00	31.12	20.01	2.78	27.63
PK	518.88M	40.79	46.00	-5.21	-2.42	3	Vertical	360	1.00	43.21	22.68	3.35	28.45
PK	575.14M	31.52	46.00	-14.48	-1.23	3	Vertical	360	1.00	32.75	23.81	3.50	28.54
QP	30M	33.99	40.00	-6.01	-2.80	3	Vertical	268	2.90	36.79	23.14	1.02	26.96
QP	38.93M	36.16	40.00	-3.84	-7.27	3	Vertical	175	1.00	43.43	18.46	1.03	26.76

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	36.79	40.00	-3.21	-6.64	3	Horizontal	0	1.00	43.43	19.05	1.03	26.72
PK	101.78M	27.91	43.50	-15.59	-10.06	3	Horizontal	0	1.00	37.97	16.33	1.43	27.82
PK	249.22M	27.91	46.00	-18.09	-7.43	3	Horizontal	0	1.00	35.34	17.47	2.26	27.16
PK	383.08M	25.63	46.00	-20.37	-4.72	3	Horizontal	0	1.00	30.35	20.18	2.82	27.72
PK	575.14M	31.26	46.00	-14.74	-1.23	3	Horizontal	0	1.00	32.49	23.81	3.50	28.54
PK	598.42M	34.20	46.00	-11.80	-1.00	3	Horizontal	0	1.00	35.20	23.87	3.58	28.45



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4856G	46.39	54.00	-7.61	3	Horizontal	154	1.00
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.57	54.00	-0.43	3	Horizontal	154	2.77
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.39G	52.93	54.00	-1.07	3	Horizontal	154	1.40
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.70	54.00	-0.30	3	Horizontal	153	1.48



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	45.60	54.00	-8.40	3	Horizontal	35	1.14
2412MHz	Pass	AV	2.4112G	111.68	Inf	-Inf	3	Horizontal	35	1.14
2412MHz	Pass	PK	2.3714G	57.87	74.00	-16.13	3	Horizontal	35	1.14
2412MHz	Pass	PK	2.4112G	114.23	Inf	-Inf	3	Horizontal	35	1.14
2412MHz	Pass	AV	4.824G	40.29	54.00	-13.71	3	Vertical	323	1.00
2412MHz	Pass	PK	4.82382G	45.56	74.00	-28.44	3	Vertical	323	1.00
2412MHz	Pass	AV	4.82406G	39.76	54.00	-14.24	3	Horizontal	337	1.27
2412MHz	Pass	PK	4.82388G	45.32	74.00	-28.68	3	Horizontal	337	1.27
2437MHz	Pass	AV	2.389G	45.65	54.00	-8.35	3	Horizontal	43	1.15
2437MHz	Pass	AV	2.43604G	111.03	Inf	-Inf	3	Horizontal	43	1.15
2437MHz	Pass	AV	2.4962G	46.15	54.00	-7.85	3	Horizontal	43	1.15
2437MHz	Pass	PK	2.38324G	58.15	74.00	-15.85	3	Horizontal	43	1.15
2437MHz	Pass	PK	2.43604G	113.26	Inf	-Inf	3	Horizontal	43	1.15
2437MHz	Pass	PK	2.48948G	58.95	74.00	-15.05	3	Horizontal	43	1.15
2437MHz	Pass	AV	4.874G	39.72	54.00	-14.28	3	Vertical	21	1.28
2437MHz	Pass	PK	4.874G	45.87	74.00	-28.13	3	Vertical	21	1.28
2437MHz	Pass	AV	4.87412G	41.05	54.00	-12.95	3	Horizontal	353	1.73
2437MHz	Pass	PK	4.87418G	46.27	74.00	-27.73	3	Horizontal	353	1.73
2462MHz	Pass	AV	2.4628G	110.18	Inf	-Inf	3	Horizontal	154	1.00
2462MHz	Pass	AV	2.4856G	46.39	54.00	-7.61	3	Horizontal	154	1.00
2462MHz	Pass	PK	2.4628G	112.70	Inf	-Inf	3	Horizontal	154	1.00
2462MHz	Pass	PK	2.4888G	58.54	74.00	-15.46	3	Horizontal	154	1.00
2462MHz	Pass	AV	4.924G	35.88	54.00	-18.12	3	Vertical	319	1.00
2462MHz	Pass	PK	4.9234G	43.33	74.00	-30.67	3	Vertical	319	1.00
2462MHz	Pass	AV	4.92406G	35.18	54.00	-18.82	3	Horizontal	355	1.60
2462MHz	Pass	PK	4.92358G	43.55	74.00	-30.45	3	Horizontal	355	1.60
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.57	54.00	-0.43	3	Horizontal	154	2.77
2412MHz	Pass	AV	2.4142G	107.60	Inf	-Inf	3	Horizontal	154	2.77
2412MHz	Pass	PK	2.39G	69.13	74.00	-4.87	3	Horizontal	154	2.77
2412MHz	Pass	PK	2.414G	117.99	Inf	-Inf	3	Horizontal	154	2.77
2412MHz	Pass	AV	4.82376G	30.20	54.00	-23.80	3	Vertical	21	1.19
2412MHz	Pass	PK	4.83642G	43.53	74.00	-30.47	3	Vertical	21	1.19
2412MHz	Pass	AV	4.82388G	32.32	54.00	-21.68	3	Horizontal	313	1.13
2412MHz	Pass	PK	4.82562G	45.26	74.00	-28.74	3	Horizontal	313	1.13
2417MHz	Pass	AV	2.39G	48.36	54.00	-5.64	3	Horizontal	154	1.37
2417MHz	Pass	AV	2.416G	110.31	Inf	-Inf	3	Horizontal	154	1.37
2417MHz	Pass	PK	2.3894G	61.92	74.00	-12.08	3	Horizontal	154	1.37
2417MHz	Pass	PK	2.4152G	120.01	Inf	-Inf	3	Horizontal	154	1.37
2437MHz	Pass	AV	2.38644G	44.73	54.00	-9.27	3	Horizontal	148	1.53
2437MHz	Pass	AV	2.43604G	109.08	Inf	-Inf	3	Horizontal	148	1.53
2437MHz	Pass	AV	2.4835G	45.76	54.00	-8.24	3	Horizontal	148	1.53
2437MHz	Pass	PK	2.36116G	57.98	74.00	-16.02	3	Horizontal	148	1.53
2437MHz	Pass	PK	2.4354G	119.15	Inf	-Inf	3	Horizontal	148	1.53
2437MHz	Pass	PK	2.5G	58.15	74.00	-15.85	3	Horizontal	148	1.53
2437MHz	Pass	AV	4.87388G	31.52	54.00	-22.48	3	Vertical	19	1.29
2437MHz	Pass	PK	4.87718G	45.03	74.00	-28.97	3	Vertical	19	1.29
2437MHz	Pass	AV	4.87394G	32.47	54.00	-21.53	3	Horizontal	354	1.64
2437MHz	Pass	PK	4.88072G	45.54	74.00	-28.46	3	Horizontal	354	1.64
2457MHz	Pass	AV	2.456G	109.44	Inf	-Inf	3	Horizontal	156	1.50
2457MHz	Pass	AV	2.4852G	48.50	54.00	-5.50	3	Horizontal	156	1.50
2457MHz	Pass	PK	2.4554G	119.33	Inf	-Inf	3	Horizontal	156	1.50
2457MHz	Pass	PK	2.4842G	63.39	74.00	-10.61	3	Horizontal	156	1.50
2462MHz	Pass	AV	2.38644G	44.73	54.00	-9.27	3	Horizontal	148	1.53
2462MHz	Pass	AV	2.43604G	109.08	Inf	-Inf	3	Horizontal	148	1.53
2462MHz	Pass	AV	2.4835G	45.76	54.00	-8.24	3	Horizontal	148	1.53
2462MHz	Pass	PK	2.36116G	57.98	74.00	-16.02	3	Horizontal	148	1.53
2462MHz	Pass	PK	2.4354G	119.15	Inf	-Inf	3	Horizontal	148	1.53
2462MHz	Pass	PK	2.5G	58.15	74.00	-15.85	3	Horizontal	148	1.53
2462MHz	Pass	AV	4.87388G	31.52	54.00	-22.48	3	Vertical	19	1.29



RSE TX above 1GHz_C-330E_Radio 1

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	4.87718G	45.03	74.00	-28.97	3	Vertical	19	1.29
2462MHz	Pass	AV	4.87394G	32.47	54.00	-21.53	3	Horizontal	354	1.64
2462MHz	Pass	PK	4.88072G	45.54	74.00	-28.46	3	Horizontal	354	1.64
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.93	54.00	-1.07	3	Horizontal	154	1.40
2412MHz	Pass	AV	2.4108G	103.88	Inf	-Inf	3	Horizontal	154	1.40
2412MHz	Pass	PK	2.3898G	67.65	74.00	-6.35	3	Horizontal	154	1.40
2412MHz	Pass	PK	2.4102G	117.65	Inf	-Inf	3	Horizontal	154	1.40
2412MHz	Pass	AV	4.83872G	29.45	54.00	-24.55	3	Vertical	2	2.55
2412MHz	Pass	PK	4.83128G	43.82	74.00	-30.18	3	Vertical	2	2.55
2412MHz	Pass	AV	4.83752G	29.49	54.00	-24.51	3	Horizontal	205	2.98
2412MHz	Pass	PK	4.80736G	44.08	74.00	-29.92	3	Horizontal	205	2.98
2417MHz	Pass	AV	2.3898G	47.01	54.00	-6.99	3	Horizontal	152	1.04
2417MHz	Pass	AV	2.4156G	108.86	Inf	-Inf	3	Horizontal	152	1.04
2417MHz	Pass	PK	2.3896G	60.41	74.00	-13.59	3	Horizontal	152	1.04
2417MHz	Pass	PK	2.416G	122.17	Inf	-Inf	3	Horizontal	152	1.04
2437MHz	Pass	AV	2.38996G	44.37	54.00	-9.63	3	Horizontal	146	1.50
2437MHz	Pass	AV	2.43476G	107.36	Inf	-Inf	3	Horizontal	146	1.50
2437MHz	Pass	AV	2.4835G	45.53	54.00	-8.47	3	Horizontal	146	1.50
2437MHz	Pass	PK	2.36532G	58.30	74.00	-15.70	3	Horizontal	146	1.50
2437MHz	Pass	PK	2.43444G	120.60	Inf	-Inf	3	Horizontal	146	1.50
2437MHz	Pass	PK	2.4835G	59.22	74.00	-14.78	3	Horizontal	146	1.50
2437MHz	Pass	AV	4.87408G	32.70	54.00	-21.30	3	Vertical	321	1.00
2437MHz	Pass	PK	4.87536G	47.29	74.00	-26.71	3	Vertical	321	1.00
2437MHz	Pass	AV	4.87416G	32.48	54.00	-21.52	3	Horizontal	319	1.13
2437MHz	Pass	PK	4.87224G	47.30	74.00	-26.70	3	Horizontal	319	1.13
2457MHz	Pass	AV	2.4584G	109.16	Inf	-Inf	3	Horizontal	153	1.66
2457MHz	Pass	AV	2.4835G	47.79	54.00	-6.21	3	Horizontal	153	1.66
2457MHz	Pass	PK	2.4592G	122.49	Inf	-Inf	3	Horizontal	153	1.66
2457MHz	Pass	PK	2.4835G	62.18	74.00	-11.82	3	Horizontal	153	1.66
2462MHz	Pass	AV	2.4614G	104.94	Inf	-Inf	3	Horizontal	141	2.64
2462MHz	Pass	AV	2.4836G	52.92	54.00	-1.08	3	Horizontal	141	2.64
2462MHz	Pass	PK	2.4612G	118.14	Inf	-Inf	3	Horizontal	141	2.64
2462MHz	Pass	PK	2.4838G	67.81	74.00	-6.19	3	Horizontal	141	2.64
2462MHz	Pass	AV	4.92392G	31.73	54.00	-22.27	3	Vertical	327	1.00
2462MHz	Pass	PK	4.92224G	43.77	74.00	-30.23	3	Vertical	327	1.00
2462MHz	Pass	AV	4.92408G	31.69	54.00	-22.31	3	Horizontal	359	1.56
2462MHz	Pass	PK	4.92264G	43.42	74.00	-30.58	3	Horizontal	359	1.56
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	52.87	54.00	-1.13	3	Horizontal	144	1.60
2422MHz	Pass	AV	2.4196G	102.06	Inf	-Inf	3	Horizontal	144	1.60
2422MHz	Pass	AV	2.4852G	45.25	54.00	-8.75	3	Horizontal	144	1.60
2422MHz	Pass	PK	2.39G	66.10	74.00	-7.90	3	Horizontal	144	1.60
2422MHz	Pass	PK	2.4188G	115.24	Inf	-Inf	3	Horizontal	144	1.60
2422MHz	Pass	PK	2.4936G	58.70	74.00	-15.30	3	Horizontal	144	1.60
2422MHz	Pass	AV	4.83592G	29.76	54.00	-24.24	3	Vertical	118	1.00
2422MHz	Pass	PK	4.85672G	43.37	74.00	-30.63	3	Vertical	118	1.00
2422MHz	Pass	AV	4.84392G	30.13	54.00	-23.87	3	Horizontal	311	1.44
2422MHz	Pass	PK	4.82784G	42.87	74.00	-31.13	3	Horizontal	311	1.44
2427MHz	Pass	AV	2.3898G	46.90	54.00	-7.10	3	Horizontal	152	1.15
2427MHz	Pass	AV	2.4246G	100.47	Inf	-Inf	3	Horizontal	152	1.15
2427MHz	Pass	AV	2.4838G	47.15	54.00	-6.85	3	Horizontal	152	1.15
2427MHz	Pass	PK	2.3866G	58.70	74.00	-15.30	3	Horizontal	152	1.15
2427MHz	Pass	PK	2.4254G	111.99	Inf	-Inf	3	Horizontal	152	1.15
2427MHz	Pass	PK	2.4838G	59.28	74.00	-14.72	3	Horizontal	152	1.15
2437MHz	Pass	AV	2.3898G	45.78	54.00	-8.22	3	Horizontal	146	1.89
2437MHz	Pass	AV	2.4334G	103.18	Inf	-Inf	3	Horizontal	146	1.89
2437MHz	Pass	AV	2.4835G	52.67	54.00	-1.33	3	Horizontal	146	1.89
2437MHz	Pass	PK	2.3898G	58.49	74.00	-15.51	3	Horizontal	146	1.89
2437MHz	Pass	PK	2.433G	115.95	Inf	-Inf	3	Horizontal	146	1.89
2437MHz	Pass	PK	2.4838G	68.11	74.00	-5.89	3	Horizontal	146	1.89
2437MHz	Pass	AV	4.874G	30.93	54.00	-23.07	3	Vertical	326	1.02




RSE TX above 1GHz_C-330E_Radio 1

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	4.87416G	43.67	74.00	-30.33	3	Vertical	326	1.02
2437MHz	Pass	AV	4.874G	30.42	54.00	-23.58	3	Horizontal	357	1.50
2437MHz	Pass	PK	4.86584G	43.82	74.00	-30.18	3	Horizontal	357	1.50
2447MHz	Pass	AV	2.389G	44.24	54.00	-9.76	3	Horizontal	153	1.48
2447MHz	Pass	AV	2.4442G	101.89	Inf	-Inf	3	Horizontal	153	1.48
2447MHz	Pass	AV	2.4835G	53.70	54.00	-0.30	3	Horizontal	153	1.48
2447MHz	Pass	PK	2.3506G	58.05	74.00	-15.95	3	Horizontal	153	1.48
2447MHz	Pass	PK	2.4438G	115.74	Inf	-Inf	3	Horizontal	153	1.48
2447MHz	Pass	PK	2.4835G	68.14	74.00	-5.86	3	Horizontal	153	1.48
2452MHz	Pass	AV	2.39G	44.63	54.00	-9.37	3	Horizontal	153	1.92
2452MHz	Pass	AV	2.448G	102.72	Inf	-Inf	3	Horizontal	153	1.92
2452MHz	Pass	AV	2.4835G	53.23	54.00	-0.77	3	Horizontal	153	1.92
2452MHz	Pass	PK	2.3824G	57.57	74.00	-16.43	3	Horizontal	153	1.92
2452MHz	Pass	PK	2.4472G	115.14	Inf	-Inf	3	Horizontal	153	1.92
2452MHz	Pass	PK	2.4844G	68.21	74.00	-5.79	3	Horizontal	153	1.92
2452MHz	Pass	AV	4.904G	31.28	54.00	-22.72	3	Vertical	317	1.00
2452MHz	Pass	PK	4.91104G	42.62	74.00	-31.38	3	Vertical	317	1.00
2452MHz	Pass	AV	4.904G	30.41	54.00	-23.59	3	Horizontal	356	1.71
2452MHz	Pass	PK	4.90416G	43.14	74.00	-30.86	3	Horizontal	356	1.71


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	110.18	Inf	-Inf	32.24	3	Horizontal	154	1.00	77.94	27.75	4.49	-
AV	2.4856G	46.39	54.00	-7.61	32.35	3	Horizontal	154	1.00	14.04	27.84	4.51	-
PK	2.4628G	112.70	Inf	-Inf	32.24	3	Horizontal	154	1.00	80.46	27.75	4.49	-
PK	2.4888G	58.54	74.00	-15.46	32.37	3	Horizontal	154	1.00	26.17	27.86	4.51	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	35.88	54.00	-18.12	5.36	3	Vertical	319	1.00	30.52	32.84	6.67	34.15
PK	4.9234G	43.33	74.00	-30.67	5.36	3	Vertical	319	1.00	37.97	32.84	6.67	34.15


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.36	54.00	-5.64	31.93	3	Horizontal	154	1.37	16.43	27.52	4.41	-
AV	2.416G	110.31	Inf	-Inf	32.07	3	Horizontal	154	1.37	78.24	27.63	4.44	-
PK	2.3894G	61.92	74.00	-12.08	31.93	3	Horizontal	154	1.37	29.99	27.52	4.41	-
PK	2.4152G	120.01	Inf	-Inf	32.07	3	Horizontal	154	1.37	87.94	27.63	4.44	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38644G	44.73	54.00	-9.27	31.90	3	Horizontal	148	1.53	12.83	27.49	4.41	-
AV	2.43604G	109.08	Inf	-Inf	32.13	3	Horizontal	148	1.53	76.95	27.67	4.46	-
AV	2.4835G	45.76	54.00	-8.24	32.34	3	Horizontal	148	1.53	13.42	27.83	4.51	-
PK	2.36116G	57.98	74.00	-16.02	31.68	3	Horizontal	148	1.53	26.30	27.29	4.39	-
PK	2.4354G	119.15	Inf	-Inf	32.13	3	Horizontal	148	1.53	87.02	27.67	4.46	-
PK	2.5G	58.15	74.00	-15.85	32.43	3	Horizontal	148	1.53	25.72	27.90	4.53	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.456G	109.44	Inf	-Inf	32.20	3	Horizontal	156	1.50	77.24	27.72	4.48	-
AV	2.4852G	48.50	54.00	-5.50	32.35	3	Horizontal	156	1.50	16.15	27.84	4.51	-
PK	2.4554G	119.33	Inf	-Inf	32.20	3	Horizontal	156	1.50	87.13	27.72	4.48	-
PK	2.4842G	63.39	74.00	-10.61	32.35	3	Horizontal	156	1.50	31.04	27.84	4.51	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38644G	44.73	54.00	-9.27	31.90	3	Horizontal	148	1.53	12.83	27.49	4.41	-
AV	2.43604G	109.08	Inf	-Inf	32.13	3	Horizontal	148	1.53	76.95	27.67	4.46	-
AV	2.4835G	45.76	54.00	-8.24	32.34	3	Horizontal	148	1.53	13.42	27.83	4.51	-
PK	2.36116G	57.98	74.00	-16.02	31.68	3	Horizontal	148	1.53	26.30	27.29	4.39	-
PK	2.4354G	119.15	Inf	-Inf	32.13	3	Horizontal	148	1.53	87.02	27.67	4.46	-
PK	2.5G	58.15	74.00	-15.85	32.43	3	Horizontal	148	1.53	25.72	27.90	4.53	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.93	54.00	-1.07	31.93	3	Horizontal	154	1.40	21.00	27.52	4.41	-
AV	2.4108G	103.88	Inf	-Inf	32.05	3	Horizontal	154	1.40	71.83	27.62	4.43	-
PK	2.3898G	67.65	74.00	-6.35	31.93	3	Horizontal	154	1.40	35.72	27.52	4.41	-
PK	2.4102G	117.65	Inf	-Inf	32.05	3	Horizontal	154	1.40	85.60	27.62	4.43	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83872G	29.45	54.00	-24.55	4.91	3	Vertical	2	2.55	24.54	32.43	6.66	34.18
PK	4.83128G	43.82	74.00	-30.18	4.87	3	Vertical	2	2.55	38.95	32.39	6.66	34.18


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38996G	44.37	54.00	-9.63	31.93	3	Horizontal	146	1.50	12.44	27.52	4.41	-
AV	2.43476G	107.36	Inf	-Inf	32.13	3	Horizontal	146	1.50	75.23	27.67	4.46	-
AV	2.4835G	45.53	54.00	-8.47	32.34	3	Horizontal	146	1.50	13.19	27.83	4.51	-
PK	2.36532G	58.30	74.00	-15.70	31.71	3	Horizontal	146	1.50	26.59	27.32	4.39	-
PK	2.43444G	120.60	Inf	-Inf	32.13	3	Horizontal	146	1.50	88.47	27.67	4.46	-
PK	2.4835G	59.22	74.00	-14.78	32.34	3	Horizontal	146	1.50	26.88	27.83	4.51	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87408G	32.70	54.00	-21.30	5.09	3	Vertical	321	1.00	27.61	32.60	6.66	34.17
PK	4.87536G	47.29	74.00	-26.71	5.10	3	Vertical	321	1.00	42.19	32.60	6.66	34.16


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	104.94	Inf	-Inf	32.23	3	Horizontal	141	2.64	72.71	27.75	4.48	-
AV	2.4836G	52.92	54.00	-1.08	32.34	3	Horizontal	141	2.64	20.58	27.83	4.51	-
PK	2.4612G	118.14	Inf	-Inf	32.22	3	Horizontal	141	2.64	85.92	27.74	4.48	-
PK	2.4838G	67.81	74.00	-6.19	32.35	3	Horizontal	141	2.64	35.46	27.84	4.51	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	31.73	54.00	-22.27	5.36	3	Vertical	327	1.00	26.37	32.84	6.67	34.15
PK	4.92224G	43.77	74.00	-30.23	5.35	3	Vertical	327	1.00	38.42	32.83	6.67	34.15


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.90	54.00	-7.10	31.93	3	Horizontal	152	1.15	14.97	27.52	4.41	-
AV	2.4246G	100.47	Inf	-Inf	32.10	3	Horizontal	152	1.15	68.37	27.65	4.45	-
AV	2.4838G	47.15	54.00	-6.85	32.35	3	Horizontal	152	1.15	14.80	27.84	4.51	-
PK	2.3866G	58.70	74.00	-15.30	31.90	3	Horizontal	152	1.15	26.80	27.49	4.41	-
PK	2.4254G	111.99	Inf	-Inf	32.10	3	Horizontal	152	1.15	79.89	27.65	4.45	-
PK	2.4838G	59.28	74.00	-14.72	32.35	3	Horizontal	152	1.15	26.93	27.84	4.51	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	45.78	54.00	-8.22	31.93	3	Horizontal	146	1.89	13.85	27.52	4.41	-
AV	2.4334G	103.18	Inf	-Inf	32.13	3	Horizontal	146	1.89	71.05	27.67	4.46	-
AV	2.4835G	52.67	54.00	-1.33	32.34	3	Horizontal	146	1.89	20.33	27.83	4.51	-
PK	2.3898G	58.49	74.00	-15.51	31.93	3	Horizontal	146	1.89	26.56	27.52	4.41	-
PK	2.433G	115.95	Inf	-Inf	32.12	3	Horizontal	146	1.89	83.83	27.67	4.45	-
PK	2.4838G	68.11	74.00	-5.89	32.35	3	Horizontal	146	1.89	35.76	27.84	4.51	-


2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.24	54.00	-9.76	31.92	3	Horizontal	153	1.48	12.32	27.51	4.41	-
AV	2.4442G	101.89	Inf	-Inf	32.16	3	Horizontal	153	1.48	69.73	27.69	4.47	-
AV	2.4835G	53.70	54.00	-0.30	32.34	3	Horizontal	153	1.48	21.36	27.83	4.51	-
PK	2.3506G	58.05	74.00	-15.95	31.58	3	Horizontal	153	1.48	26.47	27.20	4.38	-
PK	2.4438G	115.74	Inf	-Inf	32.16	3	Horizontal	153	1.48	83.58	27.69	4.47	-
PK	2.4835G	68.14	74.00	-5.86	32.34	3	Horizontal	153	1.48	35.80	27.83	4.51	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.63	54.00	-9.37	31.93	3	Horizontal	153	1.92	12.70	27.52	4.41	-
AV	2.448G	102.72	Inf	-Inf	32.17	3	Horizontal	153	1.92	70.55	27.70	4.47	-
AV	2.4835G	53.23	54.00	-0.77	32.34	3	Horizontal	153	1.92	20.89	27.83	4.51	-
PK	2.3824G	57.57	74.00	-16.43	31.86	3	Horizontal	153	1.92	25.71	27.46	4.40	-
PK	2.4472G	115.14	Inf	-Inf	32.16	3	Horizontal	153	1.92	82.98	27.69	4.47	-
PK	2.4844G	68.21	74.00	-5.79	32.35	3	Horizontal	153	1.92	35.86	27.84	4.51	-


2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	37.76M	35.63	40.00	-4.37	3	Horizontal	360	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	PK	99.84M	28.68	43.50	-14.82	3	Vertical	0	1.00
2422MHz	Pass	PK	191.02M	23.55	43.50	-19.95	3	Vertical	0	1.00
2422MHz	Pass	PK	369.5M	23.77	46.00	-22.23	3	Vertical	0	1.00
2422MHz	Pass	PK	499.48M	27.97	46.00	-18.03	3	Vertical	0	1.00
2422MHz	Pass	PK	575.14M	32.04	46.00	-13.96	3	Vertical	0	1.00
2422MHz	Pass	PK	40.77M	33.07	40.00	-6.93	3	Vertical	177	1.00
2422MHz	Pass	PK	37.76M	35.63	40.00	-4.37	3	Horizontal	360	1.00
2422MHz	Pass	PK	99.84M	31.88	43.50	-11.62	3	Horizontal	360	1.00
2422MHz	Pass	PK	231.76M	26.84	46.00	-19.16	3	Horizontal	360	1.00
2422MHz	Pass	PK	355.92M	28.52	46.00	-17.48	3	Horizontal	360	1.00
2422MHz	Pass	PK	575.14M	30.83	46.00	-15.17	3	Horizontal	360	1.00
2422MHz	Pass	PK	738.1M	39.33	46.00	-6.67	3	Horizontal	360	1.00

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	28.68	43.50	-14.82	-10.36	3	Vertical	0	1.00	39.04	16.04	1.42	27.82
PK	191.02M	23.55	43.50	-19.95	-11.25	3	Vertical	0	1.00	34.80	14.22	1.98	27.45
PK	369.5M	23.77	46.00	-22.23	-4.84	3	Vertical	0	1.00	28.61	20.01	2.78	27.63
PK	499.48M	27.97	46.00	-18.03	-2.38	3	Vertical	0	1.00	30.35	22.65	3.31	28.34
PK	575.14M	32.04	46.00	-13.96	-1.23	3	Vertical	0	1.00	33.27	23.81	3.50	28.54
PK	40.77M	33.07	40.00	-6.93	-8.37	3	Vertical	177	1.00	41.44	17.46	1.03	26.86

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	35.63	40.00	-4.37	-6.64	3	Horizontal	360	1.00	42.27	19.05	1.03	26.72
PK	99.84M	31.88	43.50	-11.62	-10.36	3	Horizontal	360	1.00	42.24	16.04	1.42	27.82
PK	231.76M	26.84	46.00	-19.16	-9.56	3	Horizontal	360	1.00	36.40	15.51	2.18	27.25
PK	355.92M	28.52	46.00	-17.48	-5.02	3	Horizontal	360	1.00	33.54	19.79	2.73	27.54
PK	575.14M	30.83	46.00	-15.17	-1.23	3	Horizontal	360	1.00	32.06	23.81	3.50	28.54
PK	738.1M	39.33	46.00	-6.67	0.50	3	Horizontal	360	1.00	38.83	24.83	3.93	28.26

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4836G	46.71	54.00	-7.29	3	Horizontal	307	1.48
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4858G	49.12	54.00	-4.88	3	Horizontal	66	1.10
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	52.02	54.00	-1.98	3	Horizontal	65	1.10
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	2.4864G	73.27	74.00	-0.73	3	Horizontal	66	1.52

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	45.80	54.00	-8.20	3	Horizontal	310	1.81
2412MHz	Pass	AV	2.4128G	111.12	Inf	-Inf	3	Horizontal	310	1.81
2412MHz	Pass	PK	2.3636G	58.74	74.00	-15.26	3	Horizontal	310	1.81
2412MHz	Pass	PK	2.4128G	113.54	Inf	-Inf	3	Horizontal	310	1.81
2412MHz	Pass	AV	4.82396G	29.80	54.00	-24.20	3	Vertical	195	1.50
2412MHz	Pass	PK	4.82848G	42.45	74.00	-31.55	3	Vertical	195	1.50
2412MHz	Pass	PK	4.8224G	41.76	74.00	-32.24	3	Horizontal	78	2.03
2412MHz	Pass	AV	4.82404G	29.44	54.00	-24.56	3	Horizontal	78	2.03
2437MHz	Pass	AV	2.3874G	45.75	54.00	-8.25	3	Horizontal	313	1.54
2437MHz	Pass	AV	2.4362G	110.35	Inf	-Inf	3	Horizontal	313	1.54
2437MHz	Pass	AV	2.4846G	46.20	54.00	-7.80	3	Horizontal	313	1.54
2437MHz	Pass	PK	2.357G	57.81	74.00	-16.19	3	Horizontal	313	1.54
2437MHz	Pass	PK	2.4362G	112.77	Inf	-Inf	3	Horizontal	313	1.54
2437MHz	Pass	PK	2.4982G	58.16	74.00	-15.84	3	Horizontal	313	1.54
2437MHz	Pass	AV	4.86704G	29.67	54.00	-24.33	3	Vertical	0	1.94
2437MHz	Pass	PK	4.88368G	42.41	74.00	-31.59	3	Vertical	0	1.94
2437MHz	Pass	AV	4.88116G	29.73	54.00	-24.27	3	Horizontal	10	1.35
2437MHz	Pass	PK	4.87664G	42.12	74.00	-31.88	3	Horizontal	10	1.35
2462MHz	Pass	AV	2.4614G	110.32	Inf	-Inf	3	Horizontal	307	1.48
2462MHz	Pass	AV	2.4836G	46.71	54.00	-7.29	3	Horizontal	307	1.48
2462MHz	Pass	PK	2.4612G	112.74	Inf	-Inf	3	Horizontal	307	1.48
2462MHz	Pass	PK	2.4938G	58.44	74.00	-15.56	3	Horizontal	307	1.48
2462MHz	Pass	AV	4.91704G	30.19	54.00	-23.81	3	Vertical	2	2.96
2462MHz	Pass	PK	4.916G	42.87	74.00	-31.13	3	Vertical	2	2.96
2462MHz	Pass	AV	4.92396G	30.45	54.00	-23.55	3	Horizontal	40	2.35
2462MHz	Pass	PK	4.91448G	43.07	74.00	-30.93	3	Horizontal	40	2.35
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.45	54.00	-6.55	3	Horizontal	64	1.04
2412MHz	Pass	AV	2.4114G	104.69	Inf	-Inf	3	Horizontal	64	1.04
2412MHz	Pass	PK	2.3898G	60.27	74.00	-13.73	3	Horizontal	64	1.04
2412MHz	Pass	PK	2.4112G	114.04	Inf	-Inf	3	Horizontal	64	1.04
2412MHz	Pass	AV	4.83684G	28.94	54.00	-25.06	3	Vertical	216	1.12
2412MHz	Pass	PK	4.83564G	42.12	74.00	-31.88	3	Vertical	216	1.12
2412MHz	Pass	AV	4.83516G	28.96	54.00	-25.04	3	Horizontal	14	1.50
2412MHz	Pass	PK	4.82604G	42.02	74.00	-31.98	3	Horizontal	14	1.50
2437MHz	Pass	AV	2.3758G	44.76	54.00	-9.24	3	Horizontal	315	1.50
2437MHz	Pass	AV	2.4318G	103.16	Inf	-Inf	3	Horizontal	315	1.50
2437MHz	Pass	AV	2.4858G	45.52	54.00	-8.48	3	Horizontal	315	1.50
2437MHz	Pass	PK	2.381G	58.56	74.00	-15.44	3	Horizontal	315	1.50
2437MHz	Pass	PK	2.4318G	112.47	Inf	-Inf	3	Horizontal	315	1.50
2437MHz	Pass	PK	2.4918G	58.55	74.00	-15.45	3	Horizontal	315	1.50
2437MHz	Pass	AV	4.8818G	29.08	54.00	-24.92	3	Vertical	125	1.44
2437MHz	Pass	PK	4.88714G	42.79	74.00	-31.21	3	Vertical	125	1.44
2437MHz	Pass	AV	4.8863G	29.17	54.00	-24.83	3	Horizontal	47	1.50
2437MHz	Pass	PK	4.8875G	42.50	74.00	-31.50	3	Horizontal	47	1.50
2462MHz	Pass	AV	2.461G	103.77	Inf	-Inf	3	Horizontal	66	1.10
2462MHz	Pass	AV	2.4858G	49.12	54.00	-4.88	3	Horizontal	66	1.10
2462MHz	Pass	PK	2.4564G	113.66	Inf	-Inf	3	Horizontal	66	1.10
2462MHz	Pass	PK	2.4866G	65.00	74.00	-9.00	3	Horizontal	66	1.10
2462MHz	Pass	AV	4.9114G	29.39	54.00	-24.61	3	Vertical	106	1.00
2462MHz	Pass	PK	4.93288G	42.42	74.00	-31.58	3	Vertical	106	1.00
2462MHz	Pass	AV	4.91044G	29.31	54.00	-24.69	3	Horizontal	158	1.15
2462MHz	Pass	PK	4.9303G	42.07	74.00	-31.93	3	Horizontal	158	1.15
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.98	54.00	-3.02	3	Horizontal	64	1.03
2412MHz	Pass	AV	2.411G	104.88	Inf	-Inf	3	Horizontal	64	1.03
2412MHz	Pass	PK	2.3898G	65.95	74.00	-8.05	3	Horizontal	64	1.03
2412MHz	Pass	PK	2.4112G	118.39	Inf	-Inf	3	Horizontal	64	1.03
2412MHz	Pass	AV	4.83762G	28.31	54.00	-25.69	3	Vertical	11	1.26
2412MHz	Pass	PK	4.83576G	42.20	74.00	-31.80	3	Vertical	11	1.26




RSE TX above 1GHz_C-330E_Radio 3

Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	4.83732G	28.14	54.00	-25.86	3	Horizontal	299	1.50
2412MHz	Pass	PK	4.8198G	42.57	74.00	-31.43	3	Horizontal	299	1.50
2437MHz	Pass	AV	2.3898G	44.29	54.00	-9.71	3	Horizontal	69	1.60
2437MHz	Pass	AV	2.4354G	102.31	Inf	-Inf	3	Horizontal	69	1.60
2437MHz	Pass	AV	2.4854G	45.02	54.00	-8.98	3	Horizontal	69	1.60
2437MHz	Pass	PK	2.387G	57.84	74.00	-16.16	3	Horizontal	69	1.60
2437MHz	Pass	PK	2.4354G	115.98	Inf	-Inf	3	Horizontal	69	1.60
2437MHz	Pass	PK	2.4966G	58.67	74.00	-15.33	3	Horizontal	69	1.60
2437MHz	Pass	AV	4.88738G	28.50	54.00	-25.50	3	Vertical	225	1.38
2437MHz	Pass	PK	4.88822G	42.05	74.00	-31.95	3	Vertical	225	1.38
2437MHz	Pass	AV	4.88756G	28.23	54.00	-25.77	3	Horizontal	315	2.08
2437MHz	Pass	PK	4.87526G	42.06	74.00	-31.94	3	Horizontal	315	2.08
2462MHz	Pass	AV	2.4606G	103.59	Inf	-Inf	3	Horizontal	65	1.10
2462MHz	Pass	AV	2.4835G	52.02	54.00	-1.98	3	Horizontal	65	1.10
2462MHz	Pass	PK	2.4608G	117.22	Inf	-Inf	3	Horizontal	65	1.10
2462MHz	Pass	PK	2.4835G	68.55	74.00	-5.45	3	Horizontal	65	1.10
2462MHz	Pass	AV	4.9141G	28.67	54.00	-25.33	3	Vertical	140	1.50
2462MHz	Pass	PK	4.91866G	42.72	74.00	-31.28	3	Vertical	140	1.50
2462MHz	Pass	AV	4.90984G	28.75	54.00	-25.25	3	Horizontal	327	1.50
2462MHz	Pass	PK	4.92514G	42.53	74.00	-31.47	3	Horizontal	327	1.50
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	48.25	54.00	-5.75	3	Horizontal	317	1.60
2422MHz	Pass	AV	2.4208G	100.44	Inf	-Inf	3	Horizontal	317	1.60
2422MHz	Pass	AV	2.488G	45.00	54.00	-9.00	3	Horizontal	317	1.60
2422MHz	Pass	PK	2.39G	64.24	74.00	-9.76	3	Horizontal	317	1.60
2422MHz	Pass	PK	2.4204G	113.57	Inf	-Inf	3	Horizontal	317	1.60
2422MHz	Pass	PK	2.4856G	58.56	74.00	-15.44	3	Horizontal	317	1.60
2422MHz	Pass	AV	4.84784G	28.19	54.00	-25.81	3	Vertical	238	2.26
2422MHz	Pass	PK	4.86008G	41.91	74.00	-32.09	3	Vertical	238	2.26
2422MHz	Pass	AV	4.84112G	28.20	54.00	-25.80	3	Horizontal	0	1.27
2422MHz	Pass	PK	4.85036G	42.38	74.00	-31.62	3	Horizontal	0	1.27
2437MHz	Pass	AV	2.3898G	44.50	54.00	-9.50	3	Horizontal	65	1.73
2437MHz	Pass	AV	2.4462G	97.94	Inf	-Inf	3	Horizontal	65	1.73
2437MHz	Pass	AV	2.4854G	47.72	54.00	-6.28	3	Horizontal	65	1.73
2437MHz	Pass	PK	2.3422G	57.79	74.00	-16.21	3	Horizontal	65	1.73
2437MHz	Pass	PK	2.4454G	110.99	Inf	-Inf	3	Horizontal	65	1.73
2437MHz	Pass	PK	2.4858G	64.23	74.00	-9.77	3	Horizontal	65	1.73
2437MHz	Pass	AV	4.89524G	28.50	54.00	-25.50	3	Vertical	346	1.41
2437MHz	Pass	PK	4.8626G	42.19	74.00	-31.81	3	Vertical	346	1.41
2437MHz	Pass	AV	4.89536G	28.46	54.00	-25.54	3	Horizontal	216	1.15
2437MHz	Pass	PK	4.85156G	42.68	74.00	-31.32	3	Horizontal	216	1.15
2452MHz	Pass	AV	2.39G	44.62	54.00	-9.38	3	Horizontal	66	1.52
2452MHz	Pass	AV	2.4512G	99.63	Inf	-Inf	3	Horizontal	66	1.52
2452MHz	Pass	AV	2.4835G	51.37	54.00	-2.63	3	Horizontal	66	1.52
2452MHz	Pass	PK	2.356G	57.63	74.00	-16.37	3	Horizontal	66	1.52
2452MHz	Pass	PK	2.4508G	113.13	Inf	-Inf	3	Horizontal	66	1.52
2452MHz	Pass	PK	2.4864G	73.27	74.00	-0.73	3	Horizontal	66	1.52
2452MHz	Pass	AV	4.8914G	28.42	54.00	-25.58	3	Vertical	97	1.50
2452MHz	Pass	PK	4.87964G	43.09	74.00	-30.91	3	Vertical	97	1.50
2452MHz	Pass	AV	4.91144G	28.47	54.00	-25.53	3	Horizontal	148	1.50
2452MHz	Pass	PK	4.89548G	42.48	74.00	-31.52	3	Horizontal	148	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	110.32	Inf	-Inf	32.23	3	Horizontal	307	1.48	78.09	27.75	4.48	-
AV	2.4836G	46.71	54.00	-7.29	32.34	3	Horizontal	307	1.48	14.37	27.83	4.51	-
PK	2.4612G	112.74	Inf	-Inf	32.22	3	Horizontal	307	1.48	80.52	27.74	4.48	-
PK	2.4938G	58.44	74.00	-15.56	32.40	3	Horizontal	307	1.48	26.04	27.88	4.52	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91704G	30.19	54.00	-23.81	5.32	3	Vertical	2	2.96	24.87	32.80	6.67	34.15
PK	4.916G	42.87	74.00	-31.13	5.32	3	Vertical	2	2.96	37.55	32.80	6.67	34.15


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3758G	44.76	54.00	-9.24	31.81	3	Horizontal	315	1.50	12.95	27.41	4.40	-
AV	2.4318G	103.16	Inf	-Inf	32.11	3	Horizontal	315	1.50	71.05	27.66	4.45	-
AV	2.4858G	45.52	54.00	-8.48	32.35	3	Horizontal	315	1.50	13.17	27.84	4.51	-
PK	2.381G	58.56	74.00	-15.44	31.85	3	Horizontal	315	1.50	26.71	27.45	4.40	-
PK	2.4318G	112.47	Inf	-Inf	32.11	3	Horizontal	315	1.50	80.36	27.66	4.45	-
PK	2.4918G	58.55	74.00	-15.45	32.39	3	Horizontal	315	1.50	26.16	27.87	4.52	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8818G	29.08	54.00	-24.92	5.13	3	Vertical	125	1.44	23.95	32.63	6.66	34.16
PK	4.88714G	42.79	74.00	-31.21	5.15	3	Vertical	125	1.44	37.64	32.65	6.66	34.16


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX






2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.98	54.00	-3.02	31.93	3	Horizontal	64	1.03	19.05	27.52	4.41	-
AV	2.411G	104.88	Inf	-Inf	32.05	3	Horizontal	64	1.03	72.83	27.62	4.43	-
PK	2.3898G	65.95	74.00	-8.05	31.93	3	Horizontal	64	1.03	34.02	27.52	4.41	-
PK	2.4112G	118.39	Inf	-Inf	32.05	3	Horizontal	64	1.03	86.34	27.62	4.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83762G	28.31	54.00	-25.69	4.91	3	Vertical	11	1.26	23.40	32.43	6.66	34.18
PK	4.83576G	42.20	74.00	-31.80	4.89	3	Vertical	11	1.26	37.31	32.41	6.66	34.18


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4606G	103.59	Inf	-Inf	32.22	3	Horizontal	65	1.10	71.37	27.74	4.48	-
AV	2.4835G	52.02	54.00	-1.98	32.34	3	Horizontal	65	1.10	19.68	27.83	4.51	-
PK	2.4608G	117.22	Inf	-Inf	32.22	3	Horizontal	65	1.10	85.00	27.74	4.48	-
PK	2.4835G	68.55	74.00	-5.45	32.34	3	Horizontal	65	1.10	36.21	27.83	4.51	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9141G	28.67	54.00	-25.33	5.30	3	Vertical	140	1.50	23.37	32.78	6.67	34.15
PK	4.9186G	42.72	74.00	-31.28	5.33	3	Vertical	140	1.50	37.39	32.81	6.67	34.15


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX






2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82404G	44.91	54.00	-9.09	Horizontal
Mode 2	Pass	AV	4.82398G	44.91	54.00	-9.09	Horizontal
Mode 3	Pass	AV	4.82399G	45.12	54.00	-8.88	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.82406G	43.63	54.00	-10.37	3	Vertical	303	2.77	-
Mode 1	Pass	AV	4.92196G	33.94	54.00	-20.06	3	Vertical	1	1.50	-
Mode 1	Pass	AV	4.95905G	34.99	54.00	-19.01	3	Vertical	136	2.17	-
Mode 1	Pass	AV	11.01934G	42.49	54.00	-11.51	3	Vertical	171	1.58	-
Mode 1	Pass	AV	14.0641G	45.45	68.20	-22.75	3	Vertical	54	2.19	-
Mode 1	Pass	PK	4.82392G	50.22	74.00	-23.78	3	Vertical	303	2.77	-
Mode 1	Pass	PK	4.92272G	46.23	74.00	-27.77	3	Vertical	1	1.50	-
Mode 1	Pass	PK	4.9633G	46.60	74.00	-27.40	3	Vertical	136	2.17	-
Mode 1	Pass	PK	11.0203G	53.33	74.00	-20.67	3	Vertical	171	1.58	-
Mode 1	Pass	PK	14.04904G	57.42	68.20	-10.78	3	Vertical	54	2.19	-
Mode 1	Pass	AV	4.82404G	44.91	54.00	-9.09	3	Horizontal	308	1.27	-
Mode 1	Pass	AV	4.92008G	34.49	54.00	-19.51	3	Horizontal	320	1.50	-
Mode 1	Pass	AV	4.9603G	34.99	54.00	-19.01	3	Horizontal	130	2.02	-
Mode 1	Pass	AV	11.01608G	42.48	54.00	-11.52	3	Horizontal	44	2.77	-
Mode 1	Pass	AV	14.03962G	45.53	68.20	-22.67	3	Horizontal	62	2.19	-
Mode 1	Pass	PK	4.82417G	50.58	74.00	-23.42	3	Horizontal	308	1.27	-
Mode 1	Pass	PK	4.92714G	47.20	74.00	-26.80	3	Horizontal	320	1.50	-
Mode 1	Pass	PK	4.96364G	47.50	74.00	-26.50	3	Horizontal	130	2.02	-
Mode 1	Pass	PK	11.01826G	53.97	74.00	-20.03	3	Horizontal	44	2.77	-
Mode 1	Pass	PK	14.04052G	56.87	68.20	-11.33	3	Horizontal	62	2.19	-
Mode 2	Pass	AV	4.82392G	42.88	54.00	-11.12	3	Vertical	308	2.90	-
Mode 2	Pass	AV	4.95911G	35.03	54.00	-18.97	3	Vertical	65	1.75	-
Mode 2	Pass	AV	11.01878G	42.45	54.00	-11.55	3	Vertical	322	2.46	-
Mode 2	Pass	AV	11.48738G	42.32	54.00	-11.68	3	Vertical	349	2.11	-
Mode 2	Pass	AV	14.0498G	45.30	68.20	-22.90	3	Vertical	272	1.20	-
Mode 2	Pass	PK	4.82399G	49.77	74.00	-24.23	3	Vertical	308	2.90	-
Mode 2	Pass	PK	4.96363G	46.51	74.00	-27.49	3	Vertical	65	1.75	-
Mode 2	Pass	PK	11.015G	53.81	74.00	-20.19	3	Vertical	322	2.46	-
Mode 2	Pass	PK	11.48998G	51.97	74.00	-22.03	3	Vertical	349	2.11	-
Mode 2	Pass	PK	14.04616G	56.83	68.20	-11.37	3	Vertical	272	1.20	-
Mode 2	Pass	AV	4.82398G	44.91	54.00	-9.09	3	Horizontal	305	1.03	-
Mode 2	Pass	AV	4.9615G	35.07	54.00	-18.93	3	Horizontal	76	1.53	-
Mode 2	Pass	AV	11.01836G	42.55	54.00	-11.45	3	Horizontal	258	2.66	-
Mode 2	Pass	AV	11.48668G	42.34	54.00	-11.66	3	Horizontal	342	1.09	-
Mode 2	Pass	AV	14.05478G	45.36	68.20	-22.84	3	Horizontal	231	2.05	-
Mode 2	Pass	PK	4.82396G	51.05	74.00	-22.95	3	Horizontal	305	1.03	-
Mode 2	Pass	PK	4.96365G	47.46	74.00	-26.54	3	Horizontal	76	1.53	-
Mode 2	Pass	PK	11.01514G	54.01	74.00	-19.99	3	Horizontal	258	2.66	-
Mode 2	Pass	PK	11.48932G	51.85	74.00	-22.15	3	Horizontal	342	1.09	-
Mode 2	Pass	PK	14.0492G	56.28	68.20	-11.92	3	Horizontal	231	2.05	-
Mode 3	Pass	AV	4.82394G	43.86	54.00	-10.14	3	Vertical	305	2.78	-
Mode 3	Pass	AV	4.95915G	34.96	54.00	-19.04	3	Vertical	341	1.48	-
Mode 3	Pass	AV	11.01566G	42.37	54.00	-11.63	3	Vertical	28	1.06	-
Mode 3	Pass	AV	12.68798G	43.70	54.00	-10.30	3	Vertical	108	2.39	-
Mode 3	Pass	AV	14.05486G	45.37	68.20	-22.83	3	Vertical	61	2.24	-
Mode 3	Pass	PK	4.82404G	51.07	74.00	-22.93	3	Vertical	305	2.78	-
Mode 3	Pass	PK	4.96366G	46.08	74.00	-27.92	3	Vertical	341	1.48	-
Mode 3	Pass	PK	11.0181G	53.65	74.00	-20.35	3	Vertical	28	1.06	-
Mode 3	Pass	PK	12.69058G	54.26	74.00	-19.74	3	Vertical	108	2.39	-
Mode 3	Pass	PK	14.0469G	55.90	68.20	-12.30	3	Vertical	61	2.24	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	AV	4.82399G	45.12	54.00	-8.88	3	Horizontal	307	1.32	-
Mode 3	Pass	AV	4.96096G	35.12	54.00	-18.88	3	Horizontal	233	1.50	-
Mode 3	Pass	AV	11.0153G	42.42	54.00	-11.58	3	Horizontal	124	2.15	-
Mode 3	Pass	AV	12.69054G	43.74	54.00	-10.26	3	Horizontal	42	2.66	-
Mode 3	Pass	AV	14.04836G	45.43	68.20	-22.77	3	Horizontal	82	1.04	-
Mode 3	Pass	PK	4.8238G	50.71	74.00	-23.29	3	Horizontal	307	1.32	-
Mode 3	Pass	PK	4.96366G	47.40	74.00	-26.60	3	Horizontal	233	1.50	-
Mode 3	Pass	PK	11.0178G	53.72	74.00	-20.28	3	Horizontal	124	2.15	-
Mode 3	Pass	PK	12.68926G	54.38	74.00	-19.62	3	Horizontal	42	2.66	-
Mode 3	Pass	PK	14.05256G	56.95	68.20	-11.25	3	Horizontal	82	1.04	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82406G	43.63	54.00	-10.37	3.37	3	Vertical	303	2.77	40.26	32.34	5.68	34.65
AV	4.92196G	33.94	54.00	-20.06	3.92	3	Vertical	1	1.50	30.02	32.83	5.74	34.65
AV	4.95905G	34.99	54.00	-19.01	4.17	3	Vertical	136	2.17	30.82	33.04	5.77	34.64
AV	11.01934G	42.49	54.00	-11.51	12.60	3	Vertical	171	1.58	29.89	38.88	8.30	34.58
AV	14.0641G	45.45	68.20	-22.75	16.86	3	Vertical	54	2.19	28.59	40.49	9.33	32.96
PK	4.82392G	50.22	74.00	-23.78	3.37	3	Vertical	303	2.77	46.85	32.34	5.68	34.65
PK	4.92272G	46.23	74.00	-27.77	3.93	3	Vertical	1	1.50	42.30	32.84	5.74	34.65
PK	4.9633G	46.60	74.00	-27.40	4.18	3	Vertical	136	2.17	42.42	33.05	5.77	34.64
PK	11.0203G	53.33	74.00	-20.67	12.60	3	Vertical	171	1.58	40.73	38.88	8.30	34.58
PK	14.04904G	57.42	68.20	-10.78	16.84	3	Vertical	54	2.19	40.58	40.45	9.33	32.94

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82404G	44.91	54.00	-9.09	3.37	3	Horizontal	308	1.27	41.54	32.34	5.68	34.65
AV	4.92008G	34.49	54.00	-19.51	3.91	3	Horizontal	320	1.50	30.58	32.82	5.74	34.65
AV	4.9603G	34.99	54.00	-19.01	4.17	3	Horizontal	130	2.02	30.82	33.04	5.77	34.64
AV	11.01608G	42.48	54.00	-11.52	12.60	3	Horizontal	44	2.77	29.88	38.88	8.30	34.58
AV	14.03962G	45.53	68.20	-22.67	16.81	3	Horizontal	62	2.19	28.72	40.42	9.32	32.93
PK	4.82417G	50.58	74.00	-23.42	3.38	3	Horizontal	308	1.27	47.20	32.35	5.68	34.65
PK	4.92714G	47.20	74.00	-26.80	3.96	3	Horizontal	320	1.50	43.24	32.86	5.75	34.65
PK	4.96364G	47.50	74.00	-26.50	4.18	3	Horizontal	130	2.02	43.32	33.05	5.77	34.64
PK	11.01826G	53.97	74.00	-20.03	12.60	3	Horizontal	44	2.77	41.37	38.88	8.30	34.58
PK	14.04052G	56.87	68.20	-11.33	16.81	3	Horizontal	62	2.19	40.06	40.42	9.32	32.93

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82392G	42.88	54.00	-11.12	3.37	3	Vertical	308	2.90	39.51	32.34	5.68	34.65
AV	4.95911G	35.03	54.00	-18.97	4.17	3	Vertical	65	1.75	30.86	33.04	5.77	34.64
AV	11.01878G	42.45	54.00	-11.55	12.60	3	Vertical	322	2.46	29.85	38.88	8.30	34.58
AV	11.48738G	42.32	54.00	-11.68	12.93	3	Vertical	349	2.11	29.39	39.01	8.49	34.57
AV	14.0498G	45.30	68.20	-22.90	16.84	3	Vertical	272	1.20	28.46	40.45	9.33	32.94
PK	4.82399G	49.77	74.00	-24.23	3.37	3	Vertical	308	2.90	46.40	32.34	5.68	34.65
PK	4.96363G	46.51	74.00	-27.49	4.18	3	Vertical	65	1.75	42.33	33.05	5.77	34.64
PK	11.015G	53.81	74.00	-20.19	12.60	3	Vertical	322	2.46	41.21	38.88	8.30	34.58
PK	11.48998G	51.97	74.00	-22.03	12.94	3	Vertical	349	2.11	39.03	39.01	8.50	34.57
PK	14.04616G	56.83	68.20	-11.37	16.82	3	Vertical	272	1.20	40.01	40.44	9.32	32.94

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	44.91	54.00	-9.09	3.37	3	Horizontal	305	1.03	41.54	32.34	5.68	34.65
AV	4.9615G	35.07	54.00	-18.93	4.18	3	Horizontal	76	1.53	30.89	33.05	5.77	34.64
AV	11.01836G	42.55	54.00	-11.45	12.60	3	Horizontal	258	2.66	29.95	38.88	8.30	34.58
AV	11.48668G	42.34	54.00	-11.66	12.93	3	Horizontal	342	1.09	29.41	39.01	8.49	34.57
AV	14.05478G	45.36	68.20	-22.84	16.84	3	Horizontal	231	2.05	28.52	40.46	9.33	32.95
PK	4.82396G	51.05	74.00	-22.95	3.37	3	Horizontal	305	1.03	47.68	32.34	5.68	34.65
PK	4.96365G	47.46	74.00	-26.54	4.18	3	Horizontal	76	1.53	43.28	33.05	5.77	34.64
PK	11.01514G	54.01	74.00	-19.99	12.60	3	Horizontal	258	2.66	41.41	38.88	8.30	34.58
PK	11.48932G	51.85	74.00	-22.15	12.94	3	Horizontal	342	1.09	38.91	39.01	8.50	34.57
PK	14.0492G	56.28	68.20	-11.92	16.84	3	Horizontal	231	2.05	39.44	40.45	9.33	32.94

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82394G	43.86	54.00	-10.14	3.37	3	Vertical	305	2.78	40.49	32.34	5.68	34.65
AV	4.95915G	34.96	54.00	-19.04	4.17	3	Vertical	341	1.48	30.79	33.04	5.77	34.64
AV	11.01566G	42.37	54.00	-11.63	12.60	3	Vertical	28	1.06	29.77	38.88	8.30	34.58
AV	12.68798G	43.70	54.00	-10.30	14.33	3	Vertical	108	2.39	29.37	39.46	8.92	34.05
AV	14.05486G	45.37	68.20	-22.83	16.84	3	Vertical	61	2.24	28.53	40.46	9.33	32.95
PK	4.82404G	51.07	74.00	-22.93	3.37	3	Vertical	305	2.78	47.70	32.34	5.68	34.65
PK	4.96366G	46.08	74.00	-27.92	4.18	3	Vertical	341	1.48	41.90	33.05	5.77	34.64
PK	11.0181G	53.65	74.00	-20.35	12.60	3	Vertical	28	1.06	41.05	38.88	8.30	34.58
PK	12.69058G	54.26	74.00	-19.74	14.34	3	Vertical	108	2.39	39.92	39.47	8.92	34.05
PK	14.0469G	55.90	68.20	-12.30	16.82	3	Vertical	61	2.24	39.08	40.44	9.32	32.94

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82399G	45.12	54.00	-8.88	3.37	3	Horizontal	307	1.32	41.75	32.34	5.68	34.65
AV	4.96096G	35.12	54.00	-18.88	4.17	3	Horizontal	233	1.50	30.95	33.04	5.77	34.64
AV	11.0153G	42.42	54.00	-11.58	12.60	3	Horizontal	124	2.15	29.82	38.88	8.30	34.58
AV	12.69054G	43.74	54.00	-10.26	14.34	3	Horizontal	42	2.66	29.40	39.47	8.92	34.05
AV	14.04836G	45.43	68.20	-22.77	16.84	3	Horizontal	82	1.04	28.59	40.45	9.33	32.94
PK	4.8238G	50.71	74.00	-23.29	3.37	3	Horizontal	307	1.32	47.34	32.34	5.68	34.65
PK	4.96366G	47.40	74.00	-26.60	4.18	3	Horizontal	233	1.50	43.22	33.05	5.77	34.64
PK	11.0178G	53.72	74.00	-20.28	12.60	3	Horizontal	124	2.15	41.12	38.88	8.30	34.58
PK	12.68926G	54.38	74.00	-19.62	14.34	3	Horizontal	42	2.66	40.04	39.47	8.92	34.05
PK	14.05256G	56.95	68.20	-11.25	16.85	3	Horizontal	82	1.04	40.10	40.46	9.33	32.94



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.92458G	39.68	54.00	-14.32	Vertical
Mode 2	Pass	AV	11.09483G	37.65	54.00	-16.35	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.82397G	38.72	54.00	-15.28	3	Vertical	302	1.63	-
Mode 1	Pass	AV	4.92458G	39.68	54.00	-14.32	3	Vertical	318	1.50	-
Mode 1	Pass	AV	4.96096G	30.13	54.00	-23.87	3	Vertical	299	1.50	-
Mode 1	Pass	AV	11.1013G	37.36	54.00	-16.64	3	Vertical	157	1.38	-
Mode 1	Pass	PK	4.8241G	46.38	74.00	-27.62	3	Vertical	302	1.63	-
Mode 1	Pass	PK	4.92659G	47.66	74.00	-26.34	3	Vertical	318	1.50	-
Mode 1	Pass	PK	4.95907G	44.41	74.00	-29.59	3	Vertical	299	1.50	-
Mode 1	Pass	PK	11.09941G	51.56	74.00	-22.44	3	Vertical	157	1.38	-
Mode 1	Pass	AV	4.82386G	34.79	54.00	-19.21	3	Horizontal	341	1.41	-
Mode 1	Pass	AV	4.92584G	36.58	54.00	-17.42	3	Horizontal	165	1.28	-
Mode 1	Pass	AV	4.96094G	30.54	54.00	-23.46	3	Horizontal	303	1.30	-
Mode 1	Pass	AV	11.1006G	37.42	54.00	-16.58	3	Horizontal	158	1.50	-
Mode 1	Pass	PK	4.82405G	44.82	74.00	-29.18	3	Horizontal	341	1.41	-
Mode 1	Pass	PK	4.93056G	46.62	74.00	-27.38	3	Horizontal	165	1.28	-
Mode 1	Pass	PK	4.96097G	43.99	74.00	-30.01	3	Horizontal	303	1.30	-
Mode 1	Pass	PK	11.10375G	51.83	74.00	-22.17	3	Horizontal	158	1.50	-
Mode 2	Pass	AV	4.82396G	37.07	54.00	-16.93	3	Vertical	305	1.62	-
Mode 2	Pass	AV	4.95628G	30.46	54.00	-23.54	3	Vertical	159	1.42	-
Mode 2	Pass	AV	10.36567G	36.97	68.20	-31.23	3	Vertical	37	1.50	-
Mode 2	Pass	AV	11.09967G	37.45	54.00	-16.55	3	Vertical	258	1.44	-
Mode 2	Pass	PK	4.81413G	47.62	74.00	-26.38	3	Vertical	305	1.62	-
Mode 2	Pass	PK	4.96434G	44.84	74.00	-29.16	3	Vertical	159	1.42	-
Mode 2	Pass	PK	10.36254G	50.86	68.20	-17.34	3	Vertical	37	1.50	-
Mode 2	Pass	PK	11.10689G	52.03	74.00	-21.97	3	Vertical	258	1.44	-
Mode 2	Pass	AV	4.82394G	35.25	54.00	-18.75	3	Horizontal	343	1.47	-
Mode 2	Pass	AV	4.96077G	31.30	54.00	-22.70	3	Horizontal	309	1.19	-
Mode 2	Pass	AV	10.35052G	36.94	68.20	-31.26	3	Horizontal	19	1.50	-
Mode 2	Pass	AV	11.09483G	37.65	54.00	-16.35	3	Horizontal	128	1.66	-
Mode 2	Pass	PK	4.82393G	45.89	74.00	-28.11	3	Horizontal	343	1.47	-
Mode 2	Pass	PK	4.96012G	44.93	74.00	-29.07	3	Horizontal	309	1.19	-
Mode 2	Pass	PK	10.36856G	50.94	68.20	-17.26	3	Horizontal	19	1.50	-
Mode 2	Pass	PK	11.10341G	52.42	74.00	-21.58	3	Horizontal	128	1.66	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82397G	38.72	54.00	-15.28	4.34	3	Vertical	302	1.63	-	34.38	32.34	6.18	34.18
AV	4.92458G	39.68	54.00	-14.32	4.95	3	Vertical	318	1.50	-	34.73	32.85	6.25	34.15
AV	4.96096G	30.13	54.00	-23.87	5.18	3	Vertical	299	1.50	-	24.95	33.04	6.27	34.13
AV	11.1013G	37.36	54.00	-16.64	16.05	3	Vertical	157	1.38	-	21.31	38.90	11.29	34.14
PK	4.8241G	46.38	74.00	-27.62	4.34	3	Vertical	302	1.63	-	42.04	32.34	6.18	34.18
PK	4.92659G	47.66	74.00	-26.34	4.96	3	Vertical	318	1.50	-	42.70	32.86	6.25	34.15
PK	4.95907G	44.41	74.00	-29.59	5.18	3	Vertical	299	1.50	-	39.23	33.04	6.27	34.13
PK	11.09941G	51.56	74.00	-22.44	16.05	3	Vertical	157	1.38	-	35.51	38.90	11.29	34.14

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82386G	34.79	54.00	-19.21	4.34	3	Horizontal	341	1.41	-	30.45	32.34	6.18	34.18
AV	4.92584G	36.58	54.00	-17.42	4.96	3	Horizontal	165	1.28	-	31.62	32.86	6.25	34.15
AV	4.96094G	30.54	54.00	-23.46	5.18	3	Horizontal	303	1.30	-	25.36	33.04	6.27	34.13
AV	11.1006G	37.42	54.00	-16.58	16.05	3	Horizontal	158	1.50	-	21.37	38.90	11.29	34.14
PK	4.82405G	44.82	74.00	-29.18	4.34	3	Horizontal	341	1.41	-	40.48	32.34	6.18	34.18
PK	4.93056G	46.62	74.00	-27.38	4.99	3	Horizontal	165	1.28	-	41.63	32.88	6.25	34.14
PK	4.96097G	43.99	74.00	-30.01	5.18	3	Horizontal	303	1.30	-	38.81	33.04	6.27	34.13
PK	11.10375G	51.83	74.00	-22.17	16.05	3	Horizontal	158	1.50	-	35.78	38.90	11.29	34.14

Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2

