


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 10620.00 | 47.24  | 51.97 | -4.73  | 54.00  | -6.76  | 367  | 360  | Average | Horizontal |      |
| 2 | 10620.00 | 56.94  | 61.67 | -4.73  | 74.00  | -17.06 | 367  | 360  | Peak    | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322





|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 10620.00 | 50.58  | 55.31 | -4.73  | 54.00  | -3.42  | 100  | 90   | Average | Vertical  |      |
| 2 | 10620.00 | 60.90  | 65.63 | -4.73  | 74.00  | -13.10 | 100  | 90   | Peak    | Vertical  |      |






U-NII-2C














802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11820.00 | 48.57  | 44.64 | -4.07 | 54.00  | -13.43 | 100  | 359 Average | Horizontal |      |
| 2 | 11820.00 | 55.24  | 59.31 | -4.07 | 74.00  | -18.76 | 100  | 359 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos  | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|-------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg         |           |      |
| 1 | 11820.00 | 50.47  | 54.54 | -4.07 | 54.00  | -3.53 | 200  | 105 Average | Vertical  |      |
| 2 | 11820.00 | 64.37  | 68.44 | -4.07 | 74.00  | -9.63 | 200  | 105 Peak    | Vertical  |      |


802.11ax HE20

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11100.00 | 42.95  | 46.84 | -3.89  | 54.00  | -11.05 | 100  | 116  | Average | Horizontal |      |
| 2 | 11100.00 | 61.30  | 65.19 | -3.89  | 74.00  | -12.70 | 100  | 116  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11100.00 | 50.92  | 54.81 | -3.89  | 54.00  | -3.08  | 100  | 62   | Average | Vertical  |      |
| 2 | 11100.00 | 63.19  | 67.08 | -3.89  | 74.00  | -10.81 | 100  | 62   | Peak    | Vertical  |      |


802.11ax HE20

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 11340.00 | 46.94  | 50.36 | -3.52 | 54.00  | -7.16  | 100  | 346  | Average | Horizontal |           |      |
| 2 | 11340.00 | 62.23  | 65.75 | -3.52 | 74.00  | -11.77 | 100  | 346  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1 | 11340.00 | 50.91  | 54.43 | -3.52 | 54.00  | -3.00 | 100  | 196  | Average | Vertical |           |      |
| 2 | 11340.00 | 66.23  | 69.75 | -3.52 | 74.00  | -7.77 | 100  | 196  | Peak    | Vertical |           |      |


802.11ax HE40

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11560.00 | 36.21  | 40.19 | -3.98 | 54.00  | -17.79 | 100  | 282 Average | Horizontal |      |
| 2 | 11560.00 | 45.09  | 49.07 | -3.98 | 74.00  | -28.91 | 100  | 282 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |           |      |
| 1 | 11560.00 | 36.39  | 40.37 | -3.98 | 54.00  | -17.61 | 100  | 68 Average | Vertical  |      |
| 2 | 11560.00 | 45.97  | 49.95 | -3.98 | 74.00  | -28.03 | 100  | 68 Peak    | Vertical  |      |


802.11ax HE40

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11220.00 | 45.44  | 49.17 | -3.73  | 54.00  | -8.56  | 400  | 311  | Average | Horizontal |      |
| 2 | 11220.00 | 50.84  | 54.57 | -3.73  | 74.00  | -23.16 | 400  | 311  | Peak    | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11220.00 | 48.48  | 52.21 | -3.73  | 54.00  | -5.52  | 100  | 46   | Average | Vertical  |      |
| 2 | 11220.00 | 55.91  | 59.64 | -3.73  | 74.00  | -18.09 | 100  | 46   | Peak    | Vertical  |      |



U-NII-3




802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Limit | Over   | APos  | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|-------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg         |            |      |
| 1 | 11566.00 | 49.15  | 52.33 | -3.18 | 54.00  | -4.85 | 100  | 119 Average | Horizontal |      |
| 2 | 11566.00 | 66.62  | 69.80 | -3.18 | 74.00  | -7.38 | 100  | 119 Peak    | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos  | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|-------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg         |           |      |
| 1 | 11570.00 | 50.70  | 53.88 | -3.18 | 54.00  | -3.30 | 111  | 175 Average | Vertical  |      |
| 2 | 11570.00 | 67.35  | 70.53 | -3.18 | 74.00  | -6.65 | 111  | 175 Peak    | Vertical  |      |






802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11570.00 | 46.93  | 50.11 | -3.18 | 54.00  | -7.07  | 100  | 116 Average | Horizontal |      |
| 2 | 11570.00 | 60.17  | 63.35 | -3.18 | 74.00  | -13.83 | 100  | 116 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |           |      |
| 1 | 11570.00 | 50.89  | 54.07 | -3.18 | 54.00  | -3.11  | 100  | 39 Average | Vertical  |      |
| 2 | 11570.00 | 62.12  | 65.30 | -3.18 | 74.00  | -11.68 | 100  | 39 Peak    | Vertical  |      |


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11650.00 | 47.21  | 50.22 | -3.01 | 54.00  | -6.79  | 100  | 300 Average | Horizontal |      |
| 2 | 11650.00 | 57.93  | 60.94 | -3.01 | 74.00  | -16.07 | 100  | 300 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11650.00 | 50.93  | 53.94 | -3.01 | 54.00  | -3.07  | 100  | 171 Average | Vertical  |      |
| 2 | 11650.00 | 60.50  | 63.51 | -3.01 | 74.00  | -13.50 | 100  | 171 Peak    | Vertical  |      |


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11510.00 | 47.59  | 50.81 | -3.22  | 54.00  | -6.41  | 100  | 352  | Average | Horizontal |      |
| 2 | 11510.00 | 56.77  | 59.99 | -3.22  | 74.00  | -17.23 | 100  | 352  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|-------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg  |         |           |      |
| 1 | 11510.00 | 51.24  | 54.46 | -3.22  | 54.00  | -2.76 | 100  | 164  | Average | Vertical  |      |
| 2 | 11510.00 | 67.59  | 70.81 | -3.22  | 74.00  | -6.41 | 100  | 164  | Peak    | Vertical  |      |


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11590.00 | 46.41  | 49.56 | -3.15  | 54.00  | -7.59  | 100  | 130  | Average | Horizontal |      |
| 2 | 11590.00 | 63.90  | 67.05 | -3.15  | 74.00  | -10.10 | 100  | 130  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|-------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg  |         |           |      |
| 1 | 11590.00 | 51.01  | 54.16 | -3.15  | 54.00  | -2.99 | 100  | 165  | Average | Vertical  |      |
| 2 | 11590.00 | 66.71  | 69.86 | -3.15  | 74.00  | -7.29 | 100  | 165  | Peak    | Vertical  |      |


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11550.00 | 46.78  | 49.97 | -3.19  | 54.00  | -7.22  | 100  | 133  | Average | Horizontal |      |
| 2 | 11550.00 | 56.06  | 59.25 | -3.19  | 74.00  | -17.94 | 100  | 133  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11550.00 | 48.78  | 51.97 | -3.19  | 54.00  | -5.22  | 100  | 34   | Average | Vertical  |      |
| 2 | 11550.00 | 56.46  | 59.65 | -3.19  | 74.00  | -17.54 | 100  | 34   | Peak    | Vertical  |      |

**Mains Conducted Emission, (150kHz ~ 30MHz)**  
**<EUT with Adapter 1>**


**WLAN 2.4GHz + WLAN 5GHz**

**(Line)**

**(Neutral)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz  | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.15 | 40.50 | 30.81 | 9.69   | 55.75 | -15.25 | Average | line1     |      |
| 2  | 0.15 | 56.18 | 46.49 | 9.69   | 65.75 | -9.57  | QP      | line1     |      |
| 3  | 0.19 | 35.64 | 25.96 | 9.68   | 53.97 | -18.33 | Average | line1     |      |
| 4  | 0.19 | 49.81 | 40.13 | 9.68   | 63.97 | -14.16 | QP      | line1     |      |
| 5  | 0.24 | 23.15 | 13.47 | 9.68   | 51.94 | -28.79 | Average | line1     |      |
| 6  | 0.24 | 38.52 | 28.84 | 9.68   | 61.94 | -23.42 | QP      | line1     |      |
| 7  | 0.28 | 22.48 | 12.80 | 9.68   | 50.83 | -28.35 | Average | line1     |      |
| 8  | 0.28 | 36.56 | 26.88 | 9.68   | 60.83 | -24.27 | QP      | line1     |      |
| 9  | 1.55 | 19.53 | 9.82  | 9.71   | 46.00 | -26.47 | Average | line1     |      |
| 10 | 1.55 | 24.44 | 14.73 | 9.71   | 56.00 | -31.56 | QP      | line1     |      |
| 11 | 9.68 | 18.75 | 8.94  | 9.81   | 50.00 | -31.25 | Average | line1     |      |
| 12 | 9.68 | 23.96 | 14.15 | 9.81   | 60.00 | -36.04 | QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq  | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|-------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz   | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.16  | 38.46 | 28.79 | 9.67   | 55.54 | -17.08 | Average | neutral   |      |
| 2  | 0.16  | 54.51 | 44.84 | 9.67   | 65.54 | -11.03 | QP      | neutral   |      |
| 3  | 0.19  | 34.36 | 24.70 | 9.66   | 54.01 | -19.65 | Average | neutral   |      |
| 4  | 0.19  | 50.06 | 40.40 | 9.66   | 64.01 | -13.95 | QP      | neutral   |      |
| 5  | 0.23  | 28.48 | 18.82 | 9.66   | 52.36 | -23.88 | Average | neutral   |      |
| 6  | 0.23  | 43.80 | 34.14 | 9.66   | 62.36 | -18.56 | QP      | neutral   |      |
| 7  | 0.26  | 21.10 | 11.44 | 9.66   | 51.32 | -30.22 | Average | neutral   |      |
| 8  | 0.26  | 35.82 | 26.16 | 9.66   | 61.32 | -25.50 | QP      | neutral   |      |
| 9  | 0.80  | 15.19 | 5.53  | 9.66   | 46.00 | -30.81 | Average | neutral   |      |
| 10 | 0.80  | 21.28 | 11.62 | 9.66   | 56.00 | -34.72 | QP      | neutral   |      |
| 11 | 18.68 | 29.79 | 19.92 | 9.87   | 50.00 | -20.21 | Average | neutral   |      |
| 12 | 18.68 | 35.19 | 25.32 | 9.87   | 60.00 | -24.81 | QP      | neutral   |      |

<EUT with Adapter 2>


**WLAN 2.4GHz + WLAN 5GHz**

**(Line)**

**(Neutral)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

|    | Freq  | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|-------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz   | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.16  | 27.84 | 18.15 | 9.69   | 55.59 | -27.75 | Average | line1     |      |
| 2  | 0.16  | 46.95 | 37.26 | 9.69   | 65.59 | -18.64 | QP      | line1     |      |
| 3  | 0.46  | 24.90 | 15.22 | 9.68   | 46.64 | -21.74 | Average | line1     |      |
| 4  | 0.46  | 31.96 | 22.28 | 9.68   | 56.64 | -24.68 | QP      | line1     |      |
| 5  | 1.46  | 13.65 | 3.94  | 9.71   | 46.00 | -32.35 | Average | line1     |      |
| 6  | 1.46  | 19.86 | 10.15 | 9.71   | 56.00 | -36.14 | QP      | line1     |      |
| 7  | 5.01  | 17.69 | 7.99  | 9.76   | 50.00 | -32.31 | Average | line1     |      |
| 8  | 5.01  | 23.48 | 13.72 | 9.76   | 60.00 | -36.52 | QP      | line1     |      |
| 9  | 11.41 | 20.86 | 11.05 | 9.81   | 50.00 | -29.14 | Average | line1     |      |
| 10 | 11.41 | 26.44 | 16.63 | 9.81   | 60.00 | -33.56 | QP      | line1     |      |
| 11 | 19.74 | 22.89 | 13.08 | 9.81   | 50.00 | -27.11 | Average | line1     |      |
| 12 | 19.74 | 28.48 | 18.67 | 9.81   | 60.00 | -31.52 | QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

|    | Freq  | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|-------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz   | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.16  | 26.42 | 16.75 | 9.67   | 55.59 | -29.17 | Average | neutral   |      |
| 2  | 0.16  | 46.66 | 36.99 | 9.67   | 65.59 | -18.93 | QP      | neutral   |      |
| 3  | 0.20  | 18.76 | 9.10  | 9.66   | 53.43 | -34.67 | Average | neutral   |      |
| 4  | 0.20  | 38.10 | 28.44 | 9.66   | 63.43 | -25.33 | QP      | neutral   |      |
| 5  | 0.46  | 24.50 | 14.84 | 9.66   | 46.64 | -22.14 | Average | neutral   |      |
| 6  | 0.46  | 30.73 | 21.07 | 9.66   | 56.64 | -25.91 | QP      | neutral   |      |
| 7  | 2.07  | 14.09 | 4.40  | 9.69   | 46.00 | -31.91 | Average | neutral   |      |
| 8  | 2.07  | 20.77 | 11.08 | 9.69   | 56.00 | -35.23 | QP      | neutral   |      |
| 9  | 19.74 | 22.55 | 12.68 | 9.87   | 50.00 | -27.45 | Average | neutral   |      |
| 10 | 19.74 | 27.87 | 18.00 | 9.87   | 60.00 | -32.13 | QP      | neutral   |      |
| 11 | 23.62 | 11.15 | 1.27  | 9.88   | 50.00 | -38.85 | Average | neutral   |      |
| 12 | 23.62 | 16.51 | 6.63  | 9.88   | 60.00 | -43.49 | QP      | neutral   |      |