

APPENDIX F: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

FCC ID: BCGA3269	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		Page 1 of 341

All conducted power measurements for Sub6 WWAN technologies and bands in this section were performed by setting *Reserve_power_margin* (Qualcomm® Smart Transmit EFS entry) to 0 dB, so that the EUT transmits continuously at minimum (P_{limit}, maximum tune up output power P_{max}).

Note: Some bands do not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

F.1 LTE Lower Bandwidth RF Conducted Powers

F.1.1 LTE Band 71

Table F-1
LTE Band 71 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.30	0	0
	1	36	20.27		0
	1	74	20.23		0
	36	0	20.38	0-1	0
	36	18	20.42		0
	36	37	20.35		0
	75	0	20.42		0
16QAM	1	0	20.60	0-1	0
	1	36	20.67		0
	1	74	20.55		0
	36	0	20.42	0-2	0
	36	18	20.46		0
	36	37	20.42		0
	75	0	20.44		0
64QAM	1	0	20.58	0-2	0
	1	36	20.48		0
	1	74	20.46		0
	36	0	20.35	0-3	0
	36	18	20.43		0
	36	37	20.34		0
	75	0	20.41		0
256QAM	1	0	19.05	0-5	1.6
	1	36	19.02		1.6
	1	74	19.08		1.6
	36	0	18.90		1.6
	36	18	18.95		1.6
	36	37	18.89		1.6
	75	0	18.93		1.6

Table F-2
LTE Band 71 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.62	20.68	20.52	0	0
	1	25	20.49	20.53	20.49		0
	1	49	20.44	20.54	20.39		0
	25	0	20.57	20.49	20.48	0-1	0
	25	12	20.64	20.56	20.47		0
	25	25	20.57	20.49	20.50		0
16QAM	50	0	20.62	20.53	20.48	0	
	1	0	20.78	20.71	20.80	0-1	0
	1	25	20.79	20.72	20.79		0
	1	49	20.72	20.63	20.75		0
	25	0	20.64	20.53	20.53	0-2	0
	25	12	20.67	20.60	20.51		0
25	25	20.62	20.53	20.54	0		
64QAM	50	0	20.63	20.56	20.46	0	
	1	0	20.72	20.84	20.70	0-2	0
	1	25	20.76	20.75	20.68		0
	1	49	20.70	20.65	20.59		0
	25	0	20.58	20.49	20.50	0-3	0
	25	12	20.67	20.60	20.51		0
25	25	20.58	20.52	20.49	0		
256QAM	50	0	20.62	20.53	20.46	0	
	1	0	19.21	19.05	19.06	0-5	1.6
	1	25	19.34	18.98	19.17		1.6
	1	49	19.19	18.90	18.98		1.6
	25	0	19.07	19.03	18.98		1.6
	25	12	19.17	19.11	18.98		1.6
25	25	19.09	19.06	19.00	1.6		
50	0	19.14	19.05	18.99	1.6		

Table F-3
LTE Band 71 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.75	20.50	20.42	0	0
	1	12	20.93	20.71	20.62		0
	1	24	20.67	20.51	20.31		0
	12	0	20.57	20.44	20.46	0-1	0
	12	6	20.66	20.52	20.49		0
	12	13	20.60	20.50	20.42		0
	25	0	20.64	20.50	20.47		0
16QAM	1	0	20.94	20.76	20.74	0-1	0
	1	12	21.01	20.93	20.90		0
	1	24	20.88	20.73	20.70		0
	12	0	20.61	20.52	20.50	0-2	0
	12	6	20.72	20.59	20.51		0
	12	13	20.66	20.56	20.45		0
	25	0	20.67	20.55	20.48		0
64QAM	1	0	20.87	20.65	20.62	0-2	0
	1	12	20.88	20.82	20.65		0
	1	24	20.78	20.66	20.54		0
	12	0	20.60	20.46	20.51	0-3	0
	12	6	20.68	20.56	20.53		0
	12	13	20.62	20.53	20.43		0
	25	0	20.63	20.53	20.48		0
256QAM	1	0	19.15	18.99	19.04	0-5	1.6
	1	12	19.28	19.07	19.08		1.6
	1	24	19.20	19.04	18.97		1.6
	12	0	19.05	18.98	19.00		1.6
	12	6	19.17	19.04	19.02		1.6
	12	13	19.09	19.00	18.95		1.6
	25	0	19.13	19.02	18.97		1.6

F.1.2

Table F-4
LTE Band 71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.34	0	0
	1	36	20.37		0
	1	74	20.26		0
	36	0	20.46	0-1	0
	36	18	20.44		0
	36	37	20.43		0
	75	0	20.42		0
16QAM	1	0	20.49	0-1	0
	1	36	20.60		0
	1	74	20.42		0
	36	0	20.49	0-2	0
	36	18	20.44		0
	36	37	20.45		0
	75	0	20.42		0
64QAM	1	0	20.65	0-2	0
	1	36	20.65		0
	1	74	20.54		0
	36	0	20.47	0-3	0
	36	18	20.45		0
	36	37	20.48		0
	75	0	20.47		0
256QAM	1	0	20.00	0-5	0.3
	1	36	20.07		0.3
	1	74	20.03		0.3
	36	0	19.98		0.3
	36	18	19.92		0.3
	36	37	19.97		0.3
	75	0	19.93		0.3

Table F-5
LTE Band 71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.56	20.58	20.68	0	0
	1	25	20.54	20.53	20.57		0
	1	49	20.54	20.46	20.52		0
	25	0	20.55	20.55	20.45	0-1	0
	25	12	20.61	20.64	20.46		0
	25	25	20.55	20.55	20.48		0
16QAM	50	0	20.60	20.54	20.46	0	
	1	0	20.83	20.70	20.61	0-1	0
	1	25	20.87	20.75	20.54		0
	1	49	20.83	20.64	20.62		0
	25	0	20.57	20.56	20.52	0-2	0
	25	12	20.61	20.63	20.50		0
25	25	20.57	20.58	20.53	0		
64QAM	50	0	20.59	20.49	20.47	0	
	1	0	20.87	20.90	20.75	0-2	0
	1	25	20.81	20.88	20.69		0
	1	49	20.73	20.74	20.61		0
	25	0	20.53	20.59	20.47	0-3	0
	25	12	20.64	20.65	20.47		0
25	25	20.60	20.58	20.48	0		
256QAM	50	0	20.59	20.52	20.44	0	
	1	0	20.14	20.13	20.10	0-5	0.3
	1	25	20.28	20.24	20.14		0.3
	1	49	20.27	20.25	20.03		0.3
	25	0	20.04	20.06	19.98		0.3
	25	12	20.14	20.12	19.93		0.3
25	25	20.08	20.05	19.97	0.3		
50	0	20.09	20.01	19.93	0.3		

Table F-6
LTE Band 71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.55	20.46	20.43	0	0
	1	12	20.69	20.57	20.60		0
	1	24	20.53	20.39	20.32		0
	12	0	20.47	20.48	20.42	0-1	0
	12	6	20.54	20.57	20.43		0
	12	13	20.51	20.52	20.38		0
	25	0	20.51	20.53	20.40		0
16QAM	1	0	20.73	20.65	20.62	0-1	0
	1	12	20.82	20.80	20.83		0
	1	24	20.73	20.73	20.57		0
	12	0	20.47	20.52	20.50	0-2	0
	12	6	20.56	20.60	20.53		0
	12	13	20.49	20.53	20.45		0
	25	0	20.50	20.53	20.44		0
64QAM	1	0	20.79	20.68	20.60	0-2	0
	1	12	20.81	20.78	20.61		0
	1	24	20.74	20.66	20.50		0
	12	0	20.51	20.45	20.44	0-3	0
	12	6	20.57	20.59	20.42		0
	12	13	20.52	20.51	20.39		0
	25	0	20.54	20.50	20.37		0
256QAM	1	0	20.23	20.10	20.07	0-5	0.3
	1	12	20.11	20.27	20.12		0.3
	1	24	20.16	20.15	20.05		0.3
	12	0	19.95	19.97	19.89		0.3
	12	6	20.03	20.05	19.94		0.3
	12	13	20.00	20.03	19.91		0.3
	25	0	19.99	20.04	19.90		0.3

F.1.3 LTE Band 12

Table F-7
LTE Band 12 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.96	18.98	19.15	0	0
	1	12	19.15	19.13	19.42		0
	1	24	18.97	18.87	19.17		0
	12	0	18.93	18.91	18.99	0-1	0
	12	6	19.00	19.03	19.09		0
	12	13	18.97	18.98	19.05		0
	25	0	18.98	18.97	19.07		0
16QAM	1	0	19.32	19.26	19.30	0-1	0
	1	12	19.33	19.39	19.47		0
	1	24	19.37	19.22	19.34		0
	12	0	18.94	18.94	19.03	0-2	0
	12	6	19.05	19.06	19.11		0
	12	13	19.01	19.00	19.07		0
	25	0	19.00	18.98	19.07		0
64QAM	1	0	19.28	19.14	19.33	0-2	0
	1	12	19.17	19.24	19.33		0
	1	24	19.01	19.05	19.26		0
	12	0	18.95	18.96	19.05	0-3	0
	12	6	19.06	19.07	19.15		0
	12	13	19.03	19.03	19.08		0
	25	0	19.01	19.01	19.08		0
256QAM	1	0	18.85	18.88	18.96	0-5	0.2
	1	12	18.90	18.89	19.03		0.2
	1	24	18.83	18.86	18.95		0.2
	12	0	18.74	18.69	18.79		0.2
	12	6	18.81	18.80	18.90		0.2
	12	13	18.77	18.76	18.86		0.2
	25	0	18.77	18.76	18.88		0.2

Table F-8
LTE Band 12 Measured P_{Limit} Antenna 2 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	18.89	18.98	18.96	0	0	
	1	7	19.04	19.02	19.09		0	
	1	14	18.90	18.94	18.98		0	
	8	0	19.02	18.98	19.00	0-1	0	
	8	4	19.06	18.98	19.05		0	
	8	7	19.02	18.96	19.08		0	
16QAM	15	0	19.05	18.95	18.99	0-1	0	
	1	0	19.13	19.10	19.26		0	
	1	7	19.30	19.24	19.40		0	
	1	14	19.15	19.17	19.33	0-2	0	
	8	0	19.09	19.03	19.06		0	
	8	4	19.12	19.05	19.08		0	
64QAM	8	7	19.09	19.03	19.11	0-2	0	
	15	0	19.00	18.99	19.03		0	
	1	0	19.22	19.14	19.26		0-2	0
	1	7	19.23	19.23	19.38	0		
	1	14	19.26	19.20	19.27	0		
	8	0	19.12	19.04	19.05	0-3	0	
8	4	19.15	19.00	19.07	0			
8	7	19.10	18.99	19.10	0			
256QAM	15	0	19.11	19.01	19.03	0-3	0	
	1	0	18.71	18.80	18.86		0-5	0.2
	1	7	18.97	18.89	19.03			0.2
	1	14	18.80	18.91	18.85	0.2		
	8	0	18.85	18.78	18.80	0.2		
	8	4	18.89	18.78	18.84	0.2		
8	7	18.83	18.74	18.86	0.2			
	15	0	18.84	18.78	18.78		0.2	

Table F-9
LTE Band 12 Measured P_{Limit} Antenna 2 - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.94	19.12	19.12	0	0
	1	2	19.01	19.14	19.23		0
	1	5	18.96	19.13	19.20		0
	3	0	19.08	18.94	19.09		0
	3	2	19.09	18.94	19.12		0
	3	3	19.01	19.02	19.14		0
	6	0	18.98	18.96	19.06	0-1	0
16QAM	1	0	19.21	19.12	19.27	0-1	0
	1	2	19.35	19.15	19.32		0
	1	5	19.23	19.10	19.24		0
	3	0	19.13	19.14	19.16		0
	3	2	19.18	19.15	19.22		0
	3	3	19.14	19.09	19.21		0
	6	0	19.04	19.02	19.16	0-2	0
64QAM	1	0	19.18	19.20	19.18	0-2	0
	1	2	19.27	19.17	19.27		0
	1	5	19.29	19.14	19.18		0
	3	0	19.16	19.12	19.11		0
	3	2	19.18	19.14	19.18		0
	3	3	19.26	19.10	19.17		0
	6	0	19.03	18.96	19.06	0-3	0
256QAM	1	0	18.77	18.79	18.91	0-5	0.2
	1	2	18.85	18.83	19.02		0.2
	1	5	18.90	18.85	18.99		0.2
	3	0	18.91	18.70	18.75		0.2
	3	2	18.84	18.78	18.95		0.2
	3	3	18.89	18.73	18.85		0.2
	6	0	18.77	18.74	18.89		0.2

F.1.4

Table F-10
LTE Band 12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.11	19.10	19.14	0	0
	1	12	19.25	19.27	19.23		0
	1	24	19.05	19.05	19.06		0
	12	0	19.12	19.12	19.00	0-1	0
	12	6	19.11	19.09	19.09		0
	12	13	19.07	19.05	19.06		0
	25	0	19.11	19.13	19.05		0
16QAM	1	0	19.41	19.43	19.31	0-1	0
	1	12	19.34	19.36	19.46		0
	1	24	19.34	19.29	19.27		0
	12	0	19.18	19.21	19.05	0-2	0
	12	6	19.20	19.17	19.20		0
	12	13	19.15	19.15	19.09		0
	25	0	19.15	19.11	19.11		0
64QAM	1	0	19.50	19.33	19.30	0-2	0
	1	12	19.32	19.32	19.47		0
	1	24	19.36	19.41	19.36		0
	12	0	19.21	19.19	19.07	0-3	0
	12	6	19.18	19.21	19.11		0
	12	13	19.12	19.11	19.06		0
	25	0	19.17	19.14	19.07		0
256QAM	1	0	19.44	19.45	19.36	0-5	0
	1	12	19.41	19.21	19.46		0
	1	24	19.35	19.40	19.26		0
	12	0	19.14	19.17	19.05		0
	12	6	19.21	19.19	19.15		0
	12	13	19.16	19.12	19.07		0
	25	0	19.14	19.14	19.10		0

Table F-11
LTE Band 12 Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.06	19.11	18.91	0	0
	1	7	19.13	19.21	19.05		0
	1	14	19.02	19.03	18.88		0
	8	0	19.15	19.07	18.97	0-1	0
	8	4	19.19	19.09	18.97		0
	8	7	19.16	19.08	19.02		0
	15	0	19.15	19.06	18.94		0
16QAM	1	0	19.31	19.26	19.30	0-1	0
	1	7	19.40	19.29	19.40		0
	1	14	19.30	19.29	19.21		0
	8	0	19.27	19.17	19.05	0-2	0
	8	4	19.42	19.21	19.08		0
	8	7	19.40	19.14	19.12		0
	15	0	19.18	19.14	19.03		0
64QAM	1	0	19.34	19.30	19.34	0-2	0
	1	7	19.44	19.31	19.38		0
	1	14	19.26	19.25	19.23		0
	8	0	19.25	19.17	19.04	0-3	0
	8	4	19.32	19.19	19.11		0
	8	7	19.44	19.14	19.14		0
	15	0	19.23	19.08	19.03		0
256QAM	1	0	19.35	19.29	19.24	0-5	0
	1	7	19.47	19.35	19.42		0
	1	14	19.31	19.26	19.23		0
	8	0	19.25	19.18	18.99		0
	8	4	19.27	19.21	19.09		0
	8	7	19.42	19.17	19.06		0
	15	0	18.99	19.14	18.98		0

Table F-12
LTE Band 12 Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.09	19.21	19.13	0	0
	1	2	19.12	19.24	19.16		0
	1	5	19.09	19.20	19.11		0
	3	0	19.16	19.13	19.01		0
	3	2	19.16	19.07	19.01		0
	3	3	19.13	19.06	19.01		0
	6	0	19.13	19.02	19.02	0-1	0
16QAM	1	0	19.47	19.21	19.31	0-1	0
	1	2	19.39	19.31	19.29		0
	1	5	19.45	19.27	19.36		0
	3	0	19.35	19.20	19.28		0
	3	2	19.34	19.23	19.21		0
	3	3	19.27	19.22	19.16		0
	6	0	19.22	19.09	19.08	0-2	0
64QAM	1	0	19.40	19.20	19.30	0-2	0
	1	2	19.41	19.28	19.35		0
	1	5	19.40	19.24	19.37		0
	3	0	19.34	19.24	19.13		0
	3	2	19.33	19.23	19.16		0
	3	3	19.34	19.23	19.21		0
	6	0	19.25	19.14	19.06	0-3	0
256QAM	1	0	19.36	19.28	19.33	0-5	0
	1	2	19.47	19.27	19.29		0
	1	5	19.29	19.24	19.32		0
	3	0	19.40	19.26	19.20		0
	3	2	19.39	19.20	19.23		0
	3	3	19.34	19.23	19.22		0
	6	0	19.28	19.10	19.12		0

F.1.5 LTE Band 13

Table F-13
LTE Band 13 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.03	0	0
	1	12	19.11		0
	1	24	19.02		0
	12	0	19.05	0-1	0
	12	6	19.08		0
	12	13	19.04		0
	25	0	19.04		0
16QAM	1	0	19.03	0-1	0
	1	12	19.22		0
	1	24	19.04		0
	12	0	19.12	0-2	0
	12	6	19.15		0
	12	13	19.11		0
	25	0	19.04		0
64QAM	1	0	19.01	0-2	0
	1	12	19.03		0
	1	24	19.07		0
	12	0	19.06	0-3	0
	12	6	19.01		0
	12	13	19.06		0
	25	0	19.09		0
256QAM	1	0	18.35	0-5	0.7
	1	12	18.51		0.7
	1	24	18.36		0.7
	12	0	18.29		0.7
	12	6	18.37		0.7
	12	13	18.34		0.7
	25	0	18.37		0.7

F.1.6

Table F-14
LTE Band 13 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	21.11	0	0
	1	12	21.15		0
	1	24	21.09		0
	12	0	21.15	0-1	0
	12	6	21.18		0
	12	13	21.23		0
	25	0	21.12		0
16QAM	1	0	21.04	0-1	0
	1	12	21.12		0
	1	24	21.07		0
	12	0	21.20	0-2	0
	12	6	21.22		0
	12	13	21.26		0
	25	0	21.17		0
64QAM	1	0	21.24	0-2	0
	1	12	21.28		0
	1	24	21.22		0
	12	0	21.16	0-3	0
	12	6	21.20		0
	12	13	21.25		0
	25	0	21.17		0
256QAM	1	0	20.55	0-5	0.6
	1	12	20.58		0.6
	1	24	20.50		0.6
	12	0	20.53		0.6
	12	6	20.62		0.6
	12	13	20.54		0.6
	25	0	20.42		0.6

F.1.7 LTE Band 14

Table F-15
LTE Band 14 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.28	0	0
	1	12	19.38		0
	1	24	19.33		0
	12	0	19.34	0-1	0
	12	6	19.44		0
	12	13	19.40		0
	25	0	19.39		0
16QAM	1	0	19.35	0-1	0
	1	12	19.43		0
	1	24	19.33		0
	12	0	19.32	0-2	0
	12	6	19.43		0
	12	13	19.39		0
	25	0	19.42		0
64QAM	1	0	19.20	0-2	0
	1	12	19.32		0
	1	24	19.26		0
	12	0	19.42	0-3	0
	12	6	19.52		0
	12	13	19.48		0
	25	0	19.46		0
256QAM	1	0	19.15	0-5	0.7
	1	12	19.19		0.7
	1	24	19.10		0.7
	12	0	19.15		0.7
	12	6	19.16		0.7
	12	13	19.09		0.7
	25	0	19.09		0.7

F.1.8

Table F-16
LTE Band 14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	20.65	0	0
	1	12	20.96		0
	1	24	20.69		0
	12	0	20.63	0-1	0
	12	6	20.73		0
	12	13	20.70		0
	25	0	20.71		0
16QAM	1	0	20.94	0-1	0
	1	12	21.14		0
	1	24	21.02		0
	12	0	20.74	0-2	0
	12	6	20.81		0
	12	13	20.78		0
	25	0	20.73		0
64QAM	1	0	20.94	0-2	0
	1	12	20.69		0
	1	24	20.63		0
	12	0	20.84	0-3	0
	12	6	20.87		0
	12	13	20.81		0
	25	0	20.77		0
256QAM	1	0	19.82	0-5	1.1
	1	12	20.04		1.1
	1	24	19.87		1.1
	12	0	19.80		1.1
	12	6	19.91		1.1
	12	13	19.84		1.1
	25	0	19.85		1.1

F.1.9 LTE Band 26

Table F-17
LTE Band 26 (Cell) Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.33	19.23	19.23	0	0
	1	12	19.59	19.35	19.40		0
	1	24	19.34	19.16	19.22		0
	12	0	19.27	19.21	19.14	0-1	0
	12	6	19.33	19.31	19.23		0
	12	13	19.30	19.27	19.18		0
	25	0	19.32	19.28	19.14		0
16QAM	1	0	19.52	19.42	19.48	0-1	0
	1	12	19.67	19.63	19.62		0
	1	24	19.47	19.53	19.47		0
	12	0	19.30	19.26	19.17	0-2	0
	12	6	19.43	19.36	19.29		0
	12	13	19.37	19.32	19.24		0
	25	0	19.33	19.30	19.10		0
64QAM	1	0	19.50	19.57	19.40	0-2	0
	1	12	19.61	19.56	19.57		0
	1	24	19.53	19.44	19.42		0
	12	0	19.33	19.26	19.16	0-3	0
	12	6	19.45	19.36	19.24		0
	12	13	19.39	19.31	19.23		0
	25	0	19.35	19.30	19.15		0
256QAM	1	0	19.21	19.22	19.25	0-5	0
	1	12	19.33	19.25	19.35		0
	1	24	19.27	19.28	19.38		0
	12	0	19.30	19.34	19.20		0
	12	6	19.25	19.25	19.13		0
	12	13	19.17	19.14	19.08		0
	25	0	19.18	19.16	19.07		0

Table F-18
LTE Band 26 (Cell) Measured P_{Limit} Antenna 2 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.19	19.17	19.11	0	0
	1	7	19.33	19.26	19.22		0
	1	14	19.21	19.20	19.10		0
	8	0	19.29	19.26	19.20	0-1	0
	8	4	19.32	19.30	19.23		0
	8	7	19.28	19.26	19.18		0
	15	0	19.27	19.25	19.18		0
16QAM	1	0	19.53	19.34	19.19	0-1	0
	1	7	19.66	19.49	19.37		0
	1	14	19.56	19.33	19.30		0
	8	0	19.37	19.38	19.20	0-2	0
	8	4	19.40	19.36	19.26		0
	8	7	19.36	19.34	19.20		0
	15	0	19.34	19.28	19.14		0
64QAM	1	0	19.50	19.32	19.26	0-2	0
	1	7	19.69	19.48	19.33		0
	1	14	19.57	19.33	19.21		0
	8	0	19.40	19.36	19.21	0-3	0
	8	4	19.40	19.37	19.26		0
	8	7	19.39	19.34	19.22		0
	15	0	19.30	19.31	19.18		0
256QAM	1	0	19.26	19.24	19.26	0-5	0
	1	7	19.35	19.36	19.36		0
	1	14	19.31	19.27	19.37		0
	8	0	19.34	19.33	19.25		0
	8	4	19.30	19.30	19.19		0
	8	7	19.22	19.19	19.09		0
	15	0	19.23	19.21	19.08		0

Table F-19
LTE Band 26 (Cell) Measured P_{Limit} Antenna 2 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.23	19.21	19.12	0	0
	1	2	19.29	19.32	19.16		0
	1	5	19.27	19.28	19.12		0
	3	0	19.29	19.26	19.14		0
	3	2	19.30	19.28	19.14		0
	3	3	19.30	19.22	19.15		0
	6	0	19.26	19.24	19.10	0-1	0
16QAM	1	0	19.49	19.41	19.22	0-1	0
	1	2	19.69	19.45	19.29		0
	1	5	19.57	19.38	19.26		0
	3	0	19.40	19.34	19.33		0
	3	2	19.39	19.35	19.37		0
	3	3	19.41	19.38	19.33		0
	6	0	19.32	19.25	19.21	0-2	0
64QAM	1	0	19.46	19.36	19.24	0-2	0
	1	2	19.63	19.50	19.30		0
	1	5	19.60	19.45	19.22		0
	3	0	19.39	19.39	19.36		0
	3	2	19.41	19.40	19.32		0
	3	3	19.43	19.36	19.30		0
	6	0	19.31	19.28	19.23	0-3	0
256QAM	1	0	19.28	19.27	19.25	0-5	0
	1	2	19.36	19.34	19.40		0
	1	5	19.35	19.28	19.37		0
	3	0	19.32	19.31	19.24		0
	3	2	19.27	19.31	19.20		0
	3	3	19.25	19.18	19.10		0
	6	0	19.24	19.25	19.09	0	

F.1.1.10

Table F-20
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.16	19.04	18.97	0	0
	1	12	19.40	19.14	19.17		0
	1	24	19.13	19.03	18.94		0
	12	0	19.08	19.04	18.89	0-1	0
	12	6	19.20	19.17	19.00		0
	12	13	19.16	19.09	18.95		0
	25	0	19.15	19.12	18.87		0
16QAM	1	0	19.35	19.34	19.26	0-1	0
	1	12	19.49	19.45	19.42		0
	1	24	19.36	19.36	19.25		0
	12	0	19.16	19.08	18.93	0-2	0
	12	6	19.25	19.20	19.05		0
	12	13	19.23	19.14	19.01		0
	25	0	19.17	19.13	18.89		0
64QAM	1	0	19.28	19.34	19.25	0-2	0
	1	12	19.48	19.47	19.34		0
	1	24	19.38	19.31	19.22		0
	12	0	19.15	19.11	18.95	0-3	0
	12	6	19.27	19.22	19.05		0
	12	13	19.19	19.13	19.01		0
	25	0	19.19	19.13	18.89		0
256QAM	1	0	19.42	19.37	19.32	0-5	0
	1	12	19.46	19.49	19.31		0
	1	24	19.34	19.32	19.22		0
	12	0	19.14	19.04	18.92		0
	12	6	19.26	19.21	19.06		0
	12	13	19.25	19.16	18.99		0
	25	0	19.19	19.15	18.90		0

Table F-21
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.02	18.99	18.86	0	0
	1	7	19.13	19.08	18.97		0
	1	14	19.03	18.96	18.84		0
	8	0	19.14	19.07	18.97	0-1	0
	8	4	19.16	19.13	18.99		0
	8	7	19.13	19.09	18.92		0
	15	0	19.13	19.10	18.92		0
16QAM	1	0	19.45	19.24	19.04	0-1	0
	1	7	19.54	19.32	19.21		0
	1	14	19.41	19.18	19.11		0
	8	0	19.23	19.18	18.98	0-2	0
	8	4	19.26	19.24	19.05		0
	8	7	19.22	19.19	18.97		0
	15	0	19.15	19.09	18.95		0
64QAM	1	0	19.36	19.19	19.06	0-2	0
	1	7	19.56	19.31	19.18		0
	1	14	19.35	19.18	19.08		0
	8	0	19.21	19.18	18.99	0-3	0
	8	4	19.29	19.22	19.03		0
	8	7	19.22	19.15	18.98		0
	15	0	19.12	19.12	18.98		0
256QAM	1	0	19.40	19.25	19.09	0-5	0
	1	7	19.57	19.28	19.16		0
	1	14	19.40	19.27	19.10		0
	8	0	19.23	19.16	19.00		0
	8	4	19.25	19.23	19.03		0
	8	7	19.18	19.19	18.97		0
	15	0	19.14	19.09	18.95		0

Table F-22
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.04	19.06	18.93	0	0
	1	2	19.16	19.18	18.95		0
	1	5	19.12	19.13	18.90		0
	3	0	19.16	19.13	18.92		0
	3	2	19.18	19.08	18.93		0
	3	3	19.17	19.07	18.93		0
	6	0	19.11	19.07	18.89		0
16QAM	1	0	19.32	19.14	19.02	0-1	0
	1	2	19.51	19.36	19.02		0
	1	5	19.38	19.23	19.11		0
	3	0	19.27	19.24	19.10		0
	3	2	19.29	19.24	19.08		0
	3	3	19.30	19.18	19.14		0
	6	0	19.16	19.08	18.98		0
64QAM	1	0	19.36	19.18	19.12	0-2	0
	1	2	19.60	19.32	19.10		0
	1	5	19.48	19.26	19.12		0
	3	0	19.29	19.20	19.06		0
	3	2	19.30	19.18	19.16		0
	3	3	19.27	19.18	19.11		0
	6	0	19.25	19.14	18.97		0
256QAM	1	0	19.44	19.17	19.00	0-5	0
	1	2	19.47	19.30	19.11		0
	1	5	19.47	19.25	19.05		0
	3	0	19.28	19.19	19.15		0
	3	2	19.28	19.18	19.16		0
	3	3	19.24	19.19	19.07		0
	6	0	19.22	19.21	18.94		0

F.1.1.11 LTE Band 5

Table F-23
LTE Band 5 (Cell) Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.25	19.19	19.35	0	0
	1	12	19.53	19.39	19.53		0
	1	24	19.26	19.24	19.40		0
	12	0	19.11	19.11	19.28	0-1	0
	12	6	19.20	19.23	19.32		0
	12	13	19.20	19.18	19.38		0
	25	0	19.18	19.18	19.29		0
16QAM	1	0	19.38	19.23	19.61	0-1	0
	1	12	19.60	19.45	19.53		0
	1	24	19.46	19.27	19.66		0
	12	0	19.15	19.16	19.32	0-2	0
	12	6	19.27	19.27	19.34		0
	12	13	19.25	19.24	19.40		0
	25	0	19.22	19.21	19.32		0
64QAM	1	0	19.31	19.27	19.34	0-2	0
	1	12	19.33	19.52	19.51		0
	1	24	19.23	19.33	19.41		0
	12	0	19.14	19.19	19.33	0-3	0
	12	6	19.26	19.28	19.35		0
	12	13	19.23	19.24	19.41		0
	25	0	19.22	19.21	19.31		0
256QAM	1	0	19.03	19.16	19.23	0-5	0.2
	1	12	19.13	19.24	19.41		0.2
	1	24	19.10	19.26	19.34		0.2
	12	0	18.94	18.99	19.14		0.2
	12	6	19.08	19.09	19.15		0.2
	12	13	19.05	19.08	19.21		0.2
	25	0	18.99	19.07	19.14		0.2

Table F-24
LTE Band 5 (Cell) Measured P_{Limit} Antenna 2 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.01	19.17	19.35	0	0
	1	7	19.13	19.30	19.46		0
	1	14	18.98	19.16	19.38		0
	8	0	19.19	19.10	19.29	0-1	0
	8	4	19.22	19.20	19.40		0
	8	7	19.18	19.17	19.38		0
	15	0	19.18	19.16	19.27		0
16QAM	1	0	19.32	19.14	19.20	0-1	0
	1	7	19.41	19.27	19.39		0
	1	14	19.25	19.22	19.33		0
	8	0	19.23	19.17	19.34	0-2	0
	8	4	19.25	19.28	19.44		0
	8	7	19.23	19.25	19.40		0
	15	0	19.18	19.21	19.33		0
64QAM	1	0	19.24	19.18	19.32	0-2	0
	1	7	19.27	19.33	19.44		0
	1	14	19.21	19.31	19.46		0
	8	0	19.24	19.16	19.34	0-3	0
	8	4	19.25	19.26	19.45		0
	8	7	19.24	19.25	19.40		0
	15	0	19.15	19.22	19.28		0
256QAM	1	0	19.01	19.04	19.25	0-5	0.2
	1	7	19.26	19.21	19.30		0.2
	1	14	19.11	19.20	19.23		0.2
	8	0	18.92	19.02	19.10		0.2
	8	4	19.04	19.12	19.17		0.2
	8	7	18.99	19.07	19.21		0.2
	15	0	19.04	19.07	19.13		0.2

Table F-25
LTE Band 5 (Cell) Measured P_{Limit} Antenna 2 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.10	19.33	19.49	0	0
	1	2	19.15	19.38	19.51		0
	1	5	19.10	19.40	19.48		0
	3	0	19.17	19.22	19.39		0
	3	2	19.19	19.24	19.42		0
	3	3	19.19	19.22	19.40		0
	6	0	19.15	19.18	19.34	0-1	0
16QAM	1	0	19.35	19.21	19.39	0-1	0
	1	2	19.43	19.32	19.41		0
	1	5	19.35	19.22	19.29		0
	3	0	19.27	19.35	19.48		0
	3	2	19.22	19.32	19.50		0
	3	3	19.26	19.31	19.51		0
	6	0	19.25	19.23	19.39	0-2	0
64QAM	1	0	19.20	19.34	19.38	0-2	0
	1	2	19.15	19.32	19.47		0
	1	5	19.14	19.34	19.36		0
	3	0	19.31	19.34	19.54		0
	3	2	19.29	19.32	19.59		0
	3	3	19.29	19.41	19.57		0
	6	0	19.27	19.23	19.41	0-3	0
256QAM	1	0	19.01	19.11	19.33	0-5	0.2
	1	2	19.23	19.10	19.36		0.2
	1	5	19.16	19.07	19.32		0.2
	3	0	18.94	18.95	19.29		0.2
	3	2	18.97	19.00	19.27		0.2
	3	3	18.91	18.97	19.17		0.2
	6	0	19.02	19.05	19.15		0.2

F.1.1.12

Table F-26
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.34	19.21	19.37	0	0
	1	12	19.59	19.37	19.50		0
	1	24	19.36	19.22	19.34		0
	12	0	19.21	19.31	19.31	0-1	0
	12	6	19.31	19.42	19.34		0
	12	13	19.28	19.38	19.31		0
	25	0	19.29	19.30	19.30		0
16QAM	1	0	19.28	19.26	19.32	0-1	0
	1	12	19.51	19.58	19.45		0
	1	24	19.34	19.39	19.31		0
	12	0	19.21	19.33	19.30	0-2	0
	12	6	19.34	19.45	19.33		0
	12	13	19.31	19.40	19.30		0
	25	0	19.32	19.33	19.29		0
64QAM	1	0	19.23	19.46	19.37	0-2	0
	1	12	19.43	19.68	19.50		0
	1	24	19.29	19.48	19.34		0
	12	0	19.23	19.35	19.29	0-3	0
	12	6	19.32	19.46	19.33		0
	12	13	19.31	19.41	19.30		0
	25	0	19.30	19.33	19.29		0
256QAM	1	0	19.24	19.48	19.26	0-5	0
	1	12	19.44	19.72	19.39		0
	1	24	19.30	19.49	19.22		0
	12	0	19.22	19.32	19.32		0
	12	6	19.33	19.43	19.25		0
	12	13	19.31	19.39	19.31		0
	25	0	19.28	19.34	19.29		0

Table F-27
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.32	19.08	19.08	0	0
	1	7	19.44	19.19	19.21		0
	1	14	19.39	19.10	19.10		0
	8	0	19.34	19.21	19.22	0-1	0
	8	4	19.44	19.28	19.32		0
	8	7	19.42	19.28	19.29		0
	15	0	19.39	19.27	19.20		0
16QAM	1	0	19.32	19.13	19.13	0-1	0
	1	7	19.36	19.35	19.28		0
	1	14	19.22	19.14	19.16		0
	8	0	19.32	19.19	19.22	0-2	0
	8	4	19.45	19.31	19.32		0
	8	7	19.40	19.27	19.28		0
	15	0	19.39	19.28	19.22		0
64QAM	1	0	19.22	19.14	19.18	0-2	0
	1	7	19.34	19.29	19.27		0
	1	14	19.22	19.18	19.15		0
	8	0	19.33	19.22	19.21	0-3	0
	8	4	19.44	19.32	19.32		0
	8	7	19.39	19.27	19.29		0
	15	0	19.39	19.27	19.21		0
256QAM	1	0	19.31	19.08	19.08	0-5	0
	1	7	19.45	19.20	19.19		0
	1	14	19.33	19.12	19.10		0
	8	0	19.33	19.19	19.22		0
	8	4	19.47	19.29	19.28		0
	8	7	19.42	19.29	19.29		0
	15	0	19.38	19.28	19.19		0

Table F-28
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.14	19.47	19.19	0	0
	1	2	19.18	19.52	19.22		0
	1	5	19.13	19.51	19.18		0
	3	0	19.28	19.45	19.29		0
	3	2	19.27	19.46	19.31		0
	3	3	19.31	19.43	19.30		0
	6	0	19.22	19.35	19.26	0-1	0
16QAM	1	0	19.19	19.50	19.16	0-1	0
	1	2	19.21	19.54	19.20		0
	1	5	19.18	19.50	19.22		0
	3	0	19.30	19.43	19.33		0
	3	2	19.29	19.46	19.32		0
	3	3	19.34	19.44	19.34		0
	6	0	19.20	19.37	19.27	0-2	0
64QAM	1	0	19.21	19.51	19.20	0-2	0
	1	2	19.22	19.55	19.21		0
	1	5	19.19	19.53	19.22		0
	3	0	19.27	19.40	19.32		0
	3	2	19.29	19.49	19.31		0
	3	3	19.28	19.43	19.29		0
	6	0	19.19	19.39	19.27	0-3	0
256QAM	1	0	19.22	19.56	19.24	0-5	0
	1	2	19.19	19.49	19.23		0
	1	5	19.18	19.48	19.24		0
	3	0	19.28	19.44	19.29		0
	3	2	19.27	19.46	19.27		0
	3	3	19.31	19.44	19.28		0
	6	0	19.20	19.36	19.27		0

F.1.1.13 LTE Band 66

Table F-29
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.09	11.98	11.86	0	0
	1	36	12.17	12.01	12.02		0
	1	74	12.07	11.93	11.93		0
	36	0	12.16	11.99	12.03	0-1	0
	36	18	12.15	12.00	12.07		0
	36	37	12.08	11.96	12.10		0
	75	0	12.12	12.00	12.04		0
16QAM	1	0	12.31	12.17	12.28	0-1	0
	1	36	12.43	12.19	12.41		0
	1	74	12.37	12.31	12.15		0
	36	0	12.15	12.01	12.12	0-2	0
	36	18	12.15	11.98	12.13		0
	36	37	12.13	11.96	12.13		0
	75	0	12.15	11.97	12.10		0
64QAM	1	0	12.16	12.27	12.09	0-2	0
	1	36	12.19	12.15	12.24		0
	1	74	12.31	12.06	12.17		0
	36	0	12.13	12.02	12.05	0-3	0
	36	18	12.16	12.00	12.06		0
	36	37	12.09	11.99	12.09		0
	75	0	12.14	11.99	12.02		0
256QAM	1	0	11.93	12.22	12.10	0-5	0
	1	36	12.18	12.26	12.32		0
	1	74	11.98	12.20	12.26		0
	36	0	11.96	12.00	12.02		0
	36	18	12.05	12.09	12.03		0
	36	37	12.05	12.04	12.07		0
	75	0	12.04	12.06	12.03		0

Table F-30
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.11	12.11	12.12	0	0
	1	25	12.17	12.07	12.20		0
	1	49	12.11	12.06	12.15		0
	25	0	12.29	12.12	12.21	0-1	0
	25	12	12.34	12.16	12.21		0
	25	25	12.25	12.13	12.26		0
	50	0	12.31	12.13	12.21		0
16QAM	1	0	12.42	12.41	12.53	0-1	0
	1	25	12.37	12.51	12.50		0
	1	49	12.48	12.28	12.51		0
	25	0	12.34	12.15	12.21	0-2	0
	25	12	12.33	12.20	12.27		0
	25	25	12.33	12.16	12.33		0
	50	0	12.27	12.16	12.21		0
64QAM	1	0	12.43	12.26	12.39	0-2	0
	1	25	12.44	12.31	12.49		0
	1	49	12.43	12.32	12.48		0
	25	0	12.29	12.16	12.22	0-3	0
	25	12	12.27	12.16	12.23		0
	25	25	12.25	12.12	12.29		0
	50	0	12.30	12.14	12.22		0
256QAM	1	0	12.13	12.34	12.45	0-5	0
	1	25	12.37	12.39	12.43		0
	1	49	12.24	12.23	12.51		0
	25	0	12.16	12.25	12.20		0
	25	12	12.24	12.23	12.22		0
	25	25	12.17	12.25	12.24		0
	50	0	12.20	12.19	12.18		0

Table F-31
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.23	12.10	12.08	0	0
	1	12	12.33	12.20	12.22		0
	1	24	12.24	12.11	12.10		0
	12	0	12.25	12.10	12.27	0-1	0
	12	6	12.28	12.11	12.30		0
	12	13	12.27	12.11	12.29		0
	25	0	12.27	12.12	12.27		0
16QAM	1	0	12.41	12.46	12.39	0-1	0
	1	12	12.61	12.48	12.52		0
	1	24	12.43	12.47	12.51		0
	12	0	12.30	12.14	12.24	0-2	0
	12	6	12.34	12.22	12.32		0
	12	13	12.29	12.13	12.24		0
	25	0	12.30	12.18	12.25		0
64QAM	1	0	12.41	12.16	12.38	0-2	0
	1	12	12.41	12.24	12.51		0
	1	24	12.41	12.20	12.29		0
	12	0	12.27	12.09	12.29	0-3	0
	12	6	12.33	12.20	12.31		0
	12	13	12.21	12.12	12.25		0
	25	0	12.31	12.13	12.31		0
256QAM	1	0	12.27	12.17	12.34	0-5	0
	1	12	12.40	12.41	12.41		0
	1	24	12.29	12.22	12.35		0
	12	0	12.20	12.13	12.17		0
	12	6	12.16	12.25	12.24		0
	12	13	12.19	12.27	12.23		0
	25	0	12.15	12.22	12.21		0

Table F-32
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.17	12.01	12.07	0	0
	1	7	12.24	12.11	12.19		0
	1	14	12.16	12.03	12.07		0
	8	0	12.25	12.09	12.24	0-1	0
	8	4	12.33	12.12	12.28		0
	8	7	12.24	12.11	12.27		0
	15	0	12.27	12.12	12.25		0
16QAM	1	0	12.41	12.42	12.43	0-1	0
	1	7	12.46	12.21	12.45		0
	1	14	12.42	12.36	12.37		0
	8	0	12.34	12.24	12.29	0-2	0
	8	4	12.38	12.21	12.41		0
	8	7	12.34	12.14	12.28		0
	15	0	12.31	12.17	12.29		0
64QAM	1	0	12.46	12.16	12.25	0-2	0
	1	7	12.69	12.46	12.53		0
	1	14	12.42	12.24	12.24		0
	8	0	12.33	12.15	12.33	0-3	0
	8	4	12.30	12.21	12.40		0
	8	7	12.33	12.14	12.26		0
	15	0	12.27	12.13	12.28		0
256QAM	1	0	12.15	12.13	12.44	0-5	0
	1	7	12.39	12.48	12.63		0
	1	14	12.34	12.35	12.28		0
	8	0	12.19	12.20	12.28		0
	8	4	12.23	12.25	12.36		0
	8	7	12.22	12.21	12.20		0
	15	0	12.18	12.22	12.23		0

Table F-33
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.36	12.06	12.23	0	0
	1	2	12.39	12.13	12.26		0
	1	5	12.36	12.02	12.22		0
	3	0	12.28	12.13	12.27		0
	3	2	12.32	12.15	12.28		0
	3	3	12.28	12.12	12.26		0
	6	0	12.26	12.08	12.22	0-1	0
16QAM	1	0	12.53	12.40	12.39	0-1	0
	1	2	12.55	12.37	12.37		0
	1	5	12.43	12.33	12.31		0
	3	0	12.47	12.25	12.33		0
	3	2	12.44	12.32	12.42		0
	3	3	12.42	12.21	12.31		0
	6	0	12.39	12.25	12.33	0-2	0
64QAM	1	0	12.38	12.28	12.41	0-2	0
	1	2	12.48	12.29	12.54		0
	1	5	12.28	12.32	12.45		0
	3	0	12.42	12.31	12.29		0
	3	2	12.45	12.33	12.33		0
	3	3	12.45	12.28	12.35		0
	6	0	12.31	12.14	12.35	0-3	0
256QAM	1	0	12.39	12.46	12.35	0-5	0
	1	2	12.32	12.30	12.42		0
	1	5	12.36	12.45	12.23		0
	3	0	12.24	12.24	12.54		0
	3	2	12.31	12.24	12.42		0
	3	3	12.26	12.35	12.50		0
	6	0	12.15	12.23	12.28		0

F.1.1.14

Table F-34
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.45	14.43	14.19	0	0
	1	36	14.50	14.46	14.23		0
	1	74	14.51	14.41	14.04		0
	36	0	14.49	14.43	14.27	0-1	0
	36	18	14.60	14.51	14.30		0
	36	37	14.59	14.46	14.35		0
	75	0	14.55	14.48	14.26		0
16QAM	1	0	14.75	14.61	14.40	0-1	0
	1	36	14.69	14.70	14.24		0
	1	74	14.73	14.61	14.26		0
	36	0	14.51	14.45	14.27	0-2	0
	36	18	14.62	14.50	14.33		0
	36	37	14.58	14.50	14.39		0
	75	0	14.58	14.48	14.28		0
64QAM	1	0	14.64	14.60	14.35	0-2	0
	1	36	14.72	14.78	14.44		0
	1	74	14.64	14.68	14.29		0
	36	0	14.43	14.42	14.25	0-3	0
	36	18	14.50	14.47	14.32		0
	36	37	14.44	14.42	14.23		0
	75	0	14.49	14.49	14.22		0
256QAM	1	0	14.47	14.42	14.24	0-5	0
	1	36	14.70	14.55	14.36		0
	1	74	14.50	14.49	14.50		0
	36	0	14.35	14.38	14.21		0
	36	18	14.49	14.51	14.30		0
	36	37	14.47	14.41	14.26		0
	75	0	14.48	14.43	14.18		0

Table F-35
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.74	14.53	14.26	0	0
	1	25	14.81	14.54	14.29		0
	1	49	14.66	14.54	14.25		0
	25	0	14.60	14.61	14.36	0-1	0
	25	12	14.69	14.63	14.41		0
	25	25	14.67	14.60	14.40		0
	50	0	14.68	14.61	14.39		0
16QAM	1	0	14.98	14.55	14.76	0-1	0
	1	25	15.02	14.72	14.60		0
	1	49	15.06	14.74	14.39		0
	25	0	14.67	14.65	14.42	0-2	0
	25	12	14.75	14.67	14.44		0
	25	25	14.74	14.60	14.49		0
	50	0	14.67	14.61	14.41		0
64QAM	1	0	14.81	14.70	14.49	0-2	0
	1	25	14.84	14.93	14.63		0
	1	49	14.81	14.83	14.50		0
	25	0	14.48	14.51	14.32	0-3	0
	25	12	14.63	14.58	14.34		0
	25	25	14.62	14.55	14.37		0
	50	0	14.57	14.56	14.30		0
256QAM	1	0	14.62	14.60	14.47	0-5	0
	1	25	14.82	14.67	14.53		0
	1	49	14.73	14.60	14.50		0
	25	0	14.51	14.51	14.41		0
	25	12	14.63	14.64	14.36		0
	25	25	14.60	14.56	14.36		0
	50	0	14.58	14.56	14.32		0

Table F-36
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.56	14.48	14.48	0	0
	1	12	14.74	14.57	14.51		0
	1	24	14.61	14.44	14.43		0
	12	0	14.63	14.59	14.43	0-1	0
	12	6	14.71	14.62	14.44		0
	12	13	14.67	14.59	14.36		0
	25	0	14.63	14.58	14.43		0
16QAM	1	0	14.83	14.77	14.53	0-1	0
	1	12	14.99	14.79	14.69		0
	1	24	14.81	14.75	14.46		0
	12	0	14.70	14.65	14.51	0-2	0
	12	6	14.75	14.62	14.49		0
	12	13	14.73	14.63	14.46		0
	25	0	14.67	14.60	14.40		0
64QAM	1	0	14.56	14.76	14.51	0-2	0
	1	12	14.77	14.78	14.50		0
	1	24	14.72	14.64	14.23		0
	12	0	14.55	14.63	14.37	0-3	0
	12	6	14.58	14.66	14.43		0
	12	13	14.58	14.62	14.40		0
	25	0	14.56	14.58	14.34		0
256QAM	1	0	14.66	14.69	14.62	0-5	0
	1	12	14.85	14.89	14.70		0
	1	24	14.51	14.76	14.50		0
	12	0	14.53	14.63	14.38		0
	12	6	14.59	14.58	14.39		0
	12	13	14.51	14.58	14.32		0
	25	0	14.49	14.57	14.37		0

Table F-37
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.59	14.50	14.20	0	0
	1	7	14.77	14.58	14.31		0
	1	14	14.62	14.44	14.16		0
	8	0	14.63	14.57	14.37	0-1	0
	8	4	14.71	14.61	14.42		0
	8	7	14.65	14.58	14.36		0
	15	0	14.63	14.59	14.40		0
16QAM	1	0	14.87	14.74	14.35	0-1	0
	1	7	15.08	14.81	14.37		0
	1	14	14.86	14.72	14.30		0
	8	0	14.67	14.69	14.42	0-2	0
	8	4	14.78	14.69	14.48		0
	8	7	14.70	14.64	14.45		0
	15	0	14.69	14.61	14.46		0
64QAM	1	0	14.76	14.60	14.47	0-2	0
	1	7	14.63	14.89	14.56		0
	1	14	14.70	14.81	14.33		0
	8	0	14.66	14.64	14.35	0-3	0
	8	4	14.76	14.50	14.40		0
	8	7	14.63	14.57	14.41		0
	15	0	14.60	14.52	14.29		0
256QAM	1	0	14.64	14.54	14.58	0-5	0
	1	7	14.87	14.64	14.45		0
	1	14	14.60	14.51	14.44		0
	8	0	14.61	14.55	14.36		0
	8	4	14.57	14.65	14.33		0
	8	7	14.54	14.61	14.34		0
	15	0	14.48	14.55	14.34		0

Table F-38
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.74	14.51	14.47	0	0
	1	2	14.79	14.54	14.48		0
	1	5	14.77	14.55	14.47		0
	3	0	14.66	14.58	14.35		0
	3	2	14.66	14.55	14.34		0
	3	3	14.64	14.54	14.37		0
	6	0	14.59	14.56	14.33	0-1	0
16QAM	1	0	14.74	14.76	14.68	0-1	0
	1	2	14.84	14.88	14.78		0
	1	5	14.78	14.80	14.60		0
	3	0	14.83	14.64	14.50		0
	3	2	14.84	14.70	14.56		0
	3	3	14.84	14.76	14.53		0
	6	0	14.70	14.65	14.51	0-2	0
64QAM	1	0	14.77	14.72	14.53	0-2	0
	1	2	14.79	14.87	14.35		0
	1	5	14.71	14.63	14.52		0
	3	0	14.63	14.62	14.42		0
	3	2	14.68	14.67	14.34		0
	3	3	14.70	14.64	14.34		0
	6	0	14.59	14.53	14.27	0-3	0
256QAM	1	0	14.59	14.60	14.41	0-5	0
	1	2	14.73	14.80	14.41		0
	1	5	14.58	14.79	14.43		0
	3	0	14.54	14.69	14.49		0
	3	2	14.52	14.67	14.46		0
	3	3	14.53	14.67	14.47		0
	6	0	14.62	14.55	14.25		0

F.1.1.15

Table F-39
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.47	11.55	11.34	0	0
	1	36	11.50	11.48	11.39		0
	1	74	11.56	11.50	11.29		0
	36	0	11.46	11.48	11.41	0-1	0
	36	18	11.56	11.50	11.42		0
	36	37	11.57	11.47	11.47		0
	75	0	11.55	11.49	11.40		0
16QAM	1	0	11.72	11.74	11.66	0-1	0
	1	36	11.85	11.68	11.70		0
	1	74	11.81	11.68	11.65		0
	36	0	11.47	11.49	11.42	0-2	0
	36	18	11.57	11.52	11.43		0
	36	37	11.57	11.50	11.49		0
	75	0	11.55	11.53	11.41		0
64QAM	1	0	11.29	11.65	11.46	0-2	0
	1	36	11.54	11.59	11.41		0
	1	74	11.53	11.59	11.33		0
	36	0	11.29	11.40	11.31	0-3	0
	36	18	11.40	11.48	11.37		0
	36	37	11.43	11.43	11.38		0
	75	0	11.40	11.46	11.30		0
256QAM	1	0	11.26	11.53	11.42	0-5	0
	1	36	11.37	11.58	11.49		0
	1	74	11.54	11.60	11.51		0
	36	0	11.30	11.41	11.32		0
	36	18	11.41	11.46	11.37		0
	36	37	11.41	11.42	11.37		0
	75	0	11.40	11.45	11.30		0

Table F-40
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.45	11.60	11.52	0	0
	1	25	11.55	11.64	11.62		0
	1	49	11.54	11.53	11.64		0
	25	0	11.60	11.55	11.53	0-1	0
	25	12	11.65	11.60	11.56		0
	25	25	11.62	11.59	11.60		0
	50	0	11.63	11.63	11.54		0
16QAM	1	0	11.75	11.80	11.94	0-1	0
	1	25	11.84	11.83	11.91		0
	1	49	11.76	11.76	11.80		0
	25	0	11.66	11.57	11.52	0-2	0
	25	12	11.63	11.64	11.56		0
	25	25	11.70	11.62	11.61		0
	50	0	11.65	11.63	11.56		0
64QAM	1	0	11.55	11.75	11.55	0-2	0
	1	25	11.69	11.79	11.62		0
	1	49	11.64	11.76	11.53		0
	25	0	11.40	11.53	11.44	0-3	0
	25	12	11.52	11.58	11.45		0
	25	25	11.51	11.54	11.48		0
	50	0	11.48	11.59	11.42		0
256QAM	1	0	11.50	11.50	11.49	0-5	0
	1	25	11.67	11.49	11.65		0
	1	49	11.65	11.51	11.66		0
	25	0	11.41	11.53	11.41		0
	25	12	11.55	11.58	11.42		0
	25	25	11.52	11.57	11.48		0
	50	0	11.49	11.59	11.42		0

Table F-41
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.50	11.52	11.52	0	0
	1	12	11.66	11.63	11.62		0
	1	24	11.55	11.54	11.50		0
	12	0	11.56	11.60	11.58	0-1	0
	12	6	11.58	11.60	11.63		0
	12	13	11.60	11.59	11.61		0
	25	0	11.58	11.55	11.60		0
16QAM	1	0	11.87	11.85	11.76	0-1	0
	1	12	11.90	11.93	11.84		0
	1	24	11.79	11.88	11.84		0
	12	0	11.60	11.68	11.58	0-2	0
	12	6	11.65	11.70	11.61		0
	12	13	11.59	11.63	11.61		0
	25	0	11.60	11.59	11.60		0
64QAM	1	0	11.58	11.54	11.51	0-2	0
	1	12	11.70	11.80	11.61		0
	1	24	11.60	11.70	11.57		0
	12	0	11.43	11.58	11.46	0-3	0
	12	6	11.53	11.61	11.72		0
	12	13	11.50	11.54	11.46		0
	25	0	11.44	11.53	11.50		0
256QAM	1	0	11.44	11.56	11.59	0-5	0
	1	12	11.67	11.68	11.60		0
	1	24	11.61	11.66	11.49		0
	12	0	11.36	11.56	11.47		0
	12	6	11.55	11.60	11.51		0
	12	13	11.45	11.53	11.50		0
	25	0	11.45	11.53	11.50		0

Table F-42
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.41	11.48	11.44	0	0
	1	7	11.58	11.63	11.55		0
	1	14	11.48	11.50	11.45		0
	8	0	11.58	11.58	11.56	0-1	0
	8	4	11.59	11.60	11.63		0
	8	7	11.57	11.54	11.60		0
	15	0	11.58	11.57	11.57		0
16QAM	1	0	11.73	11.78	11.74	0-1	0
	1	7	11.87	11.89	11.88		0
	1	14	11.75	11.73	11.71		0
	8	0	11.64	11.67	11.60	0-2	0
	8	4	11.66	11.68	11.64		0
	8	7	11.64	11.64	11.65		0
	15	0	11.64	11.59	11.62		0
64QAM	1	0	11.54	11.67	11.51	0-2	0
	1	7	11.60	11.66	11.70		0
	1	14	11.48	11.64	11.55		0
	8	0	11.49	11.56	11.48	0-3	0
	8	4	11.52	11.60	11.51		0
	8	7	11.49	11.55	11.46		0
	15	0	11.44	11.56	11.45		0
256QAM	1	0	11.39	11.59	11.51	0-5	0
	1	7	11.54	11.79	11.65		0
	1	14	11.43	11.65	11.50		0
	8	0	11.45	11.54	11.48		0
	8	4	11.49	11.63	11.52		0
	8	7	11.46	11.58	11.52		0
	15	0	11.42	11.57	11.47		0

Table F-43
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.63	11.59	11.55	0	0
	1	2	11.64	11.63	11.56		0
	1	5	11.60	11.57	11.54		0
	3	0	11.57	11.53	11.57		0
	3	2	11.58	11.60	11.56		0
	3	3	11.57	11.58	11.58		0
	6	0	11.52	11.53	11.56	0-1	0
16QAM	1	0	11.74	11.90	11.71	0-1	0
	1	2	11.85	11.83	11.71		0
	1	5	11.75	11.73	11.70		0
	3	0	11.65	11.72	11.63		0
	3	2	11.72	11.77	11.64		0
	3	3	11.70	11.69	11.60		0
	6	0	11.64	11.61	11.64	0-2	0
64QAM	1	0	11.48	11.68	11.61	0-2	0
	1	2	11.59	11.70	11.56		0
	1	5	11.55	11.63	11.53		0
	3	0	11.52	11.62	11.49		0
	3	2	11.57	11.62	11.52		0
	3	3	11.53	11.66	11.51		0
	6	0	11.39	11.57	11.45	0-3	0
256QAM	1	0	11.57	11.62	11.36	0-5	0
	1	2	11.59	11.72	11.47		0
	1	5	11.63	11.69	11.45		0
	3	0	11.43	11.60	11.51		0
	3	2	11.43	11.62	11.50		0
	3	3	11.41	11.61	11.47		0
	6	0	11.42	11.60	11.43		0

F.1.1.16

Table F-44
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.49	14.42	14.23	0	0
	1	36	14.64	14.65	14.38		0
	1	74	14.55	14.53	14.17		0
	36	0	14.58	14.60	14.44	0-1	0
	36	18	14.66	14.64	14.50		0
	36	37	14.63	14.63	14.44		0
	75	0	14.59	14.60	14.44		0
16QAM	1	0	14.61	14.68	14.49	0-1	0
	1	36	14.68	14.88	14.54		0
	1	74	14.78	14.70	14.38		0
	36	0	14.49	14.67	14.51	0-2	0
	36	18	14.58	14.71	14.47		0
	36	37	14.59	14.68	14.57		0
	75	0	14.60	14.68	14.48		0
64QAM	1	0	14.68	14.87	14.43	0-2	0
	1	36	14.72	14.84	14.60		0
	1	74	14.70	14.78	14.50		0
	36	0	14.50	14.63	14.54	0-3	0
	36	18	14.58	14.71	14.50		0
	36	37	14.60	14.69	14.52		0
	75	0	14.56	14.67	14.48		0
256QAM	1	0	14.54	14.79	14.31	0-5	0
	1	36	14.72	14.97	14.48		0
	1	74	14.78	14.73	14.50		0
	36	0	14.50	14.63	14.53		0
	36	18	14.61	14.72	14.49		0
	36	37	14.57	14.66	14.59		0
	75	0	14.58	14.67	14.49		0

Table F-45
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.61	14.57	14.49	0	0
	1	25	14.70	14.62	14.51		0
	1	49	14.59	14.55	14.40		0
	25	0	14.50	14.60	14.59	0-1	0
	25	12	14.65	14.72	14.58		0
	25	25	14.61	14.62	14.65		0
	50	0	14.61	14.64	14.56		0
16QAM	1	0	14.90	14.96	14.75	0-1	0
	1	25	14.83	14.93	14.77		0
	1	49	14.80	14.99	14.78		0
	25	0	14.46	14.66	14.66	0-2	0
	25	12	14.56	14.77	14.64		0
	25	25	14.55	14.75	14.68		0
	50	0	14.52	14.75	14.57		0
64QAM	1	0	14.65	14.79	14.93	0-2	0
	1	25	14.70	15.06	14.94		0
	1	49	14.70	14.94	14.76		0
	25	0	14.47	14.67	14.63	0-3	0
	25	12	14.51	14.78	14.59		0
	25	25	14.51	14.72	14.65		0
	50	0	14.55	14.74	14.65		0
256QAM	1	0	14.64	14.93	14.67	0-5	0
	1	25	14.87	14.97	14.78		0
	1	49	14.75	14.96	14.66		0
	25	0	14.43	14.69	14.59		0
	25	12	14.60	14.75	14.62		0
	25	25	14.54	14.77	14.66		0
	50	0	14.56	14.72	14.60		0

Table F-46
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.49	14.52	14.60	0	0
	1	12	14.66	14.65	14.75		0
	1	24	14.56	14.56	14.63		0
	12	0	14.49	14.66	14.60	0-1	0
	12	6	14.63	14.68	14.65		0
	12	13	14.54	14.64	14.61		0
	25	0	14.58	14.67	14.57		0
16QAM	1	0	14.67	14.84	14.68	0-1	0
	1	12	14.77	15.02	14.91		0
	1	24	14.70	14.88	14.73		0
	12	0	14.49	14.73	14.70	0-2	0
	12	6	14.56	14.81	14.71		0
	12	13	14.53	14.75	14.70		0
	25	0	14.52	14.77	14.68		0
64QAM	1	0	14.63	14.83	14.83	0-2	0
	1	12	14.72	15.08	14.91		0
	1	24	14.75	14.80	14.65		0
	12	0	14.47	14.70	14.68	0-3	0
	12	6	14.60	14.79	14.68		0
	12	13	14.51	14.75	14.62		0
	25	0	14.52	14.77	14.61		0
256QAM	1	0	14.66	14.78	14.70	0-5	0
	1	12	14.76	14.91	14.84		0
	1	24	14.79	14.82	14.80		0
	12	0	14.48	14.64	14.64		0
	12	6	14.60	14.80	14.73		0
	12	13	14.53	14.74	14.66		0
	25	0	14.56	14.75	14.65		0

Table F-47
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.51	14.46	14.35	0	0
	1	7	14.73	14.62	14.48		0
	1	14	14.57	14.54	14.36		0
	8	0	14.57	14.68	14.61	0-1	0
	8	4	14.62	14.72	14.66		0
	8	7	14.57	14.68	14.57		0
	15	0	14.54	14.65	14.56		0
16QAM	1	0	14.70	14.75	14.76	0-1	0
	1	7	14.95	14.95	14.83		0
	1	14	14.70	14.83	14.70		0
	8	0	14.50	14.81	14.74	0-2	0
	8	4	14.65	14.85	14.78		0
	8	7	14.60	14.82	14.69		0
	15	0	14.51	14.72	14.69		0
64QAM	1	0	14.61	14.92	14.80	0-2	0
	1	7	14.89	15.20	14.94		0
	1	14	14.61	14.95	14.85		0
	8	0	14.49	14.85	14.71	0-3	0
	8	4	14.53	14.86	14.63		0
	8	7	14.47	14.79	14.70		0
	15	0	14.47	14.77	14.67		0
256QAM	1	0	14.53	14.64	14.74	0-5	0
	1	7	14.81	15.04	14.83		0
	1	14	14.58	14.85	14.76		0
	8	0	14.38	14.76	14.64		0
	8	4	14.60	14.83	14.69		0
	8	7	14.52	14.74	14.62		0
	15	0	14.52	14.72	14.61		0

Table F-48
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.62	14.63	14.64	0	0
	1	2	14.67	14.60	14.68		0
	1	5	14.65	14.64	14.63		0
	3	0	14.55	14.63	14.54		0
	3	2	14.56	14.62	14.54		0
	3	3	14.56	14.61	14.56		0
	6	0	14.53	14.64	14.53	0-1	0
16QAM	1	0	14.45	14.97	14.98	0-1	0
	1	2	14.65	14.99	14.97		0
	1	5	14.70	14.82	15.00		0
	3	0	14.68	14.79	14.75		0
	3	2	14.62	14.89	14.84		0
	3	3	14.67	14.91	14.88		0
	6	0	14.56	14.74	14.62	0-2	0
64QAM	1	0	14.69	14.88	14.93	0-2	0
	1	2	14.71	15.05	14.83		0
	1	5	14.71	14.88	14.91		0
	3	0	14.64	14.77	14.76		0
	3	2	14.61	14.94	14.76		0
	3	3	14.60	14.84	14.82		0
	6	0	14.57	14.75	14.52	0-3	0
256QAM	1	0	14.51	14.80	14.86	0-5	0
	1	2	14.66	14.90	14.82		0
	1	5	14.59	14.83	14.93		0
	3	0	14.51	14.61	14.71		0
	3	2	14.85	14.81	14.66		0
	3	3	14.50	14.74	14.58		0
	6	0	14.55	14.65	14.63	0	

F.1.1.17 LTE Band 25

Table F-49
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.70	11.62	11.64	0	0
	1	36	11.71	11.64	11.67		0
	1	74	11.73	11.62	11.53		0
	36	0	11.71	11.61	11.64	0-1	0
	36	18	11.72	11.70	11.71		0
	36	37	11.73	11.73	11.71		0
	75	0	11.70	11.68	11.75		0
16QAM	1	0	11.95	11.85	11.92	0-1	0
	1	36	11.89	11.92	11.95		0
	1	74	11.98	11.84	11.85		0
	36	0	11.72	11.66	11.69	0-2	0
	36	18	11.72	11.70	11.76		0
	36	37	11.74	11.75	11.74		0
	75	0	11.74	11.72	11.73		0
64QAM	1	0	11.68	11.96	11.84	0-2	0
	1	36	11.81	12.20	12.08		0
	1	74	11.76	12.15	11.81		0
	36	0	11.59	11.81	11.73	0-3	0
	36	18	11.70	11.91	11.72		0
	36	37	11.73	11.92	11.80		0
	75	0	11.64	11.85	11.68		0
256QAM	1	0	11.65	11.79	11.76	0-5	0
	1	36	11.75	12.07	11.90		0
	1	74	12.01	11.98	11.95		0
	36	0	11.60	11.81	11.73		0
	36	18	11.70	11.90	11.71		0
	36	37	11.69	11.87	11.76		0
	75	0	11.68	11.88	11.71		0

Table F-50
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.69	11.77	11.72	0	0
	1	25	11.81	11.79	11.74		0
	1	49	11.78	11.82	11.70		0
	25	0	11.84	11.68	11.76	0-1	0
	25	12	11.84	11.81	11.86		0
	25	25	11.84	11.82	11.81		0
	50	0	11.83	11.83	11.86		0
16QAM	1	0	11.99	12.00	12.06	0-1	0
	1	25	12.04	12.03	12.09		0
	1	49	12.02	11.98	12.03		0
	25	0	11.83	11.72	11.79	0-2	0
	25	12	11.87	11.84	11.89		0
	25	25	11.83	11.81	11.83		0
	50	0	11.84	11.85	11.84		0
64QAM	1	0	11.88	12.24	12.02	0-2	0
	1	25	12.06	12.32	12.17		0
	1	49	11.90	12.31	12.06		0
	25	0	11.68	12.00	11.78	0-3	0
	25	12	11.86	12.02	11.88		0
	25	25	11.84	12.02	11.85		0
	50	0	11.80	12.00	11.75		0
256QAM	1	0	11.74	12.12	11.87	0-5	0
	1	25	11.88	12.20	12.08		0
	1	49	11.89	12.13	11.89		0
	25	0	11.75	12.01	11.81		0
	25	12	11.81	12.03	11.88		0
	25	25	11.84	12.04	11.85		0
	50	0	11.83	12.02	11.80		0

Table F-51
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.79	11.73	11.78	0	0
	1	12	11.92	11.88	11.88		0
	1	24	11.82	11.80	11.80		0
	12	0	11.79	11.71	11.76	0-1	0
	12	6	11.83	11.83	11.77		0
	12	13	11.79	11.81	11.80		0
	25	0	11.79	11.77	11.76		0
16QAM	1	0	12.11	12.06	12.06	0-1	0
	1	12	12.17	12.20	12.23		0
	1	24	12.12	12.11	12.17		0
	12	0	11.85	11.76	11.79	0-2	0
	12	6	11.88	11.86	11.81		0
	12	13	11.86	11.83	11.83		0
	25	0	11.84	11.84	11.78		0
64QAM	1	0	11.81	12.15	12.11	0-2	0
	1	12	12.02	12.22	12.12		0
	1	24	12.09	12.16	11.89		0
	12	0	11.75	11.98	11.84	0-3	0
	12	6	11.82	12.00	11.83		0
	12	13	11.76	11.98	11.80		0
	25	0	11.78	12.01	11.86		0
256QAM	1	0	11.75	12.13	12.15	0-5	0
	1	12	12.08	12.24	12.19		0
	1	24	12.10	12.04	12.08		0
	12	0	11.76	12.01	11.88		0
	12	6	11.81	12.09	11.96		0
	12	13	11.78	12.05	11.87		0
	25	0	11.76	12.01	11.87		0

Table F-52
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.72	11.72	11.70	0	0
	1	7	11.86	11.85	11.82		0
	1	14	11.73	11.73	11.67		0
	8	0	11.83	11.79	11.82	0-1	0
	8	4	11.82	11.80	11.87		0
	8	7	11.82	11.81	11.78		0
	15	0	11.83	11.77	11.79		0
16QAM	1	0	11.98	11.97	12.05	0-1	0
	1	7	11.98	12.05	12.09		0
	1	14	11.96	11.98	11.97		0
	8	0	11.84	11.83	11.86	0-2	0
	8	4	11.90	11.87	11.96		0
	8	7	11.85	11.84	11.91		0
	15	0	11.84	11.76	11.84		0
64QAM	1	0	11.97	12.15	12.00	0-2	0
	1	7	12.08	12.45	12.15		0
	1	14	11.88	12.30	11.96		0
	8	0	11.84	12.01	11.83	0-3	0
	8	4	11.88	12.07	11.91		0
	8	7	11.83	12.00	11.87		0
	15	0	11.76	12.06	11.89		0
256QAM	1	0	11.82	12.07	11.79	0-5	0
	1	7	12.07	12.15	12.03		0
	1	14	11.95	12.09	11.72		0
	8	0	11.75	12.04	11.81		0
	8	4	11.84	12.09	11.92		0
	8	7	11.80	12.03	11.82		0
	15	0	11.76	12.02	11.82		0

Table F-53
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.79	11.77	11.82	0	0
	1	2	11.79	11.81	11.84		0
	1	5	11.76	11.76	11.84		0
	3	0	11.78	11.76	11.78		0
	3	2	11.79	11.78	11.82		0
	3	3	11.76	11.74	11.80		0
	6	0	11.73	11.75	11.68	0-1	0
16QAM	1	0	12.00	11.97	11.95	0-1	0
	1	2	11.96	11.95	11.96		0
	1	5	12.03	11.92	11.98		0
	3	0	11.87	11.84	11.91		0
	3	2	11.89	11.85	11.92		0
	3	3	11.84	11.88	11.93		0
	6	0	11.84	11.84	11.77	0-2	0
64QAM	1	0	11.99	12.21	12.14	0-2	0
	1	2	11.92	12.30	12.07		0
	1	5	11.96	12.14	12.00		0
	3	0	11.82	12.02	11.85		0
	3	2	11.95	12.13	11.81		0
	3	3	11.89	12.16	11.90		0
	6	0	11.76	11.93	11.90	0-3	0
256QAM	1	0	11.66	12.24	11.95	0-5	0
	1	2	11.87	12.10	11.93		0
	1	5	11.88	12.12	11.92		0
	3	0	11.67	11.98	11.90		0
	3	2	11.72	12.17	11.75		0
	3	3	11.79	12.13	11.70		0
	6	0	11.76	11.97	11.80		0

F.1.1.18

Table F-54
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.84	14.84	14.64	0	0
	1	36	14.82	14.86	14.67		0
	1	74	14.85	14.80	14.61		0
	36	0	14.84	14.78	14.64	0-1	0
	36	18	14.85	14.76	14.70		0
	36	37	14.83	14.83	14.69		0
	75	0	14.82	14.72	14.72		0
16QAM	1	0	14.94	14.86	14.73	0-1	0
	1	36	15.05	14.93	14.82		0
	1	74	15.04	14.73	14.68		0
	36	0	14.62	14.76	14.52	0-2	0
	36	18	14.71	14.75	14.52		0
	36	37	14.72	14.72	14.51		0
	75	0	14.72	14.74	14.53		0
64QAM	1	0	14.90	15.12	14.86	0-2	0
	1	36	15.14	15.19	14.74		0
	1	74	14.95	15.00	14.60		0
	36	0	14.79	14.91	14.63	0-3	0
	36	18	14.92	14.90	14.65		0
	36	37	14.88	14.85	14.61		0
	75	0	14.90	14.87	14.61		0
256QAM	1	0	14.90	14.83	14.66	0-5	0
	1	36	15.17	14.95	14.78		0
	1	74	15.13	14.75	14.67		0
	36	0	14.88	14.87	14.57		0
	36	18	14.89	14.89	14.61		0
	36	37	14.96	14.82	14.63		0
	75	0	14.88	14.87	14.63		0

Table F-55
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.89	14.86	14.71	0	0
	1	25	14.97	14.85	14.72		0
	1	49	14.97	14.84	14.69		0
	25	0	14.93	14.84	14.68	0-1	0
	25	12	14.97	14.86	14.70		0
	25	25	14.94	14.91	14.74		0
	50	0	14.94	14.82	14.68		0
16QAM	1	0	15.02	15.12	14.79	0-1	0
	1	25	15.03	15.09	14.74		0
	1	49	15.08	15.08	14.72		0
	25	0	14.84	14.84	14.56	0-2	0
	25	12	14.88	14.86	14.57		0
	25	25	14.86	14.84	14.54		0
	50	0	14.82	14.83	14.56		0
64QAM	1	0	15.20	15.39	14.96	0-2	0
	1	25	15.21	15.22	15.04		0
	1	49	15.29	15.24	14.80		0
	25	0	15.01	15.02	14.72	0-3	0
	25	12	15.08	15.04	14.73		0
	25	25	15.07	14.99	14.74		0
	50	0	15.05	15.00	14.71		0
256QAM	1	0	15.08	15.23	14.86	0-5	0
	1	25	15.37	15.23	14.66		0
	1	49	15.32	15.14	14.51		0
	25	0	14.97	15.06	14.70		0
	25	12	15.10	15.03	14.75		0
	25	25	15.06	14.99	14.71		0
	50	0	15.06	15.03	14.72		0

Table F-56
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.90	14.89	14.68	0	0
	1	12	15.01	14.98	14.80		0
	1	24	14.92	14.92	14.70		0
	12	0	14.91	14.85	14.75	0-1	0
	12	6	14.93	14.87	14.78		0
	12	13	14.93	14.91	14.71		0
	25	0	14.91	14.84	14.73		0
16QAM	1	0	15.08	15.09	14.83	0-1	0
	1	12	15.21	15.26	14.96		0
	1	24	14.99	15.11	14.78		0
	12	0	14.82	14.91	14.57	0-2	0
	12	6	14.85	14.93	14.59		0
	12	13	14.85	14.85	14.55		0
	25	0	14.78	14.82	14.52		0
64QAM	1	0	15.34	15.32	15.03	0-2	0
	1	12	15.33	15.28	14.86		0
	1	24	15.24	15.12	14.66		0
	12	0	15.05	15.08	14.72	0-3	0
	12	6	15.09	15.01	14.76		0
	12	13	15.06	15.02	14.71		0
	25	0	15.05	15.00	14.71		0
256QAM	1	0	14.91	15.25	14.75	0-5	0
	1	12	15.25	15.21	14.82		0
	1	24	15.29	15.02	14.78		0
	12	0	15.07	14.99	14.71		0
	12	6	15.07	15.06	14.73		0
	12	13	15.03	15.06	14.70		0
	25	0	15.04	15.01	14.72		0

Table F-57
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.83	14.82	14.59	0	0
	1	7	14.95	14.92	14.70		0
	1	14	14.87	14.80	14.60		0
	8	0	14.92	14.79	14.66	0-1	0
	8	4	14.94	14.89	14.69		0
	8	7	14.92	14.86	14.73		0
	15	0	14.91	14.79	14.63		0
16QAM	1	0	14.89	14.95	14.71	0-1	0
	1	7	15.02	15.07	14.83		0
	1	14	14.93	14.92	14.68		0
	8	0	14.80	14.87	14.51	0-2	0
	8	4	14.84	14.90	14.53		0
	8	7	14.79	14.85	14.54		0
	15	0	14.81	14.80	14.52		0
64QAM	1	0	15.19	15.19	14.78	0-2	0
	1	7	15.36	15.30	15.02		0
	1	14	15.28	15.12	14.81		0
	8	0	14.93	15.05	14.68	0-3	0
	8	4	15.05	15.11	14.74		0
	8	7	15.02	15.08	14.79		0
	15	0	15.02	15.06	14.68		0
256QAM	1	0	14.97	15.10	14.70	0-5	0
	1	7	15.21	15.13	14.98		0
	1	14	15.11	15.09	14.75		0
	8	0	15.04	15.02	14.74		0
	8	4	15.11	15.09	14.71		0
	8	7	15.06	15.01	14.66		0
	15	0	15.07	15.03	14.70		0

Table F-58
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	14.86	14.94	14.81	0	0
	1	2	14.93	14.90	14.80		0
	1	5	14.90	14.86	14.76		0
	3	0	14.93	14.84	14.73		0
	3	2	14.91	14.83	14.71		0
	3	3	14.89	14.89	14.72		0
	6	0	14.90	14.86	14.68	0-1	0
16QAM	1	0	14.95	14.96	14.73	0-1	0
	1	2	15.00	15.06	14.70		0
	1	5	14.91	15.01	14.73		0
	3	0	14.89	14.90	14.60		0
	3	2	14.93	14.96	14.56		0
	3	3	14.88	14.98	14.61		0
	6	0	14.79	14.79	14.56	0-2	0
64QAM	1	0	15.06	15.34	15.01	0-2	0
	1	2	15.44	15.31	15.06		0
	1	5	15.40	15.29	15.07		0
	3	0	15.07	15.21	14.83		0
	3	2	15.13	15.13	14.90		0
	3	3	15.21	15.13	14.84		0
	6	0	15.11	15.08	14.74	0-3	0
256QAM	1	0	15.05	15.19	14.76	0-5	0
	1	2	15.11	15.25	14.87		0
	1	5	15.18	15.02	14.99		0
	3	0	14.96	15.26	14.62		0
	3	2	15.10	15.28	14.59		0
	3	3	15.05	15.19	14.56		0
	6	0	15.05	15.05	14.60		0

F.1.1.19

Table F-59
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.82	11.84	11.71	0	0
	1	36	11.80	11.88	11.78		0
	1	74	11.85	11.85	11.69		0
	36	0	11.75	11.78	11.79	0-1	0
	36	18	11.80	11.89	11.81		0
	36	37	11.84	11.87	11.88		0
	75	0	11.82	11.87	11.80		0
16QAM	1	0	11.90	11.91	12.08	0-1	0
	1	36	11.87	11.93	12.17		0
	1	74	11.89	11.85	12.14		0
	36	0	11.60	11.67	11.86	0-2	0
	36	18	11.68	11.68	11.88		0
	36	37	11.68	11.77	11.99		0
	75	0	11.65	11.71	11.86		0
64QAM	1	0	11.83	12.01	12.21	0-2	0
	1	36	12.00	11.96	12.44		0
	1	74	12.07	12.03	12.16		0
	36	0	11.72	11.78	12.00	0-3	0
	36	18	11.77	11.80	12.13		0
	36	37	11.80	11.89	12.13		0
	75	0	11.77	11.79	12.10		0
256QAM	1	0	11.85	11.98	12.13	0-5	0
	1	36	11.96	12.13	12.17		0
	1	74	11.93	12.08	12.13		0
	36	0	11.68	11.80	12.01		0
	36	18	11.76	11.83	12.13		0
	36	37	11.75	11.92	12.15		0
	75	0	11.75	11.82	12.11		0

Table F-60
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.80	11.92	11.84	0	0
	1	25	11.88	11.96	11.89		0
	1	49	11.86	11.94	11.88		0
	25	0	11.86	11.98	11.85	0-1	0
	25	12	11.98	12.01	11.97		0
	25	25	11.93	11.98	12.00		0
	50	0	11.94	11.99	11.96		0
16QAM	1	0	11.90	12.10	12.32	0-1	0
	1	25	11.90	12.11	12.33		0
	1	49	11.96	12.02	12.31		0
	25	0	11.70	11.80	12.00	0-2	0
	25	12	11.82	11.92	12.05		0
	25	25	11.79	11.92	12.11		0
	50	0	11.78	11.93	12.02		0
64QAM	1	0	11.93	11.90	12.17	0-2	0
	1	25	12.04	12.05	12.43		0
	1	49	11.95	11.96	12.17		0
	25	0	11.64	11.71	11.99	0-3	0
	25	12	11.80	11.74	12.09		0
	25	25	11.74	11.84	12.07		0
	50	0	11.73	11.72	12.06		0
256QAM	1	0	11.87	11.87	12.17	0-5	0
	1	25	11.86	11.82	12.15		0
	1	49	11.95	11.97	12.32		0
	25	0	11.65	11.70	11.96		0
	25	12	11.78	11.78	12.09		0
	25	25	11.75	11.82	12.06		0
	50	0	11.71	11.74	12.01		0

Table F-61
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.89	11.90	11.89	0	0
	1	12	12.00	12.00	11.96		0
	1	24	11.92	11.94	11.95		0
	12	0	11.83	11.91	11.88	0-1	0
	12	6	11.93	11.99	11.91		0
	12	13	11.90	11.93	11.98		0
	25	0	11.90	11.97	11.88		0
16QAM	1	0	11.93	12.11	12.29	0-1	0
	1	12	12.10	12.20	12.44		0
	1	24	12.06	12.17	12.38		0
	12	0	11.85	11.79	12.02	0-2	0
	12	6	11.84	11.96	12.07		0
	12	13	11.79	11.97	12.10		0
	25	0	11.79	11.88	12.11		0
64QAM	1	0	11.83	11.87	12.12	0-2	0
	1	12	11.94	12.00	12.30		0
	1	24	11.90	11.76	12.19		0
	12	0	11.76	11.74	11.97	0-3	0
	12	6	11.84	11.77	12.12		0
	12	13	11.74	11.81	12.08		0
	25	0	11.70	11.68	12.07		0
256QAM	1	0	11.84	11.80	12.07	0-5	0
	1	12	12.03	12.03	12.45		0
	1	24	11.95	11.98	12.35		0
	12	0	11.79	11.73	11.99		0
	12	6	11.77	11.80	12.12		0
	12	13	11.73	11.79	12.10		0
	25	0	11.72	11.73	12.10		0

Table F-62
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.79	11.86	11.83	0	0
	1	7	11.92	11.97	11.94		0
	1	14	11.82	11.85	11.83		0
	8	0	11.92	11.91	11.94	0-1	0
	8	4	11.92	11.97	12.02		0
	8	7	11.91	11.95	11.94		0
	15	0	11.92	11.93	11.96		0
16QAM	1	0	11.85	11.99	12.29	0-1	0
	1	7	12.00	12.13	12.35		0
	1	14	11.93	12.02	12.32		0
	8	0	11.80	11.86	12.06	0-2	0
	8	4	11.86	11.92	12.10		0
	8	7	11.81	11.92	12.10		0
	15	0	11.77	11.90	12.05		0
64QAM	1	0	11.84	12.05	12.25	0-2	0
	1	7	12.02	12.05	12.30		0
	1	14	11.78	12.15	11.99		0
	8	0	11.65	11.80	12.01	0-3	0
	8	4	11.82	11.78	12.10		0
	8	7	11.62	11.94	12.11		0
	15	0	11.69	11.74	11.98		0
256QAM	1	0	11.69	11.82	12.10	0-5	0
	1	7	11.97	11.95	12.25		0
	1	14	11.88	11.86	12.23		0
	8	0	11.71	11.70	11.97		0
	8	4	11.78	11.75	12.10		0
	8	7	11.72	11.82	12.12		0
	15	0	11.73	11.68	11.98		0

Table F-63
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.84	11.93	11.97	0	0
	1	2	11.87	11.96	12.00		0
	1	5	11.88	11.93	11.98		0
	3	0	11.85	11.94	11.95		0
	3	2	11.89	11.89	11.94		0
	3	3	11.89	11.90	11.93		0
	6	0	11.83	11.88	11.90	0-1	0
16QAM	1	0	11.83	12.03	12.27	0-1	0
	1	2	11.91	12.05	12.25		0
	1	5	11.87	12.02	12.25		0
	3	0	11.85	11.98	12.12		0
	3	2	11.87	12.01	12.19		0
	3	3	11.86	12.00	12.17		0
	6	0	11.80	11.86	12.05	0-2	0
64QAM	1	0	11.91	12.05	12.29	0-2	0
	1	2	11.99	12.12	12.21		0
	1	5	11.79	12.12	12.30		0
	3	0	11.89	12.01	12.08		0
	3	2	11.90	11.95	12.19		0
	3	3	11.90	11.93	12.14		0
	6	0	11.70	11.82	12.01	0-3	0
256QAM	1	0	11.71	11.99	12.10	0-5	0
	1	2	11.97	11.99	12.24		0
	1	5	11.77	11.95	12.28		0
	3	0	11.73	12.08	12.09		0
	3	2	11.76	12.13	12.04		0
	3	3	11.79	12.13	12.19		0
	6	0	11.77	11.79	12.02		0

F.1.20

Table F-64
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.19	13.29	13.23	0	0
	1	36	13.18	13.28	13.15		0
	1	74	13.20	13.23	13.11		0
	36	0	13.29	13.26	13.22	0-1	0
	36	18	13.28	13.26	13.23		0
	36	37	13.25	13.28	13.25		0
	75	0	13.27	13.24	13.18		0
16QAM	1	0	13.49	13.48	13.46	0-1	0
	1	36	13.48	13.49	13.48		0
	1	74	13.46	13.45	13.44		0
	36	0	13.31	13.28	13.23	0-2	0
	36	18	13.32	13.23	13.24		0
	36	37	13.26	13.24	13.27		0
	75	0	13.27	13.22	13.18		0
64QAM	1	0	13.12	13.18	13.19	0-2	0
	1	36	13.10	13.28	13.22		0
	1	74	13.26	13.29	13.23		0
	36	0	12.90	12.97	13.01	0-3	0
	36	18	13.10	13.01	13.01		0
	36	37	13.09	13.05	13.05		0
	75	0	13.07	13.04	13.01		0
256QAM	1	0	13.11	13.17	13.15	0-5	0
	1	36	13.29	13.31	13.18		0
	1	74	13.22	13.08	13.29		0
	36	0	12.97	13.01	13.00		0
	36	18	13.07	13.05	13.04		0
	36	37	13.06	13.05	13.07		0
	75	0	13.04	13.07	12.98		0

Table F-65
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.68	12.80	12.79	0	0
	1	25	12.78	12.86	12.80		0
	1	49	12.76	12.84	12.79		0
	25	0	12.78	12.77	12.76	0-1	0
	25	12	12.79	12.78	12.84		0
	25	25	12.81	12.87	12.89		0
	50	0	12.79	12.80	12.83		0
16QAM	1	0	12.93	13.06	13.10	0-1	0
	1	25	13.03	13.10	13.14		0
	1	49	13.01	13.06	13.11		0
	25	0	12.80	12.85	12.78	0-2	0
	25	12	12.86	12.86	12.81		0
	25	25	12.85	12.92	12.85		0
	50	0	12.80	12.78	12.77		0
64QAM	1	0	13.42	13.49	13.29	0-2	0
	1	25	13.47	13.48	13.49		0
	1	49	13.44	13.48	13.41		0
	25	0	13.12	13.15	13.15	0-3	0
	25	12	13.23	13.26	13.19		0
	25	25	13.22	13.21	13.20		0
	50	0	13.22	13.18	13.15		0
256QAM	1	0	13.31	13.13	13.21	0-5	0
	1	25	13.49	13.43	13.35		0
	1	49	13.37	13.26	13.32		0
	25	0	13.13	13.15	13.09		0
	25	12	13.20	13.26	13.13		0
	25	25	13.23	13.22	13.20		0
	50	0	13.18	13.23	13.13		0

Table F-66
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.72	12.79	12.83	0	0
	1	12	12.87	12.89	12.91		0
	1	24	12.80	12.86	12.88		0
	12	0	12.77	12.78	12.80	0-1	0
	12	6	12.82	12.81	12.92		0
	12	13	12.78	12.85	12.90		0
	25	0	12.76	12.75	12.89		0
16QAM	1	0	13.04	13.11	13.18	0-1	0
	1	12	13.14	13.24	13.30		0
	1	24	13.06	13.17	13.15		0
	12	0	12.82	12.83	12.80	0-2	0
	12	6	12.86	12.86	12.95		0
	12	13	12.84	12.93	12.87		0
	25	0	12.79	12.79	12.87		0
64QAM	1	0	13.20	13.28	13.47	0-2	0
	1	12	13.47	13.34	13.41		0
	1	24	13.43	13.38	13.48		0
	12	0	13.17	13.05	13.14	0-3	0
	12	6	13.23	13.22	13.23		0
	12	13	13.20	13.22	13.26		0
	25	0	13.12	13.14	13.13		0
256QAM	1	0	13.13	13.19	13.24	0-5	0
	1	12	13.41	13.35	13.21		0
	1	24	13.43	13.38	13.32		0
	12	0	13.16	13.11	13.13		0
	12	6	13.21	13.25	13.16		0
	12	13	13.17	13.20	13.22		0
	25	0	13.15	13.16	13.14		0

Table F-67
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.65	12.74	12.77	0	0
	1	7	12.77	12.87	12.83		0
	1	14	12.69	12.77	12.75		0
	8	0	12.79	12.77	12.82	0-1	0
	8	4	12.80	12.78	12.94		0
	8	7	12.78	12.87	12.86		0
	15	0	12.81	12.77	12.88		0
16QAM	1	0	12.97	13.06	13.11	0-1	0
	1	7	13.03	13.05	13.18		0
	1	14	12.94	13.03	13.09		0
	8	0	12.86	12.83	12.83	0-2	0
	8	4	12.84	12.88	12.99		0
	8	7	12.82	12.89	12.92		0
	15	0	12.80	12.79	12.90		0
64QAM	1	0	13.20	13.34	13.39	0-2	0
	1	7	13.32	13.48	13.41		0
	1	14	13.14	13.48	13.45		0
	8	0	13.20	13.15	13.13	0-3	0
	8	4	13.23	13.32	13.24		0
	8	7	13.17	13.29	13.25		0
	15	0	13.20	13.22	13.19		0
256QAM	1	0	13.20	13.23	13.20	0-5	0
	1	7	13.34	13.35	13.45		0
	1	14	13.25	13.25	13.24		0
	8	0	13.13	13.17	13.15		0
	8	4	13.22	13.28	13.19		0
	8	7	13.20	13.19	13.18		0
	15	0	13.14	13.16	13.17		0

Table F-68
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.66	12.94	12.85	0	0
	1	2	12.72	12.84	12.93		0
	1	5	12.70	12.83	12.90		0
	3	0	12.74	12.76	12.79		0
	3	2	12.73	12.83	12.88		0
	3	3	12.73	12.81	12.85		0
	6	0	12.70	12.71	12.74	0-1	0
16QAM	1	0	12.91	12.98	13.03	0-1	0
	1	2	13.02	13.08	13.04		0
	1	5	13.50	13.05	13.01		0
	3	0	12.82	12.92	12.92		0
	3	2	12.81	12.91	12.92		0
	3	3	12.85	12.99	12.90		0
	6	0	12.78	12.75	12.81	0-2	0
64QAM	1	0	13.41	13.49	13.42	0-2	0
	1	2	13.49	13.47	13.43		0
	1	5	13.41	13.48	13.44		0
	3	0	13.40	13.30	13.39		0
	3	2	13.27	13.30	13.42		0
	3	3	13.24	13.36	13.37		0
	6	0	13.23	13.20	13.24	0-3	0
256QAM	1	0	13.28	13.34	13.41	0-5	0
	1	2	13.44	13.37	13.49		0
	1	5	13.40	13.39	13.49		0
	3	0	13.39	13.13	13.27		0
	3	2	13.42	13.22	13.19		0
	3	3	13.29	13.22	13.27		0
	6	0	13.18	13.23	13.24		0

F.1.1.21 LTE Band 30

Table F-69
LTE Band 30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	11.89	0	0
	1	12	11.99		0
	1	24	11.86		0
	12	0	11.83	0-1	0
	12	6	11.86		0
	12	13	11.84		0
	25	0	11.84		0
16QAM	1	0	12.03	0-1	0
	1	12	12.14		0
	1	24	12.00		0
	12	0	11.86	0-2	0
	12	6	11.91		0
	12	13	11.87		0
	25	0	11.83		0
64QAM	1	0	11.90	0-2	0
	1	12	12.03		0
	1	24	11.98		0
	12	0	11.85	0-3	0
	12	6	11.91		0
	12	13	11.85		0
	25	0	11.88		0
256QAM	1	0	11.87	0-5	0
	1	12	12.03		0
	1	24	11.87		0
	12	0	11.73		0
	12	6	11.85		0
	12	13	11.75		0
	25	0	11.70		0

F.1.22

Table F-70
LTE Band 30 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	12.07	0	0
	1	12	12.05		0
	1	24	11.99		0
	12	0	12.04	0-1	0
	12	6	12.05		0
	12	13	12.04		0
	25	0	12.03		0
16QAM	1	0	12.12	0-1	0
	1	12	12.18		0
	1	24	12.08		0
	12	0	11.98	0-2	0
	12	6	12.00		0
	12	13	11.98		0
	25	0	11.90		0
64QAM	1	0	12.05	0-2	0
	1	12	12.11		0
	1	24	12.01		0
	12	0	12.02	0-3	0
	12	6	12.04		0
	12	13	12.00		0
	25	0	11.88		0
256QAM	1	0	12.11	0-5	0
	1	12	12.22		0
	1	24	12.06		0
	12	0	11.90		0
	12	6	11.98		0
	12	13	11.94		0
	25	0	11.91		0

F.1.23

Table F-71
LTE Band 30 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	12.25	0	0
	1	12	12.30		0
	1	24	12.22		0
	12	0	12.28	0-1	0
	12	6	12.31		0
	12	13	12.26		0
	25	0	12.24		0
16QAM	1	0	12.43	0-1	0
	1	12	12.51		0
	1	24	12.44		0
	12	0	12.46	0-2	0
	12	6	12.48		0
	12	13	12.43		0
	25	0	12.24		0
64QAM	1	0	12.42	0-2	0
	1	12	12.53		0
	1	24	12.37		0
	12	0	12.30	0-3	0
	12	6	12.37		0
	12	13	12.31		0
	25	0	12.29		0
256QAM	1	0	12.32	0-5	0
	1	12	12.47		0
	1	24	12.35		0
	12	0	12.32		0
	12	6	12.40		0
	12	13	12.36		0
	25	0	12.34		0

F.1.24

Table F-72
LTE Band 30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	13.02	0	0
	1	12	13.09		0
	1	24	13.03		0
	12	0	12.93	0-1	0
	12	6	13.00		0
	12	13	12.97		0
	25	0	12.98		0
16QAM	1	0	12.99	0-1	0
	1	12	13.04		0
	1	24	12.99		0
	12	0	12.89	0-2	0
	12	6	12.92		0
	12	13	12.88		0
	25	0	12.79		0
64QAM	1	0	12.97	0-2	0
	1	12	13.03		0
	1	24	12.91		0
	12	0	12.82	0-3	0
	12	6	12.82		0
	12	13	12.80		0
	25	0	12.75		0
256QAM	1	0	13.01	0-5	0
	1	12	13.06		0
	1	24	12.97		0
	12	0	12.82		0
	12	6	12.85		0
	12	13	12.79		0
	25	0	12.78		0

F.1.25 LTE Band 7

Table F-73
LTE Band 7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.89	11.79	11.77	0	0
	1	36	11.95	11.79	11.77		0
	1	74	11.84	11.78	11.73		0
	36	0	11.93	11.85	11.89	0-1	0
	36	18	11.88	11.85	11.90		0
	36	37	11.84	11.81	11.95		0
	75	0	11.85	11.81	11.90		0
16QAM	1	0	12.17	11.91	12.04	0-1	0
	1	36	12.16	12.01	12.12		0
	1	74	12.08	11.91	12.15		0
	36	0	11.92	11.83	11.90	0-2	0
	36	18	11.89	11.86	11.91		0
	36	37	11.86	11.87	11.96		0
	75	0	11.91	11.83	11.94		0
64QAM	1	0	12.12	12.00	12.00	0-2	0
	1	36	12.25	11.99	12.18		0
	1	74	12.11	11.92	12.08		0
	36	0	11.94	11.86	11.90	0-3	0
	36	18	11.90	11.86	11.94		0
	36	37	11.89	11.83	11.95		0
	75	0	11.90	11.85	11.94		0
256QAM	1	0	12.11	11.89	12.09	0-5	0
	1	36	12.17	11.96	12.17		0
	1	74	12.14	12.00	12.04		0
	36	0	11.94	11.85	11.88		0
	36	18	11.93	11.86	11.90		0
	36	37	11.90	11.85	11.95		0
	75	0	11.89	11.87	11.93		0

Table F-74
LTE Band 7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.99	12.00	11.96	0	0
	1	25	12.03	11.98	12.02		0
	1	49	11.93	11.94	12.00		0
	25	0	12.07	11.99	12.05	0-1	0
	25	12	12.04	11.99	12.11		0
	25	25	12.02	11.94	12.06		0
	50	0	12.00	11.97	12.08		0
16QAM	1	0	12.24	12.20	12.29	0-1	0
	1	25	12.20	12.17	12.28		0
	1	49	12.28	12.15	12.31		0
	25	0	12.12	11.99	12.10	0-2	0
	25	12	12.10	12.00	12.12		0
	25	25	12.10	12.05	12.09		0
	50	0	12.03	11.97	12.10		0
64QAM	1	0	12.27	12.24	12.30	0-2	0
	1	25	12.30	12.17	12.16		0
	1	49	12.20	12.12	12.15		0
	25	0	12.14	11.97	12.11	0-3	0
	25	12	12.06	12.01	12.12		0
	25	25	12.07	12.02	12.10		0
	50	0	11.99	11.97	12.09		0
256QAM	1	0	12.18	12.20	12.31	0-5	0
	1	25	12.30	12.18	12.18		0
	1	49	12.22	12.16	12.30		0
	25	0	12.15	12.01	12.11		0
	25	12	12.05	12.04	12.12		0
	25	25	12.06	12.03	12.15		0
	50	0	12.00	11.96	12.11		0

Table F-75
LTE Band 7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.99	11.94	12.01	0	0
	1	12	12.15	12.01	12.05		0
	1	24	11.98	11.99	12.04		0
	12	0	12.05	11.91	12.05	0-1	0
	12	6	12.08	11.98	12.08		0
	12	13	12.03	11.95	12.06		0
	25	0	12.06	11.92	12.07		0
16QAM	1	0	12.32	12.23	12.26	0-1	0
	1	12	12.28	12.33	12.21		0
	1	24	12.33	12.29	12.19		0
	12	0	12.08	12.02	12.06	0-2	0
	12	6	12.11	12.05	12.11		0
	12	13	12.10	12.00	12.11		0
	25	0	12.09	12.01	12.10		0
64QAM	1	0	12.31	12.30	12.33	0-2	0
	1	12	12.23	12.33	12.30		0
	1	24	12.18	12.32	12.22		0
	12	0	12.14	12.03	12.08	0-3	0
	12	6	12.16	12.02	12.11		0
	12	13	12.13	12.03	12.05		0
	25	0	12.08	12.00	12.10		0
256QAM	1	0	12.17	12.25	12.18	0-5	0
	1	12	12.18	12.30	12.34		0
	1	24	12.15	12.32	12.24		0
	12	0	12.07	12.04	12.09		0
	12	6	12.16	12.04	12.12		0
	12	13	12.13	12.01	12.08		0
	25	0	12.08	12.01	12.10		0

F.1.26

Table F-76
LTE Band 7 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.50	11.35	11.20	0	0
	1	36	11.56	11.36	11.24		0
	1	74	11.44	11.32	11.21		0
	36	0	11.56	11.44	11.37	0-1	0
	36	18	11.52	11.42	11.37		0
	36	37	11.49	11.35	11.31		0
	75	0	11.48	11.39	11.37		0
16QAM	1	0	11.78	11.51	11.46	0-1	0
	1	36	11.70	11.54	11.62		0
	1	74	11.77	11.49	11.48		0
	36	0	11.55	11.41	11.36	0-2	0
	36	18	11.50	11.43	11.40		0
	36	37	11.49	11.35	11.34		0
	75	0	11.49	11.39	11.39		0
64QAM	1	0	11.58	11.60	11.41	0-2	0
	1	36	11.73	11.57	11.47		0
	1	74	11.63	11.56	11.43		0
	36	0	11.57	11.41	11.37	0-3	0
	36	18	11.50	11.39	11.40		0
	36	37	11.48	11.37	11.31		0
	75	0	11.47	11.39	11.35		0
256QAM	1	0	11.65	11.48	11.41	0-5	0
	1	36	11.63	11.51	11.46		0
	1	74	11.63	11.43	11.45		0
	36	0	11.52	11.37	11.39		0
	36	18	11.47	11.40	11.39		0
	36	37	11.46	11.36	11.33		0
	75	0	11.50	11.39	11.37		0

Table F-77
LTE Band 7 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.56	11.49	11.38	0	0
	1	25	11.63	11.54	11.43		0
	1	49	11.57	11.50	11.40		0
	25	0	11.70	11.53	11.52	0-1	0
	25	12	11.68	11.56	11.51		0
	25	25	11.65	11.56	11.45		0
	50	0	11.58	11.52	11.48		0
16QAM	1	0	11.77	11.72	11.69	0-1	0
	1	25	11.81	11.78	11.74		0
	1	49	11.79	11.68	11.79		0
	25	0	11.72	11.59	11.52	0-2	0
	25	12	11.67	11.57	11.56		0
	25	25	11.66	11.56	11.48		0
	50	0	11.61	11.54	11.49		0
64QAM	1	0	11.78	11.64	11.70	0-2	0
	1	25	11.88	11.77	11.79		0
	1	49	11.78	11.69	11.60		0
	25	0	11.71	11.52	11.53	0-3	0
	25	12	11.68	11.56	11.53		0
	25	25	11.67	11.54	11.46		0
	50	0	11.60	11.57	11.49		0
256QAM	1	0	11.81	11.61	11.67	0-5	0
	1	25	11.71	11.62	11.65		0
	1	49	11.68	11.54	11.49		0
	25	0	11.68	11.52	11.47		0
	25	12	11.66	11.57	11.52		0
	25	25	11.63	11.55	11.42		0
	50	0	11.62	11.52	11.49		0

Table F-78
LTE Band 7 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.64	11.50	11.42	0	0
	1	12	11.72	11.54	11.53		0
	1	24	11.64	11.48	11.42		0
	12	0	11.60	11.53	11.48	0-1	0
	12	6	11.66	11.56	11.55		0
	12	13	11.64	11.51	11.52		0
	25	0	11.64	11.52	11.48		0
16QAM	1	0	11.91	11.83	11.77	0-1	0
	1	12	11.81	11.90	11.82		0
	1	24	11.97	11.79	11.70		0
	12	0	11.70	11.57	11.47	0-2	0
	12	6	11.68	11.59	11.57		0
	12	13	11.70	11.57	11.52		0
	25	0	11.65	11.54	11.51		0
64QAM	1	0	11.90	11.56	11.64	0-2	0
	1	12	11.78	11.65	11.72		0
	1	24	11.88	11.58	11.67		0
	12	0	11.65	11.53	11.49	0-3	0
	12	6	11.69	11.60	11.56		0
	12	13	11.67	11.54	11.50		0
	25	0	11.67	11.52	11.51		0
256QAM	1	0	11.70	11.69	11.62	0-5	0
	1	12	11.83	11.78	11.64		0
	1	24	11.74	11.68	11.55		0
	12	0	11.65	11.55	11.51		0
	12	6	11.68	11.60	11.55		0
	12	13	11.65	11.55	11.49		0
	25	0	11.66	11.56	11.51		0

F.1.27

Table F-79
LTE Band 7 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.42	11.40	11.25	0	0
	1	36	11.49	11.37	11.28		0
	1	74	11.39	11.32	11.28		0
	36	0	11.47	11.44	11.38	0-1	0
	36	18	11.42	11.43	11.41		0
	36	37	11.43	11.36	11.32		0
	75	0	11.42	11.42	11.37		0
16QAM	1	0	11.66	11.56	11.55	0-1	0
	1	36	11.72	11.61	11.59		0
	1	74	11.58	11.49	11.50		0
	36	0	11.45	11.42	11.41	0-2	0
	36	18	11.46	11.44	11.44		0
	36	37	11.43	11.40	11.34		0
	75	0	11.42	11.43	11.41		0
64QAM	1	0	11.64	11.56	11.56	0-2	0
	1	36	11.74	11.57	11.67		0
	1	74	11.68	11.56	11.55		0
	36	0	11.49	11.43	11.41	0-3	0
	36	18	11.47	11.43	11.40		0
	36	37	11.45	11.41	11.38		0
	75	0	11.43	11.44	11.42		0
256QAM	1	0	11.67	11.58	11.52	0-5	0
	1	36	11.66	11.67	11.63		0
	1	74	11.65	11.56	11.55		0
	36	0	11.47	11.42	11.41		0
	36	18	11.47	11.46	11.40		0
	36	37	11.45	11.40	11.35		0
	75	0	11.40	11.43	11.42		0

Table F-80
LTE Band 7 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.65	11.56	11.45	0	0
	1	25	11.65	11.58	11.54		0
	1	49	11.58	11.53	11.45		0
	25	0	11.70	11.59	11.55	0-1	0
	25	12	11.68	11.60	11.60		0
	25	25	11.59	11.49	11.55		0
	50	0	11.58	11.57	11.56		0
16QAM	1	0	11.74	11.78	11.76	0-1	0
	1	25	11.84	11.79	11.74		0
	1	49	11.84	11.65	11.80		0
	25	0	11.70	11.57	11.54	0-2	0
	25	12	11.67	11.59	11.61		0
	25	25	11.61	11.49	11.57		0
	50	0	11.55	11.51	11.53		0
64QAM	1	0	11.82	11.70	11.74	0-2	0
	1	25	11.83	11.73	11.78		0
	1	49	11.83	11.73	11.74		0
	25	0	11.67	11.58	11.55	0-3	0
	25	12	11.64	11.59	11.60		0
	25	25	11.62	11.51	11.57		0
	50	0	11.55	11.52	11.52		0
256QAM	1	0	11.88	11.75	11.79	0-5	0
	1	25	11.85	11.78	11.87		0
	1	49	11.77	11.69	11.72		0
	25	0	11.71	11.56	11.55		0
	25	12	11.62	11.59	11.60		0
	25	25	11.60	11.51	11.56		0
	50	0	11.56	11.51	11.50		0

Table F-81
LTE Band 7 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.66	11.54	11.47	0	0
	1	12	11.72	11.63	11.56		0
	1	24	11.66	11.54	11.51		0
	12	0	11.62	11.55	11.53	0-1	0
	12	6	11.67	11.56	11.57		0
	12	13	11.69	11.55	11.53		0
	25	0	11.64	11.53	11.54		0
16QAM	1	0	11.92	11.77	11.80	0-1	0
	1	12	11.93	11.85	11.89		0
	1	24	11.94	11.77	11.66		0
	12	0	11.64	11.55	11.53	0-2	0
	12	6	11.70	11.62	11.58		0
	12	13	11.68	11.59	11.53		0
	25	0	11.67	11.51	11.51		0
64QAM	1	0	11.93	11.88	11.77	0-2	0
	1	12	11.97	11.83	11.94		0
	1	24	11.88	11.76	11.82		0
	12	0	11.63	11.51	11.55	0-3	0
	12	6	11.70	11.61	11.59		0
	12	13	11.65	11.57	11.54		0
	25	0	11.69	11.52	11.53		0
256QAM	1	0	11.88	11.81	11.82	0-5	0
	1	12	11.95	11.89	11.91		0
	1	24	11.87	11.79	11.76		0
	12	0	11.62	11.53	11.54		0
	12	6	11.68	11.60	11.58		0
	12	13	11.69	11.54	11.55		0
	25	0	11.67	11.54	11.53		0

F.1.1.28

Table F-82
LTE Band 7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.76	10.65	10.43	0	0
	1	36	10.80	10.73	10.41		0
	1	74	10.72	10.64	10.33		0
	36	0	10.76	10.75	10.57	0-1	0
	36	18	10.80	10.73	10.56		0
	36	37	10.70	10.64	10.52		0
	75	0	10.69	10.71	10.53		0
16QAM	1	0	11.02	10.86	10.75	0-1	0
	1	36	11.02	10.84	10.77		0
	1	74	11.03	10.83	10.70		0
	36	0	10.78	10.71	10.60	0-2	0
	36	18	10.81	10.73	10.60		0
	36	37	10.74	10.66	10.49		0
	75	0	10.70	10.70	10.58		0
64QAM	1	0	10.78	10.83	10.64	0-2	0
	1	36	10.79	10.78	10.67		0
	1	74	10.74	10.69	10.60		0
	36	0	10.79	10.70	10.52	0-3	0
	36	18	10.76	10.70	10.57		0
	36	37	10.71	10.64	10.47		0
	75	0	10.71	10.68	10.55		0
256QAM	1	0	10.85	10.73	10.58	0-5	0
	1	36	10.85	10.73	10.64		0
	1	74	10.89	10.73	10.61		0
	36	0	10.76	10.71	10.53		0
	36	18	10.79	10.70	10.54		0
	36	37	10.74	10.62	10.45		0
	75	0	10.73	10.70	10.56		0

Table F-83
LTE Band 7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.85	10.87	10.63	0	0
	1	25	10.94	10.90	10.64		0
	1	49	10.88	10.83	10.59		0
	25	0	10.92	10.83	10.69	0-1	0
	25	12	10.94	10.87	10.71		0
	25	25	10.88	10.79	10.67		0
	50	0	10.86	10.87	10.69		0
16QAM	1	0	11.04	11.03	10.98	0-1	0
	1	25	11.09	11.04	10.94		0
	1	49	11.08	10.99	11.01		0
	25	0	10.94	10.86	10.74	0-2	0
	25	12	10.94	10.91	10.74		0
	25	25	10.90	10.83	10.70		0
	50	0	10.88	10.86	10.69		0
64QAM	1	0	11.14	10.98	10.85	0-2	0
	1	25	11.07	11.04	10.84		0
	1	49	11.09	10.98	10.75		0
	25	0	10.95	10.87	10.74	0-3	0
	25	12	10.94	10.91	10.77		0
	25	25	10.90	10.80	10.69		0
	50	0	10.85	10.88	10.72		0
256QAM	1	0	10.89	11.03	10.73	0-5	0
	1	25	11.09	11.02	10.76		0
	1	49	10.89	10.92	10.62		0
	25	0	10.91	10.84	10.68		0
	25	12	10.86	10.84	10.66		0
	25	25	10.88	10.76	10.58		0
	50	0	10.84	10.81	10.66		0

Table F-84
LTE Band 7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.90	10.83	10.63	0	0
	1	12	11.00	10.89	10.62		0
	1	24	10.94	10.84	10.58		0
	12	0	10.87	10.80	10.67	0-1	0
	12	6	10.91	10.84	10.70		0
	12	13	10.87	10.82	10.67		0
	25	0	10.90	10.84	10.66		0
16QAM	1	0	11.21	11.09	10.91	0-1	0
	1	12	11.15	11.13	10.96		0
	1	24	11.17	11.08	10.91		0
	12	0	10.90	10.84	10.69	0-2	0
	12	6	10.98	10.88	10.69		0
	12	13	10.95	10.86	10.65		0
	25	0	10.91	10.84	10.69		0
64QAM	1	0	11.07	11.02	10.89	0-2	0
	1	12	11.15	10.99	10.86		0
	1	24	11.05	11.02	10.75		0
	12	0	10.93	10.87	10.72	0-3	0
	12	6	10.96	10.90	10.75		0
	12	13	10.90	10.86	10.75		0
	25	0	10.91	10.84	10.73		0
256QAM	1	0	10.92	10.87	10.71	0-5	0
	1	12	11.07	10.95	10.75		0
	1	24	11.05	10.80	10.65		0
	12	0	10.87	10.80	10.66		0
	12	6	10.96	10.83	10.69		0
	12	13	10.92	10.81	10.68		0
	25	0	10.89	10.83	10.70		0

F.1.29 LTE Band 48

Table F-85
LTE Band 48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.04	10.98	11.09	10.99	0	0
	1	36	11.14	11.08	11.12	11.03		0
	1	74	11.06	11.03	11.03	10.92		0
	36	0	11.21	11.19	11.19	11.10	0-1	0
	36	18	11.22	11.17	11.19	11.09		0
	36	37	11.21	11.17	11.18	11.09		0
	75	0	11.20	11.18	11.17	11.06		0
16QAM	1	0	11.11	10.97	11.07	11.13	0-1	0
	1	36	11.16	11.13	11.05	11.10		0
	1	74	11.14	11.05	10.90	10.95		0
	36	0	11.22	11.17	11.24	11.12	0-2	0
	36	18	11.23	11.19	11.20	11.11		0
	36	37	11.27	11.16	11.21	11.10		0
	75	0	11.24	11.17	11.21	11.11		0
64QAM	1	0	11.22	11.23	11.21	11.20	0-2	0
	1	36	11.31	11.25	11.30	11.26		0
	1	74	11.27	11.21	11.09	11.19		0
	36	0	11.40	11.37	11.38	11.36	0-3	0
	36	18	11.42	11.36	11.38	11.34		0
	36	37	11.40	11.35	11.37	11.33		0
	75	0	11.41	11.35	11.40	11.35		0
256QAM	1	0	11.31	11.12	11.26	11.34	0-5	0
	1	36	11.48	11.21	11.28	11.24		0
	1	74	11.45	11.28	11.37	11.32		0
	36	0	11.38	11.34	11.51	11.33		0
	36	18	11.41	11.32	11.36	11.34		0
	36	37	11.41	11.31	11.36	11.35		0
	75	0	11.39	11.33	11.36	11.31		0

Table F-86
LTE Band 48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.31	11.25	11.24	11.20	0	0
	1	25	11.36	11.29	11.29	11.23		0
	1	49	11.32	11.26	11.18	11.14		0
	25	0	11.31	11.31	11.30	11.20	0-1	0
	25	12	11.33	11.32	11.30	11.23		0
	25	25	11.32	11.30	11.29	11.20		0
	50	0	11.31	11.32	11.30	11.21		0
16QAM	1	0	11.26	11.22	11.14	11.14	0-1	0
	1	25	11.32	11.27	11.22	11.10		0
	1	49	11.28	11.20	11.07	11.12		0
	25	0	11.33	11.36	11.29	11.21	0-2	0
	25	12	11.37	11.37	11.33	11.23		0
	25	25	11.34	11.34	11.30	11.21		0
	50	0	11.34	11.34	11.32	11.21		0
64QAM	1	0	11.41	11.44	11.32	11.41	0-2	0
	1	25	11.42	11.43	11.39	11.29		0
	1	49	11.44	11.43	11.43	11.45		0
	25	0	11.48	11.50	11.51	11.46	0-3	0
	25	12	11.52	11.54	11.55	11.46		0
	25	25	11.52	11.52	11.53	11.45		0
	50	0	11.49	11.50	11.52	11.45		0
256QAM	1	0	11.27	11.45	11.42	11.28	0-5	0
	1	25	11.34	11.44	11.50	11.38		0
	1	49	11.38	11.41	11.37	11.32		0
	25	0	11.50	11.47	11.44	11.42		0
	25	12	11.51	11.50	11.49	11.41		0
	25	25	11.50	11.48	11.47	11.43		0
	50	0	11.50	11.50	11.46	11.42		0

Table F-87
LTE Band 48 Measured P_{Limit} Antenna 1a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.28	11.19	11.16	11.13	0	0
	1	12	11.33	11.28	11.20	11.18		0
	1	24	11.29	11.21	11.16	11.12		0
	12	0	11.35	11.28	11.30	11.16	0-1	0
	12	6	11.35	11.34	11.28	11.22		0
	12	13	11.35	11.30	11.29	11.15		0
	25	0	11.35	11.31	11.29	11.15		0
16QAM	1	0	11.26	11.22	11.16	11.13	0-1	0
	1	12	11.40	11.25	11.28	11.19		0
	1	24	11.32	11.07	11.17	11.16		0
	12	0	11.36	11.32	11.30	11.25	0-2	0
	12	6	11.38	11.34	11.33	11.28		0
	12	13	11.36	11.34	11.34	11.21		0
	25	0	11.36	11.32	11.33	11.21		0
64QAM	1	0	11.49	11.37	11.33	11.32	0-2	0
	1	12	11.47	11.42	11.48	11.42		0
	1	24	11.50	11.44	11.42	11.45		0
	12	0	11.52	11.49	11.51	11.49	0-3	0
	12	6	11.54	11.51	11.56	11.51		0
	12	13	11.51	11.53	11.50	11.50		0
	25	0	11.50	11.52	11.51	11.45		0
256QAM	1	0	11.50	11.31	11.36	11.31	0-5	0
	1	12	11.50	11.34	11.39	11.31		0
	1	24	11.41	11.25	11.35	11.31		0
	12	0	11.53	11.48	11.48	11.43		0
	12	6	11.52	11.49	11.48	11.42		0
	12	13	11.50	11.48	11.51	11.43		0
	25	0	11.52	11.47	11.47	11.39		0

F.1.30

Table F-88
LTE Band 48 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.02	11.02	11.05	10.90	0	0
	1	36	11.08	11.11	11.03	10.90		0
	1	74	11.04	11.08	11.00	10.85		0
	36	0	11.11	11.12	11.18	10.99	0-1	0
	36	18	11.15	11.20	11.19	10.98		0
	36	37	11.17	11.18	11.21	10.97		0
	75	0	11.16	11.19	11.18	10.96		0
16QAM	1	0	11.19	11.34	11.35	11.28	0-1	0
	1	36	11.27	11.40	11.38	11.28		0
	1	74	11.17	11.33	11.24	11.15		0
	36	0	11.04	11.16	11.37	11.19	0-2	0
	36	18	11.11	11.26	11.37	11.20		0
	36	37	11.14	11.28	11.39	11.16		0
	75	0	11.11	11.26	11.34	11.17		0
64QAM	1	0	11.16	11.29	11.35	11.32	0-2	0
	1	36	11.26	11.36	11.36	11.30		0
	1	74	11.21	11.41	11.31	11.30		0
	36	0	11.04	11.18	11.36	11.18	0-3	0
	36	18	11.10	11.27	11.37	11.18		0
	36	37	11.12	11.31	11.37	11.16		0
	75	0	11.12	11.26	11.36	11.18		0
256QAM	1	0	11.19	11.36	11.35	11.31	0-5	0
	1	36	11.24	11.48	11.41	11.31		0
	1	74	11.19	11.32	11.26	11.31		0
	36	0	11.03	11.18	11.34	11.20		0
	36	18	11.11	11.28	11.38	11.19		0
	36	37	11.12	11.33	11.36	11.16		0
	75	0	11.12	11.29	11.37	11.17		0

Table F-89
LTE Band 48 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.02	11.05	11.05	10.88	0	0
	1	25	11.11	11.13	11.05	10.89		0
	1	49	11.06	11.09	11.03	10.84		0
	25	0	11.05	11.08	11.16	10.91	0-1	0
	25	12	11.18	11.18	11.16	10.95		0
	25	25	11.13	11.16	11.14	10.90		0
	50	0	11.14	11.14	11.15	10.92		0
16QAM	1	0	11.26	11.36	11.43	11.42	0-1	0
	1	25	11.34	11.45	11.46	11.40		0
	1	49	11.29	11.48	11.29	11.34		0
	25	0	10.99	11.13	11.31	11.18	0-2	0
	25	12	11.07	11.27	11.35	11.17		0
	25	25	11.09	11.25	11.32	11.15		0
	50	0	11.07	11.20	11.34	11.11		0
64QAM	1	0	11.25	11.35	11.33	11.37	0-2	0
	1	25	11.35	11.42	11.36	11.41		0
	1	49	11.29	11.46	11.34	11.40		0
	25	0	11.01	11.13	11.32	11.14	0-3	0
	25	12	11.09	11.27	11.32	11.15		0
	25	25	11.10	11.26	11.30	11.13		0
	50	0	11.04	11.21	11.31	11.14		0
256QAM	1	0	11.29	11.43	11.31	11.41	0-5	0
	1	25	11.33	11.44	11.36	11.40		0
	1	49	11.32	11.40	11.39	11.37		0
	25	0	10.98	11.12	11.32	11.16		0
	25	12	11.07	11.25	11.39	11.19		0
	25	25	11.07	11.24	11.34	11.15		0
	50	0	11.01	11.21	11.31	11.15		0

Table F-90
LTE Band 48 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.06	10.98	11.08	10.90	0	0
	1	12	11.15	11.07	11.16	10.96		0
	1	24	11.09	11.00	11.09	10.89		0
	12	0	11.08	11.09	11.11	10.93	0-1	0
	12	6	11.14	11.15	11.17	10.93		0
	12	13	11.09	11.13	11.13	10.93		0
	25	0	11.09	11.13	11.12	10.92		0
16QAM	1	0	11.14	11.38	11.43	11.32	0-1	0
	1	12	11.29	11.49	11.55	11.36		0
	1	24	11.18	11.35	11.58	11.33		0
	12	0	11.05	11.08	11.36	11.15	0-2	0
	12	6	11.05	11.18	11.37	11.19		0
	12	13	11.04	11.16	11.34	11.13		0
	25	0	11.01	11.21	11.33	11.11		0
64QAM	1	0	11.13	11.36	11.43	11.30	0-2	0
	1	12	11.26	11.39	11.59	11.36		0
	1	24	11.11	11.37	11.48	11.28		0
	12	0	11.02	11.07	11.35	11.10	0-3	0
	12	6	11.05	11.19	11.40	11.15		0
	12	13	11.03	11.16	11.35	11.09		0
	25	0	11.02	11.23	11.33	11.13		0
256QAM	1	0	11.19	11.43	11.58	11.30	0-5	0
	1	12	11.25	11.45	11.65	11.40		0
	1	24	11.19	11.41	11.58	11.36		0
	12	0	11.00	11.07	11.35	11.13		0
	12	6	11.06	11.20	11.43	11.19		0
	12	13	11.00	11.15	11.37	11.13		0
	25	0	11.02	11.22	11.33	11.14		0

F.1.31

Table F-91
LTE Band 48 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.01	10.84	10.67	10.69	0	0
	1	36	11.00	10.91	10.71	10.75		0
	1	74	10.92	10.86	10.65	10.72		0
	36	0	11.09	10.98	10.78	10.74	0-1	0
	36	18	11.09	10.92	10.86	10.83		0
	36	37	11.01	10.93	10.85	10.85		0
	75	0	10.99	10.91	10.87	10.84		0
16QAM	1	0	11.27	11.13	10.93	10.90	0-1	0
	1	36	11.37	11.14	10.99	11.03		0
	1	74	11.18	11.01	10.84	10.95		0
	36	0	11.13	10.97	10.81	10.73	0-2	0
	36	18	11.13	10.90	10.86	10.85		0
	36	37	11.04	10.92	10.87	10.86		0
	75	0	11.03	10.91	10.84	10.86		0
64QAM	1	0	11.19	11.06	10.95	10.92	0-2	0
	1	36	11.29	11.13	10.94	10.97		0
	1	74	11.14	11.05	10.90	10.95		0
	36	0	11.13	10.96	10.79	10.75	0-3	0
	36	18	11.12	10.90	10.85	10.83		0
	36	37	11.07	10.89	10.86	10.84		0
	75	0	11.03	10.90	10.85	10.84		0
256QAM	1	0	11.25	11.07	10.91	10.87	0-5	0
	1	36	11.35	11.06	11.01	10.97		0
	1	74	11.12	11.10	10.89	10.98		0
	36	0	11.15	10.96	10.80	10.79		0
	36	18	11.13	10.89	10.84	10.84		0
	36	37	11.05	10.92	10.87	10.84		0
	75	0	11.03	10.91	10.86	10.85		0

Table F-92
LTE Band 48 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	10.95	10.91	10.71	10.67	0	0
	1	25	10.98	10.95	10.78	10.74		0
	1	49	10.93	10.90	10.69	10.71		0
	25	0	11.01	10.97	10.74	10.73	0-1	0
	25	12	10.99	10.89	10.83	10.75		0
	25	25	10.96	10.89	10.81	10.82		0
	50	0	10.97	10.89	10.81	10.72		0
16QAM	1	0	11.20	11.21	10.91	10.86	0-1	0
	1	25	11.19	11.26	11.01	10.99		0
	1	49	11.22	11.20	10.98	10.91		0
	25	0	11.04	11.04	10.76	10.75	0-2	0
	25	12	11.02	11.00	10.87	10.76		0
	25	25	10.99	10.97	10.82	10.85		0
	50	0	11.00	10.87	10.83	10.73		0
64QAM	1	0	11.25	11.22	10.94	10.93	0-2	0
	1	25	11.27	11.21	10.96	10.93		0
	1	49	11.19	11.30	10.95	10.94		0
	25	0	11.05	10.98	10.79	10.74	0-3	0
	25	12	11.02	10.95	10.90	10.77		0
	25	25	11.00	10.92	10.85	10.82		0
	50	0	11.00	10.89	10.85	10.73		0
256QAM	1	0	11.18	11.32	11.03	10.91	0-5	0
	1	25	11.29	11.34	11.00	10.96		0
	1	49	11.15	11.32	11.00	10.97		0
	25	0	11.09	11.01	10.76	10.76		0
	25	12	11.06	10.99	10.88	10.80		0
	25	25	11.03	10.97	10.84	10.85		0
	50	0	11.00	10.87	10.81	10.72		0

Table F-93
LTE Band 48 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.02	10.82	10.77	10.77	0	0
	1	12	11.09	10.91	10.85	10.85		0
	1	24	11.01	10.83	10.79	10.79		0
	12	0	11.01	10.94	10.78	10.81	0-1	0
	12	6	11.05	10.96	10.85	10.81		0
	12	13	11.02	10.95	10.78	10.82		0
	25	0	11.02	10.95	10.79	10.81		0
16QAM	1	0	11.30	11.18	11.10	10.94	0-1	0
	1	12	11.31	11.25	11.17	11.06		0
	1	24	11.30	11.23	11.10	11.00		0
	12	0	11.09	10.95	10.89	10.84	0-2	0
	12	6	11.15	11.02	10.90	10.87		0
	12	13	11.09	11.02	10.83	10.84		0
	25	0	11.08	10.95	10.83	10.80		0
64QAM	1	0	11.28	11.25	11.06	10.99	0-2	0
	1	12	11.35	11.24	11.13	11.05		0
	1	24	11.24	11.18	11.04	10.99		0
	12	0	11.04	10.96	10.90	10.88	0-3	0
	12	6	11.07	11.02	10.91	10.92		0
	12	13	11.06	10.99	10.85	10.87		0
	25	0	11.04	10.98	10.84	10.81		0
256QAM	1	0	11.26	11.15	11.10	10.96	0-5	0
	1	12	11.35	11.21	11.17	11.08		0
	1	24	11.24	11.13	11.05	11.04		0
	12	0	11.09	10.96	10.88	10.89		0
	12	6	11.15	11.01	10.87	10.90		0
	12	13	11.12	10.97	10.87	10.86		0
	25	0	11.05	10.96	10.85	10.82		0

F.1.32

Table F-94
LTE Band 48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.29	12.28	12.21	12.17	0	0
	1	36	12.35	12.38	12.21	12.18		0
	1	74	12.28	12.33	12.16	12.12		0
	36	0	12.41	12.43	12.38	12.27	0-1	0
	36	18	12.40	12.44	12.37	12.25		0
	36	37	12.44	12.45	12.37	12.29		0
	75	0	12.42	12.44	12.35	12.27		0
16QAM	1	0	12.47	12.58	12.42	12.39	0-1	0
	1	36	12.57	12.56	12.42	12.45		0
	1	74	12.52	12.62	12.38	12.39		0
	36	0	12.46	12.45	12.40	12.30	0-2	0
	36	18	12.46	12.48	12.40	12.29		0
	36	37	12.43	12.48	12.39	12.28		0
	75	0	12.44	12.48	12.40	12.28		0
64QAM	1	0	12.49	12.56	12.41	12.36	0-2	0
	1	36	12.64	12.62	12.41	12.44		0
	1	74	12.48	12.59	12.35	12.40		0
	36	0	12.46	12.47	12.38	12.29	0-3	0
	36	18	12.45	12.48	12.41	12.29		0
	36	37	12.44	12.50	12.38	12.28		0
	75	0	12.44	12.47	12.37	12.28		0
256QAM	1	0	12.56	12.57	12.45	12.40	0-5	0
	1	36	12.57	12.59	12.42	12.37		0
	1	74	12.50	12.65	12.35	12.37		0
	36	0	12.45	12.50	12.39	12.27		0
	36	18	12.48	12.50	12.39	12.29		0
	36	37	12.47	12.52	12.40	12.29		0
	75	0	12.43	12.46	12.39	12.28		0

Table F-95
LTE Band 48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)			
			Conducted Power [dBm]						
QPSK	1	0	12.20	12.18	12.14	12.08	0	0	
	1	25	12.26	12.26	12.15	12.09		0	
	1	49	12.20	12.23	12.09	12.02		0	
	25	0	12.24	12.29	12.25	12.11	0-1	0	
	25	12	12.29	12.35	12.27	12.14		0	
	25	25	12.28	12.31	12.21	12.10		0	
16QAM	50	0	12.26	12.32	12.23	12.12	0	0-1	0
	1	0	12.56	12.40	12.32	12.36	0		
	1	25	12.51	12.49	12.30	12.38	0		
	1	49	12.50	12.51	12.25	12.36	0-2	0	
	25	0	12.32	12.32	12.24	12.17		0	
	25	12	12.34	12.36	12.29	12.20		0	
64QAM	25	25	12.32	12.33	12.23	12.17	0-2	0	
	50	0	12.28	12.30	12.21	12.13		0	
	1	0	12.53	12.46	12.33	12.43		0-3	0
	1	25	12.57	12.58	12.34	12.39	0		
	1	49	12.51	12.57	12.32	12.39	0		
	25	0	12.33	12.31	12.23	12.14	0-3	0	
25	12	12.36	12.35	12.27	12.17	0			
25	25	12.33	12.34	12.20	12.15	0			
256QAM	50	0	12.29	12.29	12.22	12.12	0-5	0	
	1	0	12.53	12.50	12.32	12.33		0	
	1	25	12.50	12.61	12.31	12.41		0	
	1	49	12.55	12.55	12.32	12.37	0-5	0	
	25	0	12.29	12.27	12.23	12.16		0	
	25	12	12.33	12.33	12.29	12.20		0	
256QAM	25	25	12.32	12.30	12.22	12.17	0-5	0	
	50	0	12.29	12.29	12.23	12.11		0	

Table F-96
LTE Band 48 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.21	12.17	12.17	12.11	0	0
	1	12	12.31	12.29	12.27	12.17		0
	1	24	12.23	12.19	12.16	12.09		0
	12	0	12.21	12.29	12.22	12.13	0-1	0
	12	6	12.28	12.31	12.23	12.14		0
	12	13	12.22	12.31	12.19	12.15		0
	25	0	12.22	12.31	12.21	12.14		0
16QAM	1	0	12.47	12.52	12.43	12.34	0-1	0
	1	12	12.52	12.51	12.47	12.39		0
	1	24	12.37	12.57	12.34	12.38		0
	12	0	12.31	12.33	12.27	12.12	0-2	0
	12	6	12.34	12.38	12.33	12.12		0
	12	13	12.29	12.33	12.26	12.11		0
	25	0	12.30	12.29	12.20	12.14		0
64QAM	1	0	12.47	12.49	12.44	12.35	0-2	0
	1	12	12.53	12.67	12.51	12.37		0
	1	24	12.44	12.56	12.37	12.32		0
	12	0	12.29	12.32	12.25	12.17	0-3	0
	12	6	12.33	12.38	12.31	12.21		0
	12	13	12.26	12.33	12.26	12.17		0
	25	0	12.25	12.30	12.23	12.15		0
256QAM	1	0	12.42	12.56	12.52	12.33	0-5	0
	1	12	12.48	12.59	12.55	12.43		0
	1	24	12.46	12.54	12.46	12.33		0
	12	0	12.31	12.31	12.25	12.17		0
	12	6	12.33	12.36	12.29	12.17		0
	12	13	12.30	12.33	12.25	12.15		0
	25	0	12.25	12.31	12.26	12.15		0

F.1.1.33 LTE Band 41

Table F-97
LTE Band 41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.13	12.98	13.05	12.82	12.84	0	0
	1	36	13.22	13.00	13.08	12.98	12.91		0
	1	74	13.10	13.04	13.06	13.01	13.00		0
	36	0	13.26	13.15	13.12	12.94	13.00	0-1	0
	36	18	13.24	13.15	13.16	12.96	13.05		0
	36	37	13.19	13.06	13.08	12.92	12.97		0
	75	0	13.17	13.16	13.13	12.94	13.05		0
16QAM	1	0	13.27	12.96	12.93	12.83	12.93	0-1	0
	1	36	13.26	13.07	12.99	12.94	13.03		0
	1	74	13.22	13.10	12.98	12.91	13.02		0
	36	0	13.27	13.13	13.12	12.90	13.04	0-2	0
	36	18	13.28	13.16	13.11	12.95	13.05		0
	36	37	13.21	13.10	13.08	12.91	13.01		0
	75	0	13.21	13.15	13.15	12.92	13.09		0
64QAM	1	0	13.21	13.04	12.84	12.81	12.88	0-2	0
	1	36	13.22	13.03	12.91	12.98	12.89		0
	1	74	13.16	13.12	12.94	13.08	13.00		0
	36	0	13.28	13.16	13.12	12.93	13.05	0-3	0
	36	18	13.26	13.15	13.10	12.93	13.05		0
	36	37	13.21	13.10	13.04	12.88	13.01		0
	75	0	13.20	13.15	13.11	12.97	13.09		0
256QAM	1	0	13.22	13.04	12.93	12.89	12.90	0-5	0
	1	36	13.15	13.06	13.03	12.93	12.90		0
	1	74	13.11	13.10	12.91	12.99	12.97		0
	36	0	13.27	13.13	13.11	12.92	13.06		0
	36	18	13.28	13.14	13.11	12.95	13.04		0
	36	37	13.19	13.09	13.05	12.91	13.01		0
	75	0	13.19	13.14	13.12	12.95	13.06		0

Table F-98
LTE Band 41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.28	13.21	13.24	13.05	13.08	0	0
	1	25	13.30	13.23	13.30	13.09	13.17		0
	1	49	13.27	13.19	13.19	13.07	13.11		0
	25	0	13.40	13.27	13.21	13.05	13.17	0-1	0
	25	12	13.33	13.32	13.29	13.10	13.20		0
	25	25	13.34	13.21	13.21	13.03	13.14		0
	50	0	13.31	13.28	13.26	13.09	13.18		0
16QAM	1	0	13.23	13.13	13.03	12.88	13.06	0-1	0
	1	25	13.25	13.19	13.14	13.03	13.13		0
	1	49	13.33	13.13	13.09	13.08	13.08		0
	25	0	13.37	13.27	13.23	13.05	13.18	0-2	0
	25	12	13.34	13.33	13.24	13.10	13.23		0
	25	25	13.38	13.21	13.16	13.03	13.15		0
	50	0	13.32	13.27	13.24	13.07	13.19		0
64QAM	1	0	13.40	13.08	13.05	12.94	13.09	0-2	0
	1	25	13.39	13.17	13.10	13.00	13.09		0
	1	49	13.35	13.14	13.11	13.04	13.08		0
	25	0	13.45	13.25	13.26	13.05	13.16	0-3	0
	25	12	13.39	13.29	13.26	13.10	13.25		0
	25	25	13.37	13.19	13.16	13.03	13.17		0
	50	0	13.30	13.27	13.23	13.07	13.19		0
256QAM	1	0	13.32	13.17	13.10	13.00	13.04	0-5	0
	1	25	13.41	13.29	13.14	13.05	13.12		0
	1	49	13.33	13.13	13.06	13.15	13.09		0
	25	0	13.36	13.28	13.23	13.04	13.18		0
	25	12	13.34	13.32	13.29	13.11	13.24		0
	25	25	13.37	13.23	13.14	13.03	13.15		0
	50	0	13.28	13.27	13.23	13.07	13.20		0

Table F-99
LTE Band 41 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.28	13.15	13.10	13.00	13.04	0	0
	1	12	13.35	13.24	13.13	13.08	13.13		0
	1	24	13.27	13.15	13.08	13.01	13.05		0
	12	0	13.34	13.25	13.22	13.03	13.14	0-1	0
	12	6	13.33	13.33	13.29	13.10	13.19		0
	12	13	13.28	13.21	13.21	12.99	13.19		0
	25	0	13.26	13.27	13.22	13.04	13.15		0
16QAM	1	0	13.38	13.11	13.13	12.96	13.03	0-1	0
	1	12	13.42	13.32	13.25	13.09	13.03		0
	1	24	13.32	13.11	13.17	13.09	13.10		0
	12	0	13.38	13.28	13.27	13.05	13.12	0-2	0
	12	6	13.35	13.30	13.27	13.09	13.16		0
	12	13	13.32	13.20	13.27	13.01	13.16		0
	25	0	13.25	13.26	13.21	13.04	13.15		0
64QAM	1	0	13.33	13.17	13.16	12.98	13.00	0-2	0
	1	12	13.42	13.30	13.14	13.00	13.10		0
	1	24	13.29	13.07	13.12	13.00	13.01		0
	12	0	13.39	13.28	13.22	13.04	13.13	0-3	0
	12	6	13.37	13.30	13.28	13.11	13.19		0
	12	13	13.30	13.18	13.28	12.99	13.18		0
	25	0	13.24	13.25	13.29	13.05	13.14		0
256QAM	1	0	13.37	13.13	13.12	12.94	12.94	0-5	0
	1	12	13.36	13.19	13.18	13.03	13.12		0
	1	24	13.36	13.07	13.20	13.02	13.05		0
	12	0	13.36	13.23	13.23	13.03	13.13		0
	12	6	13.35	13.31	13.24	13.12	13.21		0
	12	13	13.30	13.19	13.27	13.00	13.16		0
	25	0	13.27	13.23	13.25	13.03	13.13		0

F.1.34

Table F-100
LTE Band 41 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.31	13.98	13.98	13.98	13.92	0	0
	1	36	14.27	14.01	14.00	14.00	13.98		0
	1	74	14.12	13.97	14.03	14.04	14.04		0
	36	0	14.35	14.11	14.07	14.04	14.07	0-1	0
	36	18	14.33	14.09	14.04	14.05	14.08		0
	36	37	14.24	14.05	14.02	14.01	14.02		0
	75	0	14.33	14.10	14.10	14.07	14.08		0
16QAM	1	0	14.28	13.98	13.93	14.06	13.91	0-1	0
	1	36	14.39	14.02	13.82	13.96	13.89		0
	1	74	14.22	14.06	13.87	14.08	14.01		0
	36	0	14.34	14.13	14.05	14.02	14.02	0-2	0
	36	18	14.36	14.14	14.08	14.05	14.03		0
	36	37	14.29	14.05	14.02	14.00	14.01		0
	75	0	14.38	14.15	14.07	14.04	14.06		0
64QAM	1	0	14.33	14.03	13.93	13.93	13.86	0-2	0
	1	36	14.29	14.08	14.02	13.98	13.92		0
	1	74	14.23	14.05	14.01	14.02	13.99		0
	36	0	14.38	14.14	14.05	14.03	14.06	0-3	0
	36	18	14.37	14.15	14.07	14.05	14.05		0
	36	37	14.34	14.06	14.05	14.00	14.00		0
	75	0	14.41	14.15	14.13	14.04	14.06		0
256QAM	1	0	14.17	13.88	13.78	13.84	13.92	0-5	0
	1	36	14.21	13.83	13.77	13.85	13.95		0
	1	74	14.15	13.81	13.81	13.89	13.99		0
	36	0	14.28	13.99	13.90	13.94	14.01		0
	36	18	14.26	13.98	13.91	13.96	14.02		0
	36	37	14.16	13.89	13.85	13.88	13.99		0
	75	0	14.19	13.97	13.94	13.93	14.01		0

Table F-101
LTE Band 41 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.50	14.15	14.13	14.13	14.11	0	0
	1	25	14.50	14.20	14.23	14.21	14.16		0
	1	49	14.44	14.15	14.12	14.12	14.10		0
	25	0	14.50	14.21	14.17	14.15	14.15	0-1	0
	25	12	14.54	14.24	14.22	14.21	14.20		0
	25	25	14.40	14.16	14.13	14.08	14.14		0
	50	0	14.46	14.22	14.21	14.13	14.19		0
16QAM	1	0	14.41	14.18	14.03	14.05	14.00	0-1	0
	1	25	14.53	14.25	13.95	14.12	14.12		0
	1	49	14.42	14.07	14.04	14.02	14.10		0
	25	0	14.50	14.22	14.15	14.13	14.15	0-2	0
	25	12	14.49	14.29	14.17	14.18	14.20		0
	25	25	14.44	14.16	14.11	14.09	14.09		0
	50	0	14.47	14.27	14.15	14.15	14.14		0
64QAM	1	0	14.52	14.19	14.03	14.14	14.08	0-2	0
	1	25	14.47	14.27	14.18	14.20	14.12		0
	1	49	14.44	14.13	14.00	14.12	14.08		0
	25	0	14.54	14.27	14.24	14.16	14.19	0-3	0
	25	12	14.55	14.29	14.27	14.23	14.21		0
	25	25	14.42	14.19	14.17	14.08	14.15		0
	50	0	14.52	14.26	14.23	14.17	14.20		0
256QAM	1	0	14.27	14.00	13.94	14.02	14.07	0-5	0
	1	25	14.26	14.03	13.99	14.07	14.06		0
	1	49	14.25	13.99	13.89	13.96	14.03		0
	25	0	14.36	14.14	14.05	14.03	14.14		0
	25	12	14.37	14.16	14.10	14.10	14.18		0
	25	25	14.29	14.00	14.02	14.00	14.08		0
	50	0	14.28	14.11	14.04	14.03	14.14		0

Table F-102
LTE Band 41 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.45	14.13	14.06	14.08	14.06	0	0
	1	12	14.47	14.22	14.11	14.16	14.16		0
	1	24	14.42	14.10	14.02	14.09	14.04		0
	12	0	14.47	14.20	14.18	14.14	14.19	0-1	0
	12	6	14.49	14.28	14.21	14.18	14.22		0
	12	13	14.42	14.14	14.22	14.14	14.19		0
	25	0	14.48	14.24	14.21	14.15	14.20		0
16QAM	1	0	14.49	14.13	14.12	14.12	13.99	0-1	0
	1	12	14.48	14.18	14.08	14.10	14.07		0
	1	24	14.43	14.09	14.03	14.09	14.05		0
	12	0	14.50	14.20	14.19	14.11	14.15	0-2	0
	12	6	14.51	14.26	14.23	14.14	14.16		0
	12	13	14.46	14.10	14.21	14.16	14.13		0
	25	0	14.46	14.22	14.19	14.17	14.17		0
64QAM	1	0	14.45	13.96	14.06	14.21	14.11	0-2	0
	1	12	14.51	14.15	14.16	14.24	14.20		0
	1	24	14.39	14.05	14.09	14.09	14.12		0
	12	0	14.52	14.22	14.21	14.14	14.20	0-3	0
	12	6	14.54	14.28	14.25	14.19	14.28		0
	12	13	14.47	14.13	14.21	14.14	14.23		0
	25	0	14.49	14.30	14.25	14.15	14.21		0
256QAM	1	0	14.23	14.05	13.84	13.99	14.11	0-5	0
	1	12	14.43	14.17	14.00	14.03	14.03		0
	1	24	14.24	14.09	13.80	13.82	13.92		0
	12	0	14.36	14.15	14.03	14.03	14.14		0
	12	6	14.40	14.14	14.09	14.07	14.11		0
	12	13	14.30	14.08	14.06	14.04	14.06		0
	25	0	14.29	14.11	14.09	14.06	14.15		0

F.1.35

Table F-103
LTE Band 41 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.04	14.05	14.05	13.95	13.90	0	0
	1	36	14.08	14.05	14.12	13.96	13.98		0
	1	74	13.99	14.05	14.11	14.07	13.98		0
	36	0	14.15	14.16	14.21	14.05	14.02	0-1	0
	36	18	14.15	14.09	14.19	14.06	14.05		0
	36	37	14.08	14.09	14.11	14.00	13.99		0
	75	0	14.14	14.08	14.16	14.05	14.05		0
16QAM	1	0	14.09	14.10	13.99	13.92	13.89	0-1	0
	1	36	14.12	14.02	14.02	13.97	13.81		0
	1	74	14.01	13.98	14.04	14.05	13.99		0
	36	0	14.16	14.18	14.20	14.01	14.02	0-2	0
	36	18	14.19	14.10	14.22	14.02	14.04		0
	36	37	14.11	14.14	14.14	13.99	13.99		0
	75	0	14.16	14.11	14.23	14.04	14.04		0
64QAM	1	0	14.01	13.99	14.04	13.94	13.99	0-2	0
	1	36	14.13	14.08	14.10	13.91	13.91		0
	1	74	14.04	14.07	14.12	14.11	14.06		0
	36	0	14.15	14.14	14.14	14.05	14.02	0-3	0
	36	18	14.18	14.09	14.20	14.05	14.04		0
	36	37	14.08	14.07	14.11	13.99	13.98		0
	75	0	14.14	14.09	14.19	14.05	14.03		0
256QAM	1	0	14.04	14.05	14.12	13.92	13.94	0-5	0
	1	36	14.03	14.13	14.11	13.96	13.95		0
	1	74	14.06	14.15	14.15	14.01	13.95		0
	36	0	14.15	14.15	14.16	14.05	14.03		0
	36	18	14.14	14.10	14.19	14.05	14.02		0
	36	37	14.04	14.09	14.09	14.00	13.97		0
	75	0	14.15	14.10	14.18	14.03	14.04		0

Table F-104
LTE Band 41 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.26	14.17	14.20	14.07	14.04	0	0
	1	25	14.30	14.23	14.31	14.20	14.13		0
	1	49	14.21	14.17	14.23	14.16	14.10		0
	25	0	14.28	14.26	14.28	14.14	14.14	0-1	0
	25	12	14.27	14.22	14.31	14.21	14.20		0
	25	25	14.21	14.22	14.22	14.11	14.13		0
	50	0	14.27	14.18	14.26	14.17	14.17		0
16QAM	1	0	14.20	14.12	14.09	14.12	14.06	0-1	0
	1	25	14.21	14.22	14.17	14.15	14.11		0
	1	49	14.21	14.20	14.12	14.19	14.11		0
	25	0	14.33	14.27	14.30	14.18	14.19	0-2	0
	25	12	14.37	14.24	14.34	14.20	14.20		0
	25	25	14.31	14.22	14.21	14.12	14.15		0
	50	0	14.33	14.20	14.33	14.21	14.24		0
64QAM	1	0	14.27	14.24	14.19	14.15	14.15	0-2	0
	1	25	14.36	14.35	14.22	14.16	14.19		0
	1	49	14.28	14.17	14.13	14.21	14.08		0
	25	0	14.31	14.28	14.34	14.16	14.19	0-3	0
	25	12	14.32	14.24	14.36	14.23	14.24		0
	25	25	14.26	14.24	14.25	14.13	14.13		0
	50	0	14.29	14.24	14.32	14.20	14.21		0
256QAM	1	0	14.18	14.19	14.13	14.09	14.07	0-5	0
	1	25	14.18	14.34	14.31	14.19	14.14		0
	1	49	14.04	14.17	14.10	14.05	14.03		0
	25	0	14.29	14.30	14.35	14.17	14.14		0
	25	12	14.33	14.25	14.37	14.21	14.19		0
	25	25	14.24	14.24	14.26	14.13	14.10		0
	50	0	14.31	14.24	14.34	14.21	14.19		0

Table F-105
LTE Band 41 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.24	14.09	14.14	14.09	13.99	0	0
	1	12	14.28	14.23	14.22	14.18	14.10		0
	1	24	14.23	14.12	14.14	14.09	14.04		0
	12	0	14.28	14.24	14.28	14.16	14.15	0-1	0
	12	6	14.28	14.28	14.32	14.20	14.19		0
	12	13	14.25	14.08	14.28	14.16	14.17		0
	25	0	14.23	14.18	14.29	14.18	14.16		0
16QAM	1	0	14.25	14.09	14.25	14.13	14.03	0-1	0
	1	12	14.29	14.16	14.24	14.21	14.15		0
	1	24	14.28	14.11	14.18	14.27	14.05		0
	12	0	14.31	14.29	14.35	14.23	14.21	0-2	0
	12	6	14.33	14.35	14.37	14.26	14.23		0
	12	13	14.30	14.23	14.34	14.26	14.22		0
64QAM	25	0	14.28	14.22	14.35	14.25	14.16	0	
	1	0	14.28	14.18	14.22	14.18	14.08	0-2	0
	1	12	14.17	14.30	14.34	14.17	14.18		0
	1	24	14.24	14.13	14.22	14.03	14.04		0
	12	0	14.29	14.31	14.33	14.17	14.19	0-3	0
	12	6	14.31	14.34	14.40	14.23	14.24		0
	12	13	14.28	14.20	14.34	14.17	14.21		0
256QAM	25	0	14.22	14.19	14.29	14.19	14.15	0	
	1	0	14.14	14.16	14.21	14.12	14.13	0-5	0
	1	12	14.23	14.23	14.32	14.10	14.16		0
	1	24	14.17	14.08	14.22	14.05	14.01		0
	12	0	14.28	14.26	14.35	14.16	14.18		0
	12	6	14.31	14.33	14.36	14.23	14.17		0
	12	13	14.28	14.26	14.31	14.16	14.15		0
25	0	14.26	14.22	14.30	14.21	14.17	0		

F.1.36

Table F-106
LTE Band 41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	12.65	12.44	12.25	12.30	12.36	0	0
	1	36	12.76	12.42	12.36	12.41	12.39		0
	1	74	12.42	12.45	12.36	12.39	12.46		0
	36	0	12.64	12.47	12.45	12.47	12.38	0-1	0
	36	18	12.69	12.48	12.50	12.50	12.42		0
	36	37	12.57	12.41	12.39	12.42	12.35		0
	75	0	12.56	12.46	12.45	12.43	12.38		0
16QAM	1	0	12.46	12.30	12.06	12.38	12.28	0-1	0
	1	36	12.75	12.43	12.21	12.42	12.29		0
	1	74	12.35	12.36	12.16	12.30	12.41		0
	36	0	12.71	12.49	12.48	12.49	12.38	0-2	0
	36	18	12.74	12.55	12.51	12.57	12.42		0
	36	37	12.64	12.41	12.46	12.50	12.36		0
	75	0	12.62	12.51	12.49	12.55	12.38		0
64QAM	1	0	12.68	12.44	12.56	12.44	12.51	0-2	0
	1	36	12.54	12.47	12.33	12.55	12.40		0
	1	74	12.51	12.43	12.42	12.35	12.39		0
	36	0	12.68	12.49	12.47	12.47	12.41	0-3	0
	36	18	12.69	12.48	12.47	12.50	12.46		0
	36	37	12.60	12.38	12.39	12.44	12.37		0
	75	0	12.63	12.47	12.46	12.50	12.42		0
256QAM	1	0	12.51	12.44	12.27	12.34	12.24	0-5	0
	1	36	12.79	12.40	12.53	12.56	12.42		0
	1	74	12.63	12.31	12.35	12.47	12.24		0
	36	0	12.68	12.45	12.45	12.47	12.40		0
	36	18	12.70	12.52	12.45	12.48	12.43		0
	36	37	12.65	12.43	12.42	12.45	12.37		0
	75	0	12.62	12.50	12.49	12.50	12.42		0

Table F-107
LTE Band 41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	12.72	12.46	12.48	12.50	12.36	0	0
	1	25	12.79	12.51	12.49	12.59	12.35		0
	1	49	12.69	12.36	12.48	12.48	12.29		0
	25	0	12.78	12.61	12.51	12.57	12.47	0-1	0
	25	12	12.76	12.62	12.56	12.59	12.51		0
	25	25	12.71	12.56	12.47	12.51	12.42		0
	50	0	12.67	12.58	12.55	12.55	12.48		0
16QAM	1	0	12.88	12.50	12.40	12.64	12.38	0-1	0
	1	25	12.91	12.49	12.41	12.66	12.54		0
	1	49	12.81	12.46	12.27	12.51	12.48		0
	25	0	12.79	12.61	12.55	12.61	12.51	0-2	0
	25	12	12.76	12.62	12.58	12.65	12.52		0
	25	25	12.76	12.56	12.49	12.56	12.47		0
	50	0	12.69	12.60	12.58	12.61	12.53		0
64QAM	1	0	12.70	12.63	12.59	12.52	12.41	0-2	0
	1	25	12.79	12.61	12.64	12.58	12.54		0
	1	49	12.79	12.54	12.50	12.56	12.33		0
	25	0	12.77	12.60	12.54	12.60	12.51	0-3	0
	25	12	12.78	12.62	12.62	12.63	12.53		0
	25	25	12.71	12.54	12.52	12.52	12.49		0
	50	0	12.70	12.60	12.59	12.65	12.48		0
256QAM	1	0	13.00	12.61	12.55	12.78	12.16	0-5	0
	1	25	13.02	12.51	12.40	12.63	12.46		0
	1	49	12.65	12.45	12.58	12.43	12.17		0
	25	0	12.76	12.62	12.54	12.63	12.52		0
	25	12	12.76	12.64	12.59	12.68	12.57		0
	25	25	12.70	12.51	12.48	12.59	12.42		0
	50	0	12.69	12.57	12.57	12.62	12.52		0

Table F-108
LTE Band 41 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	12.75	12.49	12.41	12.52	12.34	0	0
	1	12	12.79	12.55	12.48	12.58	12.41		0
	1	24	12.74	12.40	12.42	12.54	12.34		0
	12	0	12.78	12.58	12.52	12.57	12.46	0-1	0
	12	6	12.75	12.65	12.57	12.60	12.50		0
	12	13	12.72	12.51	12.57	12.50	12.50		0
	25	0	12.67	12.59	12.51	12.62	12.47		0
16QAM	1	0	12.82	12.39	12.35	12.57	12.59	0-1	0
	1	12	12.89	12.54	12.40	12.62	12.51		0
	1	24	12.79	12.52	12.47	12.62	12.47		0
	12	0	12.81	12.62	12.56	12.62	12.50	0-2	0
	12	6	12.79	12.67	12.62	12.66	12.58		0
	12	13	12.78	12.54	12.58	12.56	12.48		0
	25	0	12.67	12.59	12.56	12.59	12.47		0
64QAM	1	0	12.76	12.58	12.42	12.62	12.44	0-2	0
	1	12	12.92	12.63	12.62	12.60	12.37		0
	1	24	12.68	12.46	12.50	12.48	12.44		0
	12	0	12.79	12.57	12.53	12.55	12.49	0-3	0
	12	6	12.78	12.63	12.58	12.60	12.50		0
	12	13	12.80	12.47	12.60	12.57	12.49		0
	25	0	12.70	12.62	12.62	12.59	12.49		0
256QAM	1	0	12.72	12.61	12.42	12.50	12.31	0-5	0
	1	12	12.75	12.65	12.74	12.55	12.39		0
	1	24	12.67	12.37	12.61	12.51	12.40		0
	12	0	12.76	12.65	12.54	12.61	12.45		0
	12	6	12.79	12.62	12.58	12.60	12.54		0
	12	13	12.74	12.50	12.53	12.52	12.49		0
	25	0	12.75	12.61	12.56	12.57	12.49		0

F.2 NR Lower Bandwidth RF Conducted Powers

F.2.1 NR Band n71

Table F-109
NR Band n71 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.84	0	0.0
	1	40	21.06		0.0
	1	77	20.98		0.0
	36	0	20.87	0-1	0.0
	36	22	20.95	0	0.0
	36	43	20.96	0-1	0.0
	75	0	21.01		0.0
DFT-s-OFDM 16QAM	1	1	20.72	0-1	0.0
CP-OFDM QPSK	1	1	20.77	0-1.5	0.0

Table F-110
NR Band n71 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n71
10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.88	20.77	20.91	0	0.0
	1	26	20.72	20.94	20.76		0.0
	1	50	20.62	20.82	20.75		0.0
	25	0	20.73	20.72	20.79	0-1	0.0
	25	14	20.66	20.87	20.78	0	0.0
	25	27	20.68	20.83	20.73	0-1	0.0
	50	0	20.70	20.75	20.71		0.0
DFT-s-OFDM 16QAM	1	1	21.15	20.32	20.69	0-1	0.0
CP-OFDM QPSK	1	1	20.94	20.58	20.87	0-1.5	0.0

Table F-111
NR Band n71 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n71
5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.86	20.88	20.75	0	0.0
	1	13	20.84	20.95	20.83		0.0
	1	23	20.87	20.82	20.65		0.0
	12	0	20.80	20.85	20.72	0-1	0.0
	12	7	20.81	20.94	20.64	0	0.0
	12	13	20.75	20.87	20.70	0-1	0.0
	25	0	20.74	20.86	20.68		0.0
DFT-s-OFDM 16QAM	1	1	20.68	20.61	20.57	0-1	0.0
CP-OFDM QPSK	1	1	20.83	20.80	20.63	0-1.5	0.0

Table F-112
NR Band n71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n71
15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.35	0	0.0
	1	40	20.61		0.0
	1	77	20.67		0.0
	36	0	20.48	0-1	0.0
	36	22	20.57	0	0.0
	36	43	20.53	0-1	0.0
	75	0	20.59		0.0
DFT-s-OFDM 16QAM	1	1	20.49	0-1	0.0
CP-OFDM QPSK	1	1	20.32	0-1.5	0.0

Table F-113
NR Band n71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n71
10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.44	20.37	20.57	0	0.0
	1	26	20.42	20.62	20.55		0.0
	1	50	20.37	20.57	20.38		0.0
	25	0	20.35	20.32	20.41	0-1	0.0
	25	14	20.33	20.47	20.37	0	0.0
	25	27	20.31	20.45	20.34	0-1	0.0
	50	0	20.30	20.36	20.33		0.0
DFT-s-OFDM 16QAM	1	1	20.32	20.27	20.54	0-1	0.0
CP-OFDM QPSK	1	1	20.40	20.29	20.51	0-1.5	0.0

Table F-114
NR Band n71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n71
5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.58	20.44	20.55	0	0.0
	1	13	20.57	20.55	20.47		0.0
	1	23	20.46	20.57	20.35		0.0
	12	0	20.41	20.39	20.33	0-1	0.0
	12	7	20.37	20.52	20.37	0	0.0
	12	13	20.36	20.48	20.36	0-1	0.0
	25	0	20.33	20.51	20.27		0.0
DFT-s-OFDM 16QAM	1	1	20.51	20.27	20.30	0-1	0.0
CP-OFDM QPSK	1	1	20.38	20.46	20.51	0-1.5	0.0

F.2.2 NR Band n12

Table F-115
NR Band n12 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.54	0	0.0
	1	26	19.45		0.0
	1	50	19.34		0.0
	25	0	19.52	0-1	0.0
	25	14	19.46	0	0.0
	25	27	19.44	0-1	0.0
	50	0	19.48		0.0
DFT-s-OFDM 16QAM	1	1	19.51	0-1	0.0
CP-OFDM QPSK	1	1	19.42	0-1.5	0.0

Table F-116
NR Band n12 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n12
5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.57	19.48	19.54	0	0.0
	1	13	19.51	19.54	19.42		0.0
	1	23	19.48	19.45	19.43		0.0
	12	0	19.50	19.47	19.38	0-1	0.0
	12	7	19.46	19.41	19.35	0	0.0
	12	13	19.43	19.40	19.32	0-1	0.0
	25	0	19.49	19.46	19.33		0.0
DFT-s-OFDM 16QAM	1	1	19.37	19.55	19.47	0-1	0.0
CP-OFDM QPSK	1	1	19.31	19.43	19.16	0-1.5	0.0

Table F-117
NR Band n12 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n12
10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.85	0	0.0
	1	26	18.74		0.0
	1	50	18.82		0.0
	25	0	18.76	0-1	0.0
	25	14	18.75	0	0.0
	25	27	18.78	0-1	0.0
	50	0	18.73		0.0
DFT-s-OFDM 16QAM	1	1	18.77	0-1	0.0
CP-OFDM QPSK	1	1	18.93	0-1.5	0.0

Table F-118
NR Band n12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n12
5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.89	18.86	18.85	0	0.0
	1	13	18.92	18.85	18.79		0.0
	1	23	18.85	18.79	18.81		0.0
	12	0	18.88	18.81	18.84	0-1	0.0
	12	7	18.87	18.73	18.75	0	0.0
	12	13	18.81	18.71	18.73	0-1	0.0
	25	0	18.78	18.69	18.77		0.0
DFT-s-OFDM 16QAM	1	1	18.66	18.77	18.74	0-1	0.0
CP-OFDM QPSK	1	1	18.84	19.01	18.92	0-1.5	0.0

F.2.3 NR Band n14

Table F-119
NR Band n14 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.37	19.36	0	0.0
	1	13	19.24	19.32		0.0
	1	23	19.23	19.29		0.0
	12	0	19.26	19.34	0-1	0.0
	12	7	19.25	19.25	0	0.0
	12	13	19.31	19.21	0-1	0.0
	25	0	19.22	19.23		0.0
DFT-s-OFDM 16QAM	1	1	19.42	19.47	0-1	0.0
CP-OFDM QPSK	1	1	19.15	19.31	0-1.5	0.0

Table F-120
NR Band n14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n14
5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.86	20.87	0	0.0
	1	13	20.75	20.81		0.0
	1	23	20.71	20.71		0.0
	12	0	20.78	20.73	0-1	0.0
	12	7	20.80	20.68	0	0.0
	12	13	20.70	20.63	0-1	0.0
	25	0	20.68	20.65		0.0
DFT-s-OFDM 16QAM	1	1	20.97	20.70	0-1	0.0
CP-OFDM QPSK	1	1	21.06	20.91	0-1.5	0.0

F.2.4 NR Band n26

Table F-121
NR Band n26 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.94	18.84	0	0.0
	1	40	18.86	18.87		0.0
	1	77	18.95	18.81		0.0
	36	0	18.70	18.78	0-1	0.0
	36	22	18.73	18.73	0	0.0
	36	43	18.71	18.74	0-1	0.0
	75	0	18.75	18.75		0.0
DFT-s-OFDM 16QAM	1	1	19.01	18.76	0-1	0.0
CP-OFDM QPSK	1	1	18.84	18.92	0-1.5	0.0

Table F-122
NR Band n26 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n26
10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.67	18.93	18.75	0	0.0
	1	26	18.54	18.76	18.80		0.0
	1	50	18.70	18.75	18.86		0.0
	25	0	18.71	18.52	18.74	0-1	0.0
	25	14	18.60	18.66	18.73	0	0.0
	25	27	18.56	18.69	18.70	0-1	0.0
	50	0	18.76	18.67	18.72		0.0
DFT-s-OFDM 16QAM	1	1	18.90	18.72	18.77	0-1	0.0
CP-OFDM QPSK	1	1	18.82	18.86	18.91	0-1.5	0.0

Table F-123
NR Band n26 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n26
5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.66	18.71	19.03	0	0.0
	1	13	18.60	18.76	18.94		0.0
	1	23	18.75	18.70	18.60		0.0
	12	0	18.61	18.67	18.71	0-1	0.0
	12	7	18.71	18.62	18.67	0	0.0
	12	13	18.67	18.69	18.65	0-1	0.0
	25	0	18.57	18.66	18.61		0.0
DFT-s-OFDM 16QAM	1	1	18.85	18.77	18.76	0-1	0.0
CP-OFDM QPSK	1	1	18.81	18.54	18.95	0-1.5	0.0

Table F-124
NR Band n26 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n26
15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.28	19.07	0	0.0
	1	40	19.10	19.15		0.0
	1	77	19.24	19.11		0.0
	36	0	19.15	18.92	0-1	0.0
	36	22	19.05	18.93	0	0.0
	36	43	19.12	18.87	0-1	0.0
	75	0	19.13	18.99		0.0
DFT-s-OFDM 16QAM	1	1	19.17	18.96	0-1	0.0
CP-OFDM QPSK	1	1	19.22	19.05	0-1.5	0.0

Table F-125
NR Band n26 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n26
10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.01	19.07	19.03	0	0.0
	1	26	18.84	19.05	19.08		0.0
	1	50	18.91	19.01	18.93		0.0
	25	0	18.90	18.97	18.91	0-1	0.0
	25	14	18.82	19.02	18.84	0	0.0
	25	27	18.87	18.99	18.94	0-1	0.0
	50	0	18.92	19.04	18.86		0.0
DFT-s-OFDM 16QAM	1	1	19.08	19.12	19.04	0-1	0.0
CP-OFDM QPSK	1	1	18.87	19.10	18.96	0-1.5	0.0

Table F-126
NR Band n26 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n26
5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.83	18.97	18.86	0	0.0
	1	13	18.88	18.91	18.95		0.0
	1	23	18.97	18.87	18.74		0.0
	12	0	18.99	18.94	18.72	0-1	0.0
	12	7	18.94	18.87	18.82	0	0.0
	12	13	19.01	18.93	18.96	0-1	0.0
	25	0	18.91	18.90	18.75		0.0
DFT-s-OFDM 16QAM	1	1	18.80	19.01	18.91	0-1	0.0
CP-OFDM QPSK	1	1	19.07	19.02	18.97	0-1.5	0.0

F.2.5 NR Band n5

Table F-127
NR Band n5 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.35	0	0.0
	1	40	19.37		0.0
	1	77	19.25		0.0
	36	0	19.36	0-1	0.0
	36	22	19.27	0	0.0
	36	43	19.23	0-1	0.0
	75	0	19.34		0.0
DFT-s-OFDM 16QAM	1	1	19.29	0-1	0.0
CP-OFDM QPSK	1	1	19.26	0-1.5	0.0

Table F-128
NR Band n5 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.23	0	0.0
	1	26	19.35		0.0
	1	50	19.27		0.0
	25	0	19.28	0-1	0.0
	25	14	19.21	0	0.0
	25	27	19.24	0-1	0.0
	50	0	19.26		0.0
DFT-s-OFDM 16QAM	1	1	19.22	0-1	0.0
CP-OFDM QPSK	1	1	19.18	0-1.5	0.0

Table F-129
NR Band n5 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n5
5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.37	19.26	19.28	0	0.0
	1	13	19.42	19.22	19.24		0.0
	1	23	19.46	19.27	19.23		0.0
	12	0	19.41	19.24	19.21	0-1	0.0
	12	7	19.35	19.30	19.27	0	0.0
	12	13	19.36	19.31	19.17	0-1	0.0
	25	0	19.40	19.23	19.22		0.0
DFT-s-OFDM 16QAM	1	1	19.62	19.57	19.37	0-1	0.0
CP-OFDM QPSK	1	1	19.38	19.35	19.34	0-1.5	0.0

Table F-130
NR Band n5 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.20	0	0.0
	1	40	19.22		0.0
	1	77	19.14		0.0
	36	0	19.12	0-1	0.0
	36	22	19.10	0	0.0
	36	43	18.95	0-1	0.0
	75	0	18.94		0.0
DFT-s-OFDM 16QAM	1	1	19.01	0-1	0.0
CP-OFDM QPSK	1	1	19.11	0-1.5	0.0

Table F-131
NR Band n5 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n5
10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.96	0	0.0
	1	26	19.03		0.0
	1	50	19.04		0.0
	25	0	18.97	0-1	0.0
	25	14	18.95	0	0.0
	25	27	19.01	0-1	0.0
	50	0	18.94		0.0
DFT-s-OFDM 16QAM	1	1	19.12	0-1	0.0
CP-OFDM QPSK	1	1	19.01	0-1.5	0.0

Table F-132
NR Band n5 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n5
5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.05	19.02	19.03	0	0.0
	1	13	19.02	19.09	18.92		0.0
	1	23	19.04	19.00	19.02		0.0
	12	0	18.97	19.01	18.97	0-1	0.0
	12	7	18.93	18.92	18.94	0	0.0
	12	13	18.96	18.95	19.01	0-1	0.0
	25	0	19.01	18.91	18.98		0.0
DFT-s-OFDM 16QAM	1	1	18.82	18.73	19.07	0-1	0.0
CP-OFDM QPSK	1	1	19.12	18.85	19.11	0-1.5	0.0

F.2.6 NR Band n70

Table F-133
NR Band n70 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.96	0	0.0
	1	26	12.02		0.0
	1	50	11.99		0.0
	25	0	11.98	0-1	0.0
	25	14	11.93	0	0.0
	25	27	11.95	0-1	0.0
	50	0	11.94		0.0
DFT-s-OFDM 16QAM	1	1	12.16	0-1	0.0
CP-OFDM QPSK	1	1	12.06	0-1.5	0.0

Table F-134
NR Band n70 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n70
5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.09	11.97	0	0.0
	1	13	12.07	12.03		0.0
	1	23	11.98	11.94		0.0
	12	0	12.05	11.96	0-1	0.0
	12	7	12.03	11.93	0	0.0
	12	13	11.99	11.98	0-1	0.0
	25	0	11.97	11.91		0.0
DFT-s-OFDM 16QAM	1	1	11.90	11.90	0-1	0.0
CP-OFDM QPSK	1	1	11.94	11.87	0-1.5	0.0

Table F-135
NR Band n70 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n70
10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.87	0	0.0
	1	26	14.83		0.0
	1	50	14.81		0.0
	25	0	14.77	0-1	0.0
	25	14	14.85	0	0.0
	25	27	14.84	0-1	0.0
	50	0	14.88		0.0
DFT-s-OFDM 16QAM	1	1	14.70	0-1	0.0
CP-OFDM QPSK	1	1	14.80	0-1.5	0.0

Table F-136
NR Band n70 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n70
5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.04	15.11	0	0.0
	1	13	15.17	15.08		0.0
	1	23	15.01	15.10		0.0
	12	0	15.06	15.12	0-1	0.0
	12	7	14.99	15.09	0	0.0
	12	13	15.05	15.04	0-1	0.0
	25	0	15.11	15.07		0.0
DFT-s-OFDM 16QAM	1	1	15.09	15.33	0-1	0.0
CP-OFDM QPSK	1	1	14.97	14.94	0-1.5	0.0

Table F-137
NR Band n70 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth
NR Band n70
10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.88	0	0.0
	1	26	12.04		0.0
	1	50	11.84		0.0
	25	0	11.91	0-1	0.0
	25	14	11.93	0	0.0
	25	27	11.90	0-1	0.0
	50	0	11.86		0.0
DFT-s-OFDM 16QAM	1	1	12.13	0-1	0.0
CP-OFDM QPSK	1	1	11.87	0-1.5	0.0

Table F-138
NR Band n70 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n70
5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.85	11.93	0	0.0
	1	13	11.97	11.98		0.0
	1	23	11.96	11.82		0.0
	12	0	11.94	11.94	0-1	0.0
	12	7	11.93	11.87	0	0.0
	12	13	11.87	11.90	0-1	0.0
	25	0	11.91	11.84		0.0
DFT-s-OFDM 16QAM	1	1	12.04	11.83	0-1	0.0
CP-OFDM QPSK	1	1	11.90	11.92	0-1.5	0.0

Table F-139
NR Band n70 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n70
10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.27	0	0.0
	1	26	15.24		0.0
	1	50	15.28		0.0
	25	0	15.23	0-1	0.0
	25	14	15.29	0	0.0
	25	27	15.25	0-1	0.0
	50	0	15.26		0.0
DFT-s-OFDM 16QAM	1	1	15.22	0-1	0.0
CP-OFDM QPSK	1	1	15.26	0-1.5	0.0

Table F-140
NR Band n70 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n70
5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.27	15.26	0	0.0
	1	13	15.21	15.28		0.0
	1	23	15.18	15.22		0.0
	12	0	15.25	15.25	0-1	0.0
	12	7	15.15	15.20	0	0.0
	12	13	15.17	15.24	0-1	0.0
	25	0	15.13	15.19		0.0
DFT-s-OFDM 16QAM	1	1	15.19	15.29	0-1	0.0
CP-OFDM QPSK	1	1	15.24	15.27	0-1.5	0.0

F.2.7 NR Band n66

Table F-141
NR Band n66 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.20	0	0.0
	1	94	12.05		0.0
	1	186	12.19		0.0
	90	0	11.98	0-1	0.0
	90	49	11.94	0	0.0
	90	98	11.92	0-1	0.0
	180	0	12.02		0.0
DFT-s-OFDM 16QAM	1	1	12.34	0-1	0.0
CP-OFDM QPSK	1	1	12.32	0-1.5	0.0

Table F-142
NR Band n66 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.18	0	0.0
	1	80	12.26		0.0
	1	158	12.25		0.0
	80	0	12.30	0-1	0.0
	80	40	12.20	0	0.0
	80	80	12.17	0-1	0.0
	160	0	12.24		0.0
DFT-s-OFDM 16QAM	1	1	12.28	0-1	0.0
CP-OFDM QPSK	1	1	12.19	0-1.5	0.0

Table F-143
NR Band n66 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth
NR Band n66
25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.21	0	0.0
	1	67	12.14		0.0
	1	131	12.28		0.0
	64	0	12.22	0-1	0.0
	64	35	12.12	0	0.0
	64	69	12.10	0-1	0.0
	128	0	12.15		0.0
DFT-s-OFDM 16QAM	1	1	12.27	0-1	0.0
CP-OFDM QPSK	1	1	12.17	0-1.5	0.0

Table F-144
NR Band n66 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.27	12.18	12.14	0	0.0
	1	53	12.18	12.15	12.16		0.0
	1	104	12.26	12.19	12.11		0.0
	50	0	12.16	12.07	12.10	0-1	0.0
	50	28	12.15	12.04	12.05	0	0.0
	50	56	12.14	12.05	12.17	0-1	0.0
	100	0	12.12	12.09	12.03		0.0
DFT-s-OFDM 16QAM	1	1	12.08	12.31	12.04	0-1	0.0
CP-OFDM QPSK	1	1	12.32	12.13	12.27	0-1.5	0.0

Table F-145
NR Band n66 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth
NR Band n66
15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.06	11.95	11.92	0	0.0
	1	40	12.00	11.84	11.95		0.0
	1	77	12.03	11.93	12.04		0.0
	36	0	11.92	11.82	11.81	0-1	0.0
	36	22	11.94	11.86	11.87	0	0.0
	36	43	11.96	11.92	11.86	0-1	0.0
	75	0	11.95	11.85	11.89		0.0
DFT-s-OFDM 16QAM	1	1	11.76	11.97	11.95	0-1	0.0
CP-OFDM QPSK	1	1	11.97	12.06	12.06	0-1.5	0.0

Table F-146
NR Band n66 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.81	11.84	11.94	0	0.0
	1	26	11.90	11.86	11.85		0.0
	1	50	11.78	11.90	11.92		0.0
	25	0	11.76	11.80	11.88	0-1	0.0
	25	14	11.79	11.82	11.82	0	0.0
	25	27	11.80	11.75	11.87	0-1	0.0
	50	0	11.75	11.72	11.84		0.0
DFT-s-OFDM 16QAM	1	1	11.72	12.09	11.92	0-1	0.0
CP-OFDM QPSK	1	1	11.97	11.85	12.05	0-1.5	0.0

Table F-147
NR Band n66 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.94	11.85	11.92	0	0.0
	1	13	11.86	11.89	11.87		0.0
	1	23	11.82	11.82	11.84		0.0
	12	0	11.81	11.76	11.86	0-1	0.0
	12	7	11.78	11.77	11.83	0	0.0
	12	13	11.80	11.73	11.82	0-1	0.0
	25	0	11.83	11.80	11.88		0.0
DFT-s-OFDM 16QAM	1	1	11.91	11.75	11.95	0-1	0.0
CP-OFDM QPSK	1	1	12.01	11.92	11.91	0-1.5	0.0

Table F-148
NR Band n66 Measured P_{Limit} Antenna 2 - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.07	0	0.0
	1	94	14.82		0.0
	1	186	15.04		0.0
	90	0	14.89	0-1	0.0
	90	49	14.84	0	0.0
	90	98	14.87	0-1	0.0
	180	0	14.85		0.0
DFT-s-OFDM 16QAM	1	1	15.22	0-1	0.0
CP-OFDM QPSK	1	1	15.25	0-1.5	0.0

Table F-149
NR Band n66 Measured P_{Limit} Antenna 2 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.17	0	0.0
	1	80	15.06		0.0
	1	158	15.02		0.0
	80	0	15.07	0-1	0.0
	80	40	14.93	0	0.0
	80	80	14.98	0-1	0.0
	160	0	15.05		0.0
DFT-s-OFDM 16QAM	1	1	15.26	0-1	0.0
CP-OFDM QPSK	1	1	15.21	0-1.5	0.0

Table F-150
NR Band n66 Measured P_{Limit} Antenna 2 - 25 MHz Bandwidth
NR Band n66
25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.16	0	0.0
	1	67	14.98		0.0
	1	131	15.04		0.0
	64	0	15.06	0-1	0.0
	64	35	14.91	0	0.0
	64	69	14.93	0-1	0.0
	128	0	14.95		0.0
DFT-s-OFDM 16QAM	1	1	15.27	0-1	0.0
CP-OFDM QPSK	1	1	15.23	0-1.5	0.0

Table F-151
NR Band n66 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth
NR Band n66
20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.17	15.12	15.02	0	0.0
	1	53	15.07	14.97	14.92		0.0
	1	104	15.11	15.07	15.01		0.0
	50	0	14.92	14.94	14.86	0-1	0.0
	50	28	14.96	14.91	14.81	0	0.0
	50	56	15.03	14.92	14.72	0-1	0.0
	100	0	14.93	14.96	14.74		0.0
DFT-s-OFDM 16QAM	1	1	15.28	15.17	14.71	0-1	0.0
CP-OFDM QPSK	1	1	15.21	15.27	14.93	0-1.5	0.0

Table F-152
NR Band n66 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.08	15.04	14.84	0	0.0
	1	40	15.05	15.10	15.04		0.0
	1	77	15.13	15.02	14.95		0.0
	36	0	14.92	14.90	14.81	0-1	0.0
	36	22	14.85	14.91	14.77	0	0.0
	36	43	14.93	14.95	14.79	0-1	0.0
	75	0	14.94	14.87	14.73		0.0
DFT-s-OFDM 16QAM	1	1	15.17	15.13	14.97	0-1	0.0
CP-OFDM QPSK	1	1	15.12	14.94	15.01	0-1.5	0.0

Table F-153
NR Band n66 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.83	14.79	14.72	0	0.0
	1	26	14.82	15.05	14.76		0.0
	1	50	14.71	14.90	14.64		0.0
	25	0	14.73	14.78	14.74	0-1	0.0
	25	14	14.75	14.74	14.66	0	0.0
	25	27	14.80	14.71	14.77	0-1	0.0
	50	0	14.78	14.75	14.63		0.0
DFT-s-OFDM 16QAM	1	1	14.84	14.76	14.71	0-1	0.0
CP-OFDM QPSK	1	1	14.98	14.90	14.80	0-1.5	0.0

Table F-154
NR Band n66 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.95	14.97	14.73	0	0.0
	1	13	14.91	14.84	15.04		0.0
	1	23	15.07	14.88	14.67		0.0
	12	0	14.81	14.82	14.70	0-1	0.0
	12	7	14.70	14.81	14.63	0	0.0
	12	13	14.73	14.90	14.72	0-1	0.0
	25	0	14.82	14.87	14.71		0.0
DFT-s-OFDM 16QAM	1	1	15.04	15.08	14.77	0-1	0.0
CP-OFDM QPSK	1	1	15.00	15.09	15.01	0-1.5	0.0

Table F-155
NR Band n66 Measured P_{Limit} Antenna 3b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.17	0	0.0
	1	94	11.75		0.0
	1	186	11.82		0.0
	90	0	11.87	0-1	0.0
	90	49	11.71	0	0.0
	90	98	11.83	0-1	0.0
	180	0	11.86		0.0
DFT-s-OFDM 16QAM	1	1	12.20	0-1	0.0
CP-OFDM QPSK	1	1	12.10	0-1.5	0.0

Table F-156
NR Band n66 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.55	0	0.0
	1	80	11.47		0.0
	1	158	11.50		0.0
	80	0	11.54	0-1	0.0
	80	40	11.42	0	0.0
	80	80	11.37	0-1	0.0
	160	0	11.45		0.0
DFT-s-OFDM 16QAM	1	1	11.41	0-1	0.0
CP-OFDM QPSK	1	1	11.57	0-1.5	0.0

Table F-157
NR Band n66 Measured P_{Limit} Antenna 3b - 25 MHz Bandwidth
NR Band n66
25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.65	0	0.0
	1	67	11.54		0.0
	1	131	11.51		0.0
	64	0	11.52	0-1	0.0
	64	35	11.50	0	0.0
	64	69	11.47	0-1	0.0
	128	0	11.48		0.0
DFT-s-OFDM 16QAM	1	1	11.91	0-1	0.0
CP-OFDM QPSK	1	1	11.76	0-1.5	0.0

Table F-158
NR Band n66 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth
NR Band n66
20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.45	12.26	12.46	0	0.0
	1	53	12.37	12.21	12.51		0.0
	1	104	12.43	12.20	12.45		0.0
	50	0	12.39	12.27	12.42	0-1	0.0
	50	28	12.41	12.25	12.39	0	0.0
	50	56	12.35	12.22	12.33	0-1	0.0
	100	0	12.38	12.19	12.40		0.0
DFT-s-OFDM 16QAM	1	1	12.70	12.23	12.43	0-1	0.0
CP-OFDM QPSK	1	1	12.52	12.28	12.53	0-1.5	0.0

Table F-159
NR Band n66 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth
NR Band n66
15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.41	12.27	12.46	0	0.0
	1	40	12.38	12.24	12.43		0.0
	1	77	12.47	12.18	12.52		0.0
	36	0	12.36	12.30	12.45	0-1	0.0
	36	22	12.39	12.26	12.37	0	0.0
	36	43	12.42	12.24	12.41	0-1	0.0
	75	0	12.45	12.27	12.39		0.0
DFT-s-OFDM 16QAM	1	1	12.54	12.22	12.79	0-1	0.0
CP-OFDM QPSK	1	1	12.39	12.21	12.57	0-1.5	0.0

Table F-160
NR Band n66 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.28	12.23	12.26	0	0.0
	1	26	12.25	12.07	12.29		0.0
	1	50	12.27	12.19	12.17		0.0
	25	0	12.31	12.21	12.27	0-1	0.0
	25	14	12.29	12.16	12.23	0	0.0
	25	27	12.23	12.18	12.19	0-1	0.0
	50	0	12.19	12.15	12.21		0.0
DFT-s-OFDM 16QAM	1	1	12.32	12.17	12.28	0-1	0.0
CP-OFDM QPSK	1	1	12.28	11.97	12.12	0-1.5	0.0

Table F-161
NR Band n66 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.31	12.20	12.24	0	0.0
	1	13	12.22	12.24	12.32		0.0
	1	23	12.26	12.19	12.27		0.0
	12	0	12.27	12.16	12.22	0-1	0.0
	12	7	12.30	12.17	12.18	0	0.0
	12	13	12.17	12.22	12.20	0-1	0.0
	25	0	12.29	12.09	12.23		0.0
DFT-s-OFDM 16QAM	1	1	12.47	11.97	12.35	0-1	0.0
CP-OFDM QPSK	1	1	12.32	12.14	12.37	0-1.5	0.0

Table F-162
NR Band n66 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.02	0	0.0
	1	94	14.71		0.0
	1	186	14.82		0.0
	90	0	14.65	0-1	0.0
	90	49	14.57	0	0.0
	90	98	14.63	0-1	0.0
	180	0	14.66		0.0
DFT-s-OFDM 16QAM	1	1	14.97	0-1	0.0
CP-OFDM QPSK	1	1	15.04	0-1.5	0.0

Table F-163
NR Band n66 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.40	0	0.0
	1	80	14.24		0.0
	1	158	14.41		0.0
	80	0	14.37	0-1	0.0
	80	40	14.25	0	0.0
	80	80	14.22	0-1	0.0
	160	0	14.30		0.0
DFT-s-OFDM 16QAM	1	1	14.60	0-1	0.0
CP-OFDM QPSK	1	1	14.71	0-1.5	0.0

Table F-164
NR Band n66 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth
NR Band n66
25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	14.50	0	0.0
	1	67	14.32		0.0
	1	131	14.43		0.0
	64	0	14.52	0-1	0.0
	64	35	14.31	0	0.0
	64	69	14.32	0-1	0.0
	128	0	14.27		0.0
DFT-s-OFDM 16QAM	1	1	14.73	0-1	0.0
CP-OFDM QPSK	1	1	14.58	0-1.5	0.0

Table F-165
NR Band n66 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.61	14.56	14.54	0	0.0
	1	53	14.40	14.41	14.35		0.0
	1	104	14.51	14.52	14.24		0.0
	50	0	14.42	14.36	14.30	0-1	0.0
	50	28	14.35	14.33	14.21	0	0.0
	50	56	14.37	14.40	14.22	0-1	0.0
	100	0	14.31	14.29	14.25		0.0
DFT-s-OFDM 16QAM	1	1	14.58	14.60	14.51	0-1	0.0
CP-OFDM QPSK	1	1	14.72	14.71	14.42	0-1.5	0.0

Table F-166
NR Band n66 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.61	14.57	14.67	0	0.0
	1	40	14.66	14.41	14.55		0.0
	1	77	14.67	14.53	14.51		0.0
	36	0	14.48	14.51	14.49	0-1	0.0
	36	22	14.36	14.35	14.50	0	0.0
	36	43	14.45	14.32	14.46	0-1	0.0
	75	0	14.50	14.37	14.49		0.0
DFT-s-OFDM 16QAM	1	1	14.72	14.65	14.87	0-1	0.0
CP-OFDM QPSK	1	1	14.71	14.74	14.76	0-1.5	0.0

Table F-167
NR Band n66 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n66
10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.71	14.66	14.62	0	0.0
	1	26	14.75	14.54	14.58		0.0
	1	50	14.67	14.69	14.72		0.0
	25	0	14.65	14.56	14.61	0-1	0.0
	25	14	14.74	14.53	14.57	0	0.0
	25	27	14.72	14.52	14.50	0-1	0.0
	50	0	14.62	14.50	14.53		0.0
DFT-s-OFDM 16QAM	1	1	14.56	14.57	14.74	0-1	0.0
CP-OFDM QPSK	1	1	14.57	14.82	14.77	0-1.5	0.0

Table F-168
NR Band n66 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	14.71	14.64	14.63	0	0.0
	1	13	14.68	14.67	14.80		0.0
	1	23	14.84	14.71	14.71		0.0
	12	0	14.67	14.55	14.56	0-1	0.0
	12	7	14.65	14.61	14.62	0	0.0
	12	13	14.66	14.60	14.69	0-1	0.0
	25	0	14.61	14.55	14.57		0.0
DFT-s-OFDM 16QAM	1	1	14.64	14.67	14.84	0-1	0.0
CP-OFDM QPSK	1	1	14.72	14.75	14.63	0-1.5	0.0

F.2.8 NR Band n25

Table F-169
NR Band n25 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.98	0	0.0
	1	94	12.06		0.0
	1	186	12.07		0.0
	90	0	12.00	0-1	0.0
	90	49	11.92	0	0.0
	90	98	11.91	0-1	0.0
	180	0	11.97		0.0
DFT-s-OFDM 16QAM	1	1	12.14	0-1	0.0
CP-OFDM QPSK	1	1	12.23	0-1.5	0.0

Table F-170
NR Band n25 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.17	0	0.0
	1	80	12.08		0.0
	1	158	12.12		0.0
	80	0	12.13	0-1	0.0
	80	40	12.05	0	0.0
	80	80	12.03	0-1	0.0
	160	0	12.06		0.0
DFT-s-OFDM 16QAM	1	1	11.99	0-1	0.0
CP-OFDM QPSK	1	1	12.24	0-1.5	0.0

Table F-171
NR Band n25 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth
NR Band n25
25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.18	0	0.0
	1	67	12.08		0.0
	1	131	12.12		0.0
	64	0	12.10	0-1	0.0
	64	35	12.06	0	0.0
	64	69	12.04	0-1	0.0
	128	0	12.07		0.0
DFT-s-OFDM 16QAM	1	1	11.95	0-1	0.0
CP-OFDM QPSK	1	1	12.15	0-1.5	0.0

Table F-172
NR Band n25 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.16	12.04	12.09	0	0.0
	1	53	12.08	12.01	12.07		0.0
	1	104	12.07	12.13	11.95		0.0
	50	0	12.09	12.03	12.02	0-1	0.0
	50	28	12.05	11.98	11.96	0	0.0
	50	56	12.02	11.95	11.94	0-1	0.0
	100	0	12.06	12.00	12.01		0.0
DFT-s-OFDM 16QAM	1	1	12.04	12.21	11.97	0-1	0.0
CP-OFDM QPSK	1	1	12.14	11.97	12.04	0-1.5	0.0

Table F-173
NR Band n25 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.15	12.14	12.07	0	0.0
	1	40	12.13	12.05	12.08		0.0
	1	77	12.12	12.01	12.00		0.0
	36	0	12.08	11.99	11.99	0-1	0.0
	36	22	12.06	11.95	11.92	0	0.0
	36	43	12.07	11.92	11.95	0-1	0.0
	75	0	12.05	11.98	11.98		0.0
DFT-s-OFDM 16QAM	1	1	12.10	12.13	12.02	0-1	0.0
CP-OFDM QPSK	1	1	12.17	12.22	12.10	0-1.5	0.0

Table F-174
NR Band n25 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.95	11.89	11.96	0	0.0
	1	26	11.96	11.96	12.02		0.0
	1	50	11.98	11.84	11.85		0.0
	25	0	11.94	11.86	11.84	0-1	0.0
	25	14	11.91	11.92	11.87	0	0.0
	25	27	11.90	11.83	11.91	0-1	0.0
	50	0	11.99	11.87	11.81		0.0
DFT-s-OFDM 16QAM	1	1	11.88	12.01	11.71	0-1	0.0
CP-OFDM QPSK	1	1	12.17	11.97	11.98	0-1.5	0.0

Table F-175
NR Band n25 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.07	11.95	12.06	0	0.0
	1	13	12.05	11.97	12.01		0.0
	1	23	12.02	12.05	11.98		0.0
	12	0	11.97	11.86	11.85	0-1	0.0
	12	7	11.94	11.87	11.96	0	0.0
	12	13	11.96	11.90	11.97	0-1	0.0
	25	0	11.91	11.84	11.89		0.0
DFT-s-OFDM 16QAM	1	1	11.98	11.95	12.10	0-1	0.0
CP-OFDM QPSK	1	1	12.04	12.07	12.08	0-1.5	0.0

Table F-176
NR Band n25 Measured P_{Limit} Antenna 2 - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.16	0	0.0
	1	94	15.26		0.0
	1	186	15.22		0.0
	90	0	15.00	0-1	0.0
	90	49	15.01	0	0.0
	90	98	15.07	0-1	0.0
	180	0	15.05		0.0
DFT-s-OFDM 16QAM	1	1	15.24	0-1	0.0
CP-OFDM QPSK	1	1	15.21	0-1.5	0.0

Table F-177
NR Band n25 Measured P_{Limit} Antenna 2 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.44	0	0.0
	1	80	15.52		0.0
	1	158	15.43		0.0
	80	0	15.46	0-1	0.0
	80	40	15.47	0	0.0
	80	80	15.41	0-1	0.0
	160	0	15.53		0.0
DFT-s-OFDM 16QAM	1	1	15.30	0-1	0.0
CP-OFDM QPSK	1	1	15.37	0-1.5	0.0

Table F-178
NR Band n25 Measured P_{Limit} Antenna 2 - 25 MHz Bandwidth
NR Band n25
25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.48	0	0.0
	1	67	15.46		0.0
	1	131	15.47		0.0
	64	0	15.43	0-1	0.0
	64	35	15.45	0	0.0
	64	69	15.40	0-1	0.0
	128	0	15.49		0.0
DFT-s-OFDM 16QAM	1	1	15.41	0-1	0.0
CP-OFDM QPSK	1	1	15.56	0-1.5	0.0

Table F-179
NR Band n25 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.56	15.53	15.47	0	0.0
	1	53	15.41	15.45	15.43		0.0
	1	104	15.58	15.40	15.37		0.0
	50	0	15.48	15.46	15.36	0-1	0.0
	50	28	15.39	15.42	15.39	0	0.0
	50	56	15.42	15.37	15.34	0-1	0.0
	100	0	15.47	15.39	15.31		0.0
DFT-s-OFDM 16QAM	1	1	15.35	15.59	15.37	0-1	0.0
CP-OFDM QPSK	1	1	15.27	15.57	15.25	0-1.5	0.0

Table F-180
NR Band n25 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.57	15.53	15.49	0	0.0
	1	40	15.54	15.54	15.47		0.0
	1	77	15.51	15.55	15.32		0.0
	36	0	15.52	15.49	15.43	0-1	0.0
	36	22	15.47	15.42	15.38	0	0.0
	36	43	15.44	15.40	15.35	0-1	0.0
	75	0	15.48	15.43	15.42		0.0
DFT-s-OFDM 16QAM	1	1	15.41	15.47	15.57	0-1	0.0
CP-OFDM QPSK	1	1	15.56	15.55	15.47	0-1.5	0.0

Table F-181
NR Band n25 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.42	15.34	15.38	0	0.0
	1	26	15.31	15.47	15.32		0.0
	1	50	15.34	15.32	15.26		0.0
	25	0	15.33	15.35	15.31	0-1	0.0
	25	14	15.30	15.33	15.29	0	0.0
	25	27	15.29	15.36	15.24	0-1	0.0
	50	0	15.32	15.28	15.30		0.0
DFT-s-OFDM 16QAM	1	1	14.97	15.54	15.52	0-1	0.0
CP-OFDM QPSK	1	1	15.21	15.42	15.25	0-1.5	0.0

Table F-182
NR Band n25 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.38	15.44	15.32	0	0.0
	1	13	15.36	15.39	15.28		0.0
	1	23	15.33	15.37	15.27		0.0
	12	0	15.32	15.36	15.26	0-1	0.0
	12	7	15.30	15.34	15.24	0	0.0
	12	13	15.34	15.32	15.31	0-1	0.0
	25	0	15.35	15.31	15.35		0.0
DFT-s-OFDM 16QAM	1	1	15.45	15.51	15.40	0-1	0.0
CP-OFDM QPSK	1	1	15.39	15.37	15.34	0-1.5	0.0

Table F-183
NR Band n25 Measured P_{Limit} Antenna 3b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.95	0	0.0
	1	94	11.87		0.0
	1	186	11.90		0.0
	90	0	11.92	0-1	0.0
	90	49	11.91	0	0.0
	90	98	11.86	0-1	0.0
	180	0	11.97		0.0
DFT-s-OFDM 16QAM	1	1	12.19	0-1	0.0
CP-OFDM QPSK	1	1	12.04	0-1.5	0.0

Table F-184
NR Band n25 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.85	0	0.0
	1	80	11.94		0.0
	1	158	11.82		0.0
	80	0	11.86	0-1	0.0
	80	40	11.84	0	0.0
	80	80	11.92	0-1	0.0
	160	0	11.88		0.0
DFT-s-OFDM 16QAM	1	1	11.98	0-1	0.0
CP-OFDM QPSK	1	1	12.07	0-1.5	0.0

Table F-185
NR Band n25 Measured P_{Limit} Antenna 3b - 25 MHz Bandwidth
NR Band n25
25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.89	0	0.0
	1	67	12.05		0.0
	1	131	11.90		0.0
	64	0	11.86	0-1	0.0
	64	35	11.80	0	0.0
	64	69	11.84	0-1	0.0
	128	0	11.81		0.0
DFT-s-OFDM 16QAM	1	1	11.91	0-1	0.0
CP-OFDM QPSK	1	1	11.88	0-1.5	0.0

Table F-186
NR Band n25 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.07	11.87	11.95	0	0.0
	1	53	11.97	11.85	11.93		0.0
	1	104	11.96	11.93	11.92		0.0
	50	0	11.94	11.88	11.88	0-1	0.0
	50	28	11.95	11.83	11.94	0	0.0
	50	56	11.92	11.86	11.90	0-1	0.0
	100	0	11.93	11.89	11.91		0.0
DFT-s-OFDM 16QAM	1	1	12.13	12.16	12.19	0-1	0.0
CP-OFDM QPSK	1	1	12.21	12.07	12.02	0-1.5	0.0

Table F-187
NR Band n25 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.07	11.97	12.01	0	0.0
	1	40	12.08	12.01	12.07		0.0
	1	77	11.98	11.94	11.92		0.0
	36	0	11.96	11.92	11.97	0-1	0.0
	36	22	11.91	11.87	11.94	0	0.0
	36	43	11.93	11.82	11.93	0-1	0.0
	75	0	11.94	11.95	11.91		0.0
DFT-s-OFDM 16QAM	1	1	12.37	12.04	11.98	0-1	0.0
CP-OFDM QPSK	1	1	12.12	11.98	12.02	0-1.5	0.0

Table F-188
NR Band n25 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.94	11.97	11.98	0	0.0
	1	26	11.88	11.81	11.95		0.0
	1	50	11.73	11.92	11.86		0.0
	25	0	11.78	11.85	11.84	0-1	0.0
	25	14	11.81	11.84	11.81	0	0.0
	25	27	11.83	11.87	11.83	0-1	0.0
	50	0	11.75	11.82	11.87		0.0
DFT-s-OFDM 16QAM	1	1	11.94	11.75	11.78	0-1	0.0
CP-OFDM QPSK	1	1	11.87	11.94	12.04	0-1.5	0.0

Table F-189
NR Band n25 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.96	11.93	11.94	0	0.0
	1	13	11.87	11.95	11.97		0.0
	1	23	11.94	11.91	11.91		0.0
	12	0	11.79	11.87	11.93	0-1	0.0
	12	7	11.81	11.81	11.83	0	0.0
	12	13	11.86	11.85	11.82	0-1	0.0
	25	0	11.84	11.86	11.86		0.0
DFT-s-OFDM 16QAM	1	1	11.92	11.90	12.02	0-1	0.0
CP-OFDM QPSK	1	1	11.85	11.94	11.92	0-1.5	0.0

Table F-190
NR Band n25 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.12	0	0.0
	1	94	12.94		0.0
	1	186	13.04		0.0
	90	0	12.95	0-1	0.0
	90	49	12.93	0	0.0
	90	98	12.85	0-1	0.0
	180	0	12.91		0.0
DFT-s-OFDM 16QAM	1	1	13.16	0-1	0.0
CP-OFDM QPSK	1	1	13.00	0-1.5	0.0

Table F-191
NR Band n25 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.10	0	0.0
	1	80	13.15		0.0
	1	158	13.12		0.0
	80	0	13.13	0-1	0.0
	80	40	13.06	0	0.0
	80	80	13.11	0-1	0.0
	160	0	13.07		0.0
DFT-s-OFDM 16QAM	1	1	13.22	0-1	0.0
CP-OFDM QPSK	1	1	13.09	0-1.5	0.0

Table F-192
NR Band n25 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth
NR Band n25
25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.21	0	0.0
	1	67	13.14		0.0
	1	131	13.26		0.0
	64	0	13.17	0-1	0.0
	64	35	13.20	0	0.0
	64	69	13.21	0-1	0.0
	128	0	13.05		0.0
DFT-s-OFDM 16QAM	1	1	13.02	0-1	0.0
CP-OFDM QPSK	1	1	13.04	0-1.5	0.0

Table F-193
NR Band n25 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.15	13.21	13.12	0	0.0
	1	53	13.21	13.23	13.20		0.0
	1	104	13.20	13.13	13.09		0.0
	50	0	13.12	13.06	13.05	0-1	0.0
	50	28	13.10	13.14	12.98	0	0.0
	50	56	13.07	13.11	13.00	0-1	0.0
	100	0	13.03	13.16	13.04		0.0
DFT-s-OFDM 16QAM	1	1	13.41	13.12	13.18	0-1	0.0
CP-OFDM QPSK	1	1	13.35	13.08	13.16	0-1.5	0.0

Table F-194
NR Band n25 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.25	13.17	13.07	0	0.0
	1	40	13.08	13.04	13.01		0.0
	1	77	13.12	13.13	13.05		0.0
	36	0	13.19	13.07	13.00	0-1	0.0
	36	22	13.17	12.95	12.97	0	0.0
	36	43	13.11	13.06	12.95	0-1	0.0
	75	0	13.14	12.98	13.06		0.0
DFT-s-OFDM 16QAM	1	1	13.37	12.91	13.24	0-1	0.0
CP-OFDM QPSK	1	1	13.27	13.21	13.25	0-1.5	0.0

Table F-195
NR Band n25 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.97	12.98	13.05	0	0.0
	1	26	12.94	13.03	13.03		0.0
	1	50	12.93	12.97	13.01		0.0
	25	0	12.95	12.93	12.98	0-1	0.0
	25	14	12.91	13.01	12.93	0	0.0
	25	27	12.92	12.96	12.94	0-1	0.0
	50	0	12.96	12.95	12.91		0.0
DFT-s-OFDM 16QAM	1	1	12.98	12.91	12.87	0-1	0.0
CP-OFDM QPSK	1	1	13.12	13.04	12.85	0-1.5	0.0

Table F-196
NR Band n25 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.07	13.04	13.02	0	0.0
	1	13	12.97	12.91	13.06		0.0
	1	23	13.05	13.01	12.94		0.0
	12	0	12.96	12.93	13.04	0-1	0.0
	12	7	13.01	12.92	13.00	0	0.0
	12	13	12.95	12.90	12.93	0-1	0.0
	25	0	12.94	13.02	12.98		0.0
DFT-s-OFDM 16QAM	1	1	13.03	13.05	13.07	0-1	0.0
CP-OFDM QPSK	1	1	13.08	13.12	13.06	0-1.5	0.0

F.2.9 NR Band n30

Table F-197
NR Band n30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.21	0	0.0
	1	13	12.30		0.0
	1	23	12.14		0.0
	12	0	12.23	0-1	0.0
	12	7	12.24	0	0.0
	12	13	12.18	0-1	0.0
	25	0	12.22		0.0
DFT-s-OFDM 16QAM	1	1	12.12	0-1	0.0
CP-OFDM QPSK	1	1	12.04	0-1.5	0.0

Table F-198
NR Band n30 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n30
5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.15	0	0.0
	1	13	12.21		0.0
	1	23	12.14		0.0
	12	0	12.05	0-1	0.0
	12	7	12.13	0	0.0
	12	13	12.11	0-1	0.0
	25	0	12.10		0.0
DFT-s-OFDM 16QAM	1	1	12.08	0-1	0.0
CP-OFDM QPSK	1	1	12.04	0-1.5	0.0

Table F-199
NR Band n30 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n30
5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.41	0	0.0
	1	13	12.39		0.0
	1	23	12.36		0.0
	12	0	12.37	0-1	0.0
	12	7	12.44	0	0.0
	12	13	12.35	0-1	0.0
	25	0	12.40		0.0
DFT-s-OFDM 16QAM	1	1	12.28	0-1	0.0
CP-OFDM QPSK	1	1	12.47	0-1.5	0.0

Table F-200
NR Band n30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n30
5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.31	0	0.0
	1	13	13.30		0.0
	1	23	13.27		0.0
	12	0	13.26	0-1	0.0
	12	7	13.29	0	0.0
	12	13	13.24	0-1	0.0
	25	0	13.28		0.0
DFT-s-OFDM 16QAM	1	1	13.07	0-1	0.0
CP-OFDM QPSK	1	1	13.38	0-1.5	0.0

F.2.10 NR Band n7

Table F-201
NR Band n7 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.11	0	0.0
	1	94	12.10		0.0
	1	186	12.14		0.0
	90	0	11.97	0-1	0.0
	90	49	11.94	0	0.0
	90	98	12.01	0-1	0.0
	180	0	11.98		0.0
DFT-s-OFDM 16QAM	1	1	12.27	0-1	0.0
CP-OFDM QPSK	1	1	12.29	0-1.5	0.0

Table F-202
NR Band n7 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.22	0	0.0
	1	80	12.14		0.0
	1	158	12.17		0.0
	80	0	12.09	0-1	0.0
	80	40	12.05	0	0.0
	80	80	12.08	0-1	0.0
	160	0	12.07		0.0
DFT-s-OFDM 16QAM	1	1	12.02	0-1	0.0
CP-OFDM QPSK	1	1	12.15	0-1.5	0.0

Table F-203
NR Band n7 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth
NR Band n7
25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.17	0	0.0
	1	67	12.15		0.0
	1	131	12.18		0.0
	64	0	12.03	0-1	0.0
	64	35	12.05	0	0.0
	64	69	12.04	0-1	0.0
	128	0	12.01		0.0
DFT-s-OFDM 16QAM	1	1	12.21	0-1	0.0
CP-OFDM QPSK	1	1	12.16	0-1.5	0.0

Table F-204
NR Band n7 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth
NR Band n7
20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.16	12.12	12.17	0	0.0
	1	53	12.05	12.10	12.14		0.0
	1	104	12.13	12.08	12.16		0.0
	50	0	11.97	11.97	12.04	0-1	0.0
	50	28	12.03	11.99	12.07	0	0.0
	50	56	12.01	11.94	12.06	0-1	0.0
	100	0	11.96	11.95	12.03		0.0
DFT-s-OFDM 16QAM	1	1	12.17	11.92	12.06	0-1	0.0
CP-OFDM QPSK	1	1	12.07	12.09	12.13	0-1.5	0.0

Table F-205
NR Band n7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth
NR Band n7
15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.12	12.07	12.10	0	0.0
	1	40	12.17	12.02	12.12		0.0
	1	77	12.14	12.13	12.21		0.0
	36	0	11.97	11.95	12.05	0-1	0.0
	36	22	12.01	11.97	12.07	0	0.0
	36	43	12.05	11.96	12.11	0-1	0.0
	75	0	12.03	12.03	12.06		0.0
DFT-s-OFDM 16QAM	1	1	12.10	12.32	12.27	0-1	0.0
CP-OFDM QPSK	1	1	12.13	12.08	12.18	0-1.5	0.0

Table F-206
NR Band n7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth
NR Band n7
10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.89	11.92	11.94	0	0.0
	1	26	11.97	12.05	11.92		0.0
	1	50	11.94	11.94	12.02		0.0
	25	0	11.90	11.85	11.85	0-1	0.0
	25	14	11.91	11.90	11.84	0	0.0
	25	27	11.88	11.96	11.86	0-1	0.0
	50	0	11.85	11.86	11.87		0.0
DFT-s-OFDM 16QAM	1	1	12.07	11.91	11.86	0-1	0.0
CP-OFDM QPSK	1	1	12.02	12.04	11.97	0-1.5	0.0

Table F-207
NR Band n7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.97	12.08	12.07	0	0.0
	1	13	12.05	12.05	11.97		0.0
	1	23	12.06	12.03	12.02		0.0
	12	0	11.92	11.87	11.86	0-1	0.0
	12	7	11.95	11.94	11.95	0	0.0
	12	13	12.03	11.90	11.93	0-1	0.0
	25	0	11.93	11.92	11.94		0.0
DFT-s-OFDM 16QAM	1	1	12.12	11.91	12.06	0-1	0.0
CP-OFDM QPSK	1	1	12.07	11.96	12.03	0-1.5	0.0

Table F-208
NR Band n7 Measured P_{Limit} Antenna 2 - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.28	0	0.0
	1	94	11.27		0.0
	1	186	11.21		0.0
	90	0	11.25	0-1	0.0
	90	49	11.10	0	0.0
	90	98	11.20	0-1	0.0
	180	0	11.18		0.0
DFT-s-OFDM 16QAM	1	1	11.33	0-1	0.0
CP-OFDM QPSK	1	1	11.37	0-1.5	0.0

Table F-209
NR Band n7 Measured P_{Limit} Antenna 2 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.71	0	0.0
	1	80	11.42		0.0
	1	158	11.75		0.0
	80	0	11.41	0-1	0.0
	80	40	11.45	0	0.0
	80	80	11.47	0-1	0.0
	160	0	11.44		0.0
DFT-s-OFDM 16QAM	1	1	11.72	0-1	0.0
CP-OFDM QPSK	1	1	11.75	0-1.5	0.0

Table F-210
NR Band n7 Measured P_{Limit} Antenna 2 - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.72	0	0.0
	1	67	11.47		0.0
	1	131	11.37		0.0
	64	0	11.51	0-1	0.0
	64	35	11.49	0	0.0
	64	69	11.42	0-1	0.0
	128	0	11.43		0.0
DFT-s-OFDM 16QAM	1	1	11.83	0-1	0.0
CP-OFDM QPSK	1	1	11.97	0-1.5	0.0

Table F-211
NR Band n7 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.54	11.58	11.65	0	0.0
	1	53	11.43	11.51	11.46		0.0
	1	104	11.47	11.45	11.79		0.0
	50	0	11.42	11.36	11.50	0-1	0.0
	50	28	11.51	11.38	11.51	0	0.0
	50	56	11.41	11.34	11.49	0-1	0.0
	100	0	11.52	11.37	11.45		0.0
DFT-s-OFDM 16QAM	1	1	11.71	11.74	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.65	11.76	11.44	0-1.5	0.0

Table F-212
NR Band n7 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth
NR Band n7
15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.56	11.59	11.33	0	0.0
	1	40	11.54	11.52	11.54		0.0
	1	77	11.53	11.50	11.57		0.0
	36	0	11.47	11.35	11.52	0-1	0.0
	36	22	11.33	11.31	11.46	0	0.0
	36	43	11.40	11.36	11.55	0-1	0.0
	75	0	11.49	11.37	11.50		0.0
DFT-s-OFDM 16QAM	1	1	11.45	11.54	11.76	0-1	0.0
CP-OFDM QPSK	1	1	11.64	11.60	11.72	0-1.5	0.0

Table F-213
NR Band n7 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.34	11.27	11.31	0	0.0
	1	26	11.92	11.43	11.47		0.0
	1	50	11.48	11.41	11.41		0.0
	25	0	11.43	11.31	11.40	0-1	0.0
	25	14	11.38	11.24	11.38	0	0.0
	25	27	11.45	11.30	11.45	0-1	0.0
	50	0	11.42	11.35	11.39		0.0
DFT-s-OFDM 16QAM	1	1	11.65	11.42	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.54	11.32	11.59	0-1.5	0.0

Table F-214
NR Band n7 Measured P_{Limit} Antenna 2 - 5 MHz Bandwidth
NR Band n7
5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.42	11.37	11.50	0	0.0
	1	13	11.46	11.63	11.41		0.0
	1	23	11.41	11.32	11.55		0.0
	12	0	11.32	11.40	11.44	0-1	0.0
	12	7	11.47	11.47	11.54	0	0.0
	12	13	11.44	11.45	11.49	0-1	0.0
	25	0	11.37	11.41	11.42		0.0
DFT-s-OFDM 16QAM	1	1	11.63	11.74	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.56	11.54	11.52	0-1.5	0.0

Table F-215
NR Band n7 Measured P_{Limit} Antenna 3b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.42	0	0.0
	1	94	11.34		0.0
	1	186	11.38		0.0
	90	0	11.28	0-1	0.0
	90	49	11.30	0	0.0
	90	98	11.21	0-1	0.0
	180	0	11.31		0.0
DFT-s-OFDM 16QAM	1	1	11.54	0-1	0.0
CP-OFDM QPSK	1	1	11.35	0-1.5	0.0

Table F-216
NR Band n7 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.78	0	0.0
	1	80	11.81		0.0
	1	158	11.85		0.0
	80	0	11.80	0-1	0.0
	80	40	11.76	0	0.0
	80	80	11.79	0-1	0.0
	160	0	11.73		0.0
DFT-s-OFDM 16QAM	1	1	11.90	0-1	0.0
CP-OFDM QPSK	1	1	11.74	0-1.5	0.0

Table F-217
NR Band n7 Measured P_{Limit} Antenna 3b - 25 MHz Bandwidth
NR Band n7
25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.72	0	0.0
	1	67	11.78		0.0
	1	131	11.86		0.0
	64	0	11.67	0-1	0.0
	64	35	11.70	0	0.0
	64	69	11.68	0-1	0.0
	128	0	11.66		0.0
DFT-s-OFDM 16QAM	1	1	11.74	0-1	0.0
CP-OFDM QPSK	1	1	11.89	0-1.5	0.0

Table F-218
NR Band n7 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth
NR Band n7
20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.60	11.64	11.70	0	0.0
	1	53	11.67	11.57	11.61		0.0
	1	104	11.57	11.62	11.62		0.0
	50	0	11.51	11.48	11.50	0-1	0.0
	50	28	11.50	11.49	11.49	0	0.0
	50	56	11.47	11.46	11.52	0-1	0.0
	100	0	11.46	11.50	11.48		0.0
DFT-s-OFDM 16QAM	1	1	11.74	11.91	11.93	0-1	0.0
CP-OFDM QPSK	1	1	11.64	11.60	11.57	0-1.5	0.0

Table F-219
NR Band n7 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth
NR Band n7
15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.57	11.59	11.58	0	0.0
	1	40	11.62	11.57	11.59		0.0
	1	77	11.59	11.60	11.55		0.0
	36	0	11.47	11.47	11.49	0-1	0.0
	36	22	11.52	11.45	11.48	0	0.0
	36	43	11.54	11.43	11.50	0-1	0.0
	75	0	11.49	11.46	11.52		0.0
DFT-s-OFDM 16QAM	1	1	11.55	11.86	11.87	0-1	0.0
CP-OFDM QPSK	1	1	11.60	11.67	11.64	0-1.5	0.0

Table F-220
NR Band n7 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth
NR Band n7
10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.42	11.37	11.43	0	0.0
	1	26	11.54	11.44	11.58		0.0
	1	50	11.45	11.47	11.27		0.0
	25	0	11.33	11.30	11.26	0-1	0.0
	25	14	11.39	11.32	11.28	0	0.0
	25	27	11.35	11.31	11.34	0-1	0.0
	50	0	11.34	11.36	11.31		0.0
DFT-s-OFDM 16QAM	1	1	11.73	11.61	11.74	0-1	0.0
CP-OFDM QPSK	1	1	11.25	11.49	11.40	0-1.5	0.0

Table F-221
NR Band n7 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.43	11.42	11.47	0	0.0
	1	13	11.45	11.47	11.48		0.0
	1	23	11.46	11.57	11.40		0.0
	12	0	11.33	11.35	11.31	0-1	0.0
	12	7	11.37	11.44	11.34	0	0.0
	12	13	11.44	11.41	11.41	0-1	0.0
	25	0	11.40	11.35	11..37		0.0
DFT-s-OFDM 16QAM	1	1	11.72	11.66	11.44	0-1	0.0
CP-OFDM QPSK	1	1	11.47	11.37	11.57	0-1.5	0.0

Table F-222
NR Band n7 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.03	0	0.0
	1	94	11.04		0.0
	1	186	10.95		0.0
	90	0	10.92	0-1	0.0
	90	49	10.91	0	0.0
	90	98	10.99	0-1	0.0
	180	0	10.94		0.0
DFT-s-OFDM 16QAM	1	1	11.02	0-1	0.0
CP-OFDM QPSK	1	1	10.98	0-1.5	0.0

Table F-223
NR Band n7 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.98	0	0.0
	1	80	10.86		0.0
	1	158	10.96		0.0
	80	0	10.93	0-1	0.0
	80	40	10.82	0	0.0
	80	80	10.85	0-1	0.0
	160	0	10.87		0.0
DFT-s-OFDM 16QAM	1	1	11.02	0-1	0.0
CP-OFDM QPSK	1	1	10.95	0-1.5	0.0

Table F-224
NR Band n7 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth
NR Band n7
25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.98	0	0.0
	1	67	10.78		0.0
	1	131	11.03		0.0
	64	0	10.89	0-1	0.0
	64	35	10.82	0	0.0
	64	69	10.84	0-1	0.0
	128	0	10.80		0.0
DFT-s-OFDM 16QAM	1	1	10.87	0-1	0.0
CP-OFDM QPSK	1	1	11.07	0-1.5	0.0

Table F-225
NR Band n7 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.07	10.86	10.92	0	0.0
	1	53	10.97	10.94	11.02		0.0
	1	104	10.86	10.80	11.17		0.0
	50	0	10.93	10.82	10.97	0-1	0.0
	50	28	10.96	10.71	10.98	0	0.0
	50	56	10.92	10.73	11.03	0-1	0.0
	100	0	10.91	10.75	10.99		0.0
DFT-s-OFDM 16QAM	1	1	11.12	10.92	10.91	0-1	0.0
CP-OFDM QPSK	1	1	11.07	10.81	11.04	0-1.5	0.0

Table F-226
NR Band n7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n7
15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.97	10.84	11.09	0	0.0
	1	40	11.05	10.70	11.08		0.0
	1	77	10.93	10.83	11.04		0.0
	36	0	10.92	10.81	11.03	0-1	0.0
	36	22	10.90	10.69	10.97	0	0.0
	36	43	10.99	10.80	11.06	0-1	0.0
	75	0	10.96	10.71	11.02		0.0
DFT-s-OFDM 16QAM	1	1	11.12	11.02	10.99	0-1	0.0
CP-OFDM QPSK	1	1	11.02	10.98	11.17	0-1.5	0.0

Table F-227
NR Band n7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.78	10.85	10.98	0	0.0
	1	26	10.96	10.90	10.96		0.0
	1	50	10.95	10.75	10.95		0.0
	25	0	10.85	10.65	10.92	0-1	0.0
	25	14	10.79	10.61	10.87	0	0.0
	25	27	10.81	10.71	10.90	0-1	0.0
	50	0	10.82	10.67	10.85		0.0
DFT-s-OFDM 16QAM	1	1	10.75	10.87	11.04	0-1	0.0
CP-OFDM QPSK	1	1	10.84	10.91	10.97	0-1.5	0.0

Table F-228
NR Band n7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n7
5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.82	10.92	10.95	0	0.0
	1	13	10.95	10.72	11.02		0.0
	1	23	10.97	10.79	10.97		0.0
	12	0	10.75	10.73	10.91	0-1	0.0
	12	7	10.85	10.61	10.94	0	0.0
	12	13	10.89	10.67	10.98	0-1	0.0
	25	0	10.83	10.62	10.92		0.0
DFT-s-OFDM 16QAM	1	1	11.06	10.94	11.07	0-1	0.0
CP-OFDM QPSK	1	1	10.91	10.78	10.96	0-1.5	0.0

F.2.11 NR Band n41

Table F-229
NR Band n41 Measured P_{Limit} Antenna 1b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.18	12.16	0	0.0
	1	123	12.09	12.02		0.0
	1	243	12.17	12.14		0.0
	120	0	12.21	11.97	0-1	0.0
	120	63	12.12	11.92	0	0.0
	120	125	12.04	11.96	0-1	0.0
	243	0	12.10	11.91		0.0
DFT-s-OFDM 16QAM	1	1	12.16	12.05	0-1	0.0
CP-OFDM QPSK	1	1	12.25	12.15	0-1.5	0.0

Table F-230
NR Band n41 Measured P_{Limit} Antenna 1b - 80 MHz Bandwidth
NR Band n41
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.14	12.07	0	0.0
	1	109	12.17	11.94		0.0
	1	215	12.15	12.04		0.0
	108	0	12.19	11.96	0-1	0.0
	108	55	12.13	11.95	0	0.0
	108	109	12.05	11.90	0-1	0.0
	216	0	12.10	11.91		0.0
DFT-s-OFDM 16QAM	1	1	12.11	12.03	0-1	0.0
CP-OFDM QPSK	1	1	12.16	12.15	0-1.5	0.0

Table F-231
NR Band n41 Measured P_{Limit} Antenna 1b - 70 MHz Bandwidth
NR Band n41
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.23	11.95	0	0.0
	1	95	12.11	11.97		0.0
	1	187	12.07	12.07		0.0
	90	0	12.21	11.94	0-1	0.0
	90	50	12.08	11.91	0	0.0
	90	99	12.09	11.92	0-1	0.0
	180	0	12.12	11.90		0.0
DFT-s-OFDM 16QAM	1	1	12.17	12.06	0-1	0.0
CP-OFDM QPSK	1	1	12.22	12.02	0-1.5	0.0

Table F-232
NR Band n41 Measured P_{Limit} Antenna 1b - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.18	12.01	12.04	0	0.0
	1	81	12.20	12.30	12.02		0.0
	1	160	12.07	12.04	12.07		0.0
	81	0	12.08	12.11	11.94	0-1	0.0
	81	41	12.05	12.21	11.93	0	0.0
	81	81	12.11	12.16	11.97	0-1	0.0
	162	0	12.12	12.08	11.96		0.0
DFT-s-OFDM 16QAM	1	1	12.27	12.13	12.05	0-1	0.0
CP-OFDM QPSK	1	1	12.04	12.27	12.07	0-1.5	0.0

Table F-233
NR Band n41 Measured P_{Limit} Antenna 1b - 50 MHz Bandwidth
NR Band n41
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.25	12.17	12.09	0	0.0
	1	67	12.27	12.31	12.13		0.0
	1	131	12.21	12.26	12.21		0.0
	64	0	12.19	12.18	12.00	0-1	0.0
	64	35	12.22	12.21	11.98	0	0.0
	64	69	12.15	12.15	12.10	0-1	0.0
	128	0	12.20	12.22	11.95		0.0
DFT-s-OFDM 16QAM	1	1	12.33	12.07	12.04	0-1	0.0
CP-OFDM QPSK	1	1	12.28	12.27	12.03	0-1.5	0.0

Table F-234
NR Band n41 Measured P_{Limit} Antenna 1b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.51	12.42	12.47	12.32	0	0.0
	1	53	12.54	12.35	12.30	12.31		0.0
	1	104	12.57	12.48	12.37	12.38		0.0
	50	0	12.50	12.40	12.36	12.14	0-1	0.0
	50	28	12.41	12.34	12.25	12.13	0	0.0
	50	56	12.46	12.37	12.31	12.23	0-1	0.0
	100	0	12.45	12.36	12.27	12.22		0.0
DFT-s-OFDM 16QAM	1	1	12.65	12.27	12.61	12.34	0-1	0.0
CP-OFDM QPSK	1	1	12.56	12.45	12.46	12.47	0-1.5	0.0

Table F-235
NR Band n41 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.41	12.30	12.37	12.39	12.21	0	0.0
	1	39	12.49	12.35	12.30	12.13	12.27		0.0
	1	76	12.38	12.48	12.32	12.23	12.32		0.0
	36	0	12.37	12.23	12.35	12.18	12.12	0-1	0.0
	36	21	12.39	12.24	12.31	12.11	12.15	0	0.0
	36	42	12.40	12.34	12.38	12.14	12.25	0-1	0.0
	75	0	12.45	12.26	12.29	12.16	12.17		0.0
DFT-s-OFDM 16QAM	1	1	12.25	12.15	12.41	12.12	12.48	0-1	0.0
CP-OFDM QPSK	1	1	12.47	12.54	12.34	12.21	12.26	0-1.5	0.0

Table F-236
NR Band n41 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.43	12.35	12.29	12.22	12.14	0	0.0
	1	26	12.35	12.32	12.37	12.25	12.13		0.0
	1	49	12.37	12.28	12.45	12.12	12.33		0.0
	25	0	12.34	12.17	12.24	12.08	12.11	0-1	0.0
	25	13	12.36	12.15	12.26	12.05	12.16	0	0.0
	25	26	12.30	12.18	12.34	12.11	12.15	0-1	0.0
	50	0	12.31	12.13	12.27	12.09	12.10		0.0
DFT-s-OFDM 16QAM	1	1	12.51	12.21	12.46	12.37	12.22	0-1	0.0
CP-OFDM QPSK	1	1	12.26	12.14	12.34	12.31	12.30	0-1.5	0.0

Table F-237
NR Band n41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.02	12.08	11.96	12.01	11.98	0	0.0
	1	19	12.07	12.04	12.02	11.84	12.10		0.0
	1	36	12.06	12.05	12.03	11.87	11.93		0.0
	18	0	11.97	11.95	12.07	12.02	11.84	0-1	0.0
	18	10	11.92	11.86	11.94	12.00	11.81	0	0.0
	18	20	11.89	11.94	12.01	12.04	11.75	0-1	0.0
	36	0	11.84	11.91	11.90	11.91	11.71		0.0
DFT-s-OFDM 16QAM	1	1	12.15	12.07	12.04	12.11	11.83	0-1	0.0
CP-OFDM QPSK	1	1	11.98	12.01	12.02	12.13	11.90	0-1.5	0.0

Table F-238
NR Band n41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.00	12.01	11.98	11.97	11.84	0	0.0
	1	12	12.04	12.00	11.92	11.92	11.74		0.0
	1	22	12.03	11.98	12.01	11.94	11.75		0.0
	12	0	12.01	11.94	12.07	11.87	11.70	0-1	0.0
	12	6	11.90	11.88	12.06	11.86	11.94	0	0.0
	12	12	11.93	12.05	11.82	11.82	11.86	0-1	0.0
	24	0	12.05	12.04	11.87	11.85	11.90		0.0
DFT-s-OFDM 16QAM	1	1	12.02	12.10	12.00	12.12	12.03	0-1	0.0
CP-OFDM QPSK	1	1	12.06	11.97	11.92	11.97	12.02	0-1.5	0.0

Table F-239
NR Band n41 Measured P_{Limit} Antenna 2 - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.48	12.05	0	0.0
	1	123	12.31	12.18		0.0
	1	243	12.23	12.21		0.0
	120	0	12.32	12.15	0-1	0.0
	120	63	12.26	12.09	0	0.0
	120	125	12.24	12.10	0-1	0.0
	243	0	12.27	12.15		0.0
DFT-s-OFDM 16QAM	1	1	12.52	12.18	0-1	0.0
CP-OFDM QPSK	1	1	12.38	12.05	0-1.5	0.0

Table F-240
NR Band n41 Measured P_{Limit} Antenna 2 - 80 MHz Bandwidth
NR Band n41
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.40	12.09	0	0.0
	1	109	12.26	12.20		0.0
	1	215	12.20	12.22		0.0
	108	0	12.26	12.14	0-1	0.0
	108	55	12.24	12.13	0	0.0
	108	109	12.21	12.11	0-1	0.0
	216	0	12.29	12.15		0.0
DFT-s-OFDM 16QAM	1	1	12.50	12.19	0-1	0.0
CP-OFDM QPSK	1	1	12.34	12.07	0-1.5	0.0

Table F-241
NR Band n41 Measured P_{Limit} Antenna 2 - 70 MHz Bandwidth
NR Band n41
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.41	12.07	0	0.0
	1	95	12.28	12.21		0.0
	1	187	12.22	12.23		0.0
	90	0	12.25	12.15	0-1	0.0
	90	50	12.23	12.14	0	0.0
	90	99	12.19	12.13	0-1	0.0
	180	0	12.34	12.16		0.0
DFT-s-OFDM 16QAM	1	1	12.49	12.19	0-1	0.0
CP-OFDM QPSK	1	1	12.32	12.09	0-1.5	0.0

Table F-242
NR Band n41 Measured P_{Limit} Antenna 2 - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.40	12.11	12.21	0	0.0
	1	81	12.48	12.25	12.29		0.0
	1	160	12.26	12.25	12.33		0.0
	81	0	12.34	12.14	12.28	0-1	0.0
	81	41	12.37	12.26	12.24	0	0.0
	81	81	12.35	12.28	12.32	0-1	0.0
	162	0	12.36	12.27	12.29		0.0
DFT-s-OFDM 16QAM	1	1	12.71	12.43	12.01	0-1	0.0
CP-OFDM QPSK	1	1	12.45	12.15	12.31	0-1.5	0.0

Table F-243
NR Band n41 Measured P_{Limit} Antenna 2 - 50 MHz Bandwidth
NR Band n41
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.45	12.14	12.26	0	0.0
	1	67	12.40	12.24	12.28		0.0
	1	131	12.29	12.30	12.30		0.0
	64	0	12.36	12.15	12.27	0-1	0.0
	64	35	12.38	12.27	12.24	0	0.0
	64	69	12.36	12.29	12.33	0-1	0.0
	128	0	12.35	12.24	12.28		0.0
DFT-s-OFDM 16QAM	1	1	12.65	12.40	12.05	0-1	0.0
CP-OFDM QPSK	1	1	12.47	12.20	12.28	0-1.5	0.0

Table F-244
NR Band n41 Measured P_{Limit} Antenna 2 - 40 MHz Bandwidth
NR Band n41
40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.55	12.37	12.33	12.37	0	0.0
	1	53	12.43	12.41	12.28	12.34		0.0
	1	104	12.50	12.44	12.44	12.35		0.0
	50	0	12.60	12.38	12.47	12.25	0-1	0.0
	50	28	12.54	12.26	12.27	12.28	0	0.0
	50	56	12.57	12.34	12.31	12.36	0-1	0.0
	100	0	12.24	12.41	12.33	12.28		0.0
DFT-s-OFDM 16QAM	1	1	12.52	12.38	12.24	12.44	0-1	0.0
CP-OFDM QPSK	1	1	12.61	12.35	12.25	12.54	0-1.5	0.0

Table F-245
NR Band n41 Measured P_{Limit} Antenna 2 - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.57	12.36	12.32	12.38	12.26	0	0.0
	1	39	12.44	12.46	12.29	12.33	12.27		0.0
	1	76	12.55	12.43	12.45	12.32	12.39		0.0
	36	0	12.60	12.37	12.26	12.24	12.32	0-1	0.0
	36	21	12.52	12.25	12.29	12.29	12.26	0	0.0
	36	42	12.59	12.35	12.30	12.35	12.35	0-1	0.0
	75	0	12.53	12.43	12.33	12.27	12.37		0.0
DFT-s-OFDM 16QAM	1	1	12.57	12.39	12.25	12.45	12.15	0-1	0.0
CP-OFDM QPSK	1	1	12.67	12.35	12.22	12.54	12.43	0-1.5	0.0

Table F-246
NR Band n41 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.58	12.32	12.33	12.37	12.27	0	0.0
	1	26	12.46	12.41	12.28	12.34	12.26		0.0
	1	49	12.56	12.42	12.41	12.30	12.38		0.0
	25	0	12.62	12.38	12.27	12.25	12.33	0-1	0.0
	25	13	12.53	12.27	12.30	12.27	12.27	0	0.0
	25	26	12.58	12.36	12.27	12.36	12.31	0-1	0.0
	50	0	12.54	12.41	12.34	12.28	12.38		0.0
DFT-s-OFDM 16QAM	1	1	12.58	12.37	12.26	12.41	12.16	0-1	0.0
CP-OFDM QPSK	1	1	12.78	12.31	12.23	12.50	12.45	0-1.5	0.0

Table F-247
NR Band n41 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.22	12.21	12.14	12.11	12.04	0	0.0
	1	19	12.17	12.13	12.06	12.07	12.01		0.0
	1	36	12.15	12.15	12.08	12.08	12.05		0.0
	18	0	12.12	12.08	12.01	12.00	11.97	0-1	0.0
	18	10	12.07	12.05	11.93	12.02	11.94	0	0.0
	18	20	12.10	12.02	12.04	11.96	12.07	0-1	0.0
	36	0	12.11	12.01	11.97	11.97	12.00		0.0
DFT-s-OFDM 16QAM	1	1	12.29	12.14	12.22	12.17	12.31	0-1	0.0
CP-OFDM QPSK	1	1	12.21	12.12	12.17	12.20	12.14	0-1.5	0.0

Table F-248
NR Band n41 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.06	12.02	12.10	12.02	12.06	0	0.0
	1	12	12.14	12.01	11.97	11.95	11.95		0.0
	1	22	12.16	12.11	12.01	12.06	12.01		0.0
	12	0	12.05	12.06	12.07	11.97	11.91	0-1	0.0
	12	6	12.02	12.04	12.00	11.91	12.04	0	0.0
	12	12	12.07	11.91	11.93	11.94	11.97	0-1	0.0
	24	0	12.04	11.92	11.94	12.05	11.90		0.0
DFT-s-OFDM 16QAM	1	1	12.09	12.07	12.15	12.10	12.15	0-1	0.0
CP-OFDM QPSK	1	1	12.12	12.08	12.06	12.12	11.98	0-1.5	0.0

Table F-249
NR Band n41 Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.01	12.06	0	0.0
	1	123	12.11	11.93		0.0
	1	243	12.09	11.96		0.0
	120	0	12.14	11.98	0-1	0.0
	120	63	12.02	11.84	0	0.0
	120	125	12.08	11.88	0-1	0.0
	243	0	12.04	11.94		0.0
DFT-s-OFDM 16QAM	1	1	12.22	12.11	0-1	0.0
CP-OFDM QPSK	1	1	12.17	12.20	0-1.5	0.0

Table F-250
NR Band n41 Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth
NR Band n41
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.12	12.15	0	0.0
	1	109	12.17	11.85		0.0
	1	215	12.18	11.96		0.0
	108	0	12.09	11.97	0-1	0.0
	108	55	12.11	11.91	0	0.0
	108	109	12.09	11.89	0-1	0.0
	216	0	12.13	11.92		0.0
DFT-s-OFDM 16QAM	1	1	12.20	12.21	0-1	0.0
CP-OFDM QPSK	1	1	12.27	12.26	0-1.5	0.0

Table F-251
NR Band n41 Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth
NR Band n41
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.13	12.02	0	0.0
	1	95	12.11	12.01		0.0
	1	187	12.07	11.92		0.0
	90	0	12.12	11.90	0-1	0.0
	90	50	12.15	11.86	0	0.0
	90	99	12.05	11.97	0-1	0.0
	180	0	12.16	11.89		0.0
DFT-s-OFDM 16QAM	1	1	12.23	12.10	0-1	0.0
CP-OFDM QPSK	1	1	12.34	12.30	0-1.5	0.0

Table F-252
NR Band n41 Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.16	12.17	12.01	0	0.0
	1	81	12.12	12.22	11.97		0.0
	1	160	12.11	12.12	12.07		0.0
	81	0	12.08	12.18	11.87	0-1	0.0
	81	41	11.99	12.16	11.85	0	0.0
	81	81	12.06	12.13	11.91	0-1	0.0
	162	0	12.03	12.19	11.90		0.0
DFT-s-OFDM 16QAM	1	1	12.15	11.84	11.97	0-1	0.0
CP-OFDM QPSK	1	1	12.24	11.93	12.15	0-1.5	0.0

Table F-253
NR Band n41 Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth
NR Band n41
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.08	12.19	11.91	0	0.0
	1	67	12.15	12.17	11.90		0.0
	1	131	12.10	12.11	12.05		0.0
	64	0	12.06	12.15	11.87	0-1	0.0
	64	35	11.98	12.14	11.89	0	0.0
	64	69	12.03	12.10	11.94	0-1	0.0
	128	0	12.04	12.18	11.92		0.0
DFT-s-OFDM 16QAM	1	1	12.05	11.84	11.97	0-1	0.0
CP-OFDM QPSK	1	1	12.21	11.93	11.96	0-1.5	0.0

Table F-254
NR Band n41 Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.26	12.24	12.22	11.97	0	0.0
	1	53	12.21	12.25	12.17	11.88		0.0
	1	104	12.27	12.29	11.96	12.10		0.0
	50	0	12.15	12.18	12.10	11.93	0-1	0.0
	50	28	12.17	12.17	12.03	12.06	0	0.0
	50	56	12.22	12.23	11.99	12.02	0-1	0.0
	100	0	12.24	12.21	12.04	11.92		0.0
DFT-s-OFDM 16QAM	1	1	12.32	12.34	12.11	11.84	0-1	0.0
CP-OFDM QPSK	1	1	12.38	12.31	12.16	12.07	0-1.5	0.0

Table F-255
NR Band n41 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.20	12.11	12.18	12.05	12.07	0	0.0
	1	39	12.23	12.17	12.21	12.01	11.97		0.0
	1	76	12.27	12.22	12.20	12.03	12.08		0.0
	36	0	12.11	12.08	12.19	11.92	11.92	0-1	0.0
	36	21	12.13	12.07	12.17	11.95	11.90	0	0.0
	36	42	12.18	12.19	12.18	11.97	11.96	0-1	0.0
	75	0	12.15	12.12	12.16	11.94	11.91		0.0
DFT-s-OFDM 16QAM	1	1	12.12	12.09	11.80	12.14	12.07	0-1	0.0
CP-OFDM QPSK	1	1	12.22	12.17	11.93	12.17	12.11	0-1.5	0.0

Table F-256
NR Band n41 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.08	11.98	12.08	11.95	11.88	0	0.0
	1	26	12.09	11.92	12.10	11.90	11.83		0.0
	1	49	12.11	11.90	12.16	11.97	11.90		0.0
	25	0	12.05	12.02	12.15	11.92	11.79	0-1	0.0
	25	13	12.04	11.95	12.14	11.80	11.80	0	0.0
	25	26	12.08	12.00	12.19	11.85	11.86	0-1	0.0
	50	0	12.06	11.92	12.20	11.89	11.90		0.0
DFT-s-OFDM 16QAM	1	1	12.06	12.00	11.80	12.19	12.06	0-1	0.0
CP-OFDM QPSK	1	1	12.12	12.05	11.90	12.07	12.01	0-1.5	0.0

Table F-257
NR Band n41 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.65	11.74	11.70	11.74	11.97	0	0.0
	1	19	11.71	11.75	11.87	12.02	11.71		0.0
	1	36	11.59	11.80	11.79	11.84	11.86		0.0
	18	0	11.64	11.81	11.86	11.70	11.73	0-1	0.0
	18	10	11.56	11.67	11.75	11.82	11.79	0	0.0
	18	20	11.58	11.74	11.68	11.68	11.65	0-1	0.0
	36	0	11.54	11.72	11.67	11.89	11.81		0.0
DFT-s-OFDM 16QAM	1	1	12.22	11.85	11.84	12.07	12.08	0-1	0.0
CP-OFDM QPSK	1	1	11.74	12.10	11.93	11.94	12.01	0-1.5	0.0

Table F-258
NR Band n41 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.69	12.01	11.75	11.72	11.62	0	0.0
	1	12	11.71	11.75	11.74	11.68	11.71		0.0
	1	22	11.70	11.79	11.70	11.67	11.74		0.0
	12	0	11.83	11.76	11.82	11.71	11.77	0-1	0.0
	12	6	11.72	11.71	11.63	11.74	11.65	0	0.0
	12	12	11.76	11.73	11.86	11.69	11.42	0-1	0.0
	24	0	11.65	11.74	11.84	11.64	11.56		0.0
DFT-s-OFDM 16QAM	1	1	12.04	11.97	11.83	11.84	11.67	0-1	0.0
CP-OFDM QPSK	1	1	11.91	11.82	11.71	11.71	11.76	0-1.5	0.0

Table F-259
NR Band n41 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth
NR Band n41
90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.23	10.22	0	0.0
	1	123	10.22	10.08		0.0
	1	243	10.26	10.31		0.0
	120	0	10.34	10.21	0-1	0.0
	120	63	10.26	10.15	0	0.0
	120	125	10.16	10.18	0-1	0.0
	243	0	10.33	10.21		0.0
DFT-s-OFDM 16QAM	1	1	10.31	10.04	0-1	0.0
CP-OFDM QPSK	1	1	10.48	10.15	0-1.5	0.0

Table F-260
NR Band n41 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth
NR Band n41
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.23	10.20	0	0.0
	1	109	10.18	10.17		0.0
	1	215	10.19	10.18		0.0
	108	0	10.35	10.31	0-1	0.0
	108	55	10.23	10.21	0	0.0
	108	109	10.24	10.22	0-1	0.0
	216	0	10.17	10.15		0.0
DFT-s-OFDM 16QAM	1	1	10.31	10.29	0-1	0.0
CP-OFDM QPSK	1	1	10.24	10.21	0-1.5	0.0

Table F-261
NR Band n41 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth
NR Band n41
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.14	10.12	0	0.0
	1	95	10.11	10.13		0.0
	1	187	10.17	10.07		0.0
	90	0	10.05	10.11	0-1	0.0
	90	50	10.04	10.03	0	0.0
	90	99	10.07	10.06	0-1	0.0
	180	0	10.10	10.07		0.0
DFT-s-OFDM 16QAM	1	1	10.31	10.24	0-1	0.0
CP-OFDM QPSK	1	1	10.24	10.15	0-1.5	0.0

Table F-262
NR Band n41 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.15	10.14	10.08	0	0.0
	1	81	10.11	10.10	10.12		0.0
	1	160	10.12	10.07	10.07		0.0
	81	0	10.10	10.06	10.11	0-1	0.0
	81	41	10.05	10.08	10.13	0	0.0
	81	81	10.08	10.05	10.16	0-1	0.0
	162	0	10.09	10.11	10.15		0.0
DFT-s-OFDM 16QAM	1	1	10.22	10.13	10..14	0-1	0.0
CP-OFDM QPSK	1	1	10.24	10.21	10.23	0-1.5	0.0

Table F-263
NR Band n41 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth
NR Band n41
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.13	10.11	10.08	0	0.0
	1	67	10.10	10.09	10.17		0.0
	1	131	10.17	10.14	10.16		0.0
	64	0	10.04	10.05	10.03	0-1	0.0
	64	35	10.06	10.03	10.10	0	0.0
	64	69	10.03	10.04	10.09	0-1	0.0
	128	0	10.07	10.07	10.05		0.0
DFT-s-OFDM 16QAM	1	1	10.12	10.06	10.18	0-1	0.0
CP-OFDM QPSK	1	1	10.18	10.21	10.11	0-1.5	0.0

Table F-264
NR Band n41 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.37	10.34	10.19	10.30	0	0.0
	1	53	10.31	10.28	10.11	10.24		0.0
	1	104	10.33	10.30	10.31	10.31		0.0
	50	0	10.24	10.22	10.17	10.14	0-1	0.0
	50	28	10.18	10.21	10.12	10.15	0	0.0
	50	56	10.25	10.27	10.21	10.27	0-1	0.0
	100	0	10.20	10.23	10.15	10.21		0.0
DFT-s-OFDM 16QAM	1	1	10.27	10.43	10.42	10.33	0-1	0.0
CP-OFDM QPSK	1	1	10.32	10.21	10.37	10.24	0-1.5	0.0

Table F-265
NR Band n41 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.31	10.25	10.23	10.25	10.31	0	0.0
	1	39	10.33	10.24	10.21	10.21	10.21		0.0
	1	76	10.34	10.32	10.31	10.31	10.34		0.0
	36	0	10.25	10.19	10.17	10.15	10.22	0-1	0.0
	36	21	10.24	10.16	10.12	10.19	10.20	0	0.0
	36	42	10.27	10.22	10.24	10.23	10.27	0-1	0.0
	75	0	10.32	10.18	10.19	10.19	10.30		0.0
DFT-s-OFDM 16QAM	1	1	10.14	10.16	10.26	10.12	10.35	0-1	0.0
CP-OFDM QPSK	1	1	10.43	10.21	10.33	10.36	10.43	0-1.5	0.0

Table F-266
NR Band n41 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.27	10.13	10.16	10.23	10.24	0	0.0
	1	26	10.21	10.18	10.23	10.21	10.32		0.0
	1	49	10.25	10.22	10.26	10.19	10.31		0.0
	25	0	10.20	10.14	10.17	10.27	10.25	0-1	0.0
	25	13	10.19	10.15	10.11	10.28	10.19	0	0.0
	25	26	10.23	10.19	10.22	10.17	10.28	0-1	0.0
	50	0	10.24	10.11	10.21	10.16	10.26		0.0
DFT-s-OFDM 16QAM	1	1	10.37	10.24	10.26	10.43	10.37	0-1	0.0
CP-OFDM QPSK	1	1	10.31	10.28	10.30	10.37	10.34	0-1.5	0.0

Table F-267
NR Band n41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.12	9.96	9.97	10.07	10.05	0	0.0
	1	19	9.92	9.95	9.94	9.99	10.03		0.0
	1	36	9.93	9.91	9.92	10.04	10.07		0.0
	18	0	9.95	9.97	9.93	9.96	9.91	0-1	0.0
	18	10	9.90	9.87	9.90	10.01	9.88	0	0.0
	18	20	9.94	9.88	9.96	9.98	9.92	0-1	0.0
	36	0	9.91	9.89	10.01	10.06	9.90		0.0
DFT-s-OFDM 16QAM	1	1	10.11	10.24	10.12	10.11	10.33	0-1	0.0
CP-OFDM QPSK	1	1	10.07	10.15	10.14	10.03	10.11	0-1.5	0.0

Table F-268
NR Band n41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	10.07	10.05	10.03	9.86	9.75	0	0.0
	1	12	10.01	9.90	10.02	9.77	9.87		0.0
	1	22	10.03	9.95	10.00	9.82	9.92		0.0
	12	0	9.93	9.85	9.78	9.73	10.01	0-1	0.0
	12	6	9.87	9.91	9.79	9.74	9.82	0	0.0
	12	12	9.96	9.92	9.76	9.76	9.91	0-1	0.0
	24	0	9.91	9.80	9.82	9.84	9.86		0.0
DFT-s-OFDM 16QAM	1	1	10.27	10.22	10.06	10.21	10.11	0-1	0.0
CP-OFDM QPSK	1	1	10.11	10.14	10.04	10.05	10.07	0-1.5	0.0

F.2.12 NR Band n48

Table F-269
NR Band n48 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.63	9.14	9.08	9.13	0	0.0
	1	26	9.70	9.21	9.09	9.10		0.0
	1	49	9.64	8.95	9.14	8.99		0.0
	25	0	9.68	9.03	9.27	9.01	0-1	0.0
	25	13	9.67	9.04	9.38	8.97	0	0.0
	25	26	9.73	9.01	9.20	8.95	0-1	0.0
	50	0	9.62	9.16	9.34	9.00		0.0
DFT-s-OFDM 16QAM	1	1	9.60	9.22	9.32	9.20	0-1	0.0
CP-OFDM QPSK	1	1	9.51	9.17	9.19	8.98	0-1.5	0.0

Table F-270
NR Band n48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.69	9.05	8.88	8.76	0	0.0
	1	12	9.52	8.94	8.83	8.69		0.0
	1	22	9.54	9.00	8.75	8.67		0.0
	12	0	9.58	8.95	8.89	8.99	0-1	0.0
	12	6	9.58	8.94	8.91	8.92	0	0.0
	12	12	9.53	8.93	8.82	8.90	0-1	0.0
	24	0	9.59	8.93	8.92	8.75		0.0
DFT-s-OFDM 16QAM	1	1	9.52	8.87	8.98	9.01	0-1	0.0
CP-OFDM QPSK	1	1	9.45	8.92	8.77	8.98	0-1.5	0.0

Table F-271
NR Band n48 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.70	9.41	9.26	9.02	0	0.0
	1	26	9.62	9.33	9.09	8.93		0.0
	1	49	9.73	9.30	9.03	8.86		0.0
	25	0	9.68	9.22	9.16	9.03	0-1	0.0
	25	13	9.60	9.20	9.03	9.00	0	0.0
	25	26	9.58	9.14	9.00	8.98	0-1	0.0
	50	0	9.62	9.19	9.07	8.92		0.0
DFT-s-OFDM 16QAM	1	1	9.54	9.22	9.34	9.10	0-1	0.0
CP-OFDM QPSK	1	1	9.63	9.40	9.22	9.02	0-1.5	0.0

Table F-272
NR Band n48 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n48
10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.53	9.14	9.14	8.97	0	0.0
	1	12	9.62	8.96	9.11	8.90		0.0
	1	22	9.70	9.22	9.09	8.85		0.0
	12	0	9.55	8.98	9.05	8.97	0-1	0.0
	12	6	9.53	9.02	8.97	8.89	0	0.0
	12	12	9.58	9.17	9.08	8.96	0-1	0.0
	24	0	9.53	9.13	8.95	8.91		0.0
DFT-s-OFDM 16QAM	1	1	9.66	9.22	9.28	9.20	0-1	0.0
CP-OFDM QPSK	1	1	9.50	9.12	9.09	9.03	0-1.5	0.0

Table F-273
NR Band n48 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	9.42	8.87	8.72	8.65	0	0.0
	1	26	9.47	8.92	8.76	8.42		0.0
	1	49	9.50	8.84	8.74	8.51		0.0
	25	0	9.41	8.74	8.61	8.40	0-1	0.0
	25	13	9.38	8.81	8.64	8.38	0	0.0
	25	26	9.42	8.80	8.77	8.42	0-1	0.0
	50	0	9.39	8.72	8.57	8.61		0.0
DFT-s-OFDM 16QAM	1	1	9.30	9.16	9.04	8.71	0-1	0.0
CP-OFDM QPSK	1	1	9.43	9.10	8.90	8.57	0-1.5	0.0

Table F-274
NR Band n48 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	9.35	9.08	8.77	8.53	0	0.0
	1	12	9.39	9.11	8.74	8.50		0.0
	1	22	9.34	9.03	8.56	8.55		0.0
	12	0	9.35	9.04	8.76	8.56	0-1	0.0
	12	6	9.32	8.85	8.64	8.52	0	0.0
	12	12	9.33	9.02	8.99	8.54	0-1	0.0
	24	0	9.30	8.83	8.71	8.37		0.0
DFT-s-OFDM 16QAM	1	1	9.41	8.76	9.02	8.51	0-1	0.0
CP-OFDM QPSK	1	1	9.47	8.95	8.72	8.70	0-1.5	0.0

Table F-275
NR Band n48 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n48
20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.60	10.57	10.43	10.40	0	0.0
	1	26	10.57	10.37	10.37	10.25		0.0
	1	49	10.50	10.44	10.39	10.27		0.0
	25	0	10.61	10.46	10.41	10.22	0-1	0.0
	25	13	10.54	10.52	10.37	10.27	0	0.0
	25	26	10.64	10.61	10.39	10.30	0-1	0.0
	50	0	10.43	10.57	10.37	10.29		0.0
DFT-s-OFDM 16QAM	1	1	10.83	10.73	10.82	10.28	0-1	0.0
CP-OFDM QPSK	1	1	10.72	10.89	10.44	10.37	0-1.5	0.0

Table F-276
NR Band n48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n48
10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.59	10.52	10.33	10.32	0	0.0
	1	12	10.75	10.30	10.26	10.26		0.0
	1	22	10.68	10.44	10.30	10.22		0.0
	12	0	10.76	10.40	10.32	10.30	0-1	0.0
	12	6	10.84	10.52	10.44	10.34	0	0.0
	12	12	10.76	10.47	10.56	10.49	0-1	0.0
	24	0	10.77	10.42	10.43	10.32		0.0
DFT-s-OFDM 16QAM	1	1	10.82	10.55	10.49	10.34	0-1	0.0
CP-OFDM QPSK	1	1	10.78	10.45	10.36	10.32	0-1.5	0.0

F.2.13 NR Band n77

Table F-277
NR Band n77 Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.15	9.25	0	0.0
	1	123	9.00	9.06		0.0
	1	243	9.10	8.94		0.0
	120	0	9.05	9.05	0-1	0.0
	120	63	9.07	8.88	0	0.0
	120	125	8.99	8.80	0-1	0.0
	243	0	9.01	8.94		0.0
DFT-s-OFDM 16QAM	1	1	9.21	9.36	0-1	0.0
CP-OFDM QPSK	1	1	9.13	9.04	0-1.5	0.0

Table F-278
NR Band n77 Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth
NR Band n77
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.85	8.81	0	0.0
	1	109	8.92	8.70		0.0
	1	215	8.75	8.60		0.0
	108	0	8.97	8.68	0-1	0.0
	108	55	8.81	8.60	0	0.0
	108	109	8.74	8.66	0-1	0.0
	216	0	8.85	8.70		0.0
DFT-s-OFDM 16QAM	1	1	8.66	8.95	0-1	0.0
CP-OFDM QPSK	1	1	8.69	8.70	0-1.5	0.0

Table F-279
NR Band n77 Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth
NR Band n77
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.95	8.90	0	0.0
	1	95	9.10	8.67		0.0
	1	187	8.91	8.61		0.0
	90	0	9.10	8.86	0-1	0.0
	90	50	8.92	8.70	0	0.0
	90	99	8.80	8.72	0-1	0.0
	180	0	8.93	8.78		0.0
DFT-s-OFDM 16QAM	1	1	9.06	8.80	0-1	0.0
CP-OFDM QPSK	1	1	8.96	8.88	0-1.5	0.0

Table F-280
NR Band n77 Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth
NR Band n77
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.83	8.85	0	0.0
	1	81	8.72	8.60		0.0
	1	160	8.80	8.59		0.0
	81	0	8.72	8.69	0-1	0.0
	81	41	8.80	8.65	0	0.0
	81	81	8.63	8.62	0-1	0.0
	162	0	8.75	8.66		0.0
DFT-s-OFDM 16QAM	1	1	8.66	8.80	0-1	0.0
CP-OFDM QPSK	1	1	8.81	8.64	0-1.5	0.0

Table F-281
NR Band n77 Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth
NR Band n77
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.90	8.86	0	0.0
	1	67	8.76	8.60		0.0
	1	131	8.77	8.65		0.0
	64	0	8.94	8.64	0-1	0.0
	64	35	8.79	8.59	0	0.0
	64	69	8.61	8.62	0-1	0.0
	128	0	8.75	8.57		0.0
DFT-s-OFDM 16QAM	1	1	8.81	8.86	0-1	0.0
CP-OFDM QPSK	1	1	8.87	8.65	0-1.5	0.0

Table F-282
NR Band n77 Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth
NR Band n77
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.86	8.85	0	0.0
	1	53	8.82	8.76		0.0
	1	104	8.80	8.82		0.0
	50	0	9.02	8.74	0-1	0.0
	50	28	8.80	8.76	0	0.0
	50	56	8.77	8.68	0-1	0.0
	100	0	8.82	8.79		0.0
DFT-s-OFDM 16QAM	1	1	9.13	9.03	0-1	0.0
CP-OFDM QPSK	1	1	8.96	8.90	0-1.5	0.0

Table F-283
NR Band n77 Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.87	8.80	0	0.0
	1	39	8.82	8.76		0.0
	1	76	8.85	8.75		0.0
	36	0	8.89	8.69	0-1	0.0
	36	21	8.85	8.95	0	0.0
	36	42	8.71	8.90	0-1	0.0
	75	0	8.80	8.74		0.0
DFT-s-OFDM 16QAM	1	1	9.01	9.05	0-1	0.0
CP-OFDM QPSK	1	1	8.76	8.66	0-1.5	0.0

Table F-284
NR Band n77 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.35	9.26	0	0.0
	1	26	9.20	9.09		0.0
	1	49	9.13	9.10		0.0
	25	0	9.32	9.12	0-1	0.0
	25	13	9.22	9.07	0	0.0
	25	26	9.31	9.10	0-1	0.0
	50	0	9.38	9.20		0.0
DFT-s-OFDM 16QAM	1	1	9.24	9.27	0-1	0.0
CP-OFDM QPSK	1	1	9.30	9.12	0-1.5	0.0

Table F-285
NR Band n77 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth
NR Band n77
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.45	9.28	0	0.0
	1	19	9.26	9.18		0.0
	1	36	9.27	9.30		0.0
	18	0	9.25	9.35	0-1	0.0
	18	10	9.20	9.30	0	0.0
	18	20	9.25	9.29	0-1	0.0
	36	0	9.22	9.33		0.0
DFT-s-OFDM 16QAM	1	1	9.45	9.32	0-1	0.0
CP-OFDM QPSK	1	1	9.20	9.21	0-1.5	0.0

Table F-286
NR Band n77 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth
NR Band n77
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.17	8.97	0	0.0
	1	12	9.23	9.07		0.0
	1	22	9.06	9.01		0.0
	12	0	9.16	9.05	0-1	0.0
	12	6	9.06	8.97	0	0.0
	12	12	9.15	8.99	0-1	0.0
	24	0	9.14	8.96		0.0
DFT-s-OFDM 16QAM	1	1	9.26	9.11	0-1	0.0
CP-OFDM QPSK	1	1	9.19	9.04	0-1.5	0.0

Table F-287
NR Band n77 Measured P_{Limit} Antenna 2 - 90 MHz Bandwidth
NR Band n77
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.41	8.61	0	0.0
	1	123	8.53	8.36		0.0
	1	243	8.31	8.46		0.0
	120	0	8.63	8.52	0-1	0.0
	120	63	8.66	8.29	0	0.0
	120	125	8.42	8.28	0-1	0.0
	243	0	8.52	8.34		0.0
DFT-s-OFDM 16QAM	1	1	8.22	8.64	0-1	0.0
CP-OFDM QPSK	1	1	8.36	8.60	0-1.5	0.0

Table F-288
NR Band n77 Measured P_{Limit} Antenna 2 - 80 MHz Bandwidth
NR Band n77
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.46	8.62	0	0.0
	1	109	8.58	8.37		0.0
	1	215	8.36	8.47		0.0
	108	0	8.63	8.53	0-1	0.0
	108	55	8.64	8.30	0	0.0
	108	109	8.52	8.29	0-1	0.0
	216	0	8.57	8.36		0.0
DFT-s-OFDM 16QAM	1	1	8.27	8.59	0-1	0.0
CP-OFDM QPSK	1	1	8.41	8.61	0-1.5	0.0

Table F-289
NR Band n77 Measured P_{Limit} Antenna 2 - 70 MHz Bandwidth
NR Band n77
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.44	8.63	0	0.0
	1	95	8.59	8.38		0.0
	1	187	8.37	8.48		0.0
	90	0	8.61	8.54	0-1	0.0
	90	50	8.63	8.31	0	0.0
	90	99	8.51	8.28	0-1	0.0
	180	0	8.56	8.37		0.0
DFT-s-OFDM 16QAM	1	1	8.28	8.57	0-1	0.0
CP-OFDM QPSK	1	1	8.40	8.62	0-1.5	0.0

Table F-290
NR Band n77 Measured P_{Limit} Antenna 2 - 60 MHz Bandwidth
NR Band n77
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.47	8.46	0	0.0
	1	81	8.30	8.23		0.0
	1	160	8.22	8.22		0.0
	81	0	8.34	8.39	0-1	0.0
	81	41	8.27	8.12	0	0.0
	81	81	8.23	8.11	0-1	0.0
	162	0	8.27	8.25		0.0
DFT-s-OFDM 16QAM	1	1	8.60	8.55	0-1	0.0
CP-OFDM QPSK	1	1	8.27	8.63	0-1.5	0.0

Table F-291
NR Band n77 Measured P_{Limit} Antenna 2 - 50 MHz Bandwidth
NR Band n77
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.41	8.47	0	0.0
	1	67	8.36	8.26		0.0
	1	131	8.26	8.25		0.0
	64	0	8.35	8.34	0-1	0.0
	64	35	8.28	8.16	0	0.0
	64	69	8.24	8.15	0-1	0.0
	128	0	8.29	8.27		0.0
DFT-s-OFDM 16QAM	1	1	8.58	8.58	0-1	0.0
CP-OFDM QPSK	1	1	8.28	8.61	0-1.5	0.0

Table F-292
NR Band n77 Measured P_{Limit} Antenna 2 - 40 MHz Bandwidth
NR Band n77
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.45	8.49	0	0.0
	1	53	8.56	8.27		0.0
	1	104	8.24	8.26		0.0
	50	0	8.34	8.37	0-1	0.0
	50	28	8.29	8.26	0	0.0
	50	56	8.27	8.17	0-1	0.0
	100	0	8.30	8.29		0.0
DFT-s-OFDM 16QAM	1	1	8.55	8.60	0-1	0.0
CP-OFDM QPSK	1	1	8.27	8.62	0-1.5	0.0

Table F-293
NR Band n77 Measured P_{Limit} Antenna 2 - 30 MHz Bandwidth
NR Band n77
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.47	8.50	0	0.0
	1	39	8.57	8.27		0.0
	1	76	8.23	8.50		0.0
	36	0	8.31	8.37	0-1	0.0
	36	21	8.39	8.27	0	0.0
	36	42	8.28	8.20	0-1	0.0
	75	0	8.34	8.27		0.0
DFT-s-OFDM 16QAM	1	1	8.56	8.61	0-1	0.0
CP-OFDM QPSK	1	1	8.28	8.63	0-1.5	0.0

Table F-294
NR Band n77 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth
NR Band n77
20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.35	8.25	0	0.0
	1	26	8.34	8.42		0.0
	1	49	8.17	8.23		0.0
	25	0	8.31	8.22	0-1	0.0
	25	13	8.27	8.16	0	0.0
	25	26	8.24	8.31	0-1	0.0
	50	0	8.24	8.26		0.0
DFT-s-OFDM 16QAM	1	1	8.00	8.30	0-1	0.0
CP-OFDM QPSK	1	1	8.50	8.34	0-1.5	0.0

Table F-295
NR Band n77 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth
NR Band n77
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.37	8.26	0	0.0
	1	19	8.35	8.43		0.0
	1	36	8.18	8.25		0.0
	18	0	8.33	8.23	0-1	0.0
	18	10	8.28	8.17	0	0.0
	18	20	8.25	8.32	0-1	0.0
	36	0	8.25	8.27		0.0
DFT-s-OFDM 16QAM	1	1	8.01	8.50	0-1	0.0
CP-OFDM QPSK	1	1	8.54	8.34	0-1.5	0.0

Table F-296
NR Band n77 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n77
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.38	8.33	0	0.0
	1	12	8.36	8.40		0.0
	1	22	8.19	8.27		0.0
	12	0	8.34	8.21	0-1	0.0
	12	6	8.27	8.18	0	0.0
	12	12	8.26	8.33	0-1	0.0
	24	0	8.24	8.29		0.0
DFT-s-OFDM 16QAM	1	1	8.11	8.62	0-1	0.0
CP-OFDM QPSK	1	1	8.50	8.54	0-1.5	0.0

Table F-297
NR Band n77 Measured P_{Limit} Antenna 3a - 90 MHz Bandwidth
NR Band n77
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.85	8.04	0	0.0
	1	123	7.89	7.76		0.0
	1	243	7.78	7.60		0.0
	120	0	7.91	7.93	0-1	0.0
	120	63	7.77	7.67	0	0.0
	120	125	7.68	7.61	0-1	0.0
	243	0	7.75	7.73		0.0
DFT-s-OFDM 16QAM	1	1	7.81	8.26	0-1	0.0
CP-OFDM QPSK	1	1	7.82	8.01	0-1.5	0.0

Table F-298
NR Band n77 Measured P_{Limit} Antenna 3a - 80 MHz Bandwidth
NR Band n77
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.84	8.03	0	0.0
	1	109	7.87	7.75		0.0
	1	215	7.77	7.50		0.0
	108	0	7.90	7.91	0-1	0.0
	108	55	7.78	7.66	0	0.0
	108	109	7.65	7.59	0-1	0.0
	216	0	7.74	7.72		0.0
DFT-s-OFDM 16QAM	1	1	7.80	7.64	0-1	0.0
CP-OFDM QPSK	1	1	7.81	8.01	0-1.5	0.0

Table F-299
NR Band n77 Measured P_{Limit} Antenna 3a - 70 MHz Bandwidth
NR Band n77
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.81	8.02	0	0.0
	1	95	7.88	7.76		0.0
	1	187	7.79	7.49		0.0
	90	0	7.87	7.90	0-1	0.0
	90	50	7.75	7.67	0	0.0
	90	99	7.61	7.58	0-1	0.0
	180	0	7.71	7.71		0.0
DFT-s-OFDM 16QAM	1	1	7.75	7.62	0-1	0.0
CP-OFDM QPSK	1	1	7.82	7.98	0-1.5	0.0

Table F-300
NR Band n77 Measured P_{Limit} Antenna 3a - 60 MHz Bandwidth
NR Band n77
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.71	7.92	0	0.0
	1	81	7.78	7.66		0.0
	1	160	7.69	7.42		0.0
	81	0	7.77	7.80	0-1	0.0
	81	41	7.65	7.65	0	0.0
	81	81	7.51	7.69	0-1	0.0
	162	0	7.61	7.61		0.0
DFT-s-OFDM 16QAM	1	1	7.65	7.52	0-1	0.0
CP-OFDM QPSK	1	1	7.72	7.75	0-1.5	0.0

Table F-301
NR Band n77 Measured P_{Limit} Antenna 3a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.81	7.89	0	0.0
	1	67	7.63	7.61		0.0
	1	131	7.45	7.58		0.0
	64	0	7.68	7.79	0-1	0.0
	64	35	7.54	7.74	0	0.0
	64	69	7.57	7.53	0-1	0.0
	128	0	7.58	7.70		0.0
DFT-s-OFDM 16QAM	1	1	8.02	7.94	0-1	0.0
CP-OFDM QPSK	1	1	7.83	8.10	0-1.5	0.0

Table F-302
NR Band n77 Measured P_{Limit} Antenna 3a - 40 MHz Bandwidth
NR Band n77
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.80	7.88	0	0.0
	1	53	7.60	7.60		0.0
	1	104	7.46	7.57		0.0
	50	0	7.67	7.78	0-1	0.0
	50	28	7.56	7.75	0	0.0
	50	56	7.58	7.51	0-1	0.0
	100	0	7.52	7.67		0.0
DFT-s-OFDM 16QAM	1	1	8.01	7.91	0-1	0.0
CP-OFDM QPSK	1	1	7.84	8.01	0-1.5	0.0

Table F-303
NR Band n77 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth
NR Band n77
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.79	7.85	0	0.0
	1	39	7.62	7.62		0.0
	1	76	7.47	7.54		0.0
	36	0	7.68	7.73	0-1	0.0
	36	21	7.66	7.74	0	0.0
	36	42	7.59	7.53	0-1	0.0
	75	0	7.53	7.65		0.0
DFT-s-OFDM 16QAM	1	1	8.03	7.88	0-1	0.0
CP-OFDM QPSK	1	1	7.85	7.94	0-1.5	0.0

Table F-304
NR Band n77 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.75	7.95	0	0.0
	1	26	7.55	7.89		0.0
	1	49	7.35	7.65		0.0
	25	0	7.57	7.86	0-1	0.0
	25	13	7.47	7.76	0	0.0
	25	26	7.42	7.74	0-1	0.0
	50	0	7.45	7.75		0.0
DFT-s-OFDM 16QAM	1	1	7.57	7.81	0-1	0.0
CP-OFDM QPSK	1	1	7.90	8.06	0-1.5	0.0

Table F-305
NR Band n77 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth
NR Band n77
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.74	7.91	0	0.0
	1	19	7.51	7.87		0.0
	1	36	7.37	7.62		0.0
	18	0	7.52	7.84	0-1	0.0
	18	10	7.45	7.78	0	0.0
	18	20	7.43	7.75	0-1	0.0
	36	0	7.49	7.78		0.0
DFT-s-OFDM 16QAM	1	1	7.52	7.82	0-1	0.0
CP-OFDM QPSK	1	1	7.88	8.00	0-1.5	0.0

Table F-306
NR Band n77 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	7.75	7.95	0	0.0
	1	12	7.51	7.88		0.0
	1	22	7.39	7.63		0.0
	12	0	7.53	7.85	0-1	0.0
	12	6	7.46	7.79	0	0.0
	12	12	7.44	7.76	0-1	0.0
	24	0	7.51	7.79		0.0
DFT-s-OFDM 16QAM	1	1	7.53	7.83	0-1	0.0
CP-OFDM QPSK	1	1	7.89	7.91	0-1.5	0.0

Table F-307
NR Band n77 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth
NR Band n77
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.92	10.10	0	0.0
	1	123	9.67	9.92		0.0
	1	243	9.64	9.91		0.0
	120	0	9.84	10.05	0-1	0.0
	120	63	9.68	9.93	0	0.0
	120	125	9.59	9.88	0-1	0.0
	243	0	9.75	9.99		0.0
DFT-s-OFDM 16QAM	1	1	9.85	10.34	0-1	0.0
CP-OFDM QPSK	1	1	9.99	9.92	0-1.5	0.0

Table F-308
NR Band n77 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth
NR Band n77
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.91	10.12	0	0.0
	1	109	9.68	9.94		0.0
	1	215	9.66	9.93		0.0
	108	0	9.85	10.02	0-1	0.0
	108	55	9.68	9.95	0	0.0
	108	109	9.62	9.90	0-1	0.0
	216	0	9.76	9.97		0.0
DFT-s-OFDM 16QAM	1	1	9.87	10.20	0-1	0.0
CP-OFDM QPSK	1	1	9.90	9.93	0-1.5	0.0

Table F-309
NR Band n77 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth
NR Band n77
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.94	10.09	0	0.0
	1	95	9.70	9.96		0.0
	1	187	9.68	9.95		0.0
	90	0	9.87	10.04	0-1	0.0
	90	50	9.70	9.97	0	0.0
	90	99	9.64	9.91	0-1	0.0
	180	0	9.78	9.94		0.0
DFT-s-OFDM 16QAM	1	1	9.88	10.15	0-1	0.0
CP-OFDM QPSK	1	1	9.91	9.95	0-1.5	0.0

Table F-310
NR Band n77 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth
NR Band n77
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.95	10.07	0	0.0
	1	81	9.75	9.94		0.0
	1	160	9.69	9.93		0.0
	81	0	9.88	10.03	0-1	0.0
	81	41	9.90	9.95	0	0.0
	81	81	9.60	9.94	0-1	0.0
	162	0	9.88	9.91		0.0
DFT-s-OFDM 16QAM	1	1	9.91	10.20	0-1	0.0
CP-OFDM QPSK	1	1	9.92	9.96	0-1.5	0.0

Table F-311
NR Band n77 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth
NR Band n77
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.97	10.31	0	0.0
	1	67	9.85	10.28		0.0
	1	131	9.84	10.13		0.0
	64	0	9.95	10.19	0-1	0.0
	64	35	9.83	10.10	0	0.0
	64	69	9.80	9.92	0-1	0.0
	128	0	9.88	10.14		0.0
DFT-s-OFDM 16QAM	1	1	10.20	10.34	0-1	0.0
CP-OFDM QPSK	1	1	9.94	10.32	0-1.5	0.0

Table F-312
NR Band n77 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth
NR Band n77
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.98	10.22	0	0.0
	1	53	9.86	10.08		0.0
	1	104	9.85	10.15		0.0
	50	0	9.96	10.17	0-1	0.0
	50	28	9.84	10.11	0	0.0
	50	56	9.81	9.94	0-1	0.0
	100	0	9.89	10.13		0.0
DFT-s-OFDM 16QAM	1	1	10.21	10.35	0-1	0.0
CP-OFDM QPSK	1	1	9.95	10.31	0-1.5	0.0

Table F-313
NR Band n77 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth
NR Band n77
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.97	10.20	0	0.0
	1	39	9.85	10.10		0.0
	1	76	9.84	10.17		0.0
	36	0	9.95	10.18	0-1	0.0
	36	21	9.83	10.15	0	0.0
	36	42	9.80	9.97	0-1	0.0
	75	0	9.88	10.15		0.0
DFT-s-OFDM 16QAM	1	1	10.20	10.31	0-1	0.0
CP-OFDM QPSK	1	1	9.93	10.23	0-1.5	0.0

Table F-314
NR Band n77 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n77
20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.97	10.22	0	0.0
	1	26	9.95	10.12		0.0
	1	49	9.94	10.19		0.0
	25	0	9.85	10.17	0-1	0.0
	25	13	9.84	10.12	0	0.0
	25	26	9.83	9.98	0-1	0.0
	50	0	9.87	10.14		0.0
DFT-s-OFDM 16QAM	1	1	10.10	10.25	0-1	0.0
CP-OFDM QPSK	1	1	9.83	10.11	0-1.5	0.0

Table F-315
NR Band n77 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n77
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.87	10.34	0	0.0
	1	19	9.84	10.22		0.0
	1	36	9.84	10.29		0.0
	18	0	9.77	10.27	0-1	0.0
	18	10	9.74	10.14	0	0.0
	18	20	9.73	9.97	0-1	0.0
	36	0	9.76	10.10		0.0
DFT-s-OFDM 16QAM	1	1	10.01	10.23	0-1	0.0
CP-OFDM QPSK	1	1	9.73	10.15	0-1.5	0.0

Table F-316
NR Band n77 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n77
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.75	10.19	0	0.0
	1	12	9.77	10.38		0.0
	1	22	9.65	10.19		0.0
	12	0	9.77	10.20	0-1	0.0
	12	6	9.75	9.95	0	0.0
	12	12	9.81	9.95	0-1	0.0
	24	0	9.70	10.14		0.0
DFT-s-OFDM 16QAM	1	1	9.88	10.05	0-1	0.0
CP-OFDM QPSK	1	1	9.75	10.43	0-1.5	0.0

Table F-317
NR Band n77 Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth
NR Band n77 DoD
90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.16	0	0.0
	1	123	9.12		0.0
	1	243	9.48		0.0
	120	0	9.21	0-1	0.0
	120	63	9.22	0	0.0
	120	125	9.24	0-1	0.0
	243	0	9.17		0.0
DFT-s-OFDM 16QAM	1	1	9.07	0-1	0.0
CP-OFDM QPSK	1	1	9.26	0-1.5	0.0

Table F-318
NR Band n77 Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.12	0	0.0
	1	109	9.16		0.0
	1	215	9.34		0.0
	108	0	9.20	0-1	0.0
	108	55	9.18	0	0.0
	108	109	9.23	0-1	0.0
	216	0	9.15		0.0
DFT-s-OFDM 16QAM	1	1	9.30	0-1	0.0
CP-OFDM QPSK	1	1	9.22	0-1.5	0.0

Table F-319
NR Band n77 Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth
NR Band n77 DoD
70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.06	0	0.0
	1	95	9.13		0.0
	1	187	9.25		0.0
	90	0	9.14	0-1	0.0
	90	50	9.03	0	0.0
	90	99	9.15	0-1	0.0
	180	0	9.11		0.0
DFT-s-OFDM 16QAM	1	1	9.17	0-1	0.0
CP-OFDM QPSK	1	1	9.21	0-1.5	0.0

Table F-320
NR Band n77 Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth
NR Band n77 DoD
60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.05	0	0.0
	1	81	9.11		0.0
	1	160	9.20		0.0
	81	0	9.04	0-1	0.0
	81	41	9.08	0	0.0
	81	81	9.03	0-1	0.0
	162	0	9.07		0.0
DFT-s-OFDM 16QAM	1	1	9.18	0-1	0.0
CP-OFDM QPSK	1	1	9.15	0-1.5	0.0

Table F-321
NR Band n77 Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth
NR Band n77 DoD
50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.14	0	0.0
	1	67	9.07		0.0
	1	131	9.05		0.0
	64	0	9.04	0-1	0.0
	64	35	8.95	0-1	0.0
	64	69	8.99		0.0
	128	0	9.01		0.0
DFT-s-OFDM 16QAM	1	1	9.11	0-1	0.0
CP-OFDM QPSK	1	1	9.18	0-1.5	0.0

Table F-322
NR Band n77 Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.33	0	0.0
	1	53	9.25		0.0
	1	104	9.37		0.0
	50	0	9.22	0-1	0.0
	50	28	9.27	0	0.0
	50	56	9.32	0-1	0.0
	100	0	9.21		0.0
DFT-s-OFDM 16QAM	1	1	9.38	0-1	0.0
CP-OFDM QPSK	1	1	9.34	0-1.5	0.0

Table F-323
NR Band n77 Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.17	0	0.0
	1	39	9.21		0.0
	1	76	9.20		0.0
	36	0	9.12	0-1	0.0
	36	21	9.11	0	0.0
	36	42	9.18	0-1	0.0
	75	0	9.14		0.0
DFT-s-OFDM 16QAM	1	1	9.31	0-1	0.0
CP-OFDM QPSK	1	1	9.27	0-1.5	0.0

Table F-324
NR Band n77 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.22	0	0.0
	1	26	9.11		0.0
	1	49	9.14		0.0
	25	0	9.13	0-1	0.0
	25	13	9.10	0	0.0
	25	26	9.17	0-1	0.0
	50	0	9.15		0.0
DFT-s-OFDM 16QAM	1	1	9.37	0-1	0.0
CP-OFDM QPSK	1	1	9.19	0-1.5	0.0

Table F-325
NR Band n77 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.22	0	0.0
	1	19	9.20		0.0
	1	36	9.24		0.0
	18	0	9.14	0-1	0.0
	18	10	9.10	0	0.0
	18	20	9.12	0-1	0.0
	36	0	9.15		0.0
DFT-s-OFDM 16QAM	1	1	9.37	0-1	0.0
CP-OFDM QPSK	1	1	9.07	0-1.5	0.0

Table F-326
NR Band n77 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.14	0	0.0
	1	12	9.07		0.0
	1	22	9.12		0.0
	12	0	9.10	0-1	0.0
	12	6	9.08	0	0.0
	12	12	9.04	0-1	0.0
	24	0	9.05		0.0
DFT-s-OFDM 16QAM	1	1	9.27	0-1	0.0
CP-OFDM QPSK	1	1	9.13	0-1.5	0.0

Table F-327
NR Band n77 Measured P_{Limit} Antenna 2 - 90 MHz Bandwidth
NR Band n77 DoD
90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.06	0	0.0
	1	123	8.14		0.0
	1	243	8.26		0.0
	120	0	8.28	0-1	0.0
	120	63	8.28	0	0.0
	120	125	8.34	0-1	0.0
	243	0	8.24		0.0
DFT-s-OFDM 16QAM	1	1	8.22	0-1	0.0
CP-OFDM QPSK	1	1	8.07	0-1.5	0.0

Table F-328
NR Band n77 Measured P_{Limit} Antenna 2 - 80 MHz Bandwidth
NR Band n77 DoD
80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.25	0	0.0
	1	109	8.22		0.0
	1	215	8.17		0.0
	108	0	8.27	0-1	0.0
	108	55	8.31	0	0.0
	108	109	8.34	0-1	0.0
	216	0	8.25		0.0
DFT-s-OFDM 16QAM	1	1	8.35	0-1	0.0
CP-OFDM QPSK	1	1	8.21	0-1.5	0.0

Table F-329
NR Band n77 Measured P_{Limit} Antenna 2 - 70 MHz Bandwidth
NR Band n77 DoD
70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.28	0	0.0
	1	95	8.22		0.0
	1	187	8.37		0.0
	90	0	8.26	0-1	0.0
	90	50	8.24	0	0.0
	90	99	8.26	0-1	0.0
	180	0	8.25		0.0
DFT-s-OFDM 16QAM	1	1	8.30	0-1	0.0
CP-OFDM QPSK	1	1	8.28	0-1.5	0.0

Table F-330
NR Band n77 Measured P_{Limit} Antenna 2 - 60 MHz Bandwidth
NR Band n77 DoD
60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.28	0	0.0
	1	81	8.32		0.0
	1	160	8.22		0.0
	81	0	8.27	0-1	0.0
	81	41	8.30	0	0.0
	81	81	8.19	0-1	0.0
	162	0	8.24		0.0
DFT-s-OFDM 16QAM	1	1	8.32	0-1	0.0
CP-OFDM QPSK	1	1	8.21	0-1.5	0.0

Table F-331
NR Band n77 Measured P_{Limit} Antenna 2 - 50 MHz Bandwidth
NR Band n77 DoD
50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.44	0	0.0
	1	67	8.23		0.0
	1	131	8.27		0.0
	64	0	8.26	0-1	0.0
	64	35	8.20	0	0.0
	64	69	8.19	0-1	0.0
	128	0	8.17		0.0
DFT-s-OFDM 16QAM	1	1	8.43	0-1	0.0
CP-OFDM QPSK	1	1	8.30	0-1.5	0.0

Table F-332
NR Band n77 Measured P_{Limit} Antenna 2 - 40 MHz Bandwidth
NR Band n77 DoD
40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.60	0	0.0
	1	53	8.45		0.0
	1	104	8.47		0.0
	50	0	8.55	0-1	0.0
	50	28	8.46	0	0.0
	50	56	8.44	0-1	0.0
	100	0	8.50		0.0
DFT-s-OFDM 16QAM	1	1	8.52	0-1	0.0
CP-OFDM QPSK	1	1	8.44	0-1.5	0.0

Table F-333
NR Band n77 Measured P_{Limit} Antenna 2 - 30 MHz Bandwidth
NR Band n77 DoD
30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.51	0	0.0
	1	39	8.44		0.0
	1	76	8.55		0.0
	36	0	8.53	0-1	0.0
	36	21	8.47	0	0.0
	36	42	8.44	0-1	0.0
	75	0	8.51		0.0
DFT-s-OFDM 16QAM	1	1	8.52	0-1	0.0
CP-OFDM QPSK	1	1	8.42	0-1.5	0.0

Table F-334
NR Band n77 Measured P_{Limit} Antenna 2 - 20 MHz Bandwidth
NR Band n77 DoD
20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.55	0	0.0
	1	26	8.42		0.0
	1	49	8.44		0.0
	25	0	8.45	0-1	0.0
	25	13	8.38	0	0.0
	25	26	8.40	0-1	0.0
	50	0	8.44		0.0
DFT-s-OFDM 16QAM	1	1	8.54	0-1	0.0
CP-OFDM QPSK	1	1	8.34	0-1.5	0.0

Table F-335
NR Band n77 Measured P_{Limit} Antenna 2 - 15 MHz Bandwidth
NR Band n77 DoD
15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.47	0	0.0
	1	19	8.35		0.0
	1	36	8.37		0.0
	18	0	8.41	0-1	0.0
	18	10	8.35	0	0.0
	18	20	8.40	0-1	0.0
	36	0	8.37		0.0
DFT-s-OFDM 16QAM	1	1	8.31	0-1	0.0
CP-OFDM QPSK	1	1	8.19	0-1.5	0.0

Table F-336
NR Band n77 Measured P_{Limit} Antenna 2 - 10 MHz Bandwidth
NR Band n77 DoD
10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.30	0	0.0
	1	12	8.40		0.0
	1	22	8.36		0.0
	12	0	8.33	0-1	0.0
	12	6	8.38	0	0.0
	12	12	8.36	0-1	0.0
	24	0	8.42		0.0
DFT-s-OFDM 16QAM	1	1	8.50	0-1	0.0
CP-OFDM QPSK	1	1	8.37	0-1.5	0.0

Table F-337
NR Band n77 Measured P_{Limit} Antenna 3a - 90 MHz Bandwidth
NR Band n77 DoD
90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	7.79	0	0.0
	1	123	8.20		0.0
	1	243	8.15		0.0
	120	0	8.16	0-1	0.0
	120	63	8.22	0	0.0
	120	125	8.18	0-1	0.0
	243	0	8.17		0.0
DFT-s-OFDM 16QAM	1	1	8.14	0-1	0.0
CP-OFDM QPSK	1	1	8.04	0-1.5	0.0

Table F-338
NR Band n77 Measured P_{Limit} Antenna 3a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.12	0	0.0
	1	109	8.18		0.0
	1	215	8.11		0.0
	108	0	8.19	0-1	0.0
	108	55	8.12	0	0.0
	108	109	8.14	0-1	0.0
	216	0	8.16		0.0
DFT-s-OFDM 16QAM	1	1	8.12	0-1	0.0
CP-OFDM QPSK	1	1	8.06	0-1.5	0.0

Table F-339
NR Band n77 Measured P_{Limit} Antenna 3a - 70 MHz Bandwidth
NR Band n77 DoD
70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.17	0	0.0
	1	95	8.10		0.0
	1	187	8.22		0.0
	90	0	8.16	0-1	0.0
	90	50	8.15	0	0.0
	90	99	8.14	0-1	0.0
	180	0	8.17		0.0
DFT-s-OFDM 16QAM	1	1	8.29	0-1	0.0
CP-OFDM QPSK	1	1	8.16	0-1.5	0.0

Table F-340
NR Band n77 Measured P_{Limit} Antenna 3a - 60 MHz Bandwidth
NR Band n77 DoD
60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.14	0	0.0
	1	81	8.24		0.0
	1	160	8.09		0.0
	81	0	8.14	0-1	0.0
	81	41	8.13	0	0.0
	81	81	8.04	0-1	0.0
	162	0	8.17		0.0
DFT-s-OFDM 16QAM	1	1	8.27	0-1	0.0
CP-OFDM QPSK	1	1	8.20	0-1.5	0.0

Table F-341
NR Band n77 Measured P_{Limit} Antenna 3a - 50 MHz Bandwidth
NR Band n77 DoD
50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.21	0	0.0
	1	67	8.17		0.0
	1	131	8.04		0.0
	64	0	8.11	0-1	0.0
	64	35	8.09	0	0.0
	64	69	8.00	0-1	0.0
	128	0	8.05		0.0
DFT-s-OFDM 16QAM	1	1	8.26	0-1	0.0
CP-OFDM QPSK	1	1	8.15	0-1.5	0.0

Table F-342
NR Band n77 Measured P_{Limit} Antenna 3a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.39	0	0.0
	1	53	8.35		0.0
	1	104	8.51		0.0
	50	0	8.46	0-1	0.0
	50	28	8.35	0	0.0
	50	56	8.38	0-1	0.0
	100	0	8.40		0.0
DFT-s-OFDM 16QAM	1	1	8.30	0-1	0.0
CP-OFDM QPSK	1	1	8.19	0-1.5	0.0

Table F-343
NR Band n77 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.41	0	0.0
	1	39	8.33		0.0
	1	76	8.22		0.0
	36	0	8.24	0-1	0.0
	36	21	8.16	0	0.0
	36	42	8.16	0-1	0.0
	75	0	8.21		0.0
DFT-s-OFDM 16QAM	1	1	8.39	0-1	0.0
CP-OFDM QPSK	1	1	8.22	0-1.5	0.0

Table F-344
NR Band n77 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.19	0	0.0
	1	26	8.20		0.0
	1	49	8.24		0.0
	25	0	8.27	0-1	0.0
	25	13	8.31	0	0.0
	25	26	8.25	0-1	0.0
	50	0	8.29		0.0
DFT-s-OFDM 16QAM	1	1	8.40	0-1	0.0
CP-OFDM QPSK	1	1	8.22	0-1.5	0.0

Table F-345
NR Band n77 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth
NR Band n77 DoD
15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.33	0	0.0
	1	19	8.15		0.0
	1	36	8.35		0.0
	18	0	8.25	0-1	0.0
	18	10	8.22	0	0.0
	18	20	8.25	0-1	0.0
	36	0	8.21		0.0
DFT-s-OFDM 16QAM	1	1	8.26	0-1	0.0
CP-OFDM QPSK	1	1	8.18	0-1.5	0.0

Table F-346
NR Band n77 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	8.22	0	0.0
	1	12	8.10		0.0
	1	22	8.15		0.0
	12	0	8.25	0-1	0.0
	12	6	8.23	0	0.0
	12	12	8.21	0-1	0.0
	24	0	8.22		0.0
DFT-s-OFDM 16QAM	1	1	8.20	0-1	0.0
CP-OFDM QPSK	1	1	8.17	0-1.5	0.0

Table F-347
NR Band n77 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth
NR Band n77 DoD
90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.13	0	0.0
	1	123	10.08		0.0
	1	243	10.19		0.0
	120	0	10.26	0-1	0.0
	120	63	10.07	0	0.0
	120	125	10.01	0-1	0.0
	243	0	10.09		0.0
DFT-s-OFDM 16QAM	1	1	10.27	0-1	0.0
CP-OFDM QPSK	1	1	10.16	0-1.5	0.0

Table F-348
NR Band n77 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth
NR Band n77 DoD
80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.26	0	0.0
	1	109	10.17		0.0
	1	215	10.00		0.0
	108	0	10.22	0-1	0.0
	108	55	10.07	0	0.0
	108	109	10.03	0-1	0.0
	216	0	10.09		0.0
DFT-s-OFDM 16QAM	1	1	10.49	0-1	0.0
CP-OFDM QPSK	1	1	10.33	0-1.5	0.0

Table F-349
NR Band n77 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth
NR Band n77 DoD
70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.38	0	0.0
	1	95	10.08		0.0
	1	187	10.04		0.0
	90	0	10.21	0-1	0.0
	90	50	10.06	0	0.0
	90	99	10.05	0-1	0.0
	180	0	10.14		0.0
DFT-s-OFDM 16QAM	1	1	10.44	0-1	0.0
CP-OFDM QPSK	1	1	10.34	0-1.5	0.0

Table F-350
NR Band n77 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth
NR Band n77 DoD
60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.40	0	0.0
	1	81	10.24		0.0
	1	160	10.02		0.0
	81	0	10.32	0-1	0.0
	81	41	10.22	0	0.0
	81	81	10.14	0-1	0.0
	162	0	10.23		0.0
DFT-s-OFDM 16QAM	1	1	10.38	0-1	0.0
CP-OFDM QPSK	1	1	10.26	0-1.5	0.0

Table F-351
NR Band n77 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth
NR Band n77 DoD
50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.34	0	0.0
	1	67	10.28		0.0
	1	131	10.11		0.0
	64	0	10.30	0-1	0.0
	64	35	10.16	0	0.0
	64	69	10.09	0-1	0.0
	128	0	10.20		0.0
DFT-s-OFDM 16QAM	1	1	10.42	0-1	0.0
CP-OFDM QPSK	1	1	10.46	0-1.5	0.0

Table F-352
NR Band n77 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth
NR Band n77 DoD
40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.54	0	0.0
	1	53	10.30		0.0
	1	104	10.28		0.0
	50	0	10.35	0-1	0.0
	50	28	10.26	0	0.0
	50	56	10.17	0-1	0.0
	100	0	10.29		0.0
DFT-s-OFDM 16QAM	1	1	10.24	0-1	0.0
CP-OFDM QPSK	1	1	10.40	0-1.5	0.0

Table F-353
NR Band n77 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth
NR Band n77 DoD
30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.35	0	0.0
	1	39	10.22		0.0
	1	76	10.16		0.0
	36	0	10.27	0-1	0.0
	36	21	10.20	0	0.0
	36	42	10.21	0-1	0.0
	75	0	10.25		0.0
DFT-s-OFDM 16QAM	1	1	10.27	0-1	0.0
CP-OFDM QPSK	1	1	10.49	0-1.5	0.0

Table F-354
NR Band n77 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n77 DoD
20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.40	0	0.0
	1	26	10.24		0.0
	1	49	10.22		0.0
	25	0	10.18	0-1	0.0
	25	13	10.11	0	0.0
	25	26	10.12	0-1	0.0
	50	0	10.13		0.0
DFT-s-OFDM 16QAM	1	1	10.33	0-1	0.0
CP-OFDM QPSK	1	1	10.20	0-1.5	0.0

Table F-355
NR Band n77 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n77 DoD
15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.22	0	0.0
	1	19	10.09		0.0
	1	36	10.15		0.0
	18	0	10.11	0-1	0.0
	18	10	10.12	0	0.0
	18	20	10.10	0-1	0.0
	36	0	10.13		0.0
DFT-s-OFDM 16QAM	1	1	10.15	0-1	0.0
CP-OFDM QPSK	1	1	10.31	0-1.5	0.0

Table F-356
NR Band n77 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n77 DoD
10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.12	0	0.0
	1	12	10.18		0.0
	1	22	10.08		0.0
	12	0	10.09	0-1	0.0
	12	6	10.07	0	0.0
	12	12	10.05	0-1	0.0
	24	0	10.05		0.0
DFT-s-OFDM 16QAM	1	1	10.05	0-1	0.0
CP-OFDM QPSK	1	1	10.25	0-1.5	0.0