



Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.095	33.436	-29.905	74.000	10.658	PK
2	*	15900.000	50.110	32.955	-23.890	74.000	17.155	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.799	35.140	-28.201	74.000	10.658	PK
2	*	15900.000	51.322	34.167	-22.678	74.000	17.155	PK

Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.141	34.716	-28.859	74.000	10.425	PK
2	*	15960.000	50.396	32.802	-23.604	74.000	17.594	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.774	34.349	-29.226	74.000	10.425	PK
2	*	15960.000	51.222	33.628	-22.778	74.000	17.594	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.676	33.281	-29.324	74.000	11.394	PK
2	*	16500.000	52.955	33.995	-21.045	74.000	18.960	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.581	34.186	-28.419	74.000	11.394	PK
2	*	16500.000	52.121	33.161	-21.879	74.000	18.960	PK

Profile: 1992128R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.536	33.158	-29.464	74.000	11.378	PK
2	*	16560.000	53.273	34.355	-20.727	74.000	18.918	PK

Profile: 1992128R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.401	33.023	-29.599	74.000	11.378	PK
2	*	16560.000	52.785	33.867	-21.215	74.000	18.918	PK

Profile: 1992128R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.296	33.297	-28.704	74.000	11.999	PK
2	*	16740.000	52.527	33.922	-21.473	74.000	18.605	PK

Profile: 1992128R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.635	32.636	-29.365	74.000	11.999	PK
2	*	16740.000	52.093	33.488	-21.907	74.000	18.605	PK

Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.490	31.635	-30.510	74.000	11.855	PK
2	*	17100.000	52.721	32.671	-21.279	74.000	20.050	PK

Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.911	31.056	-31.089	74.000	11.855	PK
2	*	17100.000	51.307	31.257	-22.693	74.000	20.050	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.484	34.335	-28.516	74.000	11.149	PK
2	*	15810.000	52.162	34.629	-21.838	74.000	17.533	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.292	35.143	-27.708	74.000	11.149	PK
2	*	15810.000	51.649	34.116	-22.351	74.000	17.533	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.998	33.566	-29.002	74.000	11.433	PK
2	*	15930.000	51.528	33.430	-22.472	74.000	18.099	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.037	34.605	-27.963	74.000	11.433	PK
2	*	15930.000	52.415	34.317	-21.585	74.000	18.099	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.846	32.716	-30.154	74.000	11.130	PK
2	*	16530.000	53.394	34.866	-20.606	74.000	18.529	PK

Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.453	33.323	-29.547	74.000	11.130	PK
2	*	16530.000	51.104	32.576	-22.896	74.000	18.529	PK

Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.918	33.482	-29.082	74.000	11.436	PK
2	*	16650.000	52.062	32.842	-21.938	74.000	19.221	PK

Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.840	34.404	-28.160	74.000	11.436	PK
2	*	16650.000	51.195	31.975	-22.805	74.000	19.221	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.171	32.164	-29.829	74.000	12.007	PK
2	*	17010.000	52.130	32.480	-21.870	74.000	19.650	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.587	32.580	-29.413	74.000	12.007	PK
2	*	17010.000	51.235	31.585	-22.765	74.000	19.650	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.796	33.241	-30.204	74.000	10.555	PK
2	*	15870.000	51.148	33.526	-22.852	74.000	17.622	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.422	34.867	-28.578	74.000	10.555	PK
2	*	15870.000	52.347	34.725	-21.653	74.000	17.622	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.195	33.062	-29.805	74.000	11.134	PK
2	*	16590.000	53.128	34.589	-20.872	74.000	18.539	PK

Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.388	33.255	-29.612	74.000	11.134	PK
2	*	16590.000	51.336	32.797	-22.664	74.000	18.539	PK

Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.010	32.337	-29.990	74.000	11.673	PK
2	*	16830.000	52.865	33.450	-21.135	74.000	19.415	PK


Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.872	32.199	-30.128	74.000	11.673	PK
2	*	16830.000	51.456	32.041	-22.544	74.000	19.415	PK


Radio 3:
5GHz Full Band
2*2 CDD:

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.518	34.593	-28.482	74.000	10.925	PK
2	*	15780.000	51.364	34.048	-22.636	74.000	17.316	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.782	33.857	-29.218	74.000	10.925	PK
2	*	15780.000	50.434	33.118	-23.566	74.000	17.316	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.695	35.036	-28.305	74.000	10.658	PK
2	*	15900.000	51.245	34.090	-22.755	74.000	17.155	PK

Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.995	34.336	-29.005	74.000	10.658	PK
2	*	15900.000	50.456	33.301	-23.544	74.000	17.155	PK

Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.092	34.667	-28.908	74.000	10.425	PK
2	*	15960.000	52.225	34.631	-21.775	74.000	17.594	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.470	35.045	-28.530	74.000	10.425	PK
2	*	15960.000	51.217	33.623	-22.783	74.000	17.594	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.180	32.785	-29.820	74.000	11.394	PK
2	*	16500.000	52.758	33.798	-21.242	74.000	18.960	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.400	33.005	-29.600	74.000	11.394	PK
2	*	16500.000	52.145	33.185	-21.855	74.000	18.960	PK

Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.700	33.322	-29.300	74.000	11.378	PK
2	*	16560.000	52.947	34.029	-21.053	74.000	18.918	PK

Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.911	33.533	-29.089	74.000	11.378	PK
2	*	16560.000	51.718	32.800	-22.282	74.000	18.918	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.848	32.849	-29.152	74.000	11.999	PK
2	*	16740.000	53.128	34.523	-20.872	74.000	18.605	PK

Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.013	34.014	-27.987	74.000	11.999	PK
2	*	16740.000	52.620	34.015	-21.380	74.000	18.605	PK

Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.682	30.827	-31.318	74.000	11.855	PK
2	*	17100.000	52.703	32.653	-21.297	74.000	20.050	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.893	32.038	-30.107	74.000	11.855	PK
2	*	17100.000	51.514	31.464	-22.486	74.000	20.050	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.457	34.532	-28.543	74.000	10.925	PK
2	*	15780.000	51.131	33.815	-22.869	74.000	17.316	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.000	35.075	-28.000	74.000	10.925	PK
2	*	15780.000	51.454	34.138	-22.546	74.000	17.316	PK

Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.738	34.079	-29.262	74.000	10.658	PK
2	*	15900.000	51.187	34.032	-22.813	74.000	17.155	PK

Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.952	34.293	-29.048	74.000	10.658	PK
2	*	15900.000	51.211	34.056	-22.789	74.000	17.155	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.119	34.694	-28.881	74.000	10.425	PK
2	*	15960.000	52.395	34.801	-21.605	74.000	17.594	PK

Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.157	35.732	-27.843	74.000	10.425	PK
2	*	15960.000	51.711	34.117	-22.289	74.000	17.594	PK

Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.260	32.865	-29.740	74.000	11.394	PK
2	*	16500.000	52.445	33.485	-21.555	74.000	18.960	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.898	32.503	-30.102	74.000	11.394	PK
2	*	16500.000	51.788	32.828	-22.212	74.000	18.960	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.340	34.962	-27.660	74.000	11.378	PK
2	*	16560.000	52.824	33.906	-21.176	74.000	18.918	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.193	32.815	-29.807	74.000	11.378	PK
2	*	16560.000	51.507	32.589	-22.493	74.000	18.918	PK

Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.805	32.806	-29.195	74.000	11.999	PK
2	*	16740.000	52.655	34.050	-21.345	74.000	18.605	PK

Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.500	33.501	-28.500	74.000	11.999	PK
2	*	16740.000	52.094	33.489	-21.906	74.000	18.605	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.157	32.302	-29.843	74.000	11.855	PK
2	*	17100.000	52.471	32.421	-21.529	74.000	20.050	PK

Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.897	32.042	-30.103	74.000	11.855	PK
2	*	17100.000	51.759	31.709	-22.241	74.000	20.050	PK

Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.262	34.113	-28.738	74.000	11.149	PK
2	*	15810.000	50.008	32.475	-23.992	74.000	17.533	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.866	34.717	-28.134	74.000	11.149	PK
2	*	15810.000	51.948	34.415	-22.052	74.000	17.533	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.455	36.023	-26.545	74.000	11.433	PK
2	*	15930.000	50.545	32.447	-23.455	74.000	18.099	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.372	33.940	-28.628	74.000	11.433	PK
2	*	15930.000	51.825	33.727	-22.175	74.000	18.099	PK

Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.887	32.757	-30.113	74.000	11.130	PK
2	*	16530.000	53.375	34.847	-20.625	74.000	18.529	PK

Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.802	33.672	-29.198	74.000	11.130	PK
2	*	16530.000	52.683	34.155	-21.317	74.000	18.529	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.271	33.835	-28.729	74.000	11.436	PK
2	*	16650.000	52.312	33.092	-21.688	74.000	19.221	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.525	33.089	-29.475	74.000	11.436	PK
2	*	16650.000	51.952	32.732	-22.048	74.000	19.221	PK

Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.040	32.033	-29.960	74.000	12.007	PK
2	*	17010.000	52.469	32.819	-21.531	74.000	19.650	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.649	33.642	-28.351	74.000	12.007	PK
2	*	17010.000	51.815	32.165	-22.185	74.000	19.650	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.647	35.722	-27.353	74.000	10.925	PK
2	*	15780.000	51.696	34.380	-22.304	74.000	17.316	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.763	33.838	-29.237	74.000	10.925	PK
2	*	15780.000	50.796	33.480	-23.204	74.000	17.316	PK

Profile: 1992128R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.528	34.869	-28.472	74.000	10.658	PK
2	*	15900.000	51.960	34.805	-22.040	74.000	17.155	PK

Profile: 1992128R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.045	34.386	-28.955	74.000	10.658	PK
2	*	15900.000	50.364	33.209	-23.636	74.000	17.155	PK

Profile: 1992128R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.262	32.837	-30.738	74.000	10.425	PK
2	*	15960.000	52.189	34.595	-21.811	74.000	17.594	PK

Profile: 1992128R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.488	34.063	-29.512	74.000	10.425	PK
2	*	15960.000	51.218	33.624	-22.782	74.000	17.594	PK

Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.459	33.064	-29.541	74.000	11.394	PK
2	*	16500.000	53.484	34.524	-20.516	74.000	18.960	PK

Profile: 1992128R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.431	34.036	-28.569	74.000	11.394	PK
2	*	16500.000	51.779	32.819	-22.221	74.000	18.960	PK

Profile: 1992128R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.350	33.972	-28.650	74.000	11.378	PK
2	*	16560.000	53.422	34.504	-20.578	74.000	18.918	PK

Profile: 1992128R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.026	32.648	-29.974	74.000	11.378	PK
2	*	16560.000	52.921	34.003	-21.079	74.000	18.918	PK

Profile: 1992128R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.019	33.020	-28.981	74.000	11.999	PK
2	*	16740.000	52.422	33.817	-21.578	74.000	18.605	PK

Profile: 1992128R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.025	34.026	-27.975	74.000	11.999	PK
2	*	16740.000	53.152	34.547	-20.848	74.000	18.605	PK

Profile: 1992128R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.945	32.090	-30.055	74.000	11.855	PK
2	*	17100.000	52.723	32.673	-21.277	74.000	20.050	PK

Profile: 1992128R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.296	31.441	-30.704	74.000	11.855	PK
2	*	17100.000	53.348	33.298	-20.652	74.000	20.050	PK

Profile: 1992128R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.133	34.984	-27.867	74.000	11.149	PK
2	*	15810.000	52.119	34.586	-21.881	74.000	17.533	PK

Profile: 1992128R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.404	35.255	-27.596	74.000	11.149	PK
2	*	15810.000	50.702	33.169	-23.298	74.000	17.533	PK

Profile: 1992128R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.887	34.455	-28.113	74.000	11.433	PK
2	*	15930.000	51.224	33.126	-22.776	74.000	18.099	PK

Profile: 1992128R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.456	35.024	-27.544	74.000	11.433	PK
2	*	15930.000	50.755	32.657	-23.245	74.000	18.099	PK

Profile: 1992128R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.156	33.026	-29.844	74.000	11.130	PK
2	*	16530.000	52.253	33.725	-21.747	74.000	18.529	PK

Profile: 1992128R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.262	34.132	-28.738	74.000	11.130	PK
2	*	16530.000	51.607	33.079	-22.393	74.000	18.529	PK

Profile: 1992128R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.048	33.612	-28.952	74.000	11.436	PK
2	*	16650.000	52.141	32.921	-21.859	74.000	19.221	PK

Profile: 1992128R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.667	32.231	-30.333	74.000	11.436	PK
2	*	16650.000	53.224	34.004	-20.776	74.000	19.221	PK

Profile: 1992128R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.242	33.235	-28.758	74.000	12.007	PK
2	*	17010.000	52.378	32.728	-21.622	74.000	19.650	PK

Profile: 1992128R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.779	31.772	-30.221	74.000	12.007	PK
2	*	17010.000	51.577	31.927	-22.423	74.000	19.650	PK

Profile: 1992128R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.668	35.113	-28.332	74.000	10.555	PK
2	*	15870.000	52.658	35.036	-21.342	74.000	17.622	PK

Profile: 1992128R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.383	34.828	-28.617	74.000	10.555	PK
2	*	15870.000	51.620	33.998	-22.380	74.000	17.622	PK

Profile: 1992128R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.891	32.758	-30.109	74.000	11.134	PK
2	*	16590.000	51.931	33.392	-22.069	74.000	18.539	PK

Profile: 1992128R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.325	33.192	-29.675	74.000	11.134	PK
2	*	16590.000	51.492	32.953	-22.508	74.000	18.539	PK

Profile: 1992128R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.403	32.730	-29.597	74.000	11.673	PK
2	*	16830.000	52.064	32.649	-21.936	74.000	19.415	PK

Profile: 1992128R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.520	33.847	-28.480	74.000	11.673	PK
2	*	16830.000	51.265	31.850	-22.735	74.000	19.415	PK

Profile: 1992128R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.182	35.257	-27.818	74.000	10.925	PK
2	*	15780.000	50.037	32.721	-23.963	74.000	17.316	PK

Profile: 1992128R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.596	34.671	-28.404	74.000	10.925	PK
2	*	15780.000	50.890	33.574	-23.110	74.000	17.316	PK

Profile: 1992128R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.969	34.310	-29.031	74.000	10.658	PK
2	*	15900.000	51.355	34.200	-22.645	74.000	17.155	PK

Profile: 1992128R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.129	34.470	-28.871	74.000	10.658	PK
2	*	15900.000	51.079	33.924	-22.921	74.000	17.155	PK

Profile: 1992128R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.311	34.886	-28.689	74.000	10.425	PK
2	*	15960.000	51.730	34.136	-22.270	74.000	17.594	PK

Profile: 1992128R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.441	34.016	-29.559	74.000	10.425	PK
2	*	15960.000	50.726	33.132	-23.274	74.000	17.594	PK

Profile: 1992128R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.491	33.096	-29.509	74.000	11.394	PK
2	*	16500.000	53.025	34.065	-20.975	74.000	18.960	PK

Profile: 1992128R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.008	33.613	-28.992	74.000	11.394	PK
2	*	16500.000	52.001	33.041	-21.999	74.000	18.960	PK

Profile: 1992128R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.836	33.458	-29.164	74.000	11.378	PK
2	*	16560.000	52.624	33.706	-21.376	74.000	18.918	PK

Profile: 1992128R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.079	33.701	-28.921	74.000	11.378	PK
2	*	16560.000	53.175	34.257	-20.825	74.000	18.918	PK

Profile: 1992128R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.156	33.157	-28.844	74.000	11.999	PK
2	*	16740.000	52.008	33.403	-21.992	74.000	18.605	PK

Profile: 1992128R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.887	33.888	-28.113	74.000	11.999	PK
2	*	16740.000	53.494	34.889	-20.506	74.000	18.605	PK

Profile: 1992128R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.465	30.610	-31.535	74.000	11.855	PK
2	*	17100.000	52.439	32.389	-21.561	74.000	20.050	PK

Profile: 1992128R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.703	29.848	-32.297	74.000	11.855	PK
2	*	17100.000	51.552	31.502	-22.448	74.000	20.050	PK

Profile: 1992128R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.079	33.930	-28.921	74.000	11.149	PK
2	*	15810.000	50.647	33.114	-23.353	74.000	17.533	PK

Profile: 1992128R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.423	34.274	-28.577	74.000	11.149	PK
2	*	15810.000	51.814	34.281	-22.186	74.000	17.533	PK

Profile: 1992128R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.067	33.635	-28.933	74.000	11.433	PK
2	*	15930.000	50.519	32.421	-23.481	74.000	18.099	PK

Profile: 1992128R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.549	34.117	-28.451	74.000	11.433	PK
2	*	15930.000	51.147	33.049	-22.853	74.000	18.099	PK

Profile: 1992128R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.959	34.829	-28.041	74.000	11.130	PK
2	*	16530.000	53.293	34.765	-20.707	74.000	18.529	PK

Profile: 1992128R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.336	34.206	-28.664	74.000	11.130	PK
2	*	16530.000	52.827	34.299	-21.173	74.000	18.529	PK

Profile: 1992128R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.035	32.599	-29.965	74.000	11.436	PK
2	*	16650.000	53.324	34.104	-20.676	74.000	19.221	PK

Profile: 1992128R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.861	33.425	-29.139	74.000	11.436	PK
2	*	16650.000	52.257	33.037	-21.743	74.000	19.221	PK

Profile: 1992128R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.175	32.168	-29.825	74.000	12.007	PK
2	*	17010.000	53.358	33.708	-20.642	74.000	19.650	PK

Profile: 1992128R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.954	31.947	-30.046	74.000	12.007	PK
2	*	17010.000	51.838	32.188	-22.162	74.000	19.650	PK

Profile: 1992128R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.832	33.277	-30.168	74.000	10.555	PK
2	*	15870.000	51.349	33.727	-22.651	74.000	17.622	PK

Profile: 1992128R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.684	34.129	-29.316	74.000	10.555	PK
2	*	15870.000	51.892	34.270	-22.108	74.000	17.622	PK

Profile: 1992128R	Page No.: 205
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.358	33.225	-29.642	74.000	11.134	PK
2	*	16590.000	51.652	33.113	-22.348	74.000	18.539	PK

Profile: 1992128R	Page No.: 206
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.761	32.628	-30.239	74.000	11.134	PK
2	*	16590.000	51.988	33.449	-22.012	74.000	18.539	PK

Profile: 1992128R	Page No.: 207
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.242	32.569	-29.758	74.000	11.673	PK
2	*	16830.000	52.050	32.635	-21.950	74.000	19.415	PK

Profile: 1992128R	Page No.: 208
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.363	31.690	-30.637	74.000	11.673	PK
2	*	16830.000	53.298	33.883	-20.702	74.000	19.415	PK

Profile: 1992128R	Page No.: 209
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.622	33.902	-29.378	74.000	10.720	PK
2	*	15750.000	50.015	33.106	-23.985	74.000	16.909	PK

Profile: 1992128R	Page No.: 210
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.243	33.523	-29.757	74.000	10.720	PK
2	*	15750.000	50.669	33.760	-23.331	74.000	16.909	PK

Profile: 1992128R	Page No.: 211
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	46.315	34.525	-27.685	74.000	11.791	PK
2	*	16710.000	53.160	33.533	-20.840	74.000	19.627	PK


Profile: 1992128R	Page No.: 212
Engineer: Simon	
Site: AC5	Time: 2020/04/27 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.533	33.743	-28.467	74.000	11.791	PK
2	*	16710.000	52.263	32.636	-21.737	74.000	19.627	PK


4*4 CDD:

Profile: 1992128R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.770	33.845	-29.230	74.000	10.925	PK
2	*	15780.000	50.756	33.440	-23.244	74.000	17.316	PK

Profile: 1992128R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.227	35.302	-27.773	74.000	10.925	PK
2	*	15780.000	51.235	33.919	-22.765	74.000	17.316	PK

Profile: 1992128R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.329	33.670	-29.671	74.000	10.658	PK
2	*	15900.000	50.519	33.364	-23.481	74.000	17.155	PK

Profile: 1992128R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.049	34.390	-28.951	74.000	10.658	PK
2	*	15900.000	51.296	34.141	-22.704	74.000	17.155	PK

Profile: 1992128R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.505	34.080	-29.495	74.000	10.425	PK
2	*	15960.000	51.509	33.915	-22.491	74.000	17.594	PK

Profile: 1992128R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.293	33.868	-29.707	74.000	10.425	PK
2	*	15960.000	50.589	32.995	-23.411	74.000	17.594	PK

Profile: 1992128R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.168	32.773	-29.832	74.000	11.394	PK
2	*	16500.000	52.720	33.760	-21.280	74.000	18.960	PK

Profile: 1992128R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.929	33.534	-29.071	74.000	11.394	PK
2	*	16500.000	53.244	34.284	-20.756	74.000	18.960	PK

Profile: 1992128R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.012	33.634	-28.988	74.000	11.378	PK
2	*	16560.000	53.258	34.340	-20.742	74.000	18.918	PK

Profile: 1992128R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.824	33.446	-29.176	74.000	11.378	PK
2	*	16560.000	52.968	34.050	-21.032	74.000	18.918	PK

Profile: 1992128R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.117	33.118	-28.883	74.000	11.999	PK
2	*	16740.000	51.588	32.983	-22.412	74.000	18.605	PK

Profile: 1992128R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.381	34.382	-27.619	74.000	11.999	PK
2	*	16740.000	53.195	34.590	-20.805	74.000	18.605	PK

Profile: 1992128R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.022	32.167	-29.978	74.000	11.855	PK
2	*	17100.000	52.125	32.075	-21.875	74.000	20.050	PK

Profile: 1992128R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.172	30.317	-31.828	74.000	11.855	PK
2	*	17100.000	51.362	31.312	-22.638	74.000	20.050	PK

Profile: 1992128R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.985	34.060	-29.015	74.000	10.925	PK
2	*	15780.000	50.267	32.951	-23.733	74.000	17.316	PK

Profile: 1992128R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.512	34.587	-28.488	74.000	10.925	PK
2	*	15780.000	50.770	33.454	-23.230	74.000	17.316	PK

Profile: 1992128R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.014	33.355	-29.986	74.000	10.658	PK
2	*	15900.000	50.805	33.650	-23.195	74.000	17.155	PK

Profile: 1992128R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.880	34.221	-29.120	74.000	10.658	PK
2	*	15900.000	51.562	34.407	-22.438	74.000	17.155	PK

Profile: 1992128R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.166	33.741	-29.834	74.000	10.425	PK
2	*	15960.000	51.008	33.414	-22.992	74.000	17.594	PK

Profile: 1992128R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.939	34.514	-29.061	74.000	10.425	PK
2	*	15960.000	50.814	33.220	-23.186	74.000	17.594	PK

Profile: 1992128R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.194	33.799	-28.806	74.000	11.394	PK
2	*	16500.000	53.059	34.099	-20.941	74.000	18.960	PK

Profile: 1992128R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.197	32.802	-29.803	74.000	11.394	PK
2	*	16500.000	53.488	34.528	-20.512	74.000	18.960	PK

Profile: 1992128R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.420	33.042	-29.580	74.000	11.378	PK
2	*	16560.000	53.147	34.229	-20.853	74.000	18.918	PK

Profile: 1992128R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.461	34.083	-28.539	74.000	11.378	PK
2	*	16560.000	52.021	33.103	-21.979	74.000	18.918	PK

Profile: 1992128R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.494	33.495	-28.506	74.000	11.999	PK
2	*	16740.000	52.725	34.120	-21.275	74.000	18.605	PK

Profile: 1992128R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.408	32.409	-29.592	74.000	11.999	PK
2	*	16740.000	52.142	33.537	-21.858	74.000	18.605	PK

Profile: 1992128R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.855	31.000	-31.145	74.000	11.855	PK
2	*	17100.000	52.835	32.785	-21.165	74.000	20.050	PK

Profile: 1992128R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.945	32.090	-30.055	74.000	11.855	PK
2	*	17100.000	51.346	31.296	-22.654	74.000	20.050	PK

Profile: 1992128R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.987	34.838	-28.013	74.000	11.149	PK
2	*	15810.000	51.585	34.052	-22.415	74.000	17.533	PK

Profile: 1992128R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.317	35.168	-27.683	74.000	11.149	PK
2	*	15810.000	52.316	34.783	-21.684	74.000	17.533	PK

Profile: 1992128R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.914	33.482	-29.086	74.000	11.433	PK
2	*	15930.000	51.327	33.229	-22.673	74.000	18.099	PK

Profile: 1992128R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.691	34.259	-28.309	74.000	11.433	PK
2	*	15930.000	51.014	32.916	-22.986	74.000	18.099	PK

Profile: 1992128R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.450	33.320	-29.550	74.000	11.130	PK
2	*	16530.000	51.434	32.906	-22.566	74.000	18.529	PK

Profile: 1992128R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.698	33.568	-29.302	74.000	11.130	PK
2	*	16530.000	53.146	34.618	-20.854	74.000	18.529	PK

Profile: 1992128R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.844	33.408	-29.156	74.000	11.436	PK
2	*	16650.000	53.113	33.893	-20.887	74.000	19.221	PK

Profile: 1992128R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.288	32.852	-29.712	74.000	11.436	PK
2	*	16650.000	52.421	33.201	-21.579	74.000	19.221	PK

Profile: 1992128R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.960	31.953	-30.040	74.000	12.007	PK
2	*	17010.000	52.003	32.353	-21.997	74.000	19.650	PK

Profile: 1992128R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.105	33.098	-28.895	74.000	12.007	PK
2	*	17010.000	52.827	33.177	-21.173	74.000	19.650	PK

Profile: 1992128R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.642	35.717	-27.358	74.000	10.925	PK
2	*	15780.000	50.129	32.813	-23.871	74.000	17.316	PK

Profile: 1992128R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.989	35.064	-28.011	74.000	10.925	PK
2	*	15780.000	51.501	34.185	-22.499	74.000	17.316	PK

Profile: 1992128R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.479	33.820	-29.521	74.000	10.658	PK
2	*	15900.000	49.916	32.761	-24.084	74.000	17.155	PK

Profile: 1992128R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.945	34.286	-29.055	74.000	10.658	PK
2	*	15900.000	51.819	34.664	-22.181	74.000	17.155	PK

Profile: 1992128R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.585	34.160	-29.415	74.000	10.425	PK
2	*	15960.000	50.281	32.687	-23.719	74.000	17.594	PK

Profile: 1992128R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.246	34.821	-28.754	74.000	10.425	PK
2	*	15960.000	50.808	33.214	-23.192	74.000	17.594	PK

Profile: 1992128R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/04/30 - 04:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.893	33.498	-29.107	74.000	11.394	PK
2	*	16500.000	52.538	33.578	-21.462	74.000	18.960	PK