



SISO

Profile: 20A0241R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.227	41.366	-31.773	74.000	0.860	PK
2	*	15540.000	45.711	39.073	-28.289	74.000	6.637	PK

Profile: 20A0241R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.763	39.902	-33.237	74.000	0.860	PK
2	*	15540.000	45.189	38.551	-28.811	74.000	6.637	PK

Profile: 20A0241R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.091	39.865	-32.909	74.000	1.226	PK
2	*	15660.000	44.341	36.367	-29.659	74.000	7.974	PK

Profile: 20A0241R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.844	38.618	-34.156	74.000	1.226	PK
2	*	15660.000	45.157	37.183	-28.843	74.000	7.974	PK

Profile: 20A0241R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.833	39.720	-33.167	74.000	1.114	PK
2	*	15720.000	45.214	36.654	-28.786	74.000	8.561	PK

Profile: 20A0241R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.306	40.193	-32.694	74.000	1.114	PK
2	*	15720.000	45.896	37.336	-28.104	74.000	8.561	PK

Profile: 20A0241R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.498	40.764	-31.502	74.000	1.735	PK
2	*	15780.000	45.616	36.776	-28.384	74.000	8.840	PK

Profile: 20A0241R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.600	39.866	-32.400	74.000	1.735	PK
2	*	15780.000	44.719	35.879	-29.281	74.000	8.840	PK

Profile: 20A0241R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.505	40.857	-31.495	74.000	1.648	PK
2	*	15900.000	46.135	37.281	-27.865	74.000	8.853	PK

Profile: 20A0241R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.017	40.369	-31.983	74.000	1.648	PK
2	*	15900.000	46.231	37.377	-27.769	74.000	8.853	PK

Profile: 20A0241R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.027	38.193	-33.973	74.000	1.834	PK
2	*	15960.000	45.039	36.827	-28.961	74.000	8.212	PK

Profile: 20A0241R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.919	39.085	-33.081	74.000	1.834	PK
2	*	15960.000	46.100	37.888	-27.900	74.000	8.212	PK

Profile: 20A0241R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.143	39.109	-32.857	74.000	2.033	PK
2	*	16500.000	45.224	36.485	-28.776	74.000	8.739	PK

Profile: 20A0241R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.556	38.522	-33.444	74.000	2.033	PK
2	*	16500.000	46.085	37.346	-27.915	74.000	8.739	PK

Profile: 20A0241R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.962	38.746	-33.038	74.000	2.216	PK
2	*	16740.000	44.462	36.106	-29.538	74.000	8.356	PK

Profile: 20A0241R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.368	39.152	-32.632	74.000	2.216	PK
2	*	16740.000	43.489	35.133	-30.511	74.000	8.356	PK

Profile: 20A0241R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.091	37.907	-32.909	74.000	3.184	PK
2	*	17100.000	44.703	37.613	-29.297	74.000	7.090	PK

Profile: 20A0241R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.643	37.459	-33.357	74.000	3.184	PK
2	*	17100.000	43.294	36.204	-30.706	74.000	7.090	PK

Profile: 20A0241R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.260	39.435	-31.740	74.000	2.825	PK
2	*	17235.000	45.069	37.239	-28.931	74.000	7.830	PK

Profile: 20A0241R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.686	39.861	-31.314	74.000	2.825	PK
2	*	17235.000	45.592	37.762	-28.408	74.000	7.830	PK

Profile: 20A0241R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.843	38.526	-32.157	74.000	3.317	PK
2	*	17355.000	44.585	36.561	-29.415	74.000	8.023	PK

Profile: 20A0241R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.499	39.182	-31.501	74.000	3.317	PK
2	*	17355.000	45.300	37.276	-28.700	74.000	8.023	PK

Profile: 20A0241R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.078	39.764	-30.922	74.000	3.314	PK
2	*	17475.000	45.094	37.008	-28.906	74.000	8.086	PK

Profile: 20A0241R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.288	39.974	-30.712	74.000	3.314	PK
2	*	17475.000	44.851	36.765	-29.149	74.000	8.086	PK

Profile: 20A0241R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.816	39.955	-33.184	74.000	0.860	PK
2	*	15540.000	44.101	37.463	-29.899	74.000	6.637	PK

Profile: 20A0241R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.935	40.074	-33.065	74.000	0.860	PK
2	*	15540.000	45.069	38.431	-28.931	74.000	6.637	PK

Profile: 20A0241R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.306	39.080	-33.694	74.000	1.226	PK
2	*	15660.000	45.084	37.110	-28.916	74.000	7.974	PK

Profile: 20A0241R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.160	38.934	-33.840	74.000	1.226	PK
2	*	15660.000	45.463	37.489	-28.537	74.000	7.974	PK

Profile: 20A0241R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.010	39.897	-32.990	74.000	1.114	PK
2	*	15720.000	46.682	38.122	-27.318	74.000	8.561	PK

Profile: 20A0241R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5240MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.536	40.423	-32.464	74.000	1.114	PK
2	*	15720.000	46.976	38.416	-27.024	74.000	8.561	PK

Profile: 20A0241R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.988	40.254	-32.012	74.000	1.735	PK
2	*	15780.000	45.693	36.853	-28.307	74.000	8.840	PK

Profile: 20A0241R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.984	40.250	-32.016	74.000	1.735	PK
2	*	15780.000	44.931	36.091	-29.069	74.000	8.840	PK

Profile: 20A0241R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.736	39.088	-33.264	74.000	1.648	PK
2	*	15900.000	46.513	37.659	-27.487	74.000	8.853	PK

Profile: 20A0241R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.800	39.152	-33.200	74.000	1.648	PK
2	*	15900.000	46.132	37.278	-27.868	74.000	8.853	PK

Profile: 20A0241R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.862	39.028	-33.138	74.000	1.834	PK
2	*	15960.000	47.092	38.880	-26.908	74.000	8.212	PK

Profile: 20A0241R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.489	39.655	-32.511	74.000	1.834	PK
2	*	15960.000	46.244	38.032	-27.756	74.000	8.212	PK

Profile: 20A0241R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.398	39.364	-32.602	74.000	2.033	PK
2	*	16500.000	45.725	36.986	-28.275	74.000	8.739	PK

Profile: 20A0241R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.473	38.439	-33.527	74.000	2.033	PK
2	*	16500.000	44.148	35.409	-29.852	74.000	8.739	PK

Profile: 20A0241R	Page No.: 205
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5580MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.226	40.010	-31.774	74.000	2.216	PK
2	*	16740.000	44.297	35.941	-29.703	74.000	8.356	PK

Profile: 20A0241R	Page No.: 206
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.017	40.369	-31.983	74.000	1.648	PK
2	*	15900.000	46.231	37.377	-27.769	74.000	8.853	PK

Profile: 20A0241R	Page No.: 207
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.359	39.175	-31.641	74.000	3.184	PK
2	*	17100.000	45.299	38.209	-28.701	74.000	7.090	PK

Profile: 20A0241R	Page No.: 208
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.495	38.311	-32.505	74.000	3.184	PK
2	*	17100.000	45.098	38.008	-28.902	74.000	7.090	PK

Profile: 20A0241R	Page No.: 209
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.916	39.091	-32.084	74.000	2.825	PK
2	*	17235.000	45.496	37.666	-28.504	74.000	7.830	PK

Profile: 20A0241R	Page No.: 210
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.352	38.527	-32.648	74.000	2.825	PK
2	*	17235.000	44.046	36.216	-29.954	74.000	7.830	PK

Profile: 20A0241R	Page No.: 211
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5785MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.124	39.807	-30.876	74.000	3.317	PK
2	*	17355.000	44.756	36.732	-29.244	74.000	8.023	PK

Profile: 20A0241R	Page No.: 212
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.046	39.729	-30.954	74.000	3.317	PK
2	*	17355.000	43.873	35.849	-30.127	74.000	8.023	PK

Profile: 20A0241R	Page No.: 213
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.855	38.541	-32.145	74.000	3.314	PK
2	*	17475.000	44.072	35.986	-29.928	74.000	8.086	PK

Profile: 20A0241R	Page No.: 214
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.117	40.803	-29.883	74.000	3.314	PK
2	*	17475.000	46.902	38.816	-27.098	74.000	8.086	PK

Profile: 20A0241R	Page No.: 215
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.565	40.911	-32.435	74.000	0.654	PK
2	*	15570.000	45.001	37.284	-28.999	74.000	7.716	PK

Profile: 20A0241R	Page No.: 216
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.357	40.703	-32.643	74.000	0.654	PK
2	*	15570.000	44.308	36.591	-29.692	74.000	7.716	PK

Profile: 20A0241R	Page No.: 217
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.195	40.390	-32.805	74.000	0.805	PK
2	*	15690.000	45.733	36.673	-28.267	74.000	9.060	PK

Profile: 20A0241R	Page No.: 218
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.647	39.842	-33.353	74.000	0.805	PK
2	*	15690.000	46.899	37.839	-27.101	74.000	9.060	PK

Profile: 20A0241R	Page No.: 219
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.121	40.769	-31.879	74.000	1.351	PK
2	*	15810.000	45.294	36.355	-28.706	74.000	8.939	PK

Profile: 20A0241R	Page No.: 220
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.928	39.576	-33.072	74.000	1.351	PK
2	*	15810.000	46.177	37.238	-27.823	74.000	8.939	PK

Profile: 20A0241R	Page No.: 221
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.864	39.645	-33.136	74.000	1.219	PK
2	*	15930.000	45.698	36.770	-28.302	74.000	8.928	PK

Profile: 20A0241R	Page No.: 222
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.073	39.854	-32.927	74.000	1.219	PK
2	*	15930.000	46.551	37.623	-27.449	74.000	8.928	PK

Profile: 20A0241R	Page No.: 223
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.431	40.204	-31.569	74.000	2.226	PK
2	*	16530.000	45.062	36.239	-28.938	74.000	8.823	PK

Profile: 20A0241R	Page No.: 224
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.463	39.236	-32.537	74.000	2.226	PK
2	*	16530.000	46.161	37.338	-27.839	74.000	8.823	PK

Profile: 20A0241R	Page No.: 225
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.063	38.679	-32.937	74.000	2.383	PK
2	*	16770.000	44.696	36.869	-29.304	74.000	7.827	PK

Profile: 20A0241R	Page No.: 226
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	40.407	38.023	-33.593	74.000	2.383	PK
2	*	16770.000	44.316	36.489	-29.684	74.000	7.827	PK

Profile: 20A0241R	Page No.: 227
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.376	38.348	-32.624	74.000	3.028	PK
2	*	17010.000	45.242	37.662	-28.758	74.000	7.581	PK

Profile: 20A0241R	Page No.: 228
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.913	39.885	-31.087	74.000	3.028	PK
2	*	17010.000	49.475	41.895	-24.525	74.000	7.581	PK

Profile: 20A0241R	Page No.: 229
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.985	39.301	-31.015	74.000	3.684	PK
2	*	17265.000	45.078	36.094	-28.922	74.000	8.984	PK

Profile: 20A0241R	Page No.: 230
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.667	39.983	-30.333	74.000	3.684	PK
2	*	17265.000	45.149	36.165	-28.851	74.000	8.984	PK

Profile: 20A0241R	Page No.: 231
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.099	39.177	-30.901	74.000	3.922	PK
2	*	17385.000	44.515	36.794	-29.485	74.000	7.721	PK

Profile: 20A0241R	Page No.: 232
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.726	37.804	-32.274	74.000	3.922	PK
2	*	17385.000	45.567	37.846	-28.433	74.000	7.721	PK

Profile: 20A0241R	Page No.: 233
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.239	40.378	-32.761	74.000	0.860	PK
2	*	15540.000	43.786	37.148	-30.214	74.000	6.637	PK

Profile: 20A0241R	Page No.: 234
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.113	40.252	-32.887	74.000	0.860	PK
2	*	15540.000	43.627	36.989	-30.373	74.000	6.637	PK

Profile: 20A0241R	Page No.: 235
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.038	37.812	-34.962	74.000	1.226	PK
2	*	15660.000	45.199	37.225	-28.801	74.000	7.974	PK

Profile: 20A0241R	Page No.: 236
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.026	38.800	-33.974	74.000	1.226	PK
2	*	15660.000	44.462	36.488	-29.538	74.000	7.974	PK

Profile: 20A0241R	Page No.: 237
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5240MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.997	39.884	-33.003	74.000	1.114	PK
2	*	15720.000	45.843	37.283	-28.157	74.000	8.561	PK

Profile: 20A0241R	Page No.: 238
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5240MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.642	40.529	-32.358	74.000	1.114	PK
2	*	15720.000	45.711	37.151	-28.289	74.000	8.561	PK

Profile: 20A0241R	Page No.: 239
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.742	41.008	-31.258	74.000	1.735	PK
2	*	15780.000	46.391	37.551	-27.609	74.000	8.840	PK

Profile: 20A0241R	Page No.: 240
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.832	40.098	-32.168	74.000	1.735	PK
2	*	15780.000	45.682	36.842	-28.318	74.000	8.840	PK

Profile: 20A0241R	Page No.: 241
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.969	39.321	-33.031	74.000	1.648	PK
2	*	15900.000	45.843	36.989	-28.157	74.000	8.853	PK

Profile: 20A0241R	Page No.: 242
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.050	40.402	-31.950	74.000	1.648	PK
2	*	15900.000	45.843	36.989	-28.157	74.000	8.853	PK

Profile: 20A0241R	Page No.: 243
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.190	40.356	-31.810	74.000	1.834	PK
2	*	15960.000	46.256	38.044	-27.744	74.000	8.212	PK

Profile: 20A0241R	Page No.: 244
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.551	39.746	-33.449	74.000	0.805	PK
2	*	15960.000	45.483	37.271	-28.517	74.000	8.212	PK

Profile: 20A0241R	Page No.: 245
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.559	38.525	-33.441	74.000	2.033	PK
2	*	16500.000	46.213	37.474	-27.787	74.000	8.739	PK

Profile: 20A0241R	Page No.: 246
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.666	38.632	-33.334	74.000	2.033	PK
2	*	16500.000	45.468	36.729	-28.532	74.000	8.739	PK

Profile: 20A0241R	Page No.: 247
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5580MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.430	39.214	-32.570	74.000	2.216	PK
2	*	16740.000	44.067	35.711	-29.933	74.000	8.356	PK

Profile: 20A0241R	Page No.: 248
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5580MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.710	38.494	-33.290	74.000	2.216	PK
2	*	16740.000	43.957	35.601	-30.043	74.000	8.356	PK

Profile: 20A0241R	Page No.: 249
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.711	37.527	-33.289	74.000	3.184	PK
2	*	17100.000	44.484	37.394	-29.516	74.000	7.090	PK

Profile: 20A0241R	Page No.: 250
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5700MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.186	38.002	-32.814	74.000	3.184	PK
2	*	17100.000	43.921	36.831	-30.079	74.000	7.090	PK

Profile: 20A0241R	Page No.: 251
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.940	39.115	-32.060	74.000	2.825	PK
2	*	17235.000	46.381	38.551	-27.619	74.000	7.830	PK

Profile: 20A0241R	Page No.: 252
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.825	39.000	-32.175	74.000	2.825	PK
2	*	17235.000	45.246	37.416	-28.754	74.000	7.830	PK

Profile: 20A0241R	Page No.: 253
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5785MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.060	40.743	-29.940	74.000	3.317	PK
2	*	17355.000	44.709	36.685	-29.291	74.000	8.023	PK

Profile: 20A0241R	Page No.: 254
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.650	39.333	-31.350	74.000	3.317	PK
2	*	17355.000	44.412	36.388	-29.588	74.000	8.023	PK

Profile: 20A0241R	Page No.: 255
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.238	39.924	-30.762	74.000	3.314	PK
2	*	17475.000	45.623	37.537	-28.377	74.000	8.086	PK

Profile: 20A0241R	Page No.: 256
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5825MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.632	39.318	-31.368	74.000	3.314	PK
2	*	17475.000	46.387	38.301	-27.613	74.000	8.086	PK

Profile: 20A0241R	Page No.: 257
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.636	39.982	-33.364	74.000	0.654	PK
2	*	15570.000	45.856	38.139	-28.144	74.000	7.716	PK

Profile: 20A0241R	Page No.: 258
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5190MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.818	40.164	-33.182	74.000	0.654	PK
2	*	15570.000	45.789	38.072	-28.211	74.000	7.716	PK

Profile: 20A0241R	Page No.: 259
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.842	39.037	-34.158	74.000	0.805	PK
2	*	15690.000	46.782	37.722	-27.218	74.000	9.060	PK

Profile: 20A0241R	Page No.: 260
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.599	38.794	-34.401	74.000	0.805	PK
2	*	15690.000	46.355	37.295	-27.645	74.000	9.060	PK

Profile: 20A0241R	Page No.: 261
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.758	41.406	-31.242	74.000	1.351	PK
2	*	15810.000	47.170	38.231	-26.830	74.000	8.939	PK

Profile: 20A0241R	Page No.: 262
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5270MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.974	40.622	-32.026	74.000	1.351	PK
2	*	15810.000	45.847	36.908	-28.153	74.000	8.939	PK

Profile: 20A0241R	Page No.: 263
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.334	40.115	-32.666	74.000	1.219	PK
2	*	15930.000	46.665	37.737	-27.335	74.000	8.928	PK

Profile: 20A0241R	Page No.: 264
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.322	40.103	-32.678	74.000	1.219	PK
2	*	15930.000	47.201	38.273	-26.799	74.000	8.928	PK

Profile: 20A0241R	Page No.: 265
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5510MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.526	40.299	-31.474	74.000	2.226	PK
2	*	16530.000	45.493	36.670	-28.507	74.000	8.823	PK

Profile: 20A0241R	Page No.: 266
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5510MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.776	39.549	-32.224	74.000	2.226	PK
2	*	16530.000	45.080	36.257	-28.920	74.000	8.823	PK

Profile: 20A0241R	Page No.: 267
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.542	39.158	-32.458	74.000	2.383	PK
2	*	16770.000	44.229	36.402	-29.771	74.000	7.827	PK

Profile: 20A0241R	Page No.: 268
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	40.842	38.458	-33.158	74.000	2.383	PK
2	*	16770.000	45.113	37.286	-28.887	74.000	7.827	PK

Profile: 20A0241R	Page No.: 269
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5670MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.444	38.416	-32.556	74.000	3.028	PK
2	*	17010.000	46.108	38.528	-27.892	74.000	7.581	PK

Profile: 20A0241R	Page No.: 270
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5670MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.263	38.235	-32.737	74.000	3.028	PK
2	*	17010.000	45.389	37.809	-28.611	74.000	7.581	PK

Profile: 20A0241R	Page No.: 271
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5755MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.754	38.070	-32.246	74.000	3.684	PK
2	*	17265.000	45.352	36.368	-28.648	74.000	8.984	PK

Profile: 20A0241R	Page No.: 272
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.290	39.606	-30.710	74.000	3.684	PK
2	*	17265.000	45.616	36.632	-28.384	74.000	8.984	PK

Profile: 20A0241R	Page No.: 273
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5795MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.231	39.309	-30.769	74.000	3.922	PK
2	*	17385.000	44.432	36.711	-29.568	74.000	7.721	PK

Profile: 20A0241R	Page No.: 274
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5795MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.728	38.806	-31.272	74.000	3.922	PK
2	*	17385.000	44.303	36.582	-29.697	74.000	7.721	PK

Profile: 20A0241R	Page No.: 275
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.271	41.417	-31.729	74.000	0.855	PK
2	*	15630.000	45.956	37.927	-28.044	74.000	8.028	PK

Profile: 20A0241R	Page No.: 276
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.237	39.383	-33.763	74.000	0.855	PK
2	*	15630.000	44.810	36.781	-29.190	74.000	8.028	PK

Profile: 20A0241R	Page No.: 277
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.084	39.641	-32.916	74.000	1.444	PK
2	*	15870.000	46.475	37.722	-27.525	74.000	8.753	PK

Profile: 20A0241R	Page No.: 278
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5290MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	40.985	39.542	-33.015	74.000	1.444	PK
2	*	15870.000	45.838	37.085	-28.162	74.000	8.753	PK

Profile: 20A0241R	Page No.: 279
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5530MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.064	41.007	-30.936	74.000	2.057	PK
2	*	16590.000	46.122	36.697	-27.878	74.000	9.426	PK

Profile: 20A0241R	Page No.: 280
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5530MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.943	38.886	-33.057	74.000	2.057	PK
2	*	16590.000	46.445	37.020	-27.555	74.000	9.426	PK

Profile: 20A0241R	Page No.: 281
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 57750MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.762	39.470	-31.238	74.000	3.291	PK
2	*	17325.000	44.470	36.237	-29.530	74.000	8.233	PK

Profile: 20A0241R	Page No.: 282
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 57750MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11550.000	42.310	39.018	-31.690	74.000	3.291	PK
2		17325.000	-884.777	-893.010	-958.777	74.000	8.233	PK

Profile: 20A0241R	Page No.: 283
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.743	41.882	-31.257	74.000	0.860	PK
2	*	15540.000	45.582	38.944	-28.418	74.000	6.637	PK

Profile: 20A0241R	Page No.: 284
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.483	40.622	-32.517	74.000	0.860	PK
2	*	15540.000	44.016	37.378	-29.984	74.000	6.637	PK

Profile: 20A0241R	Page No.: 285
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.680	38.454	-34.320	74.000	1.226	PK
2	*	15660.000	44.671	36.697	-29.329	74.000	7.974	PK

Profile: 20A0241R	Page No.: 286
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.145	38.919	-33.855	74.000	1.226	PK
2	*	15660.000	44.257	36.283	-29.743	74.000	7.974	PK

Profile: 20A0241R	Page No.: 287
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5240MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.452	40.339	-32.548	74.000	1.114	PK
2	*	15720.000	45.287	36.727	-28.713	74.000	8.561	PK

Profile: 20A0241R	Page No.: 288
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.934	39.821	-33.066	74.000	1.114	PK
2	*	15720.000	45.218	36.658	-28.782	74.000	8.561	PK

Profile: 20A0241R	Page No.: 289
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.965	40.231	-32.035	74.000	1.735	PK
2	*	15780.000	44.828	35.988	-29.172	74.000	8.840	PK

Profile: 20A0241R	Page No.: 290
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.932	40.198	-32.068	74.000	1.735	PK
2	*	15780.000	45.320	36.480	-28.680	74.000	8.840	PK

Profile: 20A0241R	Page No.: 291
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.769	40.121	-32.231	74.000	1.648	PK
2	*	15900.000	47.399	38.545	-26.601	74.000	8.853	PK

Profile: 20A0241R	Page No.: 292
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.266	39.618	-32.734	74.000	1.648	PK
2	*	15900.000	46.278	37.424	-27.722	74.000	8.853	PK

Profile: 20A0241R	Page No.: 293
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.738	38.904	-33.262	74.000	1.834	PK
2	*	15960.000	46.677	38.465	-27.323	74.000	8.212	PK

Profile: 20A0241R	Page No.: 294
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.811	39.977	-32.189	74.000	1.834	PK
2	*	15960.000	45.357	37.145	-28.643	74.000	8.212	PK

Profile: 20A0241R	Page No.: 295
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	41.902	39.868	-32.098	74.000	2.033	PK
2	*	16500.000	46.153	37.414	-27.847	74.000	8.739	PK

Profile: 20A0241R	Page No.: 296
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.876	38.842	-33.124	74.000	2.033	PK
2	*	16500.000	45.490	36.751	-28.510	74.000	8.739	PK

Profile: 20A0241R	Page No.: 297
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.411	38.195	-33.589	74.000	2.216	PK
2	*	16740.000	44.091	35.735	-29.909	74.000	8.356	PK

Profile: 20A0241R	Page No.: 298
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5580MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.638	38.422	-33.362	74.000	2.216	PK
2	*	16740.000	43.930	35.574	-30.070	74.000	8.356	PK

Profile: 20A0241R	Page No.: 299
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.753	37.569	-33.247	74.000	3.184	PK
2	*	17100.000	44.390	37.300	-29.610	74.000	7.090	PK

Profile: 20A0241R	Page No.: 300
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.418	38.234	-32.582	74.000	3.184	PK
2	*	17100.000	43.255	36.165	-30.745	74.000	7.090	PK

Profile: 20A0241R	Page No.: 301
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.035	38.210	-32.965	74.000	2.825	PK
2	*	17235.000	44.978	37.148	-29.022	74.000	7.830	PK

Profile: 20A0241R	Page No.: 302
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.618	37.793	-33.382	74.000	2.825	PK
2	*	17235.000	45.632	37.802	-28.368	74.000	7.830	PK

Profile: 20A0241R	Page No.: 303
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5785MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.771	38.454	-32.229	74.000	3.317	PK
2	*	17355.000	43.579	35.555	-30.421	74.000	8.023	PK

Profile: 20A0241R	Page No.: 304
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.306	38.989	-31.694	74.000	3.317	PK
2	*	17355.000	45.538	37.514	-28.462	74.000	8.023	PK

Profile: 20A0241R	Page No.: 305
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.475	39.161	-31.525	74.000	3.314	PK
2	*	17475.000	44.855	36.769	-29.145	74.000	8.086	PK

Profile: 20A0241R	Page No.: 306
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.010	39.696	-30.990	74.000	3.314	PK
2	*	17475.000	45.244	37.158	-28.756	74.000	8.086	PK

Profile: 20A0241R	Page No.: 307
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.119	40.465	-32.881	74.000	0.654	PK
2	*	15570.000	44.723	37.006	-29.277	74.000	7.716	PK

Profile: 20A0241R	Page No.: 308
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.670	40.016	-33.330	74.000	0.654	PK
2	*	15570.000	43.846	36.129	-30.154	74.000	7.716	PK

Profile: 20A0241R	Page No.: 309
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5230MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.844	40.039	-33.156	74.000	0.805	PK
2	*	15690.000	46.025	36.965	-27.975	74.000	9.060	PK

Profile: 20A0241R	Page No.: 310
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.154	39.349	-33.846	74.000	0.805	PK
2	*	15690.000	47.114	38.054	-26.886	74.000	9.060	PK

Profile: 20A0241R	Page No.: 311
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5270MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.007	40.655	-31.993	74.000	1.351	PK
2	*	15810.000	46.229	37.290	-27.771	74.000	8.939	PK

Profile: 20A0241R	Page No.: 312
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.668	40.316	-32.332	74.000	1.351	PK
2	*	15810.000	45.004	36.065	-28.996	74.000	8.939	PK

Profile: 20A0241R	Page No.: 313
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5310MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.364	39.145	-33.636	74.000	1.219	PK
2	*	15930.000	45.686	36.758	-28.314	74.000	8.928	PK

Profile: 20A0241R	Page No.: 314
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5310MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	41.937	40.718	-32.063	74.000	1.219	PK
2	*	15930.000	47.851	38.923	-26.149	74.000	8.928	PK

Profile: 20A0241R	Page No.: 315
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.849	39.622	-32.151	74.000	2.226	PK
2	*	16530.000	45.552	36.729	-28.448	74.000	8.823	PK

Profile: 20A0241R	Page No.: 316
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.947	38.720	-33.053	74.000	2.226	PK
2	*	16530.000	46.061	37.238	-27.939	74.000	8.823	PK

Profile: 20A0241R	Page No.: 317
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5590MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	42.953	40.569	-31.047	74.000	2.383	PK
2	*	16770.000	45.487	37.660	-28.513	74.000	7.827	PK

Profile: 20A0241R	Page No.: 318
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5590MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	41.250	38.866	-32.750	74.000	2.383	PK
2	*	16770.000	45.147	37.320	-28.853	74.000	7.827	PK

Profile: 20A0241R	Page No.: 319
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.914	38.886	-32.086	74.000	3.028	PK
2	*	17010.000	46.487	38.907	-27.513	74.000	7.581	PK

Profile: 20A0241R	Page No.: 320
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5670MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.423	38.395	-32.577	74.000	3.028	PK
2	*	17010.000	46.500	38.920	-27.500	74.000	7.581	PK

Profile: 20A0241R	Page No.: 321
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.968	38.284	-32.032	74.000	3.684	PK
2	*	17265.000	44.748	35.764	-29.252	74.000	8.984	PK

Profile: 20A0241R	Page No.: 322
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5755MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.446	38.762	-31.554	74.000	3.684	PK
2	*	17265.000	46.315	37.331	-27.685	74.000	8.984	PK

Profile: 20A0241R	Page No.: 323
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.826	38.904	-31.174	74.000	3.922	PK
2	*	17385.000	43.373	35.652	-30.627	74.000	7.721	PK

Profile: 20A0241R	Page No.: 324
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5795MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.016	40.094	-29.984	74.000	3.922	PK
2	*	17385.000	44.190	36.469	-29.810	74.000	7.721	PK

Profile: 20A0241R	Page No.: 325
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.189	39.335	-33.811	74.000	0.855	PK
2	*	15630.000	45.915	37.886	-28.085	74.000	8.028	PK

Profile: 20A0241R	Page No.: 326
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.189	39.335	-33.811	74.000	0.855	PK
2	*	15630.000	45.915	37.886	-28.085	74.000	8.028	PK

Profile: 20A0241R	Page No.: 327
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.406	39.963	-32.594	74.000	1.444	PK
2	*	15870.000	45.513	36.760	-28.487	74.000	8.753	PK

Profile: 20A0241R	Page No.: 328
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.502	40.059	-32.498	74.000	1.444	PK
2	*	15870.000	45.352	36.599	-28.648	74.000	8.753	PK

Profile: 20A0241R	Page No.: 329
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.951	40.894	-31.049	74.000	2.057	PK
2	*	16590.000	46.276	36.851	-27.724	74.000	9.426	PK

Profile: 20A0241R	Page No.: 330
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.142	39.085	-32.858	74.000	2.057	PK
2	*	16590.000	47.055	37.630	-26.945	74.000	9.426	PK

Profile: 20A0241R	Page No.: 331
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80 ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.549	38.257	-32.451	74.000	3.291	PK
2	*	17325.000	46.338	38.105	-27.662	74.000	8.233	PK


Profile: 20A0241R	Page No.: 332
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80 ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	42.435	39.143	-31.565	74.000	3.291	PK
2	*	17325.000	45.715	37.482	-28.285	74.000	8.233	PK


CDD

Profile: 20A0241R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.526	40.665	-32.474	74.000	0.860	PK
2	*	15540.000	43.996	37.358	-30.004	74.000	6.637	PK

Profile: 20A0241R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.162	40.301	-32.838	74.000	0.860	PK
2	*	15540.000	44.083	37.445	-29.917	74.000	6.637	PK

Profile: 20A0241R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.045	38.819	-33.955	74.000	1.226	PK
2	*	15660.000	45.647	37.673	-28.353	74.000	7.974	PK

Profile: 20A0241R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.288	39.062	-33.712	74.000	1.226	PK
2	*	15660.000	45.302	37.328	-28.698	74.000	7.974	PK

Profile: 20A0241R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.009	40.896	-31.991	74.000	1.114	PK
2	*	15720.000	44.940	36.380	-29.060	74.000	8.561	PK

Profile: 20A0241R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.767	39.654	-33.233	74.000	1.114	PK
2	*	15720.000	46.186	37.626	-27.814	74.000	8.561	PK

Profile: 20A0241R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.911	39.177	-33.089	74.000	1.735	PK
2	*	15780.000	46.032	37.192	-27.968	74.000	8.840	PK

Profile: 20A0241R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.269	40.535	-31.731	74.000	1.735	PK
2	*	15780.000	45.279	36.439	-28.721	74.000	8.840	PK

Profile: 20A0241R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.117	39.469	-32.883	74.000	1.648	PK
2	*	15900.000	45.712	36.858	-28.288	74.000	8.853	PK

Profile: 20A0241R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/11/28 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.729	39.081	-33.271	74.000	1.648	PK
2	*	15900.000	46.094	37.240	-27.906	74.000	8.853	PK