


无线充说明书

尺寸: 284(D)*90(H) mm

Wireless Charging Instruction Manual




User Manual



Product Introduction

Thanks for purchasing our product penholder wireless charging lamp. It adopts high-end quick charge IC ,with its luxury and compact design, it can be compatible with any mobile phones with Qi standard. it can perfectly compatible with Sam sung, Apple fast charge wireless function, to save more time effectively and improve your charging experience.

Product Outline



Standard Accessories

- 1* Wireless Charger
- 1* User Manual
- 1* USB Cable


Applicable Devices

- 1. Devices with built-in quick charge/normal charge wireless receiver.
- 2. Devices with outface wireless charging receiver.
- 3. Devices with wireless charging receiver in its protection case .

Note: All devices must be Qi standard.

Instructions

- 1. Connect the wireless charger to the AC power supply through the power adapter, turn on the wireless charger, the indicator light turns blue within 3 seconds, and then the indicator light turns red and goes into the standby state.



- 2.Place your device vertically or horizontally in the center of the Wireless Charger until your device begins to charge.
- 3. The LED indicator light will become steady blue when charging mobile phone.

Specifications

Product name:Wireless charger
Input voltage: 5V/9V (QC3.0 and above)
Charging efficiency: 70%-80%

Input power : 30W max.
Output power: 15W/10W/7.5W/5W/3W
Dimension: 72x116.5x136mm

Attention

- 1. Please keep the charger away from water or other liquid.
- 2. If you need to lean the charger, please make sure it is power off.
- 3. Using Environment tempeature remain 1-45°C degree.

Warranty Card

During the product warranty period , if the fault is caused by the quality of the product itself, the user is requested to contact the dealer with this warranty card and purchase certificate to enjoy free repairs.

Free naubagnance us bit available in the following situations:

- 1. There is no warranty card or the product repair label has been damaged.
- 2. Damage caused by self-disassembly.
- 3. Failure and man-made mechanical damage caused by water ingress or falling.
- 4. Failure or damage casued by force majeure.

Product name:
Client name(buyer' s name):
Sale address:
Sale date:
Remark:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. During the operation of device a distance of 15 cm surrounding the device and 20 cm above the top surface of the device must be respected.