


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.91	48.51	55.76	-7.25	68.20	-19.69	388	120 RMS	Horizontal	
2	6725.00	98.36	105.12	-6.76	88.20	10.16	388	120 RMS	Horizontal	
3	7238.31	49.27	55.44	-6.17	68.20	-18.93	388	120 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5756.78	48.07	55.60	-7.53	68.20	-20.13	148	198 RMS	Vertical	
2	6725.00	97.30	104.15	-6.76	88.20	9.19	148	198 RMS	Vertical	
3	7224.94	49.03	55.20	-6.17	68.20	-19.17	148	198 RMS	Vertical	


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5824.09	59.74	67.32	-7.58	88.20	-28.46	400	110 Peak	Horizontal	
2 *	6845.00	105.56	112.00	-6.44	88.20	17.36	400	110 Peak	Horizontal	
3	7229.59	60.69	66.86	-6.17	88.20	-27.51	400	110 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5610.36	60.84	68.65	-7.81	88.20	-27.36	252	198 Peak	Vertical	
2 *	6845.00	106.21	112.65	-6.44	88.20	18.01	252	198 Peak	Vertical	
3	7230.67	61.05	67.22	-6.17	88.20	-27.15	252	198 Peak	Vertical	


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.10	47.99	55.24	-7.25	68.20	-20.21	400	110 RMS	Horizontal	
2 *	6845.00	96.40	102.84	-6.44	88.20	8.20	400	110 RMS	Horizontal	
3	7215.63	48.84	55.04	-6.20	68.20	-19.36	400	110 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5793.66	48.08	55.61	-7.53	68.20	-20.12	252	198 RMS	Vertical	
2 *	6845.00	97.35	103.79	-6.44	88.20	9.15	252	198 RMS	Vertical	
3	7221.00	48.94	55.12	-6.18	68.20	-19.26	252	198 RMS	Vertical	


802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5839.12	68.95	67.66	-7.61	88.20	-28.15	182	103 Peak	Horizontal	
2 *	6985.00	106.93	112.59	-6.56	88.20	17.83	182	103 Peak	Horizontal	
3	7201.31	61.93	68.17	-6.24	88.20	-26.27	182	103 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5483.27	59.84	67.59	-7.75	88.20	-28.36	245	149 Peak	Vertical	
2 *	6985.00	107.89	113.65	-6.56	88.20	18.89	245	149 Peak	Vertical	
3	7149.76	61.38	67.57	-6.27	88.20	-26.90	245	149 Peak	Vertical	


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5748.19	48.54	56.09	-7.55	68.20	-19.66	182	103 RMS	Horizontal	
2	6885.00	95.48	102.04	-6.56	88.20	7.28	182	103 RMS	Horizontal	
3	7228.88	49.39	55.56	-6.17	68.20	-18.81	182	103 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5776.83	48.46	55.99	-7.53	68.20	-19.74	245	149 RMS	Vertical	
2	6885.00	98.90	105.46	-6.56	88.20	10.70	245	149 RMS	Vertical	
3	7246.78	49.53	55.65	-6.12	68.20	-18.67	245	149 RMS	Vertical	


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5627.90	60.61	68.42	-7.81	88.20	-27.59	321	115	Peak	Horizontal		
2	6625.00	105.74	110.47	-6.73	88.20	15.54	321	115	Peak	Horizontal		
3	7152.27	60.69	66.96	-6.27	88.20	-27.51	321	115	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5643.65	60.13	67.94	-7.81	88.20	-28.07	179	121	Peak	Vertical		
2	6625.00	105.54	112.27	-6.73	88.20	17.34	179	121	Peak	Vertical		
3	7239.26	60.02	66.16	-6.14	88.20	-28.18	179	121	Peak	Vertical		


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5859.17	48.74	56.31	-7.57	68.20	-19.46	321	115 RMS	Horizontal		
2	6625.00	94.30	101.03	-6.73	88.20	6.10	321	115 RMS	Horizontal		
3	7224.22	49.68	55.85	-6.17	68.20	-18.52	321	115 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5787.93	48.86	56.39	-7.53	68.20	-19.34	179	121 RMS	Vertical		
2	6625.00	96.97	103.70	-6.73	88.20	8.77	179	121 RMS	Vertical		
3	7217.78	49.74	55.93	-6.19	68.20	-18.46	179	121 RMS	Vertical		


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5558.09	60.33	60.14	-7.81	88.20	-27.87	400	113	Peak	Horizontal		
2	6705.00	105.68	112.58	-6.90	88.20	17.48	400	113	Peak	Horizontal		
3	7237.11	61.46	67.61	-6.15	88.20	-26.74	400	113	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5848.79	60.67	60.31	-7.64	88.20	-27.53	188	121	Peak	Vertical		
2	6705.00	105.72	112.62	-6.90	88.20	17.52	188	121	Peak	Vertical		
3	7232.82	60.85	67.01	-6.16	88.20	-27.35	188	121	Peak	Vertical		


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5750.70	49.20	56.72	-7.52	68.20	-19.00	400	113 RMS	Horizontal	
2 *	6795.00	94.25	101.15	-6.90	88.20	6.05	400	113 RMS	Horizontal	
3	7202.74	49.59	55.82	-6.23	68.20	-18.61	400	113 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5794.73	48.83	56.35	-7.52	68.20	-19.37	188	121 RMS	Vertical	
2 *	6795.00	96.72	103.62	-6.90	88.20	8.52	188	121 RMS	Vertical	
3	7223.87	49.61	55.78	-6.17	68.20	-18.59	188	121 RMS	Vertical	


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5863.11	60.52	60.05	-7.53	88.20	-27.68	391	113 Peak	Horizontal	
2 *	6785.00	102.70	109.21	-6.51	88.20	14.50	391	113 Peak	Horizontal	
3	7183.05	59.89	66.14	-6.25	88.20	-28.31	391	113 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5745.68	61.17	68.74	-7.57	88.20	-27.03	230	202 Peak	Vertical	
2 *	6785.00	104.90	111.49	-6.51	88.20	16.78	230	202 Peak	Vertical	
3	7209.90	61.34	67.55	-6.21	88.20	-26.86	230	202 Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5768.24	49.03	56.56	-7.53	68.20	-19.17	391	113 RMS	Horizontal	
2 *	6785.00	94.31	100.82	-6.51	88.20	6.11	391	113 RMS	Horizontal	
3	7225.66	49.69	55.87	-6.18	68.20	-18.51	391	113 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5843.78	48.81	56.43	-7.62	68.20	-19.39	230	202 RMS	Vertical	
2 *	6785.00	95.35	101.86	-6.51	88.20	7.15	230	202 RMS	Vertical	
3	7201.67	49.55	55.79	-6.24	68.20	-18.65	230	202 RMS	Vertical	


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5573.49	60.02	67.82	-7.80	88.20	-28.18	197	104 Peak	Horizontal	
2 *	6965.00	101.79	106.28	-6.49	88.20	13.59	197	104 Peak	Horizontal	
3	7242.48	61.02	67.16	-6.14	88.20	-27.18	197	104 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5773.25	62.11	69.63	-7.52	88.20	-26.09	263	200 Peak	Vertical	
2 *	6965.00	105.39	111.88	-6.49	88.20	17.19	263	200 Peak	Vertical	
3	7204.89	61.50	67.73	-6.23	88.20	-26.70	263	200 Peak	Vertical	


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5896.40	48.76	56.03	-7.27	68.20	-19.44	197	104 RMS	Horizontal	
2	6865.00	92.68	99.37	-6.49	88.20	4.68	197	104 RMS	Horizontal	
3	7190.93	49.47	55.72	-6.25	68.20	-18.73	197	104 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5757.14	48.94	56.47	-7.53	68.20	-19.26	263	200 RMS	Vertical	
2	6865.00	95.87	102.36	-6.49	88.20	7.67	263	200 RMS	Vertical	
3	7231.38	49.67	55.84	-6.17	68.20	-18.53	263	200 RMS	Vertical	


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5982.49	68.79	68.83	-7.24	88.20	-27.41	374			115 Peak	Horizontal	
2 *	6665.00	101.11	107.85	-6.74	88.20	12.91	374			115 Peak	Horizontal	
3	7189.14	61.35	67.60	-6.25	88.20	-26.85	374			115 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5763.58	59.87	67.39	-7.52	88.20	-28.33	186			117 Peak	Vertical	
2 *	6665.00	103.84	110.58	-6.74	88.20	15.64	186			117 Peak	Vertical	
3	7206.68	61.38	67.60	-6.22	88.20	-26.82	186			117 Peak	Vertical	


802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5782.92	49.64	57.17	-7.53	68.20	-18.56	374	115 RMS	Horizontal	
2	6665.00	91.90	90.64	-6.74	88.20	3.70	374	115 RMS	Horizontal	
3	7248.57	50.15	56.26	-6.11	68.20	-18.05	374	115 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.03	49.37	56.90	-7.53	68.20	-18.83	186	117 RMS	Vertical	
2	6665.00	95.18	93.92	-6.74	88.20	6.98	186	117 RMS	Vertical	
3	7228.88	51.11	57.28	-6.17	68.20	-17.09	186	117 RMS	Vertical	


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5800.46	60.38	67.91	-7.53	88.20	-27.82	164	331 Peak	Horizontal	
2 *	6825.00	100.26	106.72	-6.46	88.20	12.06	164	331 Peak	Horizontal	
3	7203.10	61.25	67.48	-6.23	88.20	-26.95	164	331 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5760.00	61.19	68.72	-7.53	88.20	-27.01	296	204 Peak	Vertical	
2 *	6825.00	103.88	110.34	-6.46	88.20	15.68	296	204 Peak	Vertical	
3	7190.93	60.61	66.86	-6.25	88.20	-27.59	296	204 Peak	Vertical	


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5757.14	49.37	56.90	-7.53	68.20	-18.83	164	331 RMS	Horizontal
2	6825.00	90.54	97.00	-6.46	88.20	2.34	164	331 RMS	Horizontal
3	7214.20	50.05	56.25	-6.20	68.20	-18.15	164	331 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5901.41	49.62	56.86	-7.24	68.20	-18.58	296	204 RMS	Vertical
2	6825.00	93.50	100.05	-6.48	88.20	5.39	296	204 RMS	Vertical
3	7228.52	50.23	56.40	-6.17	68.20	-17.97	296	204 RMS	Vertical

U-NII-8


802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5748.19	61.97	68.62	-7.55	88.20	-27.13	100	216 Peak	Horizontal	
2	6985.00	106.88	112.79	-5.91	88.20	18.68	100	216 Peak	Horizontal	
3	7168.02	61.44	67.69	-6.25	88.20	-26.76	100	216 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5811.56	60.54	68.09	-7.55	88.20	-27.66	253	150 Peak	Vertical	
2	6985.00	109.73	115.64	-5.91	88.20	21.53	253	150 Peak	Vertical	
3	7129.35	61.91	68.19	-6.28	88.20	-26.29	253	150 Peak	Vertical	


802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5758.93	48.20	55.73	-7.53	68.20	-20.00	100	216 RMS	Horizontal	
2 *	6985.00	96.94	102.85	-5.91	88.20	8.74	100	216 RMS	Horizontal	
3	7210.26	49.01	55.22	-6.21	68.20	-19.19	100	216 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5773.07	48.18	55.70	-7.52	68.20	-20.02	253	150 RMS	Vertical	
2 *	6985.00	99.75	105.66	-5.91	88.20	11.55	253	150 RMS	Vertical	
3	7233.17	48.93	55.09	-6.16	68.20	-19.27	253	150 RMS	Vertical	


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5589.40	61.27	68.99	-7.72	88.20	-26.93	261	99 Peak	Horizontal	
2 *	6995.00	108.53	114.33	-5.80	88.20	26.13	261	99 Peak	Horizontal	
3	7235.68	61.03	67.18	-6.15	88.20	-27.17	261	99 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5615.01	60.68	68.50	-7.82	88.20	-27.52	243	198 Peak	Vertical	
2 *	6995.00	110.39	116.19	-5.80	88.20	27.99	243	198 Peak	Vertical	
3	7221.00	61.17	67.35	-6.18	88.20	-27.03	243	198 Peak	Vertical	


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5812.99	48.34	55.90	-7.56	68.20	-19.86	261	99 RMS	Horizontal	
2	6995.00	98.42	104.22	-5.80	88.20	10.22	261	99 RMS	Horizontal	
3	7238.67	48.87	55.84	-6.17	68.20	-19.33	261	99 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5784.71	48.15	55.67	-7.52	68.20	-20.05	243	198 RMS	Vertical	
2	6995.00	100.87	106.67	-5.80	88.20	12.67	243	198 RMS	Vertical	
3	7223.15	49.09	55.26	-6.17	68.20	-19.11	243	198 RMS	Vertical	


802.11ax HE20

CH233 (Horizontal) Peak


CH233 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5851.83	48.64	55.63	-6.99	68.20	-19.56	188	83 RMS	Horizontal		
2 *	7115.00	96.74	102.39	-5.65	68.20	28.54	188	83 RMS	Horizontal		
3 !	7125.00	67.54	73.19	-5.65	68.20	-0.66	188	83 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5785.42	48.69	55.61	-6.92	68.20	-19.51	229	206 RMS	Vertical		
2 *	7115.00	96.99	102.64	-5.65	68.20	28.79	229	206 RMS	Vertical		
3 !	7125.00	66.61	72.26	-5.65	68.20	-1.59	229	206 RMS	Vertical		


802.11ax HE40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5862.75	60.06	67.59	-7.53	88.20	-28.14	188	104 Peak	Horizontal	
2 *	6918.49	105.41	111.99	-6.49	88.20	17.21	188	104 Peak	Horizontal	
3	7135.44	61.18	67.46	-6.28	88.20	-27.02	188	104 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5491.06	60.52	68.25	-7.73	88.20	-27.68	238	201 Peak	Vertical	
2 *	6925.00	106.73	113.18	-6.45	88.20	18.53	238	201 Peak	Vertical	
3	7192.72	61.22	67.47	-6.25	88.20	-26.98	238	201 Peak	Vertical	


802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5884.75	48.40	55.94	-7.54	68.20	-19.80	188	104 RMS	Horizontal	
2 *	6925.00	96.07	102.52	-6.45	88.20	7.87	188	104 RMS	Horizontal	
3	7189.50	49.30	55.55	-6.25	68.20	-18.90	188	104 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5889.96	48.54	55.86	-7.32	68.20	-19.66	238	201 RMS	Vertical	
2 *	6925.00	98.55	105.00	-6.45	88.20	10.35	238	201 RMS	Vertical	
3	7209.19	49.29	55.50	-6.21	68.20	-18.91	238	201 RMS	Vertical	


802.11ax HE40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5820.86	60.17	67.74	-7.57	88.20	-28.03	400	103 Peak	Horizontal	
2 *	7005.00	106.96	112.79	-5.83	88.20	18.76	400	103 Peak	Horizontal	
3	7227.09	61.74	67.92	-6.18	88.20	-26.46	400	103 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5915.73	59.36	66.64	-7.28	88.20	-28.84	400	104 Peak	Horizontal	
2 *	7005.00	107.37	113.20	-5.83	88.20	19.17	400	104 Peak	Horizontal	
3	7153.34	61.15	67.41	-6.26	88.20	-27.05	400	104 Peak	Horizontal	


802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5748.91	48.56	56.18	-7.54	68.20	-19.64	400	103 RMS	Horizontal	
2 *	7095.00	96.87	102.79	-5.83	88.20	8.67	400	103 RMS	Horizontal	
3	7207.04	49.44	55.66	-6.22	68.20	-18.76	400	103 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5896.76	48.56	55.83	-7.27	68.20	-19.64	400	104 RMS	Horizontal	
2 *	7095.00	97.27	103.18	-5.83	88.20	9.97	400	104 RMS	Horizontal	
3	7176.61	49.20	55.46	-6.26	68.20	-19.00	400	104 RMS	Horizontal	


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5549.86	59.73	67.54	-7.81	88.20	-28.47	391	103 Peak	Horizontal	
2 *	7085.80	106.74	113.11	-6.37	88.20	18.54	391	103 Peak	Horizontal	
3	7226.73	61.42	67.60	-6.18	88.20	-26.78	391	103 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5761.79	61.45	68.97	-7.52	88.20	-26.75	230	198 Peak	Horizontal	
2 *	7085.80	107.79	114.16	-6.37	88.20	19.59	230	198 Peak	Horizontal	
3	7125.42	60.72	67.01	-6.29	88.20	-27.48	230	198 Peak	Horizontal	


802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dBm	cm	deg		
1	5752.49	48.45	55.97	-7.52	68.20	-19.75	391	103 RMS	Horizontal
2	7085.09	97.47	103.84	-6.37	88.20	9.27	391	103 RMS	Horizontal
3	7125.77	49.45	55.74	-6.29	68.20	-18.75	391	103 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dBm	cm	deg		
1	5746.04	48.52	56.09	-7.57	68.20	-19.68	230	198 RMS	Horizontal
2	7085.09	99.25	105.62	-6.37	88.20	11.05	230	198 RMS	Horizontal
3	7125.77	50.12	56.41	-6.29	68.20	-18.08	230	198 RMS	Horizontal


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5785.42	60.62	60.15	-7.53	88.20	-27.58	100	103	Peak	Horizontal		
2	6945.00	101.73	100.04	-6.31	88.20	13.53	100	103	Peak	Horizontal		
3	7234.96	60.77	66.92	-6.15	88.20	-27.43	100	103	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5724.92	62.14	69.91	-7.77	88.20	-26.06	100	202	Peak	Vertical		
2	6945.00	103.78	110.09	-6.31	88.20	15.58	100	202	Peak	Vertical		
3	7155.85	60.31	66.57	-6.26	88.20	-27.89	100	202	Peak	Vertical		


802.11ax HE80

CH199 (Horizontal) RMS


CH199 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5743.54	60.29	67.87	-7.58	88.20	-27.91	219	198	Peak	Horizontal		
2 *	7025.00	99.77	105.91	-6.14	88.20	11.57	219	198	Peak	Horizontal		
3	7215.63	61.14	67.34	-6.20	88.20	-27.06	219	198	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5776.47	60.39	67.92	-7.53	88.20	-27.81	237	201	Peak	Vertical		
2 *	7025.00	106.38	112.52	-6.14	88.20	18.18	237	201	Peak	Vertical		
3	7204.18	60.73	66.96	-6.23	88.20	-27.47	237	201	Peak	Vertical		


802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5756.42	48.87	56.48	-7.53	68.20	-19.33	219	198 RMS	Horizontal	
2	7237.83	96.52	94.65	-6.14	88.20	8.32	219	198 RMS	Horizontal	
3	7237.83	49.67	55.88	-6.21	68.20	-18.53	219	198 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5787.93	48.96	56.49	-7.53	68.20	-19.24	237	201 RMS	Vertical	
2	7237.83	96.51	94.65	-6.14	88.20	8.31	237	201 RMS	Vertical	
3	7237.83	49.68	55.74	-6.14	68.20	-18.60	237	201 RMS	Vertical	


802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5828.02	60.28	67.87	-7.59	88.20	-27.92	100	103	Peak	Horizontal		
2 *	6985.00	100.70	106.61	-5.91	88.20	12.50	100	103	Peak	Horizontal		
3	7214.92	62.13	68.33	-6.20	88.20	-26.07	100	103	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5900.34	60.50	67.74	-7.24	88.20	-27.70	210	196	Peak	Vertical		
2 *	6985.00	103.69	109.60	-5.91	88.20	15.49	210	196	Peak	Vertical		
3	7228.52	61.18	67.35	-6.17	88.20	-27.02	210	196	Peak	Vertical		


802.11ax HE160

CH207 (Horizontal) RMS


CH207 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

CH233 Channel 9kHz~150kHz(Open)

CH233 Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	60.06	42.34	17.72	127.60	-67.54	100	73 Peak	Open	
2	0.03	62.29	43.35	18.94	119.18	-56.89	100	154 Peak	Open	
3	0.04	65.24	46.10	19.14	114.79	-49.55	100	249 Peak	Open	
4	0.06	63.80	44.81	18.99	112.75	-48.95	100	248 Peak	Open	
5	0.09	47.94	29.73	18.21	108.71	-68.77	100	249 Peak	Open	
6	0.13	36.31	18.26	18.05	105.16	-68.85	100	249 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.21	48.43	30.06	18.37	101.17	-52.74	100	240 Peak	Open	
2	5.88	32.40	12.60	19.80	69.50	-37.10	100	239 Peak	Open	
3	10.63	34.67	13.13	21.54	69.50	-34.83	100	331 Peak	Open	
4	14.30	34.47	12.69	21.78	69.50	-35.03	100	83 Peak	Open	
5	18.87	34.63	12.54	22.09	69.50	-34.87	100	33 Peak	Open	
6	26.78	36.36	14.15	22.21	69.50	-33.14	100	62 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11ax HE20


CH233 Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-5


802.11ax HE20

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	41.80	40.30	1.50	54.00	-12.20	200	229 RMS	Horizontal	
2	11910.00	50.83	49.33	1.50	74.00	-23.17	200	229 Peak	Horizontal	
3	23820.00	39.80	35.19	4.61	74.00	-34.20	100	360 RMS	Horizontal	
4	23820.00	46.15	41.54	4.61	74.00	-27.05	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	42.45	40.95	1.50	54.00	-11.55	100	265 RMS	Vertical	
2	11910.00	49.06	47.56	1.50	74.00	-24.94	100	265 Peak	Vertical	
3	17865.00	44.78	33.81	10.97	54.00	-9.22	300	260 RMS	Vertical	
4	17865.00	53.71	42.74	10.97	74.00	-20.29	300	260 Peak	Vertical	
5	23820.00	40.70	36.09	4.61	54.00	-13.30	100	138 RMS	Vertical	
6	23820.00	45.04	40.43	4.61	74.00	-28.96	100	138 Peak	Vertical	


802.11ax HE20

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1 12350.00	50.17	47.91	2.26	54.00	-3.83	100	43 RMS	Horizontal	
2 12350.00	51.93	49.67	2.26	74.00	-22.07	100	43 Peak	Horizontal	
3 18525.00	39.11	39.51	-0.40	54.00	-14.89	200	253 RMS	Horizontal	
4 18525.00	47.35	47.75	-0.40	74.00	-26.65	200	253 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1 12350.00	53.02	50.76	2.26	54.00	-0.98	100	55 RMS	Vertical	
2 12350.00	53.36	51.10	2.26	74.00	-20.64	100	55 Peak	Vertical	
3 18525.00	42.09	42.49	-0.40	54.00	-11.91	200	272 RMS	Vertical	
4 18525.00	51.11	51.51	-0.40	74.00	-22.89	200	272 Peak	Vertical	


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12830.00	51.24	49.21	2.03	88.20	-36.96	100	225 Peak	Horizontal	
2	12830.00	45.69	43.66	2.03	68.20	-22.51	100	225 RMS	Horizontal	
3	25660.00	51.14	45.85	5.29	88.20	-37.06	100	320 Peak	Horizontal	
4	25660.00	49.74	44.45	5.29	68.20	-18.46	100	320 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12830.00	53.78	51.75	2.03	88.20	-34.42	100	61 Peak	Vertical	
2	12830.00	49.99	47.96	2.03	68.20	-18.21	100	61 RMS	Vertical	
3	25660.00	52.21	46.92	5.29	88.20	-35.99	100	267 Peak	Vertical	
4	25660.00	52.09	46.80	5.29	68.20	-16.11	100	267 RMS	Vertical	


802.11ax HE40

CH03 (Horizontal)

CH03 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11930.00	38.24	36.73	1.51	54.00	-15.76	200	315 RMS	Horizontal	
2	11930.00	48.11	46.60	1.51	74.00	-25.89	200	315 Peak	Horizontal	
3	23860.00	41.87	37.26	4.61	54.00	-12.13	100	360 RMS	Horizontal	
4	23860.00	47.29	42.68	4.61	74.00	-26.71	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11930.00	39.89	38.38	1.51	54.00	-14.11	100	273 RMS	Vertical	
2	11930.00	47.99	46.48	1.51	74.00	-26.01	100	273 Peak	Vertical	
3	23860.00	40.74	36.13	4.61	54.00	-13.26	100	129 RMS	Vertical	
4	23860.00	46.42	41.81	4.61	74.00	-27.58	100	129 Peak	Vertical	


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12330.00	49.89	47.66	2.23	54.00	-4.11	100	221 RMS	Horizontal	
2 12330.00	54.54	52.31	2.23	74.00	-19.46	100	221 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12330.00	53.61	51.38	2.23	54.00	-0.39	100	51 RMS	Vertical	
2 12330.00	54.43	52.20	2.23	74.00	-19.57	100	51 Peak	Vertical	


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12810.00	50.19	48.04	2.06	88.20	-38.10	100	223 Peak	Horizontal	
2	12810.00	44.62	42.56	2.06	68.20	-23.58	100	223 RMS	Horizontal	
3	25620.00	50.44	45.15	5.29	88.20	-37.76	100	332 Peak	Horizontal	
4	25620.00	49.63	44.34	5.29	68.20	-18.57	100	332 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12810.00	52.66	50.60	2.06	88.20	-35.54	100	55 Peak	Vertical	
2	12810.00	49.22	47.16	2.06	68.20	-18.98	100	55 RMS	Vertical	
3	25620.00	52.22	46.93	5.29	88.20	-35.98	100	97 Peak	Vertical	
4	25620.00	52.12	46.83	5.29	68.20	-16.08	100	97 RMS	Vertical	


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	11970.00	36.61	35.00	1.52	54.00	-17.39	147	360 RMS	Horizontal	
2	11970.00	45.07	43.55	1.52	74.00	-28.93	147	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	11970.00	41.58	40.06	1.52	54.00	-12.42	200	211 RMS	Vertical	
2	11970.00	45.64	44.12	1.52	74.00	-28.36	200	211 Peak	Vertical	


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12290.00	49.19	47.64	1.46	54.00	-4.00	100	223 Average	Horizontal
2	12290.00	48.74	47.28	1.46	74.00	-25.26	100	223 Peak	Horizontal
3	24580.00	52.37	47.75	4.62	88.20	-35.83	100	350 Peak	Horizontal
4	24580.00	50.67	46.05	4.62	68.20	-17.53	100	350 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12290.00	51.65	50.19	1.46	54.00	-2.35	100	293 Average	Vertical
2	12290.00	50.88	49.42	1.46	74.00	-23.12	100	293 Peak	Vertical
3	24580.00	53.35	48.73	4.62	88.20	-34.85	100	313 Peak	Vertical
4	24580.00	53.69	49.07	4.62	68.20	-14.51	100	313 RMS	Vertical


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12770.00	47.54	45.51	2.03	88.20	-40.66	100	217 Peak	Horizontal	
2	12770.00	45.69	43.66	2.03	68.20	-22.51	100	217 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12770.00	50.00	48.97	2.03	88.20	-37.30	100	53 Peak	Vertical	
2	12770.00	50.26	48.23	2.03	68.20	-17.94	100	53 RMS	Vertical	


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12850.00	34.84	33.19	1.65	54.00	-19.16	300	135 RMS	Horizontal	
2	12850.00	43.71	42.06	1.65	74.00	-30.29	300	135 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12850.00	42.69	41.04	1.65	54.00	-11.31	100	108 RMS	Vertical	
2	12850.00	46.95	45.30	1.65	74.00	-27.05	100	108 Peak	Vertical	


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12370.00	45.10	43.55	1.55	54.00	-8.90	100	262 Average	Horizontal	
2	12370.00	46.93	45.38	1.55	74.00	-27.07	100	262 Peak	Horizontal	
3	24740.00	53.62	48.79	4.83	88.20	-34.58	109	360 Peak	Horizontal	
4	24740.00	51.01	46.18	4.83	68.20	-17.19	109	360 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12370.00	50.31	48.76	1.55	54.00	-3.69	100	291 Average	Vertical	
2	12370.00	49.09	47.54	1.55	74.00	-24.91	100	291 Peak	Vertical	
3	24740.00	52.29	47.46	4.83	88.20	-35.91	100	311 Peak	Vertical	
4	24740.00	53.96	49.13	4.83	68.20	-14.24	100	311 RMS	Vertical	


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	12690.00	46.86	44.96	1.90	54.00	-7.14	180	226 Average	Horizontal
2	12690.00	47.28	45.38	1.90	74.00	-26.72	180	226 Peak	Horizontal
3	25380.00	50.14	44.91	5.23	88.20	-38.06	196	360 Peak	Horizontal
4	25380.00	46.69	41.46	5.23	88.20	-41.51	196	360 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	12690.00	50.47	48.57	1.90	54.00	-3.53	180	48 Average	Vertical
2	12690.00	50.91	49.01	1.90	74.00	-23.09	180	48 Peak	Vertical
3	25380.00	53.80	48.57	5.23	88.20	-34.40	180	267 Peak	Vertical
4	25380.00	52.91	47.68	5.23	88.20	-15.29	180	267 RMS	Vertical

U-NII-6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12870.00	53.03	51.05	1.98	88.20	-35.17	100	223 Peak	Horizontal	
2	12870.00	46.39	44.41	1.98	68.20	-21.81	100	223 RMS	Horizontal	
3	25740.00	50.24	44.95	5.29	88.20	-37.96	100	319 Peak	Horizontal	
4	25740.00	49.91	44.62	5.29	68.20	-18.29	100	319 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12870.00	54.61	52.63	1.98	88.20	-33.59	100	62 Peak	Vertical	
2	12870.00	51.33	49.35	1.98	68.20	-16.87	100	62 RMS	Vertical	
3	25740.00	51.96	46.67	5.29	88.20	-36.24	100	93 Peak	Vertical	
4	25740.00	52.76	47.47	5.29	68.20	-15.44	100	93 RMS	Vertical	


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12950.00	51.27	49.40	1.87	88.20	-36.93	100	224 Peak	Horizontal
2	12950.00	45.99	44.12	1.87	68.20	-22.21	100	224 RMS	Horizontal
3	25900.00	51.49	46.19	5.30	88.20	-36.71	100	331 Peak	Horizontal
4	25900.00	49.50	44.20	5.30	68.20	-18.70	100	331 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12950.00	52.47	50.60	1.87	88.20	-35.73	100	64 Peak	Vertical
2	12950.00	51.44	49.57	1.87	68.20	-16.76	100	64 RMS	Vertical
3	25900.00	52.80	47.50	5.30	88.20	-35.40	100	264 Peak	Vertical
4	25900.00	52.61	47.31	5.30	68.20	-15.59	100	264 RMS	Vertical