











11. SETUP PHOTOS

RADIATED AND LINE CONDUCTED EMISSIONS MEASUREMENT SETUP	
	
RADIATED FRONT PHOTO (BELOW 30 MHz)	RADIATED BACK PHOTO (BELOW 30 MHz)
	
RADIATED FRONT PHOTO (BELOW 1 GHz)	RADIATED BACK PHOTO (BELOW 1 GHz)
	
LINE CONDUCTED EMISSIONS (FRONT)	LINE CONDUCTED EMISSIONS (BACK)

RADIATED EMISSIONS MEASUREMENT CONFIGURATION AND FREQUENCY TOLERANCE OVER EXTREME CONDITIONS	
 A photograph showing a mobile phone lying flat on a white surface. A blue tape is placed horizontally across the phone. A white label with the number '11740661' is placed to the right of the phone.	 A photograph showing a mobile phone lying flat on a white surface. A red tape is placed horizontally across the phone. A white label with the number '11740661' is placed to the right of the phone.
X-AXIS ORIENTATION	Y-AXIS ORIENTATION
 A photograph showing a mobile phone standing upright on a white surface. A red tape is placed vertically behind the phone. A white label with the number '11740661' is placed in front of the phone.	 A photograph showing a mobile phone lying flat on a yellow surface, which is placed on a metal mesh. A white label with the number '11740661' is placed to the left of the phone.
Z-AXIS ORIENTATION	FREQUENCY TOLERANCE OVER EXTREME CONDITIONS

END OF REPORT