




Band4-1312-3-0.009~0.15MHz-PASS




Band4-1312-3-0.15~30MHz-PASS



Band4-1312-3-30~1000MHz-PASS




Band4-1312-3-1000~20000MHz-PASS




Band4-1312-4-0.009~0.15MHz-PASS




Band4-1312-4-0.15~30MHz-PASS



Band4-1312-4-30~1000MHz-PASS








Band4-1312-4-1000~20000MHz-PASS




Band4-1413-1-0.009~0.15MHz-PASS


Band4-1413-1-0.15~30MHz-PASS



Band4-1413-3-30~1000MHz-PASS




Band4-1413-3-1000~20000MHz-PASS



Band4-1413-4-0.009~0.15MHz-PASS




Band4-1413-4-0.15~30MHz-PASS




Band4-1413-4-30~1000MHz-PASS



Band4-1413-4-1000~20000MHz-PASS




Band4-1513-1-0.009~0.15MHz-PASS




Band4-1513-1-0.15~30MHz-PASS




Band4-1513-1-30~1000MHz-PASS




Band4-1513-1-1000~20000MHz-PASS






Band4-1513-2-0.009~0.15MHz-PASS

Band4-1513-2-0.15~30MHz-PASS



Band4-1513-2-30~1000MHz-PASS

Band4-1513-2-1000~20000MHz-PASS





Band4-1513-3-0.009~0.15MHz-PASS

Band4-1513-3-0.15~30MHz-PASS



Band4-1513-3-30~1000MHz-PASS


Band4-1513-3-1000~20000MHz-PASS



Band4-1513-4-0.009~0.15MHz-PASS





Band4-1513-4-0.15~30MHz-PASS



Band4-1513-4-30~1000MHz-PASS

Band4-1513-4-1000~20000MHz-PASS




Band4-1312-1-0.009~0.15MHz-PASS

Band4-1312-1-0.15~30MHz-PASS




Band4-1312-1-30~1000MHz-PASS

Band4-1312-1-1000~20000MHz-PASS





Band4-1312-2-0.009~0.15MHz-PASS

Band4-1312-2-0.15~30MHz-PASS



Band4-1312-2-30~1000MHz-PASS


Band4-1312-2-1000~20000MHz-PASS




Band4-1312-3-0.009~0.15MHz-PASS




Band4-1312-3-0.15~30MHz-PASS



Band4-1312-3-30~1000MHz-PASS



Band4-1312-3-1000~20000MHz-PASS



Band4-1312-4-0.009~0.15MHz-PASS




Band4-1312-4-0.15~30MHz-PASS




Band4-1312-4-30~1000MHz-PASS




Band4-1312-4-1000~20000MHz-PASS




Band4-1312-5-0.009~0.15MHz-PASS



Band4-1312-5-0.15~30MHz-PASS






Band4-1312-5-30~1000MHz-PASS



Band4-1312-5-1000~20000MHz-PASS




Band4-1413-1-0.009~0.15MHz-PASS



Band4-1413-1-0.15~30MHz-PASS




Band4-1413-1-30~1000MHz-PASS



Band4-1413-1-1000~20000MHz-PASS




Band4-1413-2-0.009~0.15MHz-PASS




Band4-1413-2-0.15~30MHz-PASS



Band4-1413-2-30~1000MHz-PASS




Band4-1413-2-1000~20000MHz-PASS



Band4-1413-3-0.009~0.15MHz-PASS




Band4-1413-3-0.15~30MHz-PASS



Band4-1413-3-30~1000MHz-PASS



Band4-1413-3-1000~20000MHz-PASS



Band4-1413-4-0.009~0.15MHz-PASS




Band4-1413-4-0.15~30MHz-PASS




Band4-1413-4-30~1000MHz-PASS

Band4-1413-4-1000~20000MHz-PASS




Band4-1413-5-0.009~0.15MHz-PASS

Band4-1413-5-0.15~30MHz-PASS



Band4-1413-5-30~1000MHz-PASS

Band4-1413-5-1000~20000MHz-PASS





Band4-1513-1-0.009~0.15MHz-PASS

Band4-1513-1-0.15~30MHz-PASS



Band4-1513-1-30~1000MHz-PASS


Band4-1513-1-1000~20000MHz-PASS




Band4-1513-1-0.009~0.15MHz-PASS

Band4-1513-1-0.15~30MHz-PASS


Band4-1513-2-0.009~0.15MHz-PASS




Band4-1513-2-0.15~30MHz-PASS




Band4-1513-2-30~1000MHz-PASS




Band4-1513-2-1000~20000MHz-PASS



Band4-1513-3-0.009~0.15MHz-PASS




Band4-1513-3-0.15~30MHz-PASS




Band4-1513-3-30~1000MHz-PASS




Band4-1513-3-1000~20000MHz-PASS



Band4-1513-4-0.009~0.15MHz-PASS




Band4-1513-4-0.15~30MHz-PASS






Band4-1513-4-30~1000MHz-PASS



Band4-1513-4-1000~20000MHz-PASS



Band4-1513-5-0.009~0.15MHz-PASS



Band4-1513-5-0.15~30MHz-PASS



Band4-1513-5-30~1000MHz-PASS



Band4-1513-5-1000~20000MHz-PASS

Frequency Stability

Test Result

RMC

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	-10.37	-0.006056	±2.5	PASS
Band4	1312	VL	NT	-1.24	-0.000724	±2.5	PASS
Band4	1312	VH	NT	-3.83	-0.002237	±2.5	PASS
Band4	1413	VN	NT	-6.71	-0.003873	±2.5	PASS
Band4	1413	VL	NT	-10.04	-0.005795	±2.5	PASS
Band4	1413	VH	NT	-3.34	-0.001928	±2.5	PASS
Band4	1513	VN	NT	4.37	0.002493	±2.5	PASS
Band4	1513	VL	NT	-9.08	-0.005181	±2.5	PASS
Band4	1513	VH	NT	-3.49	-0.001991	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	-5.63	-0.003288	±2.5	PASS
Band4	1312	NV	-20	-4.42	-0.002581	±2.5	PASS
Band4	1312	NV	-10	5.69	0.003323	±2.5	PASS
Band4	1312	NV	0	-8.65	-0.005051	±2.5	PASS
Band4	1312	NV	10	-3.36	-0.001962	±2.5	PASS
Band4	1312	NV	20	-8.09	-0.004724	±2.5	PASS
Band4	1312	NV	30	0.80	0.000467	±2.5	PASS
Band4	1312	NV	40	-7.97	-0.004654	±2.5	PASS
Band4	1312	NV	50	1.58	0.000923	±2.5	PASS
Band4	1413	NV	-30	0.52	0.000300	±2.5	PASS
Band4	1413	NV	-20	-7.51	-0.004335	±2.5	PASS
Band4	1413	NV	-10	9.01	0.005200	±2.5	PASS
Band4	1413	NV	0	-5.18	-0.002990	±2.5	PASS
Band4	1413	NV	10	2.76	0.001593	±2.5	PASS
Band4	1413	NV	20	-1.69	-0.000975	±2.5	PASS
Band4	1413	NV	30	-4.55	-0.002626	±2.5	PASS
Band4	1413	NV	40	-1.70	-0.000981	±2.5	PASS
Band4	1413	NV	50	-0.55	-0.000317	±2.5	PASS
Band4	1513	NV	-30	-3.96	-0.002260	±2.5	PASS
Band4	1513	NV	-20	7.27	0.004148	±2.5	PASS
Band4	1513	NV	-10	0.06	0.000034	±2.5	PASS
Band4	1513	NV	0	-9.66	-0.005512	±2.5	PASS

Band4	1513	NV	10	-4.27	-0.002436	±2.5	PASS
Band4	1513	NV	20	-0.85	-0.000485	±2.5	PASS
Band4	1513	NV	30	6.45	0.003680	±2.5	PASS
Band4	1513	NV	40	-8.73	-0.004981	±2.5	PASS
Band4	1513	NV	50	-1.38	-0.000787	±2.5	PASS

HSDPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-0.40	-0.000234	±2.5	PASS
Band4	1312	1	VL	NT	-3.22	-0.001880	±2.5	PASS
Band4	1312	1	VH	NT	-2.73	-0.001594	±2.5	PASS
Band4	1312	2	VN	NT	-3.19	-0.001863	±2.5	PASS
Band4	1312	2	VL	NT	-11.77	-0.006873	±2.5	PASS
Band4	1312	2	VH	NT	0.22	0.000128	±2.5	PASS
Band4	1312	3	VN	NT	-6.27	-0.003662	±2.5	PASS
Band4	1312	3	VL	NT	-7.41	-0.004327	±2.5	PASS
Band4	1312	3	VH	NT	0.13	0.000076	±2.5	PASS
Band4	1312	4	VN	NT	7.60	0.004438	±2.5	PASS
Band4	1312	4	VL	NT	-4.85	-0.002832	±2.5	PASS
Band4	1312	4	VH	NT	-3.82	-0.002231	±2.5	PASS
Band4	1413	1	VN	NT	4.41	0.002545	±2.5	PASS
Band4	1413	1	VL	NT	-3.51	-0.002026	±2.5	PASS
Band4	1413	1	VH	NT	2.25	0.001299	±2.5	PASS
Band4	1413	2	VN	NT	-5.46	-0.003151	±2.5	PASS
Band4	1413	2	VL	NT	-1.20	-0.000693	±2.5	PASS
Band4	1413	2	VH	NT	-2.56	-0.001478	±2.5	PASS
Band4	1413	3	VN	NT	-16.58	-0.009569	±2.5	PASS
Band4	1413	3	VL	NT	0.83	0.000479	±2.5	PASS
Band4	1413	3	VH	NT	-6.29	-0.003630	±2.5	PASS
Band4	1413	4	VN	NT	-6.87	-0.003965	±2.5	PASS
Band4	1413	4	VL	NT	-6.92	-0.003994	±2.5	PASS
Band4	1413	4	VH	NT	-11.70	-0.006753	±2.5	PASS
Band4	1513	1	VN	NT	-0.03	-0.000017	±2.5	PASS
Band4	1513	1	VL	NT	-1.34	-0.000765	±2.5	PASS
Band4	1513	1	VH	NT	-7.81	-0.004456	±2.5	PASS
Band4	1513	2	VN	NT	-0.27	-0.000154	±2.5	PASS
Band4	1513	2	VL	NT	-3.87	-0.002208	±2.5	PASS
Band4	1513	2	VH	NT	-3.92	-0.002237	±2.5	PASS
Band4	1513	3	VN	NT	3.23	0.001843	±2.5	PASS
Band4	1513	3	VL	NT	5.16	0.002944	±2.5	PASS
Band4	1513	3	VH	NT	-5.69	-0.003247	±2.5	PASS

Band4	1513	4	VN	NT	9.96	0.005683	±2.5	PASS
Band4	1513	4	VL	NT	-11.46	-0.006539	±2.5	PASS
Band4	1513	4	VH	NT	-8.70	-0.004964	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-2.52	-0.001472	±2.5	PASS
Band4	1312	1	NV	-20	2.31	0.001349	±2.5	PASS
Band4	1312	1	NV	-10	-5.84	-0.003410	±2.5	PASS
Band4	1312	1	NV	0	-8.17	-0.004771	±2.5	PASS
Band4	1312	1	NV	10	-3.84	-0.002242	±2.5	PASS
Band4	1312	1	NV	20	-1.60	-0.000934	±2.5	PASS
Band4	1312	1	NV	30	-3.08	-0.001799	±2.5	PASS
Band4	1312	1	NV	40	-11.51	-0.006722	±2.5	PASS
Band4	1312	1	NV	50	-4.78	-0.002791	±2.5	PASS
Band4	1312	2	NV	-30	-1.98	-0.001156	±2.5	PASS
Band4	1312	2	NV	-20	-3.38	-0.001974	±2.5	PASS
Band4	1312	2	NV	-10	5.70	0.003329	±2.5	PASS
Band4	1312	2	NV	0	-0.44	-0.000257	±2.5	PASS
Band4	1312	2	NV	10	-3.36	-0.001962	±2.5	PASS
Band4	1312	2	NV	20	-5.19	-0.003031	±2.5	PASS
Band4	1312	2	NV	30	-3.95	-0.002307	±2.5	PASS
Band4	1312	2	NV	40	-1.21	-0.000707	±2.5	PASS
Band4	1312	2	NV	50	-0.72	-0.000420	±2.5	PASS
Band4	1312	3	NV	-30	1.37	0.000800	±2.5	PASS
Band4	1312	3	NV	-20	-7.83	-0.004573	±2.5	PASS
Band4	1312	3	NV	-10	-0.01	-0.000006	±2.5	PASS
Band4	1312	3	NV	0	3.36	0.001962	±2.5	PASS
Band4	1312	3	NV	10	-8.87	-0.005180	±2.5	PASS
Band4	1312	3	NV	20	-8.21	-0.004794	±2.5	PASS
Band4	1312	3	NV	30	-1.11	-0.000648	±2.5	PASS
Band4	1312	3	NV	40	-5.03	-0.002937	±2.5	PASS
Band4	1312	3	NV	50	-3.30	-0.001927	±2.5	PASS
Band4	1312	4	NV	-30	3.22	0.001880	±2.5	PASS
Band4	1312	4	NV	-20	-7.54	-0.004403	±2.5	PASS
Band4	1312	4	NV	-10	-1.57	-0.000917	±2.5	PASS
Band4	1312	4	NV	0	-3.93	-0.002295	±2.5	PASS
Band4	1312	4	NV	10	-0.42	-0.000245	±2.5	PASS
Band4	1312	4	NV	20	-6.34	-0.003702	±2.5	PASS
Band4	1312	4	NV	30	7.64	0.004462	±2.5	PASS
Band4	1312	4	NV	40	-0.45	-0.000263	±2.5	PASS

Band4	1312	4	NV	50	-4.26	-0.002488	±2.5	PASS
Band4	1413	1	NV	-30	2.55	0.001472	±2.5	PASS
Band4	1413	1	NV	-20	-0.22	-0.000127	±2.5	PASS
Band4	1413	1	NV	-10	-2.03	-0.001172	±2.5	PASS
Band4	1413	1	NV	0	-3.98	-0.002297	±2.5	PASS
Band4	1413	1	NV	10	1.28	0.000739	±2.5	PASS
Band4	1413	1	NV	20	1.51	0.000872	±2.5	PASS
Band4	1413	1	NV	30	-10.09	-0.005824	±2.5	PASS
Band4	1413	1	NV	40	-0.42	-0.000242	±2.5	PASS
Band4	1413	1	NV	50	3.43	0.001980	±2.5	PASS
Band4	1413	2	NV	-30	-7.98	-0.004606	±2.5	PASS
Band4	1413	2	NV	-20	2.16	0.001247	±2.5	PASS
Band4	1413	2	NV	-10	-4.79	-0.002765	±2.5	PASS
Band4	1413	2	NV	0	-11.56	-0.006672	±2.5	PASS
Band4	1413	2	NV	10	3.04	0.001755	±2.5	PASS
Band4	1413	2	NV	20	-6.45	-0.003723	±2.5	PASS
Band4	1413	2	NV	30	2.26	0.001304	±2.5	PASS
Band4	1413	2	NV	40	-2.59	-0.001495	±2.5	PASS
Band4	1413	2	NV	50	-3.07	-0.001772	±2.5	PASS
Band4	1413	3	NV	-30	0.12	0.000069	±2.5	PASS
Band4	1413	3	NV	-20	-0.37	-0.000214	±2.5	PASS
Band4	1413	3	NV	-10	-1.11	-0.000641	±2.5	PASS
Band4	1413	3	NV	0	-4.01	-0.002314	±2.5	PASS
Band4	1413	3	NV	10	1.51	0.000872	±2.5	PASS
Band4	1413	3	NV	20	-7.10	-0.004098	±2.5	PASS
Band4	1413	3	NV	30	2.43	0.001403	±2.5	PASS
Band4	1413	3	NV	40	-1.04	-0.000600	±2.5	PASS
Band4	1413	3	NV	50	-9.58	-0.005529	±2.5	PASS
Band4	1413	4	NV	-30	-8.18	-0.004721	±2.5	PASS
Band4	1413	4	NV	-20	-3.51	-0.002026	±2.5	PASS
Band4	1413	4	NV	-10	3.31	0.001910	±2.5	PASS
Band4	1413	4	NV	0	-7.60	-0.004386	±2.5	PASS
Band4	1413	4	NV	10	0.19	0.000110	±2.5	PASS
Band4	1413	4	NV	20	-7.29	-0.004208	±2.5	PASS
Band4	1413	4	NV	30	-5.33	-0.003076	±2.5	PASS
Band4	1413	4	NV	40	-0.66	-0.000381	±2.5	PASS
Band4	1413	4	NV	50	-0.15	-0.000087	±2.5	PASS
Band4	1513	1	NV	-30	-13.41	-0.007651	±2.5	PASS
Band4	1513	1	NV	-20	-8.97	-0.005118	±2.5	PASS
Band4	1513	1	NV	-10	3.83	0.002185	±2.5	PASS
Band4	1513	1	NV	0	-1.15	-0.000656	±2.5	PASS

Band4	1513	1	NV	10	-8.73	-0.004981	±2.5	PASS
Band4	1513	1	NV	20	-1.78	-0.001016	±2.5	PASS
Band4	1513	1	NV	30	-3.50	-0.001997	±2.5	PASS
Band4	1513	1	NV	40	-3.15	-0.001797	±2.5	PASS
Band4	1513	1	NV	50	2.06	0.001175	±2.5	PASS
Band4	1513	2	NV	-30	-1.83	-0.001044	±2.5	PASS
Band4	1513	2	NV	-20	1.36	0.000776	±2.5	PASS
Band4	1513	2	NV	-10	6.08	0.003469	±2.5	PASS
Band4	1513	2	NV	0	0.78	0.000445	±2.5	PASS
Band4	1513	2	NV	10	-2.62	-0.001495	±2.5	PASS
Band4	1513	2	NV	20	-7.03	-0.004011	±2.5	PASS
Band4	1513	2	NV	30	5.58	0.003184	±2.5	PASS
Band4	1513	2	NV	40	-6.82	-0.003891	±2.5	PASS
Band4	1513	2	NV	50	-7.97	-0.004548	±2.5	PASS
Band4	1513	3	NV	-30	3.53	0.002014	±2.5	PASS
Band4	1513	3	NV	-20	-3.76	-0.002145	±2.5	PASS
Band4	1513	3	NV	-10	-7.96	-0.004542	±2.5	PASS
Band4	1513	3	NV	0	-1.86	-0.001061	±2.5	PASS
Band4	1513	3	NV	10	-1.90	-0.001084	±2.5	PASS
Band4	1513	3	NV	20	-2.36	-0.001347	±2.5	PASS
Band4	1513	3	NV	30	2.81	0.001603	±2.5	PASS
Band4	1513	3	NV	40	-1.51	-0.000862	±2.5	PASS
Band4	1513	3	NV	50	-2.52	-0.001438	±2.5	PASS
Band4	1513	4	NV	-30	-7.59	-0.004331	±2.5	PASS
Band4	1513	4	NV	-20	1.92	0.001096	±2.5	PASS
Band4	1513	4	NV	-10	-4.28	-0.002442	±2.5	PASS
Band4	1513	4	NV	0	-10.16	-0.005797	±2.5	PASS
Band4	1513	4	NV	10	4.04	0.002305	±2.5	PASS
Band4	1513	4	NV	20	-2.94	-0.001678	±2.5	PASS
Band4	1513	4	NV	30	-1.54	-0.000879	±2.5	PASS
Band4	1513	4	NV	40	-1.12	-0.000639	±2.5	PASS
Band4	1513	4	NV	50	-6.45	-0.003680	±2.5	PASS

HSUPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-7.06	-0.004123	±2.5	PASS
Band4	1312	1	VL	NT	-4.26	-0.002488	±2.5	PASS
Band4	1312	1	VH	NT	-5.85	-0.003416	±2.5	PASS
Band4	1312	2	VN	NT	-6.91	-0.004035	±2.5	PASS
Band4	1312	2	VL	NT	0.42	0.000245	±2.5	PASS
Band4	1312	2	VH	NT	1.27	0.000742	±2.5	PASS

Band4	1312	3	VN	NT	6.22	0.003632	±2.5	PASS
Band4	1312	3	VL	NT	-4.42	-0.002581	±2.5	PASS
Band4	1312	3	VH	NT	1.75	0.001022	±2.5	PASS
Band4	1312	4	VN	NT	4.55	0.002657	±2.5	PASS
Band4	1312	4	VL	NT	6.01	0.003510	±2.5	PASS
Band4	1312	4	VH	NT	-7.25	-0.004234	±2.5	PASS
Band4	1312	5	VN	NT	-3.74	-0.002184	±2.5	PASS
Band4	1312	5	VL	NT	-1.33	-0.000777	±2.5	PASS
Band4	1312	5	VH	NT	-4.94	-0.002885	±2.5	PASS
Band4	1413	1	VN	NT	-5.96	-0.003440	±2.5	PASS
Band4	1413	1	VL	NT	-3.76	-0.002170	±2.5	PASS
Band4	1413	1	VH	NT	1.35	0.000779	±2.5	PASS
Band4	1413	2	VN	NT	1.06	0.000612	±2.5	PASS
Band4	1413	2	VL	NT	-4.52	-0.002609	±2.5	PASS
Band4	1413	2	VH	NT	-4.46	-0.002574	±2.5	PASS
Band4	1413	3	VN	NT	-2.70	-0.001558	±2.5	PASS
Band4	1413	3	VL	NT	-0.51	-0.000294	±2.5	PASS
Band4	1413	3	VH	NT	-1.79	-0.001033	±2.5	PASS
Band4	1413	4	VN	NT	-1.37	-0.000791	±2.5	PASS
Band4	1413	4	VL	NT	-0.16	-0.000092	±2.5	PASS
Band4	1413	4	VH	NT	-11.07	-0.006389	±2.5	PASS
Band4	1413	5	VN	NT	-4.32	-0.002493	±2.5	PASS
Band4	1413	5	VL	NT	-7.37	-0.004254	±2.5	PASS
Band4	1413	5	VH	NT	-5.77	-0.003330	±2.5	PASS
Band4	1513	1	VN	NT	-6.65	-0.003794	±2.5	PASS
Band4	1513	1	VL	NT	-7.89	-0.004502	±2.5	PASS
Band4	1513	1	VH	NT	-3.05	-0.001740	±2.5	PASS
Band4	1513	2	VN	NT	-4.41	-0.002516	±2.5	PASS
Band4	1513	2	VL	NT	-6.44	-0.003675	±2.5	PASS
Band4	1513	2	VH	NT	-8.51	-0.004856	±2.5	PASS
Band4	1513	3	VN	NT	-0.74	-0.000422	±2.5	PASS
Band4	1513	3	VL	NT	5.36	0.003058	±2.5	PASS
Band4	1513	3	VH	NT	-2.64	-0.001506	±2.5	PASS
Band4	1513	4	VN	NT	3.48	0.001986	±2.5	PASS
Band4	1513	4	VL	NT	-2.95	-0.001683	±2.5	PASS
Band4	1513	4	VH	NT	-9.14	-0.005215	±2.5	PASS
Band4	1513	5	VN	NT	-9.54	-0.005443	±2.5	PASS
Band4	1513	5	VL	NT	-3.25	-0.001854	±2.5	PASS
Band4	1513	5	VH	NT	1.64	0.000936	±2.5	PASS

Temperature

Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-1.58	-0.000923	±2.5	PASS
Band4	1312	1	NV	-20	4.15	0.002423	±2.5	PASS
Band4	1312	1	NV	-10	-7.63	-0.004456	±2.5	PASS
Band4	1312	1	NV	0	1.80	0.001051	±2.5	PASS
Band4	1312	1	NV	10	-5.83	-0.003405	±2.5	PASS
Band4	1312	1	NV	20	0.57	0.000333	±2.5	PASS
Band4	1312	1	NV	30	-0.99	-0.000578	±2.5	PASS
Band4	1312	1	NV	40	-6.90	-0.004029	±2.5	PASS
Band4	1312	1	NV	50	-2.52	-0.001472	±2.5	PASS
Band4	1312	2	NV	-30	-9.64	-0.005630	±2.5	PASS
Band4	1312	2	NV	-20	-5.94	-0.003469	±2.5	PASS
Band4	1312	2	NV	-10	3.67	0.002143	±2.5	PASS
Band4	1312	2	NV	0	-11.34	-0.006622	±2.5	PASS
Band4	1312	2	NV	10	-10.15	-0.005927	±2.5	PASS
Band4	1312	2	NV	20	-6.17	-0.003603	±2.5	PASS
Band4	1312	2	NV	30	0.62	0.000362	±2.5	PASS
Band4	1312	2	NV	40	1.11	0.000648	±2.5	PASS
Band4	1312	2	NV	50	5.29	0.003089	±2.5	PASS
Band4	1312	3	NV	-30	-4.74	-0.002768	±2.5	PASS
Band4	1312	3	NV	-20	-0.26	-0.000152	±2.5	PASS
Band4	1312	3	NV	-10	-3.20	-0.001869	±2.5	PASS
Band4	1312	3	NV	0	-6.22	-0.003632	±2.5	PASS
Band4	1312	3	NV	10	-4.64	-0.002710	±2.5	PASS
Band4	1312	3	NV	20	-3.43	-0.002003	±2.5	PASS
Band4	1312	3	NV	30	-5.24	-0.003060	±2.5	PASS
Band4	1312	3	NV	40	1.67	0.000975	±2.5	PASS
Band4	1312	3	NV	50	4.14	0.002418	±2.5	PASS
Band4	1312	4	NV	-30	-8.61	-0.005028	±2.5	PASS
Band4	1312	4	NV	-20	0.85	0.000496	±2.5	PASS
Band4	1312	4	NV	-10	0.21	0.000123	±2.5	PASS
Band4	1312	4	NV	0	-8.20	-0.004789	±2.5	PASS
Band4	1312	4	NV	10	1.34	0.000783	±2.5	PASS
Band4	1312	4	NV	20	-10.49	-0.006126	±2.5	PASS
Band4	1312	4	NV	30	-6.45	-0.003767	±2.5	PASS
Band4	1312	4	NV	40	4.26	0.002488	±2.5	PASS
Band4	1312	4	NV	50	4.74	0.002768	±2.5	PASS
Band4	1312	5	NV	-30	-1.48	-0.000864	±2.5	PASS
Band4	1312	5	NV	-20	-7.12	-0.004158	±2.5	PASS
Band4	1312	5	NV	-10	-0.03	-0.000018	±2.5	PASS
Band4	1312	5	NV	0	-3.49	-0.002038	±2.5	PASS

Band4	1312	5	NV	10	-11.15	-0.006511	±2.5	PASS
Band4	1312	5	NV	20	6.50	0.003796	±2.5	PASS
Band4	1312	5	NV	30	5.21	0.003043	±2.5	PASS
Band4	1312	5	NV	40	-4.72	-0.002756	±2.5	PASS
Band4	1312	5	NV	50	-9.19	-0.005367	±2.5	PASS
Band4	1413	1	NV	-30	-3.74	-0.002159	±2.5	PASS
Band4	1413	1	NV	-20	-5.64	-0.003255	±2.5	PASS
Band4	1413	1	NV	-10	0.75	0.000433	±2.5	PASS
Band4	1413	1	NV	0	-1.16	-0.000670	±2.5	PASS
Band4	1413	1	NV	10	-3.81	-0.002199	±2.5	PASS
Band4	1413	1	NV	20	1.78	0.001027	±2.5	PASS
Band4	1413	1	NV	30	-11.84	-0.006834	±2.5	PASS
Band4	1413	1	NV	40	-9.91	-0.005720	±2.5	PASS
Band4	1413	1	NV	50	-3.93	-0.002268	±2.5	PASS
Band4	1413	2	NV	-30	-1.68	-0.000970	±2.5	PASS
Band4	1413	2	NV	-20	-4.62	-0.002667	±2.5	PASS
Band4	1413	2	NV	-10	-7.83	-0.004519	±2.5	PASS
Band4	1413	2	NV	0	7.10	0.004098	±2.5	PASS
Band4	1413	2	NV	10	-1.47	-0.000848	±2.5	PASS
Band4	1413	2	NV	20	-6.56	-0.003786	±2.5	PASS
Band4	1413	2	NV	30	-5.20	-0.003001	±2.5	PASS
Band4	1413	2	NV	40	-7.96	-0.004594	±2.5	PASS
Band4	1413	2	NV	50	-1.55	-0.000895	±2.5	PASS
Band4	1413	3	NV	-30	-3.75	-0.002164	±2.5	PASS
Band4	1413	3	NV	-20	-1.06	-0.000612	±2.5	PASS
Band4	1413	3	NV	-10	4.86	0.002805	±2.5	PASS
Band4	1413	3	NV	0	-2.08	-0.001201	±2.5	PASS
Band4	1413	3	NV	10	-6.78	-0.003913	±2.5	PASS
Band4	1413	3	NV	20	-4.50	-0.002597	±2.5	PASS
Band4	1413	3	NV	30	-2.46	-0.001420	±2.5	PASS
Band4	1413	3	NV	40	-2.60	-0.001501	±2.5	PASS
Band4	1413	3	NV	50	-0.72	-0.000416	±2.5	PASS
Band4	1413	4	NV	-30	4.41	0.002545	±2.5	PASS
Band4	1413	4	NV	-20	-1.79	-0.001033	±2.5	PASS
Band4	1413	4	NV	-10	-1.73	-0.000998	±2.5	PASS
Band4	1413	4	NV	0	-1.12	-0.000646	±2.5	PASS
Band4	1413	4	NV	10	-2.54	-0.001466	±2.5	PASS
Band4	1413	4	NV	20	-7.10	-0.004098	±2.5	PASS
Band4	1413	4	NV	30	-1.69	-0.000975	±2.5	PASS
Band4	1413	4	NV	40	-0.74	-0.000427	±2.5	PASS
Band4	1413	4	NV	50	-3.32	-0.001916	±2.5	PASS

Band4	1413	5	NV	-30	7.67	0.004427	±2.5	PASS
Band4	1413	5	NV	-20	3.49	0.002014	±2.5	PASS
Band4	1413	5	NV	-10	5.06	0.002920	±2.5	PASS
Band4	1413	5	NV	0	-8.46	-0.004883	±2.5	PASS
Band4	1413	5	NV	10	8.21	0.004739	±2.5	PASS
Band4	1413	5	NV	20	1.42	0.000820	±2.5	PASS
Band4	1413	5	NV	30	-5.19	-0.002995	±2.5	PASS
Band4	1413	5	NV	40	-4.26	-0.002459	±2.5	PASS
Band4	1413	5	NV	50	-3.77	-0.002176	±2.5	PASS
Band4	1513	1	NV	-30	-7.87	-0.004490	±2.5	PASS
Band4	1513	1	NV	-20	-2.44	-0.001392	±2.5	PASS
Band4	1513	1	NV	-10	0.55	0.000314	±2.5	PASS
Band4	1513	1	NV	0	-6.36	-0.003629	±2.5	PASS
Band4	1513	1	NV	10	0.40	0.000228	±2.5	PASS
Band4	1513	1	NV	20	1.80	0.001027	±2.5	PASS
Band4	1513	1	NV	30	2.55	0.001455	±2.5	PASS
Band4	1513	1	NV	40	-3.31	-0.001889	±2.5	PASS
Band4	1513	1	NV	50	1.68	0.000959	±2.5	PASS
Band4	1513	2	NV	-30	-0.45	-0.000257	±2.5	PASS
Band4	1513	2	NV	-20	-5.96	-0.003401	±2.5	PASS
Band4	1513	2	NV	-10	1.39	0.000793	±2.5	PASS
Band4	1513	2	NV	0	-4.28	-0.002442	±2.5	PASS
Band4	1513	2	NV	10	1.50	0.000856	±2.5	PASS
Band4	1513	2	NV	20	-3.08	-0.001757	±2.5	PASS
Band4	1513	2	NV	30	-0.17	-0.000097	±2.5	PASS
Band4	1513	2	NV	40	-1.74	-0.000993	±2.5	PASS
Band4	1513	2	NV	50	-5.51	-0.003144	±2.5	PASS
Band4	1513	3	NV	-30	-5.67	-0.003235	±2.5	PASS
Band4	1513	3	NV	-20	-2.12	-0.001210	±2.5	PASS
Band4	1513	3	NV	-10	4.47	0.002550	±2.5	PASS
Band4	1513	3	NV	0	1.94	0.001107	±2.5	PASS
Band4	1513	3	NV	10	-0.35	-0.000200	±2.5	PASS
Band4	1513	3	NV	20	1.19	0.000679	±2.5	PASS
Band4	1513	3	NV	30	-4.50	-0.002568	±2.5	PASS
Band4	1513	3	NV	40	3.08	0.001757	±2.5	PASS
Band4	1513	3	NV	50	1.97	0.001124	±2.5	PASS
Band4	1513	4	NV	-30	-2.23	-0.001272	±2.5	PASS
Band4	1513	4	NV	-20	-3.46	-0.001974	±2.5	PASS
Band4	1513	4	NV	-10	-7.28	-0.004154	±2.5	PASS
Band4	1513	4	NV	0	-7.81	-0.004456	±2.5	PASS
Band4	1513	4	NV	10	-3.02	-0.001723	±2.5	PASS

Band4	1513	4	NV	20	1.29	0.000736	±2.5	PASS
Band4	1513	4	NV	30	1.51	0.000862	±2.5	PASS
Band4	1513	4	NV	40	5.24	0.002990	±2.5	PASS
Band4	1513	4	NV	50	-4.58	-0.002613	±2.5	PASS
Band4	1513	5	NV	-30	-4.54	-0.002590	±2.5	PASS
Band4	1513	5	NV	-20	-1.62	-0.000924	±2.5	PASS
Band4	1513	5	NV	-10	-1.90	-0.001084	±2.5	PASS
Band4	1513	5	NV	0	-3.17	-0.001809	±2.5	PASS
Band4	1513	5	NV	10	-9.92	-0.005660	±2.5	PASS
Band4	1513	5	NV	20	-4.03	-0.002299	±2.5	PASS
Band4	1513	5	NV	30	-3.64	-0.002077	±2.5	PASS
Band4	1513	5	NV	40	-5.83	-0.003326	±2.5	PASS
Band4	1513	5	NV	50	-6.38	-0.003640	±2.5	PASS

----- THE END -----