


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	65.27	68.20	-2.93	56.49	3	Horizontal	16	1.80	-	33.70	7.53	32.45			
PK	5.789G	123.68	Inf	-Inf	114.39	3	Horizontal	16	1.80	-	34.16	7.58	32.45			
AV	5.789G	115.36	Inf	-Inf	106.07	3	Horizontal	16	1.80	-	34.16	7.58	32.45			
PK	5.9795G	65.51	68.20	-2.69	55.28	3	Horizontal	16	1.80	-	35.00	7.67	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 106
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5826G	58.49	74.00	-15.51	41.42	3	Vertical	57	1.80	-	38.80	10.89	32.62			
AV	11.56142G	46.58	54.00	-7.42	29.51	3	Vertical	57	1.80	-	38.80	10.88	32.61			
PK	17.35224G	67.95	68.20	-0.25	44.85	3	Vertical	302	1.91	-	41.71	13.24	31.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 106
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58122G	58.68	74.00	-15.32	41.61	3	Horizontal	152	1.55	-	38.80	10.89	32.62			
AV	11.57942G	46.63	54.00	-7.37	29.55	3	Horizontal	152	1.55	-	38.80	10.89	32.61			
PK	17.35482G	65.42	68.20	-2.78	42.31	3	Horizontal	40	1.84	-	41.72	13.24	31.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.624G	64.63	68.20	-3.57	55.86	3	Vertical	30	1.05	-	33.70	7.53	32.46			
PK	5.8235G	125.21	Inf	-Inf	115.78	3	Vertical	30	1.05	-	34.29	7.59	32.45			
AV	5.824G	117.15	Inf	-Inf	107.71	3	Vertical	30	1.05	-	34.30	7.59	32.45			
PK	5.953G	66.04	68.20	-2.16	55.82	3	Vertical	30	1.05	-	35.00	7.66	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6295G	65.65	68.20	-2.55	56.87	3	Horizontal	11	1.80	-	33.70	7.53	32.45			
PK	5.8295G	124.07	Inf	-Inf	114.61	3	Horizontal	11	1.80	-	34.32	7.59	32.45			
AV	5.829G	115.57	Inf	-Inf	106.11	3	Horizontal	11	1.80	-	34.32	7.59	32.45			
PK	5.9595G	65.59	68.20	-2.61	55.37	3	Horizontal	11	1.80	-	35.00	7.66	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 107
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66062G	57.88	74.00	-16.12	40.82	3	Vertical	338	1.50	-	38.78	10.93	32.65			
AV	11.6648G	46.44	54.00	-7.56	29.38	3	Vertical	338	1.50	-	38.77	10.94	32.65			
PK	17.47428G	67.71	68.20	-0.49	44.26	3	Vertical	323	1.80	-	41.95	13.28	31.78			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 107
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65186G	57.98	74.00	-16.02	40.90	3	Horizontal	196	1.48	-	38.80	10.93	32.65			
AV	11.62048G	46.43	54.00	-7.57	29.35	3	Horizontal	196	1.48	-	38.80	10.91	32.63			
PK	17.47506G	66.46	68.20	-1.74	43.01	3	Horizontal	37	1.87	-	41.95	13.28	31.78			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.589G	64.88	68.20	-3.32	56.13	3	Vertical	23	2.09	-	33.70	7.51	32.46			
PK	5.75G	125.50	Inf	-Inf	116.39	3	Vertical	23	2.09	-	34.00	7.56	32.45			
AV	5.75G	114.29	Inf	-Inf	105.18	3	Vertical	23	2.09	-	34.00	7.56	32.45			
PK	5.95G	65.03	68.20	-3.17	54.82	3	Vertical	23	2.09	-	35.00	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5475G	65.58	68.20	-2.62	56.86	3	Horizontal	360	1.80	-	33.70	7.48	32.46			
PK	5.7425G	123.93	Inf	-Inf	114.85	3	Horizontal	360	1.80	-	33.97	7.56	32.45			
AV	5.7425G	113.77	Inf	-Inf	104.69	3	Horizontal	360	1.80	-	33.97	7.56	32.45			
PK	5.9475G	65.77	68.20	-2.43	55.58	3	Horizontal	360	1.80	-	34.98	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 106
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50137G	58.34	74.00	-15.66	41.27	3	Vertical	274	1.45	-	38.80	10.85	32.58			
AV	11.50017G	45.54	54.00	-8.46	28.47	3	Vertical	274	1.45	-	38.80	10.85	32.58			
PK	17.23011G	67.88	68.20	-0.32	45.35	3	Vertical	325	1.80	-	41.26	13.20	31.93			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 106
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50452G	57.80	74.00	-16.20	40.73	3	Horizontal	271	1.80	-	38.80	10.85	32.58			
AV	11.50401G	45.53	54.00	-8.47	28.46	3	Horizontal	271	1.80	-	38.80	10.85	32.58			
PK	17.23446G	66.49	68.20	-1.71	43.95	3	Horizontal	37	1.80	-	41.27	13.20	31.93			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.623G	65.70	68.20	-2.50	56.93	3	Vertical	23	2.05	-	33.70	7.53	32.46			
PK	5.78G	125.53	Inf	-Inf	116.29	3	Vertical	23	2.05	-	34.12	7.57	32.45			
AV	5.79G	114.59	Inf	-Inf	105.30	3	Vertical	23	2.05	-	34.16	7.58	32.45			
PK	5.945G	65.34	68.20	-2.86	55.16	3	Vertical	23	2.05	-	34.97	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.625G	66.45	68.20	-1.75	57.67	3	Horizontal	0	1.91	-	33.70	7.53	32.45			
PK	5.793G	124.73	Inf	-Inf	115.43	3	Horizontal	0	1.91	-	34.17	7.58	32.45			
AV	5.7875G	114.18	Inf	-Inf	104.90	3	Horizontal	0	1.91	-	34.15	7.58	32.45			
PK	5.9555G	66.34	68.20	-1.86	56.12	3	Horizontal	0	1.91	-	35.00	7.66	32.44			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57597G	57.98	74.00	-16.02	40.90	3	Vertical	52	1.64	-	38.80	10.89	32.61			
AV	11.57372G	46.00	54.00	-8.00	28.92	3	Vertical	52	1.64	-	38.80	10.89	32.61			
PK	17.34966G	67.48	68.20	-0.72	44.40	3	Vertical	322	1.80	-	41.70	13.24	31.86			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55989G	58.31	74.00	-15.69	41.24	3	Horizontal	20	1.68	-	38.80	10.88	32.61			
AV	11.58095G	46.01	54.00	-7.99	28.94	3	Horizontal	20	1.68	-	38.80	10.89	32.62			
PK	17.3526G	66.22	68.20	-1.98	43.12	3	Horizontal	40	1.87	-	41.71	13.24	31.85			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	65.34	68.20	-2.86	56.56	3	Vertical	161	2.34	-	33.70	7.53	32.45			
PK	5.8325G	125.41	Inf	-Inf	115.93	3	Vertical	161	2.34	-	34.33	7.60	32.45			
AV	5.8225G	114.76	Inf	-Inf	105.33	3	Vertical	161	2.34	-	34.29	7.59	32.45			
PK	5.9335G	65.53	68.20	-2.67	55.42	3	Vertical	161	2.34	-	34.90	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.622G	66.12	68.20	-2.08	57.35	3	Horizontal	0	1.80	-	33.70	7.53	32.46			
PK	5.833G	125.95	Inf	-Inf	116.47	3	Horizontal	0	1.80	-	34.33	7.60	32.45			
AV	5.8275G	114.74	Inf	-Inf	105.29	3	Horizontal	0	1.80	-	34.31	7.59	32.45			
PK	5.9335G	65.89	68.20	-2.31	55.78	3	Horizontal	0	1.80	-	34.90	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64247G	58.50	74.00	-15.50	41.42	3	Vertical	111	1.51	-	38.80	10.92	32.64			
AV	11.65255G	45.75	54.00	-8.25	28.68	3	Vertical	111	1.51	-	38.79	10.93	32.65			
PK	17.48403G	68.18	68.20	-0.02	44.74	3	Vertical	322	1.82	-	41.93	13.28	31.77			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63962G	59.33	74.00	-14.67	42.25	3	Horizontal	74	1.98	-	38.80	10.92	32.64			
AV	11.6443G	45.78	54.00	-8.22	28.70	3	Horizontal	74	1.98	-	38.80	10.92	32.64			
PK	17.47014G	67.38	68.20	-0.82	43.92	3	Horizontal	40	1.88	-	41.96	13.28	31.78			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.589G	66.50	68.20	-1.70	57.75	3	Vertical	25	2.19	-	33.70	7.51	32.46			
PK	5.7385G	123.80	Inf	-Inf	114.74	3	Vertical	25	2.19	-	33.95	7.56	32.45			
AV	5.74G	113.86	Inf	-Inf	104.79	3	Vertical	25	2.19	-	33.96	7.56	32.45			
PK	5.9835G	65.63	68.20	-2.57	55.40	3	Vertical	25	2.19	-	35.00	7.67	32.44			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5805G	66.24	68.20	-1.96	57.49	3	Horizontal	360	1.80	-	33.70	7.51	32.46			
PK	5.7385G	125.72	Inf	-Inf	116.66	3	Horizontal	360	1.80	-	33.95	7.56	32.45			
AV	5.738G	116.56	Inf	-Inf	107.50	3	Horizontal	360	1.80	-	33.95	7.56	32.45			
PK	5.939G	65.86	68.20	-2.34	55.72	3	Horizontal	360	1.80	-	34.93	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 102
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5134G	57.71	74.00	-16.29	40.65	3	Vertical	250	1.41	-	38.80	10.85	32.59			
AV	11.51886G	46.20	54.00	-7.80	29.13	3	Vertical	250	1.41	-	38.80	10.86	32.59			
PK	17.22846G	68.17	68.20	-0.03	45.64	3	Vertical	355	1.87	-	41.26	13.20	31.93			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 102
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48892G	58.21	74.00	-15.79	41.15	3	Horizontal	206	1.65	-	38.80	10.84	32.58			
AV	11.52G	46.20	54.00	-7.80	29.13	3	Horizontal	206	1.65	-	38.80	10.86	32.59			
PK	17.22042G	67.11	68.20	-1.09	44.61	3	Horizontal	140	1.80	-	41.24	13.20	31.94			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.588G	67.42	68.20	-0.78	58.67	3	Vertical	13	1.80	-	33.70	7.51	32.46			
PK	5.7905G	124.58	Inf	-Inf	115.29	3	Vertical	13	1.80	-	34.16	7.58	32.45			
AV	5.7875G	113.85	Inf	-Inf	104.57	3	Vertical	13	1.80	-	34.15	7.58	32.45			
PK	5.9875G	64.46	68.20	-3.74	54.23	3	Vertical	13	1.80	-	35.00	7.67	32.44			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	65.29	68.20	-2.91	56.51	3	Horizontal	354	1.78	-	33.70	7.53	32.45			
PK	5.783G	125.30	Inf	-Inf	116.05	3	Horizontal	354	1.78	-	34.13	7.57	32.45			
AV	5.787G	115.57	Inf	-Inf	106.29	3	Horizontal	354	1.78	-	34.15	7.58	32.45			
PK	5.9445G	66.22	68.20	-1.98	56.04	3	Horizontal	354	1.78	-	34.97	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58263G	58.28	74.00	-15.72	41.21	3	Vertical	179	1.77	-	38.80	10.89	32.62			
AV	11.55827G	46.54	54.00	-7.46	29.47	3	Vertical	179	1.77	-	38.80	10.88	32.61			
PK	17.36409G	65.70	68.20	-2.50	42.55	3	Vertical	51	1.80	-	41.76	13.24	31.85			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58671G	58.46	74.00	-15.54	41.39	3	Horizontal	122	1.80	-	38.80	10.89	32.62			
AV	11.58164G	46.41	54.00	-7.59	29.34	3	Horizontal	122	1.80	-	38.80	10.89	32.62			
PK	17.34834G	66.36	68.20	-1.84	43.28	3	Horizontal	44	1.94	-	41.70	13.24	31.86			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.618G	65.08	68.20	-3.12	56.31	3	Vertical	17	2.98	-	33.70	7.53	32.46			
PK	5.83G	124.05	Inf	-Inf	114.59	3	Vertical	17	2.98	-	34.32	7.59	32.45			
AV	5.8315G	113.86	Inf	-Inf	104.38	3	Vertical	17	2.98	-	34.33	7.60	32.45			
PK	5.9405G	65.29	68.20	-2.91	55.14	3	Vertical	17	2.98	-	34.94	7.65	32.44			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	65.39	68.20	-2.81	56.61	3	Horizontal	356	1.80	-	33.70	7.53	32.45			
PK	5.816G	125.77	Inf	-Inf	116.37	3	Horizontal	356	1.80	-	34.26	7.59	32.45			
AV	5.8185G	117.54	Inf	-Inf	108.13	3	Horizontal	356	1.80	-	34.27	7.59	32.45			
PK	6.018G	66.06	68.20	-2.14	55.82	3	Horizontal	356	1.80	-	35.00	7.68	32.44			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64446G	59.06	74.00	-14.94	41.98	3	Vertical	15	2.81	-	38.80	10.92	32.64			
AV	11.65112G	46.37	54.00	-7.63	29.29	3	Vertical	15	2.81	-	38.80	10.93	32.65			
PK	17.4724G	66.68	68.20	-1.52	43.22	3	Vertical	312	2.52	-	41.96	13.28	31.78			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65471G	58.78	74.00	-15.22	41.71	3	Horizontal	256	2.07	-	38.79	10.93	32.65			
AV	11.6549G	46.26	54.00	-7.74	29.19	3	Horizontal	256	2.07	-	38.79	10.93	32.65			
PK	17.48241G	67.53	68.20	-0.67	44.08	3	Horizontal	42	1.87	-	41.94	13.28	31.77			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 104
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	69.03	70.42	-1.39	60.23	3	Vertical	22	2.90	-	33.71	7.54	32.45			
PK	5.758G	122.37	Inf	-Inf	113.22	3	Vertical	22	2.90	-	34.03	7.57	32.45			
AV	5.7425G	112.09	Inf	-Inf	103.01	3	Vertical	22	2.90	-	33.97	7.56	32.45			
PK	5.961G	65.48	68.20	-2.72	55.26	3	Vertical	22	2.90	-	35.00	7.66	32.44			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 104
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	68.75	68.94	-0.19	59.96	3	Horizontal	360	1.80	-	33.70	7.54	32.45			
PK	5.7525G	122.29	Inf	-Inf	113.16	3	Horizontal	360	1.80	-	34.01	7.57	32.45			
AV	5.7475G	111.34	Inf	-Inf	102.24	3	Horizontal	360	1.80	-	33.99	7.56	32.45			
PK	5.937G	65.59	68.20	-2.61	55.46	3	Horizontal	360	1.80	-	34.92	7.65	32.44			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 102
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52608G	58.69	74.00	-15.31	41.62	3	Vertical	52	1.99	-	38.80	10.86	32.59			
AV	11.52752G	47.53	54.00	-6.47	30.46	3	Vertical	52	1.99	-	38.80	10.86	32.59			
PK	17.26704G	67.41	68.20	-0.79	44.71	3	Vertical	322	1.80	-	41.40	13.21	31.91			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 102
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51666G	58.13	74.00	-15.87	41.07	3	Horizontal	142	1.74	-	38.80	10.85	32.59			
AV	11.51604G	47.38	54.00	-6.62	30.32	3	Horizontal	142	1.74	-	38.80	10.85	32.59			
PK	17.24646G	68.02	68.20	-0.18	45.44	3	Horizontal	140	1.90	-	41.29	13.21	31.92			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.635G	66.93	68.20	-1.27	58.15	3	Vertical	21	2.05	-	33.70	7.53	32.45			
PK	5.7995G	123.31	Inf	-Inf	113.98	3	Vertical	21	2.05	-	34.20	7.58	32.45			
AV	5.8G	113.11	Inf	-Inf	103.78	3	Vertical	21	2.05	-	34.20	7.58	32.45			
PK	5.925G	67.76	68.20	-0.44	57.71	3	Vertical	21	2.05	-	34.85	7.64	32.44			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	67.27	68.20	-0.93	58.49	3	Horizontal	0	1.80	-	33.70	7.53	32.45			
PK	5.792G	122.71	Inf	-Inf	113.41	3	Horizontal	0	1.80	-	34.17	7.58	32.45			
AV	5.7975G	112.62	Inf	-Inf	103.30	3	Horizontal	0	1.80	-	34.19	7.58	32.45			
PK	5.923G	69.54	69.68	-0.14	59.50	3	Horizontal	0	1.80	-	34.84	7.64	32.44			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60404G	58.28	74.00	-15.72	41.21	3	Vertical	22	1.63	-	38.80	10.90	32.63			
AV	11.59514G	47.66	54.00	-6.34	30.58	3	Vertical	22	1.63	-	38.80	10.90	32.62			
PK	17.385G	68.03	68.20	-0.17	44.77	3	Vertical	321	1.80	-	41.84	13.25	31.83			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.61904G	58.22	74.00	-15.78	41.14	3	Horizontal	325	1.73	-	38.80	10.91	32.63			
AV	11.61106G	47.59	54.00	-6.41	30.51	3	Horizontal	325	1.73	-	38.80	10.91	32.63			
PK	17.39244G	66.33	68.20	-1.87	43.04	3	Horizontal	44	1.88	-	41.87	13.25	31.83			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 104
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.642G	65.01	68.20	-3.19	56.23	3	Vertical	21	1.03	-	33.70	7.53	32.45			
PK	5.745G	122.30	Inf	-Inf	113.21	3	Vertical	21	1.03	-	33.98	7.56	32.45			
AV	5.7565G	109.80	Inf	-Inf	100.65	3	Vertical	21	1.03	-	34.03	7.57	32.45			
PK	5.937G	65.17	68.20	-3.03	55.04	3	Vertical	21	1.03	-	34.92	7.65	32.44			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 104
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	68.05	68.20	-0.15	59.27	3	Horizontal	358	1.80	-	33.70	7.53	32.45			
PK	5.773G	123.17	Inf	-Inf	113.96	3	Horizontal	358	1.80	-	34.09	7.57	32.45			
AV	5.773G	112.22	Inf	-Inf	103.01	3	Horizontal	358	1.80	-	34.09	7.57	32.45			
PK	5.9475G	65.30	68.20	-2.90	55.11	3	Horizontal	358	1.80	-	34.98	7.65	32.44			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 104
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50832G	59.35	74.00	-14.65	42.28	3	Vertical	129	1.80	-	38.80	10.85	32.58			
AV	11.51874G	45.93	54.00	-8.07	28.86	3	Vertical	129	1.80	-	38.80	10.86	32.59			
PK	17.2683G	66.61	68.20	-1.59	43.90	3	Vertical	45	1.88	-	41.41	13.21	31.91			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 104
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50058G	58.45	74.00	-15.55	41.38	3	Horizontal	188	1.28	-	38.80	10.85	32.58			
AV	11.51918G	45.99	54.00	-8.01	28.92	3	Horizontal	188	1.28	-	38.80	10.86	32.59			
PK	17.25874G	67.57	68.20	-0.63	44.92	3	Horizontal	297	3.00	-	41.35	13.21	31.91			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 106
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.634G	66.07	68.20	-2.13	57.29	3	Vertical	10	1.00	-	33.70	7.53	32.45			
PK	5.8015G	121.80	Inf	-Inf	112.46	3	Vertical	10	1.00	-	34.21	7.58	32.45			
AV	5.796G	109.54	Inf	-Inf	100.23	3	Vertical	10	1.00	-	34.18	7.58	32.45			
PK	5.943G	65.72	68.20	-2.48	55.55	3	Vertical	10	1.00	-	34.96	7.65	32.44			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 106
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	66.50	68.20	-1.70	57.72	3	Horizontal	360	1.79	-	33.70	7.53	32.45			
PK	5.7825G	123.52	Inf	-Inf	114.27	3	Horizontal	360	1.79	-	34.13	7.57	32.45			
AV	5.779G	112.34	Inf	-Inf	103.10	3	Horizontal	360	1.79	-	34.12	7.57	32.45			
PK	5.925G	67.94	68.20	-0.26	57.89	3	Horizontal	360	1.79	-	34.85	7.64	32.44			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 106
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58056G	58.70	74.00	-15.30	41.63	3	Vertical	124	2.27	-	38.80	10.89	32.62			
AV	11.58764G	46.12	54.00	-7.88	29.05	3	Vertical	124	2.27	-	38.80	10.89	32.62			
PK	17.37646G	66.04	68.20	-2.16	42.82	3	Vertical	314	2.46	-	41.81	13.25	31.84			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 106
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58666G	58.65	74.00	-15.35	41.58	3	Horizontal	78	1.80	-	38.80	10.89	32.62			
AV	11.58452G	46.17	54.00	-7.83	29.10	3	Horizontal	78	1.80	-	38.80	10.89	32.62			
PK	17.384G	67.32	68.20	-0.88	44.06	3	Horizontal	287	3.00	-	41.84	13.25	31.83			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 97
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.65G	65.89	68.20	-2.31	57.10	3	Vertical	29	1.18	-	33.70	7.54	32.45				
PK	5.7495G	117.88	Inf	-Inf	108.77	3	Vertical	29	1.18	-	34.00	7.56	32.45				
AV	5.77G	107.53	Inf	-Inf	98.33	3	Vertical	29	1.18	-	34.08	7.57	32.45				
PK	5.939G	67.88	68.20	-0.32	57.74	3	Vertical	29	1.18	-	34.93	7.65	32.44				

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 97
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	68.16	68.20	-0.04	59.38	3	Horizontal	25	2.09	-	33.70	7.53	32.45			
PK	5.78G	117.58	Inf	-Inf	108.34	3	Horizontal	25	2.09	-	34.12	7.57	32.45			
AV	5.745G	107.15	Inf	-Inf	98.06	3	Horizontal	25	2.09	-	33.98	7.56	32.45			
PK	5.9255G	66.81	68.20	-1.39	56.76	3	Horizontal	25	2.09	-	34.85	7.64	32.44			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 97
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56764G	58.54	74.00	-15.46	41.47	3	Vertical	38	1.60	-	38.80	10.88	32.61			
AV	11.54802G	47.63	54.00	-6.37	30.56	3	Vertical	38	1.60	-	38.80	10.87	32.60			
PK	17.295G	65.32	68.20	-2.88	42.42	3	Vertical	0	1.62	-	41.57	13.22	31.89			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 97
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57718G	59.27	74.00	-14.73	42.19	3	Horizontal	104	1.80	-	38.80	10.89	32.61			
AV	11.56746G	47.51	54.00	-6.49	30.44	3	Horizontal	104	1.80	-	38.80	10.88	32.61			
PK	17.35374G	65.48	68.20	-2.72	42.38	3	Horizontal	331	2.38	-	41.71	13.24	31.85			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 93
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	66.63	68.20	-1.57	57.85	3	Vertical	19	1.00	-	33.70	7.53	32.45			
PK	5.745G	117.89	Inf	-Inf	108.80	3	Vertical	19	1.00	-	33.98	7.56	32.45			
AV	5.745G	107.67	Inf	-Inf	98.58	3	Vertical	19	1.00	-	33.98	7.56	32.45			
PK	5.9285G	66.41	68.20	-1.79	56.34	3	Vertical	19	1.00	-	34.87	7.64	32.44			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 93
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	68.18	68.20	-0.02	59.40	3	Horizontal	360	1.82	-	33.70	7.53	32.45			
PK	5.813G	119.11	Inf	-Inf	109.72	3	Horizontal	360	1.82	-	34.25	7.59	32.45			
AV	5.812G	109.14	Inf	-Inf	99.75	3	Horizontal	360	1.82	-	34.25	7.59	32.45			
PK	5.9245G	68.02	68.57	-0.55	57.97	3	Horizontal	360	1.82	-	34.85	7.64	32.44			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 93
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55652G	58.47	74.00	-15.53	41.39	3	Vertical	54	1.02	-	38.80	10.88	32.60			
AV	11.55828G	46.11	54.00	-7.89	29.04	3	Vertical	54	1.02	-	38.80	10.88	32.61			
PK	17.33308G	66.03	68.20	-2.17	43.00	3	Vertical	310	3.00	-	41.67	13.23	31.87			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX

EUT_Z_4TX
Setting 93
01-P-E-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5536G	58.56	74.00	-15.44	41.49	3	Horizontal	58	1.88	-	38.80	10.87	32.60			
AV	11.55426G	46.16	54.00	-7.84	29.09	3	Horizontal	58	1.88	-	38.80	10.87	32.60			
PK	17.3272G	65.41	68.20	-2.79	42.40	3	Horizontal	294	1.01	-	41.65	13.23	31.87			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.80556G	34.63	54.00	-19.37	Horizontal

Mode 1



Mode 1

