


Inverted F Antenna Specification

Summary

ITEM ANT	SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal V			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-1.73	-0.84	-0.68	-6.15	-3.70	-2.32
MAX. Gain	-0.68					
Polarization Ho	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance 50	Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.73178	-3	0.0815 -8
2450 -0	.845801		-38.5605
2500 -0	.685586		-24.0318

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400 -6	.1530	-24.1420	-13.0295
2450 -3	.7054	-26.5836	-10.6700
2500	-2.32122	-3	0.4301 -9

ANT Test Labs: Attestation of Global Compliance Co., Ltd.