

hertzaudiovideo.com





1 INDEX

2.	PRECAUTIONS	≾
3.	PACKAGING CONTENTS	5
4.	DIMENSIONS	5
5.	INSTALLATION	
6.	MOUNTING	
7.	CONNECTIONS	
8.	CONTROLS	
	8.1 Operational Panel	
	8.2 Name of Buttons and their Functions	9
9.	OPERATIONS	.10
	9.1 Basic Operation	.10
	9.2 FM (RDS) Operation	.11
	9.3 USB Mode Operation	
	9.4 AUX In Mode Operation	
	9.5 Bluetooth Operation	
10.	TROUBLESHOOTING	.14
	10.1 General	.14
	10.2 USB	.14
	10.3 Bluetooth	.14
11.	TECHNICAL SPECIFICATIONS	.15





2 PRECAUTIONS

WARNING: for your safety, while boating, keep the volume to a level at which external sounds can be heard.

 This unit uses precision parts and components for its operation. In the event of any operating issues, never open the case or disassemble the unit. Contact your Hertz dealer or service center.

WADNING.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC STATEMENT

- 2.1 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC ID: 2ASUD-HMR10

 The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Elettromedia srl is under license. Other trademarks and trade names belong to their respective owners.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement.

This equipment complied with FCC radiation exposure requirement. The device can be used in fixed/mobile(min20cm) exposure condition without restriction.

4. IC: 24882-HMR10

This device complies with Industry Canada's license-exempt RSS standard(s).

Operation is subject to the following two conditions:

(1)This device may not cause interference
(2) This device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-0003.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence

L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Cleaning the Body

- Use a soft, dry cloth and gently wipe off any dirt or dust.
 For persistent dirt, apply some neutral detergent diluted in water on a soft cloth, wipe off the dirt gently, then wipe again with a dry cloth.
- Do not use benzene, thinner, boat cleaner, etc., as these substances may damage the body or cause the paint to peel. Also, leaving rubber or plastic products in contact with the body for long periods of time may cause stains.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to ISED Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

IC Radiation Exposure Statement.

This equipment complied with IC radiation exposure requirement. The device can be used in fixed/mobile(min20cm) exposure condition without restriction.





USB Port

- The USB memory sticks must be recognized as "USB" to work properly. Some models may not operate correctly. In the event data is lost or damaged under any condition, Elettromedia srl shall not be liable for any damage. When using the USB memory stick, we recommend that you backup your data (music) to a personal computer before using.
- before using.

 Data (music) files may be damaged when USB memory sticks are removed while the device is reading data, or by Static electricity and/or an electrical surge.
- Connect/disconnect the USB memory stick when it is not accessed.
- Disconnect the USB memory device when not in use.

CAUTIONS ON HANDLING

Protect from high temperatures. Exposure to direct sunlight for an extended period of time can produce very high temperature in your vessel. Cool down the interior before starting playback.






Owner's Manual

B PACKAGING CONTENTS






4 DIMENSIONS

HMR 10



	Α	В	С	D	
HMR 10	113	89,5	72	24,5	mm
HIVIK 10	4.45	3.52	2.83	0.96	in.



5 INSTALLATION

5.1 Before Starting

- 1. This set is exclusively for use in vessels with a negative ground 12 V power supply.
- 2. Read these instructions carefully.

5.2 Installation Cautions

3. Make sure the battery "-" terminal is disconnected before starting. This is to prevent short circuits during installation. (Figure 1)




Figure 1

- 1. In order to avoid any interference, do not install the tuner module or control unit in the proximity of the engine compartment.
- 2. The use of unauthorized parts can cause permanent damage to the unit.
- 3. Always check your wire connections to ensure proper installation before turning on the unit.
- 4. Consult with your nearest dealer for proper installation or if other accessories are needed to complete the installation
- **5.** Seek assistance if modifications or drilling holes to your vessel is needed.
- **6.** Do not install the unit where it will be subjected to excessive moisture, dust, dirt, foreign particles or vibration. Areas of high temperature from the engine, direct sunlight, or heat sources should also be avoided.
- 7. Do not install the unit in a location where it will interfere with the vessel operation, or it will injure the passengers if there is a sudden or emergency stop.






Owner's Manua





7 CONNECTIONS






12 pin Harness pin out					
No.	Wire color	Description			
1	Yellow	Battery (+12V)			
2	White/black	Front left -			
3	White	Front left +			
4	Red	ACC (+12V)			
5	Grey/black	Front right -			
6	Grey	Front right +			
7	Blue	Antenna/ Remote out (+12V)			
8	Green/black	Rear left -			
9	Green	Rear left +			
10	Black	GND			
11	Violet/black	Rear right -			
12	Violet	Rear right +			

Note: cable out view

۶






Owner's Manual

8 CONTROLS

8.1 Operational Panel

8.2 Name of Buttons and their Functions

- 1 (I) Button
 - Mute ON / OFF (short press)
 - Power On (short press)
 - Power OFF (long press)
- VOL +/- Button
 Adjust volume level
- 3 AS Button



- FM mode: auto storing of the first 18 strongest stations (FM1, FM2, FM3). (Long press).
- -AM mode: auto storing of the first 12 strongest stations (AM1, AM2). (Long press).
- USB mode: a long press enter USB music file browsing (please see "9.3 USB mode operation")

4 I◄◄/ ►►I Button

- -AM/FM mode: previous/next preset station (short press).
- AM/FM mode: SEEK the next/previous strongest station (long press).
- USB/BT mode: previous/next track (short press).
- USB/BT mode: fast forward / rewind (press and hold).

5 ►II Button


- AM/FM mode: SAVE a preset station (long press). (please see "9.2 Radio operation").
- USB/BT mode: PLAY or PAUSE playback (short press).

6 BAND Button

- AM/FM mode: change band.
- USB mode: change display info (Title, Artist, Album name, Track number and Playback time) (short press).

7 SRC Button

- Toggle the audio source (short press).
- Enter into system MENU (long press).
- Then short press "SRC" to move to the next option.
- Use the "VOL +/-" button to change the option value.









OPERATIONS

9.1 Basic Operation

WARNING: when the unit is turned on, starting and stopping the engine with its volume raised to the maximum level may cause hearing damage. Make sure you adjust the volume in advance

Power On/Off

Note:

- Start the engine before using this unit.
- Be careful about using this unit for a long time without running the engine. If you drain the vessel battery, you may not be able to start the engine and this can reduce the service life of the battery.
- 1. Start the engine.



Engine ON position

- 2. Press the (b) button to turn on the power in standby mode. Press and hold to turn off the power.
- 3. Press the SRC button to toggle source among Tuner, USB, BT Music, Aux In.

Adjusting the volume

Press VOL + / VOL- button to increase or decrease the volume.

The adjustable range of volume is 0 to 40.

WARNING: while boating, keep the volume at a level at which external sounds can still be heard.

Please be aware of the volume levels in residential, family areas and local volume level ordinances.

System menu

- Press and hold SRC to enter system menu.
- Press SRC to move to the next option.
- Use the VOL +/- button to change the option value / setting.

1 Bass:

Press VOL + or VOL - to adjust the desired Bass level range from -7 to +7.

2 Treble:

Press **VOL +** or **VOL -** to adjust the desired Treble level range from -7 to +7.

3 Balance:

Press **VOL** + or **VOL** - to adjust the Balance between the right and left speakers from R10 (full right) to L10 (full left).

4 Fader

Press **VOL +** or **VOL -** to adjust the Fader between the front and rear speakers from R10 (full rear) to F10 (full front).

5 Beep:

Press VOL + or VOL - to select beep on/off.

6 EQ (Preset Equalizer Setting): Press VOL + or VOL - to change EQ: Hertz EQ -> Classic -> Pop.

7 LOUD:

Press VOL + or VOL - to select ON/OFF.

Q Δroa

Press VOL + or VOL - to select between USA, Europe.

9 P-VOL:

Press **VOL** + or **VOL** - to select the desired volume level upon turn on.

10



9.2 Radio Operation

Select Tuner as Playing Source

Press SRC button to select the Tuner mode.

Global Tuner

This unit is initially set to USA frequency intervals of 10KHz for AM and 100KHz for FM. When using it outside the USA, the frequency reception range can be switched to the intervals below.

		USA Standard	Europe Standard
ΑМ	Frequency spacing	10KHz	9KHz
Alvi	Frequency range	530 - 1710KHz	522 - 1620KHz
FM	Frequency spacing	100KHz	50KHz
I IVI	Frequency range	87.5 - 107.9MHz	87.5 - 108MHz

Select the Radio Band

Press **BAND** button to select one radio band from FM1, FM2, FM3, AM1, AM2.

Preset station selection

- short press **SEEK** to move to the previous preset.
- short press **SEEK** + to move to the next preset.

SEEK Tuning

- long press **SEEK** to SEEK the previous strongest station.
- long press SEEK + to SEEK the next strongest station.

Manual Tuning

short press AS button to enter manual tuning.

- the display shows MANUAL (the system reverts to AUTO mode after a few seconds if no button is pressed).
- press SEEK or SEEK + to manual tune the desired frequency (the system reverts to AUTO mode after a
 few seconds if no button is pressed).

Auto Store

Only stations with sufficient signal strength will be detected and stored in the memory. Press and hold the **AS** button to automatically find the first 18 strongest stations and store them into presets. The new stations replace any stations already stored in the band.

Save a preset

Tune the desired station / frequency and then press and hold hold button, the preset number starts to blink. Use the **SEEK** buttons to select desired preset number then long press button to save it.








9.3 USB Mode Operation

Connect

- 1. Insert a USB device into the USB pigtail.
- 2. To remove the USB device, you should select another source or turn off the power, in order to avoid damaging the USB device. Then take off the USB device.



Select a Track

- 1. Press the ▶▶ button to move on to the next track/song. Press the ▶▶ button to go back to the previous track/song.
- 2. Press and hold the button to fast forward through the track/song. Press and hold the ■ button to rewind through the track/song.

Play / Pause

Press the button to pause the track/song that is currently playing.

Press the button to resume playing the track/song that has been paused.

Repeat Feature

This function allows you to Repeat All tracks/songs, repeat the currently playing track/song or turn the Repeat feature OFF.

- 1. Press AS button once, it will display "REPEAT ONE". The "RPT" logo lights up.
- 2. Press AS twice, it will display "RANDOM". The "RDM" logo lights up.
- 3. Press AS button three times, it will display "REPEAT ALL". The "RPT" logo turns off.

Track Info

Short press **BAND** button to change the displayed info.





9.4 AUX In Mode Operation

The AUX In RCA inputs in this system are provided to allow playback of sounds and music from external devices connected to this unit. Press the **SRC** button to select "AUX In".



9.5 Bluetooth Operation

Pair the Bluetooth Device

- 1. From your Bluetooth enabled device, turn Bluetooth ON and search for Bluetooth device.
- 2. When a list of available Bluetooth devices appears on your Bluetooth device select HMR 10
- 3. "CONN. OK" will appear on the display.
- 4. The unit will automatically enter the BT Music source and you can now start streaming audio from your Bluetooth enabled device.

Note:

When the device is connected long pressing the **AS** button the device will be disconnected. Short press **AS** button to reconnect the same device (it may take up to 20 seconds).

WARNING: please avoid operating your connected mobile phone while audio streaming as this may cause noise or stuttering on the song playback. Audio streaming may or may not resume after telephone interruption as this depends on the mobile phone used.

Play / Pause

Press the II button to pause the track/song that is currently playing.

Press the II button to resume playing the track/song that has been paused.

Select a Track

- **1.** Press the button to move on to the next track/song.
- 2. Press the button to go back to the previous track/song.

Note:

Playing order will depend on Bluetooth audio player. When the I button is pressed some A2DP devices will restart the current track depending on the duration of the playback. Some Bluetooth audio players may not allow play / pause synchronization with this unit. Please make sure both the device and the main unit are in the same play / pause status in BT Music mode.







10 TROUBLESHOOTING

10.1 General

Problem	Cause	Remedy	
Unit cannot newer on	Unit fuse blown.	Replace with new fuse of correct value.	
Unit cannot power on.	Vessel battery fuse blown.	Replace with new fuse of correct value.	
	Incorrect audio output connection.	Check wiring and correct.	
	Volume set too low.	Increase volume level.	
	Speakers damaged.	Replace speakers.	
No/low audio output.	Heavily biased volume balance.	Adjust the channel balance to center position.	
	Speaker wiring is in contact with metal part of vessel.	Insulate all speaker wiring connections.	
Poor sound quality or	Speaker power rating does not match unit.	Replace speakers.	
distortion.	Wrong connections.	Check wiring and correct.	
	Speaker is shorted.	Check wiring and correct.	
Unit resets itself when engine is off.	Incorrect connection between ACC and Battery.	Check wiring and correct.	
Auto seek function can not find	The antenna cable is not connected.	Insert the antenna cable securely.	
any stations.	The signals are too weak.	Select a station manually.	

10.2 USB

Problem	Cause	Remedy	
USB device cannot be inserted.	The USB device has been inserted incorrectly.	Reverse the connection direction of the USB device and try again.	
	The USB connector is broken.	Replace with a new USB device.	
	The USB device is damaged.	Disconnect the USB device and reconnect.	
USB device is not recognized.	Connectors are loose.	If the device is still not recognized, try replacing it with a different USB device.	
No sound heard with the display showing "No File".	No MP3/WMA file is stored in the USB device.	Store these files properly in the USB device.	
Sound skips or is noisy.	MP3/WMA files are not encoded properly.	Use properly encoded MP3/WMA files.	

10.3 Bluetooth

Problem	Cause	Remedy	
Cannot pair the Bluetooth	The device does not support the profiles required for the system.	Reverse the connection direction of the USB device and try again.	
enabled device with the audio system.	The Bluetooth function of the device is not enabled.	Refer to the user manual of the device for how to enable the function.	
Audio quality is poor after connection with a Bluetooth enabled device.	The Bluetooth reception is poor.	Move the device closer to the audio system or remove any obstacle between the device and the system.	

14



11 TECHNICAL SPECIFICATIONS

FM TUNER					
		USA	87.9 - 107.9 MHz		
		Europe	87.5 - 108.0 MHz		
Frequency Range		Asia	87.5 - 108.0 MHz		
		Australia	87.5 - 108.0 MHz		
AM TUNER					
		USA	530 - 1710 KHz		
		Europe	531 - 1602 KHz		
Frequency Range		Asia	531 - 1629 KHz		
		Australia	531 - 1629 KHz		
AUDIO					
Maximum Power 0	utput	50 W x 4 (0	@ 4 Ohm)		
Max Output Level @	0.1 % THD	4 x 4 V RM	S (Front - Rear)		
USB					
USB		2.0 Full Sp	eed		
USB Port		1 A			
USB Voltage		5.0 V			
Maximum MP3/WN	MA Songs	Max Folder 6000 Max File 60000			
USB Flash Drive		Max Capacity 32 Gb			
Compatible Format		FAT/FAT32			
BLUETOOTH					
Specification		Bluetooth	Version 2.1 + EDR		
Supported Profiles		 A2DP (Advanced Audio Distribution Profile) AVRCP 1.5 (Audio/Video Remote control profile) SSP (Simple Secure Pairing) 			
GENERAL					
Power Supply Volta	ige	12 V DC (10,5 to 16 V allowable)			
Grounding System		Negative Ground			
Speaker impedance		4-8 ohms per channel			
IP Protection		IP66			
Over Voltage		Alarm			
Over Temperature		Protection			
NOTE: Specifications and design are subject to change without notice for further improvement.					
CEA SPECIFICATIONS					
O BA CEA-2008 County	Output po	oower @ 4Ω, ≤1% THD+N, 14.4 V: 22 W x 4 RMS			













PART OF **ELETTROMEDIA**Strada Regina Km 3,500 - Marignano
62018 Potenza Picena (MC) Italy
T+39 0733 870 870 - F+39 0733 870 880
www.elettromedia.it

All specifications subject to change without notice FML001_REV.C