













Mode	15																																																																																																									
	30-1G																																																																																																									
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal																																																																																																									
Peak																																																																																																										
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.15</td><td>20.90</td><td>40.00</td><td>-19.10</td><td>29.91</td><td>23.38</td><td>0.40</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>221.09</td><td>34.52</td><td>46.00</td><td>-11.48</td><td>50.42</td><td>15.34</td><td>1.57</td><td>32.81</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>319.55</td><td>41.63</td><td>46.00</td><td>-4.37</td><td>53.00</td><td>19.57</td><td>1.90</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>341.61</td><td>43.29</td><td>46.00</td><td>-2.71</td><td>54.21</td><td>20.02</td><td>1.91</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>368.53</td><td>44.56</td><td>46.00</td><td>-1.44</td><td>54.69</td><td>20.75</td><td>2.04</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>442.25</td><td>43.32</td><td>46.00</td><td>-2.68</td><td>51.33</td><td>22.81</td><td>2.23</td><td>33.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	33.15	20.90	40.00	-19.10	29.91	23.38	0.40	32.79	---	---	Peak	2	221.09	34.52	46.00	-11.48	50.42	15.34	1.57	32.81	---	---	Peak	3	319.55	41.63	46.00	-4.37	53.00	19.57	1.90	32.84	---	---	Peak	4	341.61	43.29	46.00	-2.71	54.21	20.02	1.91	32.85	---	---	Peak	5	368.53	44.56	46.00	-1.44	54.69	20.75	2.04	32.92	---	---	Peak	6	442.25	43.32	46.00	-2.68	51.33	22.81	2.23	33.05	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	33.15	20.90	40.00	-19.10	29.91	23.38	0.40	32.79	---	---	Peak																																																																																															
2	221.09	34.52	46.00	-11.48	50.42	15.34	1.57	32.81	---	---	Peak																																																																																															
3	319.55	41.63	46.00	-4.37	53.00	19.57	1.90	32.84	---	---	Peak																																																																																															
4	341.61	43.29	46.00	-2.71	54.21	20.02	1.91	32.85	---	---	Peak																																																																																															
5	368.53	44.56	46.00	-1.44	54.69	20.75	2.04	32.92	---	---	Peak																																																																																															
6	442.25	43.32	46.00	-2.68	51.33	22.81	2.23	33.05	---	---	Peak																																																																																															
Peak																																																																																																										
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>34.12</td><td>31.16</td><td>40.00</td><td>-8.84</td><td>40.50</td><td>22.84</td><td>0.60</td><td>32.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>342.10</td><td>43.67</td><td>46.00</td><td>-2.33</td><td>54.57</td><td>20.04</td><td>1.91</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>393.27</td><td>43.25</td><td>46.00</td><td>-2.75</td><td>52.55</td><td>21.57</td><td>2.13</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>492.45</td><td>41.72</td><td>46.00</td><td>-4.28</td><td>48.78</td><td>23.76</td><td>2.31</td><td>33.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>566.90</td><td>41.28</td><td>46.00</td><td>-4.72</td><td>45.64</td><td>26.40</td><td>2.49</td><td>33.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>891.12</td><td>34.25</td><td>46.00</td><td>-11.75</td><td>34.59</td><td>28.95</td><td>3.09</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	34.12	31.16	40.00	-8.84	40.50	22.84	0.60	32.78	---	---	Peak	2	342.10	43.67	46.00	-2.33	54.57	20.04	1.91	32.85	---	---	Peak	3	393.27	43.25	46.00	-2.75	52.55	21.57	2.13	33.00	---	---	Peak	4	492.45	41.72	46.00	-4.28	48.78	23.76	2.31	33.13	---	---	Peak	5	566.90	41.28	46.00	-4.72	45.64	26.40	2.49	33.25	---	---	Peak	6	891.12	34.25	46.00	-11.75	34.59	28.95	3.09	32.38	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	34.12	31.16	40.00	-8.84	40.50	22.84	0.60	32.78	---	---	Peak																																																																																															
2	342.10	43.67	46.00	-2.33	54.57	20.04	1.91	32.85	---	---	Peak																																																																																															
3	393.27	43.25	46.00	-2.75	52.55	21.57	2.13	33.00	---	---	Peak																																																																																															
4	492.45	41.72	46.00	-4.28	48.78	23.76	2.31	33.13	---	---	Peak																																																																																															
5	566.90	41.28	46.00	-4.72	45.64	26.40	2.49	33.25	---	---	Peak																																																																																															
6	891.12	34.25	46.00	-11.75	34.59	28.95	3.09	32.38	---	---	Peak																																																																																															





Mode	16																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>70.57</td><td>74.00</td><td>-3.43</td><td>62.21</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>189 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	70.57	74.00	-3.43	62.21	32.15	7.26	37.05	6.00	100	189 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.66</td><td>-----</td><td>-----</td><td>99.38</td><td>32.09</td><td>7.22</td><td>37.03</td><td>6.00</td><td>100</td><td>189 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.66	-----	-----	99.38	32.09	7.22	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.62	70.57	74.00	-3.43	62.21	32.15	7.26	37.05	6.00	100	189 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	107.66	-----	-----	99.38	32.09	7.22	37.03	6.00	100	189 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.96</td><td>54.00</td><td>-0.04</td><td>45.60</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>189 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.96	54.00	-0.04	45.60	32.15	7.26	37.05	6.00	100	189 Average	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.42</td><td>-----</td><td>-----</td><td>90.14</td><td>32.09</td><td>7.22</td><td>37.03</td><td>6.00</td><td>100</td><td>189 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.42	-----	-----	90.14	32.09	7.22	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	53.96	54.00	-0.04	45.60	32.15	7.26	37.05	6.00	100	189 Average																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	98.42	-----	-----	90.14	32.09	7.22	37.03	6.00	100	189 AVERAGE																																																																																										



Mode	16																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.58</td><td>73.12</td><td>74.00</td><td>-0.88</td><td>64.76</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	73.12	74.00	-0.88	64.76	32.15	7.26	37.05	6.00	100	295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.22</td><td>-----</td><td>-----</td><td>96.94</td><td>32.09</td><td>7.22</td><td>37.03</td><td>6.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.22	-----	-----	96.94	32.09	7.22	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.58	73.12	74.00	-0.88	64.76	32.15	7.26	37.05	6.00	100	295 PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	105.22	-----	-----	96.94	32.09	7.22	37.03	6.00	100	295 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>53.71</td><td>54.00</td><td>-0.29</td><td>45.35</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>295 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	53.71	54.00	-0.29	45.35	32.15	7.26	37.05	6.00	100	295 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.68</td><td>-----</td><td>-----</td><td>87.40</td><td>32.09</td><td>7.22</td><td>37.03</td><td>6.00</td><td>100</td><td>295 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.68	-----	-----	87.40	32.09	7.22	37.03	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.56	53.71	54.00	-0.29	45.35	32.15	7.26	37.05	6.00	100	295 AVERAGE																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	95.68	-----	-----	87.40	32.09	7.22	37.03	6.00	100	295 AVERAGE																																																																																						




Mode	16																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>61.58</td><td>33.90</td><td>10.35</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7306.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>59.97</td><td>35.51</td><td>12.73</td><td>66.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.28	74.00	-33.72	61.58	33.90	10.35	65.55	0.00	---	PEAK	2	7306.00	42.06	74.00	-31.94	59.97	35.51	12.73	66.15	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4924.00	40.28	74.00	-33.72	61.58	33.90	10.35	65.55	0.00	---	PEAK																																																									
2	7306.00	42.06	74.00	-31.94	59.97	35.51	12.73	66.15	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>61.77</td><td>33.90</td><td>10.35</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7306.00</td><td>42.07</td><td>74.00</td><td>-31.93</td><td>59.98</td><td>35.51</td><td>12.73</td><td>66.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.47	74.00	-33.53	61.77	33.90	10.35	65.55	0.00	---	PEAK	2	7306.00	42.07	74.00	-31.93	59.98	35.51	12.73	66.15	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4924.00	40.47	74.00	-33.53	61.77	33.90	10.35	65.55	0.00	---	PEAK																																																									
2	7306.00	42.07	74.00	-31.93	59.98	35.51	12.73	66.15	0.00	---	PEAK																																																									




Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.05	-	-	10Hz
802.11g	88.17	0.745	1.342	1.5KHz
802.11n HT20	87.65	0.710	1.408	1.5KHz

802.11b



802.11g





802.11n HT20

