

Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

Page 138 of 216

11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER 11.3.1. Test Result

Mada	Channal	AVG			
Mode	Channel	Ant0	Ant1	Total	Limit
	2407.5	24.26	24.45	27.37	30
	2437.5	24.96	24.77	27.88	30
SRD 10M	2465.5	23.89	24.83	27.40	30
	2466.5	23.23	23.72	26.49	30
	2467.5	22.39	22.53	25.47	30
	2412.5	23.66	22.31	26.05	30
	2414.5	23.81	23.97	26.90	30
	2416.5	25.14	24.86	28.01	30
CDD 20M	2437.5	25.01	25.14	28.09	30
SRD 20M	2453.5	25.10	24.23	27.70	30
	2456.5	24.30	23.28	26.83	30
	2458.5	23.25	22.28	25.80	30
	2462.5	21.57	20.83	24.23	30
	2422.5	23.36	22.59	26.00	30
SRD 40M	2437.5	23.25	23.81	26.55	30
	2452.5	23.07	22.38	25.75	30
	2432.5	21.30	20.60	23.97	30
CDD COM	2436.5	20.83	20.88	23.87	30
SRD 60M	2437.5	23.50	23.96	26.75	30
	2442.5	22.80	23.01	25.92	30

REPORT NO.: 4791371445-1-RF-4 Page 139 of 216

Mada	Channal	AVG	1		
Mode	Channel	Ant0	Ant3	Total	Limit
	2407.5	24.54	24.03	27.30	30
	2437.5	25.52	24.75	28.16	30
SRD 10M	2465.5	24.15	24.85	27.52	30
	2466.5	23.25	23.46	26.37	30
	2467.5	22.45	22.73	25.60	30
	2412.5	23.28	21.83	25.63	30
	2414.5	23.99	23.71	26.86	30
	2416.5	25.36	25.26	28.32	30
SRD 20M	2437.5	25.49	24.82	28.18	30
SKD ZUIVI	2453.5	25.02	24.19	27.64	30
	2456.5	24.02	23.64	26.84	30
	2458.5	22.99	22.38	25.71	30
	2462.5	21.29	20.41	23.88	30
	2422.5	23.32	22.77	26.06	30
SRD 40M	2437.5	23.51	23.99	26.77	30
	2452.5	23.07	22.30	25.71	30
	2432.5	21.00	20.92	23.97	30
SRD 60M	2436.5	21.25	20.70	23.99	30
אט סאצ	2437.5	23.36	23.84	26.62	30
	2442.5	22.80	23.21	26.02	30

Page 140 of 216

Mada	Channal	AVG	AVG Conducted power(dBm)			
Mode	Channel	Ant0	Ant5	Total	Limit	
	2407.5	24.34	23.87	27.12	30	
	2437.5	24.98	25.03	28.02	30	
SRD 10M	2465.5	24.01	24.77	27.42	30	
	2466.5	23.61	23.52	26.58	30	
	2467.5	22.39	22.77	25.59	30	
	2412.5	23.18	22.31	25.78	30	
	2414.5	23.87	23.81	26.85	30	
	2416.5	25.46	25.02	28.26	30	
SRD 20M	2437.5	25.15	24.92	28.05	30	
SKD ZUIVI	2453.5	25.48	24.39	27.98	30	
	2456.5	24.50	23.32	26.96	30	
	2458.5	23.39	22.28	25.88	30	
	2462.5	21.57	20.51	24.08	30	
	2422.5	23.62	22.21	25.98	30	
SRD 40M	2437.5	23.79	23.49	26.65	30	
	2452.5	23.17	22.44	25.83	30	
	2432.5	20.76	20.98	23.88	30	
SBD 60M	2436.5	21.11	21.02	24.08	30	
SRD 60M	2437.5	23.46	23.68	26.58	30	
	2442.5	22.68	23.35	26.04	30	

REPORT NO.: 4791371445-1-RF-4 Page 141 of 216

BA a da	Channel	AVG (1		
Mode	Channel	Ant1	Ant2	Total	Limit
	2407.5	24.58	23.93	27.28	30
	2437.5	25.10	24.85	27.99	30
SRD 10M	2465.5	23.89	24.87	27.42	30
	2466.5	23.55	23.58	26.58	30
	2467.5	22.57	22.63	25.61	30
	2412.5	23.24	21.87	25.62	30
	2414.5	24.01	23.55	26.80	30
	2416.5	25.32	25.24	28.29	30
SRD 20M	2437.5	25.47	24.86	28.19	30
3KD 201VI	2453.5	25.02	24.19	27.64	30
	2456.5	24.06	23.08	26.61	30
	2458.5	22.89	22.28	25.61	30
	2462.5	21.45	20.85	24.17	30
	2422.5	23.78	22.41	26.16	30
SRD 40M	2437.5	23.35	23.79	26.59	30
	2452.5	23.13	22.32	25.75	30
	2432.5	21.08	20.60	23.86	30
CDD COM	2436.5	21.21	21.22	24.23	30
SRD 60M	2437.5	23.34	23.40	26.38	30
	2442.5	22.78	23.37	26.10	30

Page 142 of 216

Mada	Channel	AVG	AVG Conducted power(dBm)			
Mode	Channel	Ant2	Ant3	Total	Limit	
	2407.5	24.94	24.64	27.80	30	
	2437.5	25.83	25.32	28.59	30	
SRD 10M	2465.5	24.52	25.07	27.81	30	
	2466.5	23.61	23.99	26.81	30	
	2467.5	22.92	23.20	26.07	30	
	2412.5	23.86	22.54	26.26	30	
	2414.5	24.56	24.18	27.38	30	
	2416.5	25.69	25.50	28.61	30	
SRD 20M	2437.5	25.74	25.46	28.61	30	
SKD ZUIVI	2453.5	25.69	24.43	28.12	30	
	2456.5	24.91	23.65	27.34	30	
	2458.5	23.72	23.07	26.42	30	
	2462.5	21.82	21.02	24.45	30	
	2422.5	24.20	22.96	26.63	30	
SRD 40M	2437.5	23.90	24.04	26.98	30	
	2452.5	23.79	22.82	26.34	30	
	2432.5	21.61	21.22	24.43	30	
CDD COM	2436.5	21.42	21.48	24.46	30	
SRD 60M	2437.5	23.90	24.09	27.01	30	
	2442.5	23.29	23.64	26.48	30	

REPORT NO.: 4791371445-1-RF-4 Page 143 of 216

Mada	Channel	AVG (1::		
Mode	Channel	Ant2	Ant5	Total	Limit
	2407.5	25.00	24.71	27.87	30
	2437.5	25.82	25.40	28.63	30
SRD 10M	2465.5	24.51	25.21	27.88	30
	2466.5	23.86	23.97	26.93	30
	2467.5	23.09	23.33	26.22	30
	2412.5	24.01	22.43	26.30	30
	2414.5	24.54	24.10	27.34	30
	2416.5	25.79	25.35	28.59	30
CDD 20M	2437.5	25.73	25.40	28.58	30
SRD 20M	2453.5	25.60	24.69	28.18	30
	2456.5	24.64	23.64	27.18	30
	2458.5	23.49	22.90	26.22	30
	2462.5	21.89	21.25	24.59	30
	2422.5	23.98	22.88	26.48	30
SRD 40M	2437.5	24.13	24.27	27.21	30
	2452.5	23.86	22.87	26.40	30
	2432.5	21.41	21.11	24.27	30
CDD COM	2436.5	21.38	21.45	24.43	30
SRD 60M	2437.5	23.90	24.11	27.02	30
	2442.5	23.36	23.74	26.56	30

REPORT NO.: 4791371445-1-RF-4 Page 144 of 216

AVG Conducted power(dBm) Mode Channel Limit Ant1 Ant4 Total 24.78 24.45 27.63 30 2407.5 30 25.38 25.01 28.21 2437.5 27.56 24.31 24.77 30 2465.5 SRD 10M 23.49 23.54 26.53 30 2466.5 2467.5 22.67 22.73 25.71 30 22.07 25.81 23.42 30 2412.5 24.19 23.37 26.81 30 2414.5 25.04 24.94 28.00 2416.5 30 25.39 24.90 28.16 30 2437.5 SRD 20M 25.36 24.01 27.75 30 2453.5 24.16 23.54 26.87 30 2456.5 23.39 22.80 26.12 30 2458.5 21.45 20.75 24.12 30 2462.5 23.52 22.25 25.94 30 2422.5 23.31 23.87 30 26.61 SRD 40M 2437.5 25.98 23.57 22.28 30 2452.5 20.88 20.68 23.79 30 2432.5 21.24 21.37 24.32 30 2436.5 SRD 60M 23.56 23.90 26.74 30 2437.5 2442.5 23.18 23.43 26.32 30

Page 145 of 216

Mode	Channel	AVG	AVG Conducted power(dBm)			
iviode	Channel	Ant3	Ant4	Total	Limit	
	2407.5	24.89	24.77	27.84	30	
	2437.5	25.77	25.41	28.60	30	
SRD 10M	2465.5	24.54	25.16	27.87	30	
	2466.5	23.64	23.90	26.78	30	
	2467.5	22.91	23.05	25.99	30	
	2412.5	23.97	22.44	26.28	30	
	2414.5	24.69	24.21	27.47	30	
	2416.5	25.87	25.29	28.60	30	
CDD 20M	2437.5	25.51	25.59	28.56	30	
SRD 20M	2453.5	25.82	24.66	28.29	30	
	2456.5	24.92	23.79	27.40	30	
	2458.5	23.66	22.92	26.32	30	
	2462.5	21.86	21.13	24.52	30	
	2422.5	24.10	23.00	26.60	30	
SRD 40M	2437.5	24.07	24.27	27.18	30	
	2452.5	23.83	22.63	26.28	30	
	2432.5	21.45	21.19	24.33	30	
CDD COM	2436.5	21.61	21.60	24.62	30	
SRD 60M	2437.5	23.94	24.24	27.10	30	
	2442.5	23.31	23.70	26.52	30	

REPORT NO.: 4791371445-1-RF-4 Page 146 of 216

AVG Conducted power(dBm) Mode Channel Limit Ant4 Total Ant5 30 2407.5 25.07 25.42 28.26 30 2437.5 26.14 25.89 29.03 30 2465.5 25.01 25.55 28.30 SRD 10M 30 2466.5 24.21 24.42 27.33 2467.5 23.39 26.53 30 23.65 30 2412.5 24.34 26.74 23.01 30 27.81 2414.5 25.01 24.57 2416.5 26.24 25.88 30 29.07 30 2437.5 26.09 25.90 29.01 SRD 20M 30 2453.5 26.16 24.99 28.62 30 2456.5 25.22 24.24 27.77 30 24.07 26.77 2458.5 23.42 30 2462.5 22.39 21.59 25.02 30 2422.5 24.52 26.99 23.37 30 SRD 40M 2437.5 24.43 24.63 27.54 30 2452.5 24.17 23.18 26.71 30 2432.5 21.94 21.60 24.78 30 2436.5 21.97 21.90 24.95 SRD 60M 30 2437.5 24.44 24.56 27.51 2442.5 23.88 24.11 27.01 30

Note: 1. Conducted Power=Meas. Level+ Correction Factor

^{2.} The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

Page 147 of 216

11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
	Ant4	2407.5	-1.82	≤8.00	PASS
	Ant5	2407.5	-2.92	≤8.00	PASS
	total	2407.5	0.68	≤8.00	PASS
	Ant4	2437.5	-2.42	≤8.00	PASS
	Ant5	2437.5	-2.19	≤8.00	PASS
	total	2437.5	0.71	≤8.00	PASS
	Ant4	2465.5	-0.27	≤8.00	PASS
SRD 10M	Ant5	2465.5	-1.32	≤8.00	PASS
	total	2465.5	2.25	≤8.00	PASS
	Ant4	2466.5	-2.54	≤8.00	PASS
	Ant5	2466.5	-3.17	≤8.00	PASS
	total	2466.5	0.17	≤8.00	PASS
	Ant4	2467.5	-3.25	≤8.00	PASS
	Ant5	2467.5	-4.03	≤8.00	PASS
	total	2467.5	-0.61	≤8.00	PASS
	Ant4	2412.5	-5.61	≤8.00	PASS
	Ant5	2412.5	-7.99	≤8.00	PASS
	total	2412.5	-3.63	≤8.00	PASS
	Ant4	2414.5	-5.19	≤8.00	PASS
	Ant5	2414.5	-6.31	≤8.00	PASS
	total	2414.5	-2.70	≤8.00	PASS
	Ant4	2416.5	-3.69	≤8.00	PASS
	Ant5	2416.5	-5.03	≤8.00	PASS
	total	2416.5	-1.30	≤8.00	PASS
	Ant4	2437.5	-4.66	≤8.00	PASS
	Ant5	2437.5	-5.02	≤8.00	PASS
000 0014	total	2437.5	-1.83	≤8.00	PASS
SRD 20M	Ant4	2453.5	-4.27	≤8.00	PASS
	Ant5	2453.5	-6.13	≤8.00	PASS
	total	2453.5	-2.09	≤8.00	PASS
	Ant4	2456.5	-5.50	≤8.00	PASS
	Ant5	2456.5	-6.71	≤8.00	PASS
	total	2456.5	-3.05	≤8.00	PASS
	Ant4	2458.5	-6.22	≤8.00	PASS
	Ant5	2458.5	-7.44	≤8.00	PASS
	total	2458.5	-3.78	≤8.00	PASS
	Ant4	2462.5	-8.46	≤8.00	PASS
	Ant5	2462.5	-8.78	≤8.00	PASS
	total	2462.5	-5.61	≤8.00	PASS
	Ant4	2422.5	-6.82	≤8.00	PASS
	Ant5	2422.5	-8.64	≤8.00	PASS
	total	2422.5	-4.63	≤8.00	PASS
	Ant4	2437.5	-7.48	≤8.00	PASS
SRD 40M	Ant5	2437.5	-7.78	≤8.00	PASS
	total	2437.5	-4.62	≤8.00	PASS
	Ant4	2452.5	-7.32	≤8.00	PASS
	Ant5	2452.5	-8.70	≤8.00	PASS
	total	2452.5	-4.95	≤8.00	PASS
	Ant4	2432.5	-12.64	≤8.00	PASS
	Ant5	2432.5	-13.23	≤8.00	PASS
SRD 60M	total	2432.5	-9.91	≤8.00	PASS
	Ant4	2436.5	-13.35	≤8.00	PASS
	Ant5	2436.5	-12.73	≤8.00	PASS



REPORT NO.: 4791371445-1-RF-4 Page 148 of 216


total	2436.5	-10.02	≤8.00	PASS
Ant4	2437.5	-9.49	≤8.00	PASS
Ant5	2437.5	-10.69	≤8.00	PASS
total	2437.5	-7.04	≤8.00	PASS
Ant4	2442.5	-11.38	≤8.00	PASS
Ant5	2442.5	-10.30	≤8.00	PASS
total	2442.5	-7.80	≤8.00	PASS

Note:


- 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.
- 2. All the modes and antennas had been tested, but only the worst data was recorded in the report.




11.4.2. Test Graphs


































































Page 163 of 216


11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result

Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
	Ant4	Low	2407.5	14.94	-19.47	≤-15.06	PASS
	Ant5	Low	2407.5	15.97	-15.63	≤-14.03	PASS
	Ant4	High	2465.5	15.04	-36.96	≤-14.96	PASS
SRD 10M	Ant5	High	2465.5	16.31	-37.01	≤-13.69	PASS
SKD IUW	Ant4	High	2466.5	14.45	-36.97	≤-15.55	PASS
	Ant5	High	2466.5	15.37	-36.98	≤-14.63	PASS
	Ant4	High	2467.5	13.80	-36.25	≤-16.2	PASS
	Ant5	High	2467.5	14.42	-36.59	≤-15.58	PASS
	Ant4	Low	2412.5	13.30	-27.3	≤-16.7	PASS
	Ant5	Low	2412.5	11.64	-30.63	≤-18.36	PASS
	Ant4	Low	2414.5	13.63	-24.61	≤-16.37	PASS
SRD 20M	Ant5	Low	2414.5	12.96	-28.58	≤-17.04	PASS
SKD ZUW	Ant4	Low	2416.5	14.06	-18.95	≤-15.94	PASS
	Ant5	Low	2416.5	14.21	-20.66	≤-15.79	PASS
	Ant4	High	2462.5	11.19	-36.94	≤-18.81	PASS
	Ant5	High	2462.5	10.57	-36.31	≤-19.43	PASS
	Ant4	Low	2422.5	12.28	-27.26	≤-17.72	PASS
SRD 40M	Ant5	Low	2422.5	11.36	-34.53	≤-18.64	PASS
3KD 40W	Ant4	High	2452.5	11.48	-36.19	≤-18.52	PASS
	Ant5	High	2452.5	12.53	-36.73	≤-17.47	PASS
	Ant4	Low	2432.5	6.77	-26.4	≤-23.23	PASS
SRD 60M	Ant5	Low	2432.5	5.71	-27.42	≤-24.29	PASS
SKD 00101	Ant4	High	2442.5	8.52	-36.6	≤-21.48	PASS
	Ant5	High	2442.5	9.12	-36.44	≤-20.88	PASS


Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.




11.5.2. Test Graphs






































REPORT NO.: 4791371445-1-RF-4

Page 172 of 216

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. **Test Result**

Test Mode	Antenna	Frequency[MHz]	FreqRange	Result	Limit	Verdict
	7 11.107.11.10		[Mhz]	[dBm]	[dBm]	
	A	2407.5	Reference	15.10		PASS
	Ant4		30~1000	-39.7	≤-14.9	PASS
			1000~26500	-40.63	≤-14.9	PASS
	A 15	2407.5	Reference	15.97		PASS
	Ant5		30~1000	-40.25	≤-14.03	PASS
			1000~26500	-39.88	≤-14.03	PASS
	Ant4	2437.5	Reference	15.88		PASS
			30~1000	-40.12	≤-14.12	PASS
			1000~26500	-41.02	≤-14.12	PASS
	Ant5	2437.5	Reference	16.28		PASS
			30~1000	-39.4	≤-13.72	PASS
			1000~26500	-40.04	≤-13.72	PASS
	Ant4	2465.5	Reference	15.49		PASS
			30~1000	-39.98	≤-14.51	PASS
SRD 10M			1000~26500	-40.65	≤-14.51	PASS
	Ant5	2465.5	Reference	16.45		PASS
			30~1000	-39.53	≤-13.55	PASS
			1000~26500	-40.22	≤-13.55	PASS
			Reference	14.67		PASS
	Ant4	2466.5	30~1000	-40.21	≤-15.33	PASS
			1000~26500	-40.4	≤-15.33	PASS
			Reference	14.95		PASS
	Ant5	2466.5	30~1000	-39.88	≤-15.05	PASS
			1000~26500	-40.09	≤-15.05	PASS
	Ant4	2467.5	Reference	14.13		PASS
			30~1000	-38.44	≤-15.87	PASS
			1000~26500	-40.55	≤-15.87	PASS
	Ant5	2467.5	Reference	14.58		PASS
			30~1000	-40.32	≤-15.42	PASS
			1000~26500	-40.15	≤-15.42	PASS
	Ant4 Ant5		Reference	12.90		PASS
		2412.5	30~1000	-40.16	≤-17.1	PASS
			1000~26500	-40.22	≤-17.1	PASS
		2412.5	Reference	11.85		PASS
SRD 20M			30~1000	-40.31	≤-18.15	PASS
			1000~26500	-40.77	≤-18.15	PASS
	Ant4	2414.5	Reference	13.88		PASS
			30~1000	-40.24	≤-16.12	PASS
			1000~26500	-40.02	≤-16.12	PASS
	Ant5	2414.5	Reference	13.08		PASS
			30~1000	-40.04	≤-16.92	PASS
			1000~26500	-40.68	≤-16.92	PASS
	Ant4	2416.5	Reference	14.35		PASS
			30~1000	-45.87	≤-15.65	PASS
			1000~26500	-40.95	≤-15.65	PASS
	Ant5	2416.5	Reference	14.05		PASS
			30~1000	-40.26	≤-15.95	PASS
			1000~26500	-40.26	≤-15.95	PASS
	Ant4	2437.5	Reference	14.48		PASS
			30~1000	-39.72	≤-15.52	PASS
			1000~26500	-39.51	≤-15.52	PASS
	Ant5	2437.5	Reference	14.51		PASS
			30~1000	-39.59	≤-15.49	PASS
			1000~26500	-40.82	≤-15.49	PASS
	Ant4	2453.5	Reference	14.36		PASS



30~1000 -40.14 ≤-15.64 **PASS** 1000~26500 -39.9 PASS ≤-15.64 Reference 13.75 **PASS** ≤-16.25 30~1000 -40.18 2453.5 **PASS** Ant5 1000~26500 -40.82 ≤-16.25 **PASS** Reference 13.53 **PASS** ≤-16.47 Ant4 2456.5 30~1000 -39.03 **PASS** 1000~26500 -41.07 ≤-16.47 **PASS** Reference 12.91 **PASS** Ant5 2456.5 30~1000 -39.99 ≤-17.09 PASS 1000~26500 -39.9 ≤-17.09 **PASS** Reference 12.30 ---**PASS** 2458.5 30~1000 ≤-17.7 Ant4 -39.83 PASS 1000~26500 -40.56≤-17.7 **PASS** Reference 11.90 **PASS** 2458.5 30~1000 -39.73 ≤-18.1 **PASS** Ant5 ≤-18.1 1000~26500 -39.91 **PASS** Reference 9.62 **PASS** Ant4 2462.5 30~1000 -44.7 ≤-20.38 **PASS** -40.65 1000~26500 ≤-20.38 **PASS PASS** Reference 11.44 Ant5 2462.5 30~1000 -39.51≤-18.56 **PASS** 1000~26500 **PASS** -40.68≤-18.56 Reference 12.62 **PASS** Ant4 2422.5 30~1000 ≤-17.38 **PASS** -38.83 -40.53 1000~26500 ≤-17.38 **PASS** Reference 13.18 **PASS** Ant5 2422.5 30~1000 -40.16 ≤-16.82 **PASS** 1000~26500 -40.78 **PASS** ≤-16.82 Reference 12.13 **PASS** ---Ant4 2437.5 30~1000 -40.24≤-17.87 **PASS** -40.39 1000~26500 ≤-17.87 **PASS** SRD 40M Reference 13.75 **PASS** Ant5 2437.5 30~1000 -39.72≤-16.25 **PASS** 1000~26500 -40.6 ≤-16.25 **PASS** Reference 12.20 **PASS** Ant4 2452.5 30~1000 -39.56 ≤-17.8 **PASS** 1000~26500 -40.51 ≤-17.8 **PASS** 10.92 PASS Reference 30~1000 -40.07 ≤-19.08 Ant5 2452.5 **PASS** 1000~26500 -40.21 ≤-19.08 **PASS** Reference 7.64 **PASS** ≤-22.36 Ant4 2432.5 30~1000 -40.14 **PASS** 1000~26500 -39.4 ≤-22.36 **PASS** Reference 6.60 **PASS** 30~1000 ≤-23.4 **PASS** Ant5 2432.5 -39.83 1000~26500 -40.25 ≤-23.4 **PASS** Reference 5.90 **PASS** ---Ant4 2436.5 30~1000 -40.01 ≤-24.1 PASS ≤-24.1 1000~26500 -40.43PASS Reference 6.78 ---**PASS** SRD 60M Ant5 2436.5 30~1000 -39.82 ≤-23.22 **PASS** 1000~26500 -39.92≤-23.22 **PASS** Reference 9.30 **PASS** Ant4 2437.5 30~1000 -39.64≤-20.7 **PASS** 1000~26500 ≤-20.7 **PASS** -40.05 Reference 9.77 **PASS** Ant5 2437.5 30~1000 -38.9 ≤-20.23 PASS 1000~26500 -40.17≤-20.23 **PASS** Reference 9.75 **PASS** Ant4 2442.5 30~1000 -39.99≤-20.25 **PASS**



		1000~26500	-40.74	≤-20.25	PASS
Ant5	2442.5	Reference	9.35		PASS
		30~1000	-40.36	≤-20.65	PASS
		1000~26500	-40.39	≤-20.65	PASS

Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

11.6.2. Test Graphs

