




802.11n HT20

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
Low Channel	2412	16.90	> 0.5	Pass
Middle Channel	2437	16.62	> 0.5	Pass
High Channel	2462	16.54	> 0.5	Pass


Low Channel

Middle Channel

High Channel


Test Result of Power Spectral Density


802.11b

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-6.97	8
Middle Channel	2437	-7.43	8
High Channel	2462	-7.50	8


Low Channel



Middle Channel






High Channel






802.11g

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-7.77	8
Middle Channel	2437	-7.92	8
High Channel	2462	-8.09	8

Low Channel

Middle Channel

High Channel


802.11n HT20

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)
Low Channel	2412	-7.84	8
Middle Channel	2437	-7.77	8
High Channel	2462	-8.21	8


Low Channel
Middle Channel

High Channel





Test Result of Conducted Spurious Emissions




802.11b


Low Channel

Middle Channel




802.11g
Low Channel
Middle Channel

High Channel


802.11n HT20
Low Channel
Middle Channel

High Channel




802.11n HT20



Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2350.59	53.24	16.07	37.17	74.00	-20.76	299	126	Peak	Horizontal	
2 *	2412.00	94.53	57.33	37.20	74.00	20.53	299	126	Peak	Horizontal	
3	2846.78	55.28	17.19	38.09	74.00	-18.72	299	126	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2304.10	53.60	16.45	37.15	74.00	-20.40	112	245	Peak	Vertical	
2 *	2412.00	95.08	57.88	37.20	74.00	21.08	112	245	Peak	Vertical	
3	2850.56	54.78	16.69	38.09	74.00	-19.22	112	245	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	41.12	3.98	37.14	54.00	-12.88	299	126	Average	Horizontal	
2 *	2412.00	91.39	54.19	37.20	54.00	37.39	299	126	Average	Horizontal	
3	2825.54	41.95	3.84	38.11	54.00	-12.05	299	126	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	41.35	4.21	37.14	54.00	-12.65	112	245	Average	Vertical	
2 *	2412.00	91.68	54.68	37.20	54.00	37.68	112	245	Average	Vertical	
3	2801.59	41.72	3.59	38.13	54.00	-12.28	112	245	Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2355.43	54.30	17.13	37.17	74.00	-19.70	100	232	Peak	Horizontal	
2 *	2462.00	91.30	53.64	37.46	74.00	17.30	100	232	Peak	Horizontal	
3	2890.32	54.93	16.87	38.06	74.00	-19.07	100	232	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2382.45	53.20	16.05	37.15	74.00	-20.80	102	245	Peak	Vertical	
2 *	2462.00	91.68	54.42	37.46	74.00	17.68	102	245	Peak	Vertical	
3	2807.96	54.96	16.84	38.12	74.00	-19.04	102	245	Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2312.12	40.31	3.18	37.13	54.00	-13.69	100	232	Average	Horizontal	
2 *	2462.00	86.16	46.79	37.46	54.00	32.16	100	232	Average	Horizontal	
3	2816.34	41.88	3.76	38.12	54.00	-12.12	100	232	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.33	40.38	3.21	37.17	54.00	-13.62	102	245	Average	Vertical	
2 *	2462.00	87.03	49.57	37.46	54.00	33.03	102	245	Average	Vertical	
3	2791.20	41.92	3.80	38.12	54.00	-12.08	102	245	Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	59.93	22.79	37.14	74.00	-14.07	100	130	Peak	Horizontal	
2 *	2412.00	98.68	61.48	37.20	74.00	24.68	100	130	Peak	Horizontal	
3	2803.71	55.76	17.64	38.12	74.00	-18.24	100	130	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	61.18	24.04	37.14	74.00	-12.82	107	241	Peak	Vertical	
2 *	2412.00	96.56	59.36	37.20	74.00	22.56	107	241	Peak	Vertical	
3	2510.72	54.66	16.95	37.71	74.00	-19.34	107	241	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	43.31	6.17	37.14	54.00	-10.69	100	130	Average	Horizontal	
2 *	2412.00	87.04	50.64	37.20	54.00	33.04	100	130	Average	Horizontal	
3	2815.39	41.87	3.76	38.11	54.00	-12.13	100	130	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	43.45	6.31	37.14	54.00	-10.55	107	241	Average	Vertical	
2 *	2412.00	86.17	48.97	37.20	54.00	32.17	107	241	Average	Vertical	
3	2802.06	41.77	3.64	38.13	54.00	-12.23	107	241	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.66	53.32	16.15	37.17	74.00	-20.68	234	111	Peak	Horizontal		
2 *	2462.00	98.23	69.77	37.46	74.00	24.23	234	111	Peak	Horizontal		
3	2483.58	65.37	27.80	37.57	74.00	-8.63	234	111	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2338.20	53.50	16.34	37.16	74.00	-20.50	100	240	Peak	Vertical		
2 *	2462.00	96.23	58.77	37.46	74.00	22.23	100	240	Peak	Vertical		
3	2483.58	66.45	28.88	37.57	74.00	-7.55	100	240	Peak	Vertical		

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2329.47	40.26	3.11	37.15	54.00	-13.74	234	111	Average	Horizontal	
2 *	2462.00	88.10	50.64	37.46	54.00	34.10	234	111	Average	Horizontal	
3	2483.50	47.64	10.07	37.57	54.00	-6.36	234	111	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2321.68	40.36	3.22	37.14	54.00	-13.64	100	240	Average	Vertical	
2 *	2462.00	87.02	49.56	37.46	54.00	33.02	100	240	Average	Vertical	
3 !	2483.50	48.37	10.80	37.57	54.00	-5.63	100	240	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2388.23	68.42	23.28	37.14	74.00	-13.58	100	131	Peak	Horizontal	
2 *	2412.00	97.32	68.12	37.20	74.00	23.32	100	131	Peak	Horizontal	
3	2657.39	54.90	17.34	37.56	74.00	-19.10	100	131	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2390.00	61.00	23.86	37.14	74.00	-13.00	110	240	Peak	Vertical	
2 *	2412.00	94.98	57.78	37.20	74.00	20.98	110	240	Peak	Vertical	
3	2830.50	54.68	16.58	38.10	74.00	-19.32	110	240	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	43.36	6.22	37.14	54.00	-10.64	100	131	Average	Horizontal		
2 *	2412.00	87.07	49.87	37.20	54.00	33.07	100	131	Average	Horizontal		
3	2795.33	41.78	3.66	38.12	54.00	-12.22	100	131	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	43.62	6.48	37.14	54.00	-10.38	110	240	Average	Vertical		
2 *	2412.00	85.12	47.92	37.20	54.00	31.12	110	240	Average	Vertical		
3	2803.12	41.88	3.76	38.12	54.00	-12.12	110	240	Average	Vertical		

802.11n HT20

High Channel (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2322.63	53.16	16.02	37.14	74.00	-20.84	100	113	Peak	Horizontal	
2 *	2462.00	97.36	59.90	37.46	74.00	23.36	100	113	Peak	Horizontal	
3 †	2483.58	68.35	30.78	37.57	74.00	-5.65	100	113	Peak	Horizontal	




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2352.13	53.28	16.10	37.18	74.00	-20.72	100	240	Peak	Vertical	
2 *	2462.00	97.14	59.68	37.46	74.00	23.14	100	240	Peak	Vertical	
3 †	2484.99	68.54	30.96	37.58	74.00	-5.46	100	240	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.65	40.41	3.28	37.13	54.00	-13.59	100	113	Average	Horizontal	
2 *	2462.00	87.65	50.19	37.46	54.00	33.65	100	113	Average	Horizontal	
3 †	2483.50	51.23	13.66	37.57	54.00	-2.77	100	113	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2314.84	40.39	3.26	37.13	54.00	-13.61	100	240	Average	Vertical	
2 *	2462.00	87.13	49.67	37.46	54.00	33.13	100	240	Average	Vertical	
3 †	2483.58	50.97	13.40	37.57	54.00	-3.03	100	240	Average	Vertical	


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBu/mV	dBu		dB/mV	dB	cm	deg			
1	0.28	62.90		51.19	98.80	-35.90					
2	3.90	49.18	11.62	38.32	69.58	-20.16	100	0	0°		Open
3	10.12	49.18	11.64	37.54	69.58	-20.32	100	216	0°		Open
4	15.53	49.06	12.84	37.62	69.58	-19.84	100	99	0°		Open
5	20.21	49.18		36.22	69.58	-20.40	100	242	0°		Open
6	29.07	49.00	11.59	37.41	69.58	-20.50	100	48	0°		Open

802.11b

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	82.68	3.34	79.26	127.92	-45.32	100	180	QP	Close		
2	0.03	72.65	1.17	71.48	119.33	-46.68	100	259	QP	Close		
3	0.05	64.03	-0.75	64.78	113.29	-49.26	100	52	QP	Close		
4	0.08	58.63	-2.62	61.25	109.53	-50.90	100	243	QP	Close		
5	0.11	55.88	-2.78	58.66	106.76	-50.88	100	292	QP	Close		
6	0.14	53.68	-3.51	57.19	104.96	-51.28	100	245	QP	Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.25	64.92	13.01	51.91	99.59	-34.67	100	359	QP	Close		
2	4.14	50.44	12.11	38.33	69.50	-19.06	100	75	QP	Close		
3	10.91	48.49	11.25	37.24	69.50	-21.01	100	40	QP	Close		
4	18.43	48.75	12.07	36.68	69.50	-20.75	100	26	QP	Close		
5	23.56	48.05	12.86	35.19	69.50	-21.45	100	94	QP	Close		
6	28.51	47.25	11.06	36.19	69.50	-22.25	100	113	QP	Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11b

Low/Middle/High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	58.13	30.32	36.82	-6.50	40.00	-9.68	200	289	QP	horizontal		
2	158.14	33.45	39.51	-6.06	43.50	-10.05	200	217	QP	horizontal		
3	310.14	37.28	41.98	-4.70	46.00	-8.72	100	244	QP	horizontal		
4	434.10	35.15	37.62	-2.47	46.00	-10.85	100	228	QP	horizontal		
5	711.62	31.45	29.98	1.47	46.00	-14.55	300	263	QP	horizontal		
6	845.19	35.37	31.94	3.43	46.00	-10.63	286	0	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	31.55	37.53	45.30	-7.77	40.00	-2.47	100	169	QP	vertical		
2	56.48	36.14	42.50	-6.36	40.00	-3.86	100	326	QP	vertical		
3	165.12	29.09	34.99	-5.90	43.50	-14.41	200	169	QP	vertical		
4	273.76	27.45	33.11	-5.66	46.00	-18.55	200	188	QP	vertical		
5	433.23	29.30	31.79	-2.49	46.00	-16.70	300	210	QP	vertical		
6	849.84	33.90	30.43	3.47	46.00	-12.10	200	120	QP	vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	51.38	68.76	-9.38	74.00	-22.62	398	212	Peak	horizontal	
2	4824.00	49.18	58.56	-9.38	54.00	-4.82	398	212	Average	horizontal	
3	9648.00	52.44	56.57	-4.13	74.00	-21.56	103	122	Peak	horizontal	
4	9648.00	49.26	53.39	-4.13	54.00	-4.74	103	122	Average	horizontal	

Low Channel (Vertical)




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	55.27	64.65	-9.38	74.00	-18.73	183	185	Peak	vertical	
2	4824.00	52.75	62.13	-9.38	54.00	-1.25	183	185	Average	vertical	
3	9648.00	53.67	58.00	-4.13	74.00	-20.13	212	170	Peak	vertical	
4	9648.00	51.30	55.43	-4.13	54.00	-2.70	212	170	Average	vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	50.98	68.28	-9.30	74.00	-23.02	100			212 Peak	horizontal	
2	4874.00	48.51	57.81	-9.30	54.00	-5.49	100			212 Average	horizontal	
3	9748.00	51.14	55.02	-3.88	74.00	-22.86	100			119 Peak	horizontal	
4	9748.00	47.71	51.59	-3.88	54.00	-6.29	100			119 Average	horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4874.00	54.09	63.39	-9.30	74.00	-19.91	200			218 Peak	vertical	
2	4874.00	53.35	62.65	-9.30	54.00	-0.65	200			218 Average	vertical	
3	9748.00	52.78	56.66	-3.88	74.00	-21.22	100			150 Peak	vertical	
4	9748.00	49.66	53.54	-3.88	54.00	-4.34	100			150 Average	vertical	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4924.00	51.81	61.03	-9.22	74.00	-22.19	100	262	Peak	horizontal		
2	4924.00	49.21	58.43	-9.22	54.00	-4.79	100	262	Average	horizontal		
3	9848.00	46.27	50.09	-3.82	74.00	-27.73	100	126	Peak	horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4924.00	55.81	65.03	-9.22	74.00	-18.19	275	208	Peak	vertical		
2	4924.00	53.74	62.96	-9.22	54.00	-0.26	275	208	Average	vertical		
3	9848.00	52.47	56.29	-3.82	74.00	-21.53	200	166	Peak	vertical		
4	9848.00	50.24	54.06	-3.82	54.00	-3.76	200	166	Average	vertical		


802.11g

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	57.86	67.08	-9.22	74.00	-16.14	180	252	Peak	horizontal	
2	4924.00	44.95	54.17	-9.22	54.00	-9.05	180	252	Average	horizontal	
3	9848.00	46.56	58.38	-3.82	74.00	-27.44	400	243	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	62.44	71.66	-9.22	74.00	-11.56	273	203	Peak	vertical	
2	4924.00	50.28	59.50	-9.22	54.00	-3.72	273	203	Average	vertical	
3	9848.00	54.76	58.58	-3.82	74.00	-19.24	257	176	Peak	vertical	
4	9848.00	50.83	54.65	-3.82	54.00	-3.17	257	176	Average	vertical	

802.11n HT20

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1 4824.00	47.09	56.47	-9.38	74.00	-26.91	100	72	Peak	horizontal		
2 9648.00	53.51	57.64	-4.13	74.00	-20.49	100	119	Peak	horizontal		
3 9648.00	50.75	54.88	-4.13	54.00	-3.25	100	119	Average	horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1 4824.00	55.44	64.82	-9.38	74.00	-18.56	100	178	Peak	vertical		
2 4824.00	45.18	54.56	-9.38	54.00	-8.82	100	178	Average	vertical		
3 9648.00	53.34	57.47	-4.13	74.00	-20.66	100	246	Peak	vertical		
4 9648.00	50.54	54.67	-4.13	54.00	-3.46	100	246	Average	vertical		

802.11n HT20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	53.64	62.94	-9.30	74.00	-20.36	100	199	Peak	horizontal	
2	4874.00	42.56	51.86	-9.30	54.00	-11.44	100	199	Average	horizontal	
3	9748.00	53.11	56.99	-3.88	74.00	-20.89	100	119	Peak	horizontal	
4	9748.00	49.23	53.11	-3.88	54.00	-4.77	100	119	Average	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	50.69	59.99	-9.30	74.00	-23.31	300	203	Peak	vertical	
2	4874.00	45.35	54.65	-9.30	54.00	-8.65	300	203	Average	vertical	
3	9748.00	53.18	57.06	-3.88	74.00	-20.82	100	147	Peak	vertical	
4	9748.00	47.85	51.73	-3.88	54.00	-6.15	100	147	Average	vertical	


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	56.88	66.10	-9.22	74.00	-17.12	100	247	Peak	horizontal	
2	4924.00	44.67	53.89	-9.22	54.00	-9.33	100	247	Average	horizontal	
3	9848.00	51.76	55.58	-3.82	74.00	-22.24	100	129	Peak	horizontal	
4	9848.00	47.44	51.26	-3.82	54.00	-6.56	100	129	Average	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	62.47	71.69	-9.22	74.00	-11.53	212	212	Peak	vertical	
2	4924.00	49.32	58.54	-9.22	54.00	-4.68	212	212	Average	vertical	
3	9848.00	54.76	58.58	-3.82	74.00	-19.24	100	153	Peak	vertical	
4	9848.00	49.46	53.28	-3.82	54.00	-4.54	100	153	Average	vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)




TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 438-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1	Freq	Read	Factor	Level	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.172	35.30	10.11	45.41	64.88	-19.47	QP	line1	
2	0.172	21.20	10.11	31.31	54.88	-23.57	Average	line1	
3	0.225	30.78	10.11	40.89	62.65	-21.76	QP	line1	
4	0.225	13.16	10.11	23.27	52.65	-29.38	Average	line1	
5	0.265	26.59	10.11	36.70	61.28	-24.58	QP	line1	
6	0.265	10.56	10.11	20.67	51.28	-30.61	Average	line1	
7	0.402	27.07	10.12	37.19	57.80	-20.61	QP	line1	
8	0.402	15.90	10.12	26.02	47.80	-21.78	Average	line1	
9	9.921	23.07	10.36	33.43	60.00	-26.57	QP	line1	
10	9.921	15.13	10.36	25.49	50.00	-24.51	Average	line1	
11	18.966	21.10	10.54	31.64	60.00	-28.36	QP	line1	
12	18.966	13.60	10.54	24.14	50.00	-25.86	Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 438-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1	Freq	Read	Factor	Level	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.167	34.45	10.11	44.56	65.13	-20.57	QP	neutral	
2	0.167	15.56	10.11	25.67	55.13	-29.46	Average	neutral	
3	0.206	30.79	10.11	40.90	63.35	-22.45	QP	neutral	
4	0.206	10.13	10.11	20.24	53.35	-33.11	Average	neutral	
5	0.244	25.79	10.11	35.90	61.94	-26.04	QP	neutral	
6	0.244	7.04	10.11	17.15	51.94	-34.79	Average	neutral	
7	0.389	24.78	10.11	34.89	58.09	-23.20	QP	neutral	
8	0.389	12.20	10.11	22.31	48.09	-25.78	Average	neutral	
9	0.509	15.14	10.12	25.26	56.00	-30.74	QP	neutral	
10	0.509	3.59	10.12	13.71	46.00	-32.29	Average	neutral	
11	10.222	18.18	10.37	28.55	60.00	-31.45	QP	neutral	
12	10.222	12.03	10.37	22.40	50.00	-27.60	Average	neutral	