




5.8G SDR, 20MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
20M	Ant1	5735.5	17.960	5726.540	5744.500	0.5	PASS
		5787.5	17.760	5778.660	5796.420	0.5	PASS
		5839.5	18.000	5830.500	5848.500	0.5	PASS



Appendix B.4: Test Results of Radiated Spurious Emissions


Note: Testing was carried out within frequency range 9kHz to the tenth harmonics.

The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
44.210500	20.39	40.00	19.61	100.0	H	317.0	-19.0
170.504500	18.20	43.50	25.30	100.0	H	72.0	-21.2
395.981000	29.29	46.00	16.71	100.0	H	0.0	-13.7
797.997500	34.93	46.00	11.07	100.0	H	49.0	-6.4

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
50.030500	28.95	40.00	11.05	100.0	V	147.0	-18.3
102.168000	19.29	43.50	24.21	100.0	V	71.0	-18.9
343.504000	24.15	46.00	21.85	100.0	V	64.0	-14.9
870.747500	33.73	46.00	12.27	100.0	V	131.0	-5.2

Final_Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---


Above 1GHz

Note: The highest waveform in the figure is 5.8G SDR Fundamental.

5.8GHz SDR, 1.4MHz BW

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5728.500000	---	100.66	---	---	100.0	H	135.0	13.9
5728.500000	108.21	---	---	---	100.0	H	135.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5728.500000	---	111.62	---	---	100.0	V	276.0	13.9
5728.500000	119.61	---	---	---	100.0	V	276.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11354.141667	48.70	---	74.00	25.30	100.0	H	224.0	12.5
11473.125000	---	38.10	54.00	15.90	100.0	H	211.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11456.900000	---	38.67	54.00	15.33	100.0	V	0.0	13.4
11502.625000	47.16	---	74.00	26.84	100.0	V	42.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5604.52222	56.33	68.20	11.87	100.0	H	46.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5615.644445	56.22	68.20	11.98	100.0	V	179.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.500000	---	101.70	---	---	100.0	H	293.0	14.0
5784.500000	109.27	---	---	---	100.0	H	293.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.500000	---	111.00	---	---	100.0	V	264.0	14.0
5784.500000	118.68	---	---	---	100.0	V	264.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 5.8G_1.4M_5784.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11585.716667	---	38.42	54.00	15.58	100.0	H	235.0	13.3
11586.208333	46.77	---	74.00	27.23	100.0	H	235.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.000000	---	37.98	54.00	16.02	100.0	V	0.0	13.4
11603.416667	47.66	---	74.00	26.34	100.0	V	283.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5844.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.500000	---	100.70	---	---	100.0	H	293.0	14.2
5845.000000	109.06	---	---	---	100.0	H	293.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5844.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.500000	---	110.61	---	---	100.0	V	282.0	14.2
5845.000000	118.40	---	---	---	100.0	V	282.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5844.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11676.183333	---	38.18	54.00	15.82	100.0	H	348.0	13.3
11680.116667	47.53	---	74.00	26.47	100.0	H	325.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5844.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11706.175000	---	38.40	54.00	15.60	100.0	V	263.0	13.3
11707.158333	46.77	---	74.00	27.23	100.0	V	16.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5844.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.094445	57.71	68.20	10.49	100.0	H	200.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M_5844.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.666667	57.56	68.20	10.64	100.0	V	280.0	14.7


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	110.81	---	---	---	100.0	H	128.0	13.9
5730.000000	---	101.95	---	---	100.0	H	293.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.000000	121.32	---	---	---	100.0	V	272.0	13.9
5730.500000	---	113.39	---	---	100.0	V	272.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11454.441667	46.45	---	74.00	27.55	100.0	H	5.0	13.4
11479.025000	---	38.33	54.00	15.67	100.0	H	200.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11460.341667	---	38.59	54.00	15.41	100.0	V	0.0	13.5
11460.833333	46.38	---	74.00	27.62	100.0	V	344.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5617.172222	55.50	68.20	12.70	100.0	H	12.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5615.644445	57.23	68.20	10.97	100.0	V	237.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5786.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.000000	107.86	---	---	---	100.0	H	295.0	14.0
5786.500000	---	100.91	---	---	100.0	H	295.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5786.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.000000	---	110.46	---	---	100.0	V	274.0	14.0
5786.500000	119.49	---	---	---	100.0	V	274.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5786.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11560.641667	46.95	---	74.00	27.05	100.0	H	354.0	13.4
11586.208333	---	38.00	54.00	16.00	100.0	H	134.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5786.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11570.966667	46.97	---	74.00	27.04	100.0	V	140.0	13.4
11571.950000	---	39.60	54.00	14.40	100.0	V	19.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.000000	110.38	---	---	---	100.0	H	296.0	14.2
5846.500000	---	102.36	---	---	100.0	H	296.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.000000	120.55	---	---	---	100.0	V	142.0	14.2
5846.500000	---	112.08	---	---	100.0	V	281.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11674.216667	47.14	---	74.00	26.87	100.0	H	190.0	13.3
11676.183333	---	38.50	54.00	15.50	100.0	H	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11683.066667	---	38.06	54.00	15.94	100.0	V	196.0	13.3
11684.541667	47.30	---	74.00	26.70	100.0	V	121.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5936.813889	56.78	68.20	11.42	100.0	H	8.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5956.427778	58.13	68.20	10.07	100.0	V	351.0	14.8


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 5.8G_3M_5730.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	109.08	---	---	---	100.0	H	127.0	13.9
5731.000000	---	99.84	---	---	100.0	H	127.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5730.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.000000	119.82	---	---	---	100.0	V	264.0	13.9
5730.500000	---	111.68	---	---	100.0	V	270.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5730.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11440.675000	46.66	---	74.00	27.34	100.0	H	298.0	13.2
11460.341667	---	37.66	54.00	16.34	100.0	H	250.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5730.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11460.341667	47.62	---	74.00	26.38	100.0	V	0.0	13.5
11461.325000	---	40.56	54.00	13.44	100.0	V	0.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5730.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5625.238889	54.73	68.20	13.47	100.0	H	128.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5730.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5615.766667	56.39	68.20	11.81	100.0	V	269.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.500000	---	97.76	---	---	100.0	H	292.0	14.0
5784.500000	107.22	---	---	---	100.0	H	292.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.500000	---	109.99	---	---	100.0	V	141.0	14.0
5784.500000	119.74	---	---	---	100.0	V	141.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11523.766667	48.26	---	74.00	25.74	100.0	H	97.0	13.6
11555.233333	---	38.98	54.00	15.02	100.0	H	85.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
Model: MT2WD
Test Mode: SDR 5.8G_3M_5784.5MHz
Order No/Sample No: 168341845/A003199792-011
Test Voltage:: Battery
Remark: Temp 23 Humi:58%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11568.508333	47.76	---	74.00	26.24	100.0	V	184.0	13.4
11569.000000	---	40.21	54.00	13.79	100.0	V	0.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---