belkin




BELKIN INTERNATIONAL

12045 East Waterfront Drive Playa Vista, CA 90094-2536 USA P 310 751 5100 F 310 751 5969

belkin.com

Applicant: Belkin International, Inc.	
FCC ID: K7SWIZ006	
RF Exposure Requirements (FCC KDB 680106 D01 V03)	
Requirements	Statements
(a) Power transfer frequency is less that 1 MHz	The resonator system shall operate at 127.7KHz
(b) Output power from each primary coil is less than 15 watts	Dimension for iPhone charging coil: single clio inner diameter 10mm, outer diameter 39mm (Coil module diameter: Length = 174mm, width = 88.4mm) Max power of 10W per coil or 20W total when using two coils.
(c) The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils	All these 16 coils is 127.7KHz.
(d) Client device is inserted in or placed directly in contact with the transmitter	Client device is placed directly in contact with the transmitter
(e) Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).	It's mobile device, and provided RF exposure report to evaluate
(f) The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.	Please refer to RF Exposure Report.

belkin



BELKIN INTERNATIONAL

Jay Tu

12045 East Waterfront Drive Playa Vista, CA 90094-2536 USA P 310 751 5100 F 310 751 5969

belkin.com

Jay Tu / Manager, Regulatory Compliance

Belkin International, Inc.

Tel: +1 310 633 9309*9142

E-mail: jay.tu@belkin.com