



Plot 7-40. Power Spectral Density Plot MIMO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 1)



Plot 7-41. Power Spectral Density Plot MIMO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 6)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 47 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 47 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-42. Power Spectral Density Plot MIMO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 11)



Plot 7-43. Power Spectral Density Plot MIMO ANT2 (802.11ax/be OFDMA - 26 Tones - Ch. 1)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 49 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 46 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-44. Power Spectral Density Plot MIMO ANT2 (802.11ax/be OFDMA - 26 Tones - Ch. 6)



Plot 7-45. Power Spectral Density Plot MIMO ANT2 (802.11ax/be OFDMA - 26 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 40 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 49 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-46. Power Spectral Density Plot MIMO ANT2 (802.11ax/be OFDMA – 242 Tones – Ch. 1)



Plot 7-47. Power Spectral Density Plot MIMO ANT2 (802.11ax/be OFDMA – 242 Tones – Ch. 6)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 50 of 121
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 50 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-48. Power Spectral Density Plot MIMO ANT2 (802.11ax/be OFDMA - 242 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 51 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 51 01 154
© 2024 ELEMENT			V11.1 08/28/2023



Note:

Per ANSI C63.10-2013 Section 14.3.1, the power spectral density at Antenna 1 and Antenna 2 were first measured separately as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Sample MIMO Calculation:

At 2412MHz the average conducted power spectral density was measured to be -1.17 dBm for Antenna 1 and -0.80 dBm for Antenna 2.

Antenna 1 + Antenna 2 = MIMO

(-1.17 dBm + (-0.80) dBm) = (0.76 mW + 0.83 mW) = 1.60 mW = 2.03 dBm

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Degs 52 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 52 01 154
© 2024 ELEMENT			V11.1 08/28/2023



7.5 Conducted Band Edge Emissions

Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates, tone configurations, and RU indices were investigated to determine the worst-case configuration. For the following out of band conducted emissions plots at the band edge, the EUT was set to a data rate of MCS0 in 802.11ax mode as this setting produced the worst-case emissions.

The limit for out-of-band spurious emissions at the band edge is 20dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the PSD procedure (Section 7.4).

Test Procedure Used

ANSI C63.10-2013 - Section 11.11.3

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW = 100kHz
- 4. VBW = 1MHz
- 5. Detector = Peak
- 6. Number of sweep points $\geq 2 \times \text{Span/RBW}$
- 7. Trace mode = max hold
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 52 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 55 01 154
© 2024 ELEMENT			V11.1 08/28/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without written permission from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



7.5.1 SISO Antenna-1 Conducted Band Edge Emissions





Plot 7-50. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA - 106 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dere 54 of 124	
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 54 of 134	
			1/11 1 08/28/2023	





Plot 7-51. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA - 106 Tones - Ch. 12)



Plot 7-52. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA - 106 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga EE of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 55 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-53. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA – 242 Tones – Ch. 1)



Plot 7-54. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega EC of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 56 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-55. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 12)



Plot 7-56. Band Edge Plot SISO ANT1 (802.11ax/be OFDMA – 242 Tones – Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dege 57 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 57 01 154
© 2024 ELEMENT			V11.1 08/28/2023



7.5.2 SISO Antenna-2 Conducted Band Edge Emissions







Plot 7-58. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA - 106 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dega 59 of 124	
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 58 of 134	
© 2024 ELEMENT			1/11 1 08/28/2023	





Plot 7-59. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA - 106 Tones - Ch. 12)



Plot 7-60. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA - 106 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 50 of 121
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 59 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-61. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA – 242 Tones – Ch. 1)



Plot 7-62. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA – 242 Tones – Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 60 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 60 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-63. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA - 242 Tones - Ch. 12)



Plot 7-64. Band Edge Plot SISO ANT2 (802.11ax/be OFDMA - 242 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dega 61 of 124	
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 61 of 134	
© 2024 ELEMENT			V11.1 08/28/2023	



MIMO Antenna-1 Conducted Band Edge Emissions 7.5.3



Plot 7-65. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA – 106 Tones – Ch. 1)



Plot 7-66. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA - 106 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 62 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 62 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-67. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA - 106 Tones - Ch. 12)



Plot 7-68. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA - 106 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 62 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 03 01 134
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-69. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA – 242 Tones – Ch. 1)



Plot 7-70. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 64 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 64 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-71. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 12)



Plot 7-72. Band Edge Plot MIMO ANT1 (802.11ax/be OFDMA - 242 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega GE of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 05 01 154
© 2024 ELEMENT			V11.1 08/28/2023



7.5.4 MIMO Antenna-2 Conducted Band Edge Emissions



Plot 7-73. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA – 106 Tones – Ch. 1)



Plot 7-74. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA – 106 Tones – Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 66 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 66 01 154
© 2024 ELEMENT	•		V11.1 08/28/2023





Plot 7-75. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA - 106 Tones - Ch. 12)



Plot 7-76. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA - 106 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 67 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 67 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-77. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA – 242 Tones – Ch. 1)



Plot 7-78. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA - 242 Tones - Ch. 11)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 69 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 66 01 154
© 2024 ELEMENT			V11.1 08/28/2023





Plot 7-79. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA - 242 Tones - Ch. 12)



Plot 7-80. Band Edge Plot MIMO ANT2 (802.11ax/be OFDMA - 242 Tones - Ch. 13)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 60 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 69 01 154
© 2024 ELEMENT			V11.1 08/28/2023



7.6 Conducted Spurious Emissions

Test Overview and Limit

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates, tone configurations, and RU indices were investigated to determine the worst-case configuration. For the following out of band conducted emissions plots, the EUT was set to a data rate of MCS0 in 802.11ax mode as this setting produced the worst-case emissions.

The limit for out-of-band spurious emissions at the band edge is 20 dB below the fundamental emission level, as determined from the in-band power measurement of the DTS channel performed in a 100kHz bandwidth per the procedure in Section 11.11.3 of ANSI C63.10-2013.

Test Procedure Used

ANSI C63.10-2013 – Section 11.11.3 ANSI C63.10-2013 – Section 14.3.3

Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to 25GHz (separated into two plots per channel)
- 2. RBW = 1MHz
- 3. VBW = 3MHz
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep time = auto couple
- 7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-5. Test Instrument & Measurement Setup

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager	
Test Report S/N:	Test Dates:	EUT Type:	Dago 70 of 124	
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 70 of 134	
© 2024 ELEMENT			V11.1 08/28/2023	



Test Notes

- 1. RBW was set to 1MHz rather than 100kHz in order to increase the measurement speed.
- 2. The display line shown in the following plots denotes the limit at 30 dB below the fundamental emission level measured in a 100kHz bandwidth. However, since the traces in the following plots are measured with a 1MHz RBW, the display line may not necessarily appear to be 30 dB below the level of the fundamental in a 1MHz bandwidth.
- 3. For plots showing conducted spurious emissions near the limit, the frequencies were investigated with a reduced RBW to ensure that no emissions were present.
- The conducted spurious emissions were measured to relative limits. Therefore, in accordance with ANSI C63.10-2013 Section 14.3.3, it was unnecessary to show compliance through the summation of test results of the individual outputs.

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dego 71 of 124
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page 71 01 154
© 2024 ELEMENT			V11.1 08/28/2023



7.6.1 SISO Antenna-1 Conducted Spurious Emission



Plot 7-81. Conducted Spurious Plot SISO ANT1 (802.11ax/be OFDMA – 26 Tones – Ch. 1)



Plot 7-82. Conducted Spurious Plot SISO ANT1 (802.11ax/be OFDMA - 26 Tones - Ch. 1)

FCC ID: A3LSMX920	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 70 of 101
1M2405140042-04.A3L	06/17/2024 - 08/08/2024	Portable Tablet	Page / 2 01 134
© 2024 ELEMENT			V11 1 08/28/2023