

Service Information

Before using the unit, it must be configured to operate in the facility's network and run your applications. If you have a problem running your unit or using your equipment, contact your facility's Technical or Systems Support. If there is a problem with the equipment, they will contact the Symbol Support Center.

For Vehicle installations and use

- An air bag inflates with great force. DO NOT place objects, including either installed or portable wireless equipment, in the area over the air bag or in the air bag deployment area. If in-vehicle wireless equipment is improperly installed and the air bag inflates, serious injury could result.
- Position your device within easy reach. Be able to access your device without removing your eyes from the road.
- Do not take notes or use the device while driving. Jotting down a "to do" list or flipping through your address book takes attention away from your primary responsibility, driving safely.

Phones/Terminals (placed to ear or used with headset)

To comply with RF safety requirements use the specific belt clip. All other belt clips should be avoided and may not comply with RF safety requirements. The FCC has granted an Equipment Authorization for these model phones with all reported SAR levels evaluated as in compliance with the FCC RF emission guidelines. SAR information on these model phones is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/eoet/fccid>.

Cell Phone/ Terminal Warnings


Safety on the Road

When driving a car, driving is your first responsibility. Check the laws and regulations on the use of wireless phones in the areas where you drive. Always obey them. When using your wireless device / phone behind the wheel of a car, practice good common sense and remember the following tips:

- Give full attention to driving – driving safely is your first responsibility;
- Get to know your wireless device and any features such as speed dial and redial. If available, these features help you to place your call without taking your attention off the road.
- When available, use a hands free device.
- Let the person you are speaking with know you are driving; if necessary, suspend the call in heavy traffic or hazardous weather conditions. Rain, sleet, snow, ice, and even heavy traffic can be hazardous.
- Dial sensibly and assess the traffic; if possible, place calls when you are not moving or before pulling into traffic. Try to plan calls when your car will be stationary. If you need to make a call while moving, dial only a few numbers, check the road and your mirrors, then continue.
- Do not engage in stressful or emotional conversations that may be distracting. Make people you are talking with aware you are driving and suspend conversations that have the potential to divert your attention from the road.
- Use your wireless phone to call for help. Dial the Emergency services, (9-1-1 in the US, and 1-1-2 in Europe) or other local emergency number in the case of fire, traffic accident or medical emergencies. Remember, it is a free call on your wireless phone! The call can be made regardless of any security codes and depending on a network, with or without a SIM card inserted.
- Use your wireless phone to help others in emergencies. If you see an auto accident, crime in progress or other serious emergency where lives are in danger, call the Emergency Services, (9-1-1 in the US, and 1-1-2 in Europe) or other local emergency number, as you would want others to do for you.
- Call roadside assistance or a special non-emergency wireless assistance number when necessary. If you see a broken-down vehicle posing no serious hazard, a broken traffic signal, a minor traffic accident where no one appears injured, or a vehicle you know to be stolen, call roadside assistance or other special non-emergency wireless number.
- Connection to an alert device that will cause a vehicle horn to sound or lights to flash, on receipt of a call on public roads, is not permitted.
- "The wireless industry reminds you to use your device / phone safely when driving".

Windows® Mobile 2003 Software for Pocket PCs

Licensing, Patent and Regulatory Information



© 2003 SYMBOL TECHNOLOGIES, INC. All rights reserved.

Symbol reserves the right to make changes to any product to improve reliability, function, or design.

Symbol does not assume any product liability arising out of, or in connection with, the application or use of any product, circuit, or application described herein.

No license is granted, either expressly or by implication, estoppel, or otherwise under any patent right or patent, covering or relating to any combination, system, apparatus, machine, material, method, or process in which Symbol products might be used. An implied license exists only for equipment, circuits, and subsystems contained in Symbol products.

Symbol and the Symbol logo are registered trademarks of Symbol Technologies, Inc. Other product names mentioned in this manual may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.

- Speech/Handwriting Recognition.** If the SOFTWARE includes speech and/or handwriting recognition component(s), you should understand that speech and handwriting recognition are inherently statistical processes and that errors can occur in the component's recognition of your handwriting, and the final conversion into text. Neither Symbol Technologies nor its suppliers shall be liable for any damages arising out of errors in the speech and handwriting recognition process.
- Limitations on Reverse Engineering.** Decompilation and Disassembly. You may not reverse engineer, decompile, or disassemble the SOFTWARE, except and to the extent that such activity is expressly permitted by applicable law notwithstanding this limitation.
- Single DEVICE.** The DEVICE Software is licensed with the DEVICE as a single integrated product. The DEVICE Software installed in read only memory ("ROM") of the DEVICE may only be used as part of the DEVICE.
- Single EULA.** The package for the DEVICE may contain multiple versions of this EULA, such as multiple translations and/or multiple media versions (e.g., in the user documentation and in the software). Even if you receive multiple versions of the EULA, you are licensed to use only one (1) copy of the DEVICE Software.
- NO RENTAL.** Except if specifically authorized by Symbol Technologies for leased hardware, you may not rent, lease, or lend the SOFTWARE.

APPROVED ADDITIONAL TEXT IF THE DEVICE IS LEASED:

- LEASED HARDWARE.** In the event that you receive the DEVICE under the terms of a lease from Symbol Technologies or Symbol Technologies' third-party representative, the following additional terms shall apply: (i) you may not transfer the SOFTWARE to another user as part of the transfer of the DEVICE, whether or not a permanent transfer of the SOFTWARE with the DEVICE is otherwise allowed in this EULA; (ii) your rights with respect to any SOFTWARE upgrades shall be as determined by the lease you signed for the DEVICE; and (iii) you may not use the SOFTWARE after your lease terminates, unless you purchase the DEVICE from Symbol Technologies.
- Software Transfer.** You may permanently transfer all of your rights under this EULA only as part of a sale or transfer of the DEVICE, provided you retain no copies, you transfer all of the SOFTWARE (including all component parts, the media and printed materials, any upgrades, this EULA and, if applicable, the Certificate(s) of Authenticity), and the recipient agrees to the terms of this EULA. If the SOFTWARE is an upgrade, any transfer must include all prior versions of the SOFTWARE.
- Termination.** Without prejudice to any other rights, Symbol Technologies or MS may terminate this EULA if you fail to comply with the terms and conditions of this EULA. In such event, you must destroy all copies of the SOFTWARE and all of its component parts.

UPGRADES AND RECOVERY MEDIA.

- DEVICE Software.** If the DEVICE Software is provided by Symbol Technologies separate from the DEVICE on media such as a ROM chip, CD ROM disk(s) or via web download or other means, and is labeled "For Upgrade Purposes Only" you may install one (1) copy of such DEVICE Software onto the DEVICE as a replacement copy for the existing DEVICE Software, and use it in accordance with this EULA.
- COMPANION CD.** If any software component(s) is provided by Symbol Technologies separate from the DEVICE on CD ROM disk(s) or via web download or other means, and labeled "For Upgrade Purposes Only", you may (i) install and use one (1) copy of such component(s) on the computer(s) you use to exchange data with the DEVICE as a replacement copy for the existing Companion CD component(s).

This product is covered by one or more of the following U.S. and foreign Patents:
U.S. Patent No. 4,593,186; 4,652,750; 4,607,917; 4,603,805; 4,736,095; 4,758,171; 4,760,248; 4,806,642;
U.S. Patent Nos. 4,895,350; 4,898,626; 4,897,532; 4,923,221; 4,933,538; 4,992,177; 5,015,833; 5,017,655; 5,021,641; 5,029,183;
5,047,617; 5,103,445; 5,140,144; 5,142,550; 5,149,950; 5,157,687; 5,168,148; 5,169,581; 5,180,906;
5,216,232; 5,229,591; 5,230,088; 5,235,167; 5,250,792; 5,250,917; 5,262,627; 5,262,628;
5,266,787; 5,278,398; 5,280,162; 5,280,163; 5,280,164; 5,280,498; 5,304,786; 5,304,788; 5,306,900; 5,324,924; 5,337,361;
5,367,151; 5,373,148; 5,378,882; 5,396,055; 5,398,081; 5,410,139; 5,410,140; 5,412,198; 5,478,812;
5,479,441; 5,496,440; 5,444,231; 5,449,891; 5,449,893; 5,468,949; 5,471,042; 5,478,998; 5,479,000; 5,479,002; 5,479,441;
5,504,322; 5,519,577; 5,528,621; 5,545,889; 5,562,592; 5,567,093; 5,578,810; 5,578,812; 5,589,889; 5,589,893;
5,589,890; 5,608,202; 5,612,531; 5,619,028; 5,637,359; 5,637,852; 5,664,229; 5,668,803; 5,675,139; 5,693,929; 5,698,835;
5,705,800; 5,714,746; 5,723,851; 5,734,153; 5,754,587; 5,745,794; 5,754,587; 5,762,516; 5,763,863; 5,767,500;
5,789,728; 5,789,731; 5,808,287; 5,811,785; 5,815,811; 5,821,519; 5,821,520; 5,823,812; 5,828,050; 5,848,064;
5,850,078; 5,861,615; 5,874,720; 5,875,415; 5,900,617; 5,902,989; 5,907,146; 5,912,450; 5,914,478; 5,917,173; 5,920,059;
5,923,025; 5,929,420; 5,945,656; 5,945,658; 5,945,659; 5,945,660; 5,959,285; 5,967,297; 6,002,918; 6,021,947; 6,029,894; 6,031,830; 6,036,098;
6,047,892; 6,050,491; 6,055,413; 6,056,200; 6,065,678; 6,067,297; 6,082,621; 6,084,528; 6,088,482; 6,092,725; 6,101,483;
6,102,293; 6,104,620; 6,114,712; 6,115,678; 6,119,814; 6,138,180; 6,142,379; 6,244,513; 6,247,647; 6,308,061;
6,348,773; 6,380,949; 6,394,356; 6,398,892; 6,344,501; 6,390,244; 6,398,453; 6,362,453; 6,363,700; 6,363,918; 6,370,478;
6,383,124; 6,391,250; 6,405,077; 6,406,581; 6,414,171; 6,414,172; 6,418,500; 6,419,548; 6,423,468; 6,424,035;
6,430,158; 6,430,159; 6,431,562; 6,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

rev. 06/02
Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187; 6,061,881; 6,068,564 (Taiwan) No. 1,601,796; 1,907,875; 1,955,269 (Japan), European Patent 367,299; 414,281; 967,300; 367,298; UK 2,072,832; France 81/03938; Italy 1,138,173

0,430,158; 0,430,159; 0,431,562; 0,436,104
Invention No. 5,535,852; 5,539,690; 6,060,187

Effect on Vehicles

RF signals may affect improperly installed or inadequately shielded electronic systems in motor vehicles (including safety systems). Check with the manufacturer or its representative regarding your vehicle. You should also consult the manufacturer of any equipment that has been added to your vehicle.

Effect on Vehicles

RF signals may affect improperly installed or inadequately shielded electronic systems in motor vehicles (including safety systems). Check with the manufacturer or its representative regarding your vehicle. You should also consult the manufacturer of any equipment that has been added to your vehicle. An air bag inflates with great force. DO NOT place objects, including either installed or portable wireless equipment, in the area over the air bag or in the air bag deployment area. If in-vehicle wireless equipment is improperly installed and the air bag inflates, serious injury could result.

Safety on Aircraft

You are required to switch OFF mobile phones when on board an aircraft as operation may be dangerous and illegal.

Pacemakers

It is recommended by pacemaker manufacturers that a minimum of 15cm (6 inches) be maintained between a handheld wireless phone and a pacemaker to avoid any possible interference with the pacemaker. These recommendations are consistent with independent research and recommendations by Wireless Technology Research.

Persons with Pacemakers:

- Should ALWAYS keep the device more than 15cm (6 inches) from their pacemaker when turned ON
- Should not carry the device in a breast pocket
- Should use the ear furthest from the pacemaker to minimise the potential for interference.

If you have any reason to suspect that interference is taking place, turn OFF your device

Hearing Aids

The device may interfere with some hearing aids. In the event of interference you may want to consult your hearing aid supplier to discuss solutions.

Other Medical Devices

The device transmits radio frequency energy and has the potential to interfere with inadequately protected medical devices. Consult your physician or the manufacturer of the device to see if the particular device has sufficient protection. It is good practice to turn OFF the device within a hospital or other medical facility where sensitive medical equipment is in use. In some countries, this is a legal requirement applying to all mobile phones and related equipment.

Warning Notices

Please observe all warning notices with regard to the usage of mobile phones.

Potentially Hazardous Atmospheres

You are advised not to use this device at a refuelling point. You are reminded of the need to observe restrictions on the use of radio devices in fuel depots, chemical plants etc. and areas where the air contains chemicals or particles (such as grain, dust, or metal powders) and any other area where you would normally be advised to turn off your vehicle engine.

Regulatory Information

All Symbol devices are designed to be compliant with rules and regulations in locations they are sold and will be labeled as required. Any changes or modifications to Symbol Technologies equipment, not expressly approved by Symbol Technologies, could void the user's authority to operate the equipment.

Radio Modules

This device contains approved radio modules. These modules are identified below:

- Symbol RLAN (11Mbps DSSS) radio module, Type: 21-64436
- Siemens GSM GPRS module, or Sierra Wireless EM3420 module
- Symbol Bluetooth Module, Type: 21-64381.

This device incorporates the International Roaming feature (IEEE802.11d) which will ensure the product operates on the correct channels for the particular country of use.

This device contains the following Bluetooth™ qualified subsystems:

- BTID: B01285
- BTID: B00813

Power Supply

Use only a Symbol-approved power supply output rated 11-16 Vdc and minimum 2A. The power supply is certified to EN60950 with SELV outputs. Use of alternative power supply will invalidate any approval given to this device and may be dangerous. Benutzen Sie nur eine Symbol Technologies genehmigt in den Ausgabe: 11-16Vdc und minimum 2A. Die Stromversorgung ist bescheinigt nach EN60950 mit SELV Ausgaben.

FCC Exposure Guidelines

Safety Information

The device complies with Internationally recognized standards covering Specific Absorption Rate (SAR) related to human exposure to electromagnetic fields from radio devices.

Reducing RF Influence - Use Properly

It is advisable to use the device only in the normal operating position and it is recommended that no part of the human body be allowed to come too close to the antenna during operation of the equipment.

Handheld Devices


This device was tested for typical body-worn operation. A minimum separation distance of 1 cm must be maintained between this device and the body. The use of third-party belt-clips, holsters, and similar accessories should not contain metallic components in its assembly. The use of these accessories that do not satisfy these requirements may not comply with FCC RF exposure compliance requirements, and should be avoided.

Laser Devices

Symbol devices using lasers comply with US 21CFR1040.10, and IEC825-1:1993, EN60825-1:1994+A11:1996. The laser classification is marked on one of the labels on the device. Class 1 Laser devices are not considered to be hazardous when used for their intended purpose. The following statement is required to comply with US and international regulations: **Caution:** Use of controls, adjustments or performance of procedures other than those specified herein may result in hazardous laser light exposure. Class 2 laser scanners use a low power, visible light diode. As with any very bright light source, such as the sun, the user should avoid staring directly into the light beam. Momentary exposure to a Class 2 laser is not known to be harmful.

Scanner Labeling

CAUTION- LASER LIGHT WHEN OPEN. DO NOT STARE INTO BEAM.
ATTENTION- LUMIÈRE LASER EN CAS D'OUVERTURE. NE PAS REGARDER DANS LE FAISCEAU.
VORSICHT- LASERLICHT, WENN ABDECKUNG GEÖFFNET. NICHT IN DEN STRAHL BLICK
COMPLIES WITH 21CFR1040.10, IEC 825-1:1993/EN60825-1:1994 + A11:1996



Laser Labels

In accordance with Clause 5, IEC 825 and EN60825, the following information is provided to the user:

			
ENGLISH		HEBREW	
CLASS 1	CLASS 1 LASER PRODUCT	1 רמה	מוצר לייזר רמה 1
CLASS 2	LASER LIGHT DO NOT STARE INTO BEAM CLASS 2 LASER PRODUCT	2 רמה	אור לייזר אין להביט אל תוך הזרם מוצר לייזר רמה 2
DANISH / DANSK		ITALIAN / ITALIANO	
KLASSE 1	KLASSE 1 LASERPRODUKT	CLASSE 1	PRODOTTO AL LASER DI CLASSE 1
KLASSE 2	LASERLYF SE IKKE IND I STRÅLEN KLASSE 2 LASERPRODUKT	CLASSE 2	LUCE LASER NON FISSARE IL RAGGIO PRODOTTO AL LASER DI CLASSE 2
DUTCH / NEDERLANDS		NORWEGIAN / NORSK	
KLASSE 1	KLASSE-1 LASERPRODUKT	KLASSE 1	LASERPRODUKT, KLASSE 1
KLASSE 2	LASERLICHT NIET IN STRAAL STAREN KLASSE-2 LASERPRODUKT	KLASSE 2	LASERLYS IKKE STIRR INN I LYSSTRÅLEN LASERPRODUKT, KLASSE 2
FINNISH / SUOMI		PORTUGUESE / PORTUGUÊS	
LUOKKA 1	LUOKKA 1 LASERTUOTE	CLASSE 1	PRODUTO LASER DA CLASSE 1
LUOKKA 2	LASERVALO ÄLÄ TUIJOTA SÄDETTÄ LUOKKA 2 LASERTUOTE	CLASSE 2	LUZ DE LASER NÃO FIXAR O RAIÃO LUMINOSO PRODUTO LASER DA CLASSE 2
FRENCH / FRANÇAIS		SPANISH / ESPAÑOL	
CLASSE 1	PRODUIT LASER DE CLASSE 1	CLASE 1	PRODUCTO LASER DE LA CLASE 1
CLASSE 2	LUMIERE LASER NE PAS REGARDER LE RAYON FIXEMENT PRODUIT LASER DE CLASSE 2	CLASE 2	LUZ LASER NO MIRE FJAJAMENTE EL HAZ PRODUCTO LASER DE LA CLASE 2
GERMAN / DEUTCH		SWEDISH / SVENSKA	
KLASSE 1	LASERPRODUKT DER KLASSE 1	KLASS 1	LASERPRODUKT KLASS 1
KLASSE 2	LASERSTRAHLEN NICHT DIREKT IN DEN LASERSTRAHL SCHAUEN LASERPRODUKT DER KLASSE 2	KLASS 2	LASERLJUS STIRRA INTE MOT STRÅLEN LASERPRODUKT KLASS 2

Radio Frequency Interference Requirements



Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help.

Radio Transmitters (Part 15)

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Radio Frequency Interference Requirements - Canada

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Radio Transmitters

This device complies with RSS 210 of Industry & Science Canada. Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

Label Marking: The Term "IC:" before the radio certification only signifies that Industry Canada technical specifications were met.

CE Marking and European Economic Area (EEA)

RLAN's (2.4GHz) for use through the EEA have the following restrictions:

- Maximum radiated transmit power of 100 mW EIRP in the frequency range 2.400 -2.4835 GHz
- France, equipment is restricted to 2.4465 -2.4835 GHz frequency range
- Belgium outside usage, the equipment is restricted to 2.460 -2.4835 GHz frequency range
- Italy requires a user license for outside usage.

Bluetooth™ for use through the EEA have the following restrictions:

- Maximum radiated transmit power of 100 mW EIRP in the frequency range 2.400 -2.4835 GHz
- Belgium outside usage, the equipment is restricted to 2.460 -2.4835 GHz frequency range
- Italy requires a user license for outside usage.

Statement of Compliance

Symbol Technologies, Inc., hereby, declares that this device is in compliance with the essential requirements and other relevant provisions of Directives 1999/5/EC, 89/336/EEC and 73/23/EEC. Declaration of Conformities may be obtained from: <http://www2.symbol.com/doc/>

Other Countries

- Mexico - Restrict Frequency Range to: 2.450 - 2.4835 GHz.
- Israel - Restrict Frequency Range to: 2.418 - 2.457 GHz.
- Sri Lanka - Restrict Frequency Range to: 2.400 - 2.430 GHz.

Battery Information

Symbol rechargeable battery packs are designed and constructed to the highest standards within the industry. However, there are limitations to how long a battery can operate or be stored before needing replacement. Many factors affect the actual life cycle of a battery pack, such as heat, cold, harsh environmental conditions and severe drops. When batteries are stored over six (6) months, some irreversible deterioration in overall battery quality may occur. Store batteries discharged in a dry, cool place, removed from the equipment to prevent loss of capacity, rusting of metallic parts and electrolyte leakage. When storing batteries for one year or longer, they should be charged and discharged at least once a year. If an electrolyte leakage is observed, avoid any contact with affected area and properly dispose of the battery. Replace the battery when a significant loss of run time is detected. Standard warranty period for all Symbol batteries is 30 days, regardless if the battery was purchased separately or included as part of the mobile computer or bar code scanner. For more information on Symbol batteries, please visit: <http://mysymbolcare.symbol.com/battery/batbasics1.html>.