











WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11a CH100 5500MHz																																																																																
CDD 1+2	Vertical	Fundamental																																																																															
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : FFS 230408 Plane : 21 Polar : Full-directivity Polar : 821 Power : 60 Power : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5499.76</td><td>57.40</td><td>-16.60</td><td>74.00</td><td>41.53</td><td>34.53</td><td>10.97</td><td>29.63</td><td>353</td><td>160 Peak VERTICAL</td></tr><tr><td>2 5499.88</td><td>60.49</td><td>-17.81</td><td>68.30</td><td>44.60</td><td>34.53</td><td>10.99</td><td>29.63</td><td>353</td><td>160 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5499.76	57.40	-16.60	74.00	41.53	34.53	10.97	29.63	353	160 Peak VERTICAL	2 5499.88	60.49	-17.81	68.30	44.60	34.53	10.99	29.63	353	160 Peak VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : FFS 230408 Plane : 21 Polar : Full-directivity Polar : 821 Power : 60 Power : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5500.00</td><td>109.20</td><td>40.95</td><td>68.30</td><td>93.31</td><td>34.55</td><td>11.04</td><td>29.65</td><td>353</td><td>160 Peak VERTICAL</td></tr><tr><td>2 5500.00</td><td>101.76</td><td>40.95</td><td>60.82</td><td>34.55</td><td>11.04</td><td>29.65</td><td>353</td><td>160 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5500.00	109.20	40.95	68.30	93.31	34.55	11.04	29.65	353	160 Peak VERTICAL	2 5500.00	101.76	40.95	60.82	34.55	11.04	29.65	353	160 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																										
1 5499.76	57.40	-16.60	74.00	41.53	34.53	10.97	29.63	353	160 Peak VERTICAL																																																																								
2 5499.88	60.49	-17.81	68.30	44.60	34.53	10.99	29.63	353	160 Peak VERTICAL																																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																										
1 5500.00	109.20	40.95	68.30	93.31	34.55	11.04	29.65	353	160 Peak VERTICAL																																																																								
2 5500.00	101.76	40.95	60.82	34.55	11.04	29.65	353	160 Average VERTICAL																																																																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : FFS 230408 Plane : 21 Polar : Full-directivity Polar : 821 Power : 60 Power : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5498.32</td><td>48.69</td><td>-5.31</td><td>54.00</td><td>32.82</td><td>34.53</td><td>10.97</td><td>29.63</td><td>353</td><td>160 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5498.32	48.69	-5.31	54.00	32.82	34.53	10.97	29.63	353	160 Average VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : FFS 230408 Plane : 21 Polar : Full-directivity Polar : 821 Power : 60 Power : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5498.32</td><td>48.69</td><td>-5.31</td><td>54.00</td><td>32.82</td><td>34.53</td><td>10.97</td><td>29.63</td><td>353</td><td>160 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5498.32	48.69	-5.31	54.00	32.82	34.53	10.97	29.63	353	160 Average VERTICAL																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																										
1 5498.32	48.69	-5.31	54.00	32.82	34.53	10.97	29.63	353	160 Average VERTICAL																																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																										
1 5498.32	48.69	-5.31	54.00	32.82	34.53	10.97	29.63	353	160 Average VERTICAL																																																																								




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11a CH116 5580MHz - L																																																																																	
CDD 1+2	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 3 Level (dBuV/m) Frequency (MHz) 5G BAND 1-3 Site Condition : 030607-KS SG BAND 1-3 3e 3117 00240132 HORIZONTAL RBR 1000.000KHz VBR 3000.000KHz SMT Auto Project : FFS230408 Mode : 22 Plane : X- Full-directivity Polar : 821 power setting : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>5307.20</td><td>57.25</td><td>-16.75</td><td>74.00</td><td>41.44</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>324 Peak</td></tr><tr><td>5460.20</td><td>57.17</td><td>-11.12</td><td>68.30</td><td>41.28</td><td>34.53</td><td>10.79</td><td>29.63</td><td>100</td><td>324 Peak</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			5307.20	57.25	-16.75	74.00	41.44	34.50	10.83	29.52	100	324 Peak	5460.20	57.17	-11.12	68.30	41.28	34.53	10.79	29.63	100	324 Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 5 Level (dBuV/m) Frequency (MHz) 5G BAND 1-3 Site Condition : 030607-KS SG BAND 1-3 3e 3117 00240132 HORIZONTAL RBR 1000.000KHz VBR 3000.000KHz SMT Auto Project : FFS230408 Mode : 22 Plane : X- Full-directivity Polar : 821 power setting : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>5578.00</td><td>111.77</td><td>43.47</td><td>68.30</td><td>95.81</td><td>34.58</td><td>11.14</td><td>29.76</td><td>100</td><td>324 Peak</td></tr><tr><td>5578.00</td><td>105.28</td><td>87.32</td><td>34.58</td><td>11.14</td><td>29.76</td><td>100</td><td>324</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			5578.00	111.77	43.47	68.30	95.81	34.58	11.14	29.76	100	324 Peak	5578.00	105.28	87.32	34.58	11.14	29.76	100	324	Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
5307.20	57.25	-16.75	74.00	41.44	34.50	10.83	29.52	100	324 Peak																																																																									
5460.20	57.17	-11.12	68.30	41.28	34.53	10.79	29.63	100	324 Peak																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
5578.00	111.77	43.47	68.30	95.81	34.58	11.14	29.76	100	324 Peak																																																																									
5578.00	105.28	87.32	34.58	11.14	29.76	100	324	Average	HORIZONTAL																																																																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 4 Level (dBuV/m) Frequency (MHz) Site Condition : 030607-KS SG BAND 1-3 (AVG) 3e 3117 00240132 HORIZONTAL RBR 1000.000KHz VBR 0.7500KHz SMT Auto Project : FFS230408 Mode : 22 Plane : X- Full-directivity Polar : 821 power setting : 66 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>5459.92</td><td>48.06</td><td>-5.94</td><td>54.00</td><td>32.19</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>324 Average</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			5459.92	48.06	-5.94	54.00	32.19	34.53	10.97	29.63	100	324 Average	Left blank																																																		
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
5459.92	48.06	-5.94	54.00	32.19	34.53	10.97	29.63	100	324 Average																																																																									





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11a CH116 5580MHz - R																																		
CDD 1+2	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : 5G BAND 1----3 3e 3117 00246132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT: Auto Plane : 22 Polar : 3- Full-directivity IMEI : 421 Power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Bandwidth</th><th>Antenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>55.80</td><td>58.21</td><td>-10.09</td><td>68.30</td><td>41.76</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>324 Peak</td></tr></table>	Freq	Level	Limit	Bandwidth	Antenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	55.80	58.21	-10.09	68.30	41.76	34.89	11.34	29.78	100	324 Peak	Left blank
Freq	Level	Limit	Bandwidth	Antenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas																									
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																											
1	55.80	58.21	-10.09	68.30	41.76	34.89	11.34	29.78	100	324 Peak																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH116 5580MHz - R	
CDD 1+2	Vertical	Fundamental
Peak		Left blank












WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																							
ANT	802.11a CH140 5700MHz																																																																							
CDD 1+2	Horizontal	Fundamental																																																																						
Peak	 No. 109B Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.spartan.com.cn  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 000KHz HORIZONTAL Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Plane : FPC235408 Mode : 23 Plane : X- Full-directivity Power : #21 Power : 50 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Bandwidth</th><th>Cable</th><th>Power</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5726.20</td><td>67.03</td><td>-1.27</td><td>68.30</td><td>50.65</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>128 Peak HORIZONTAL</td></tr></table>	Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB	cm	deg			1 5726.20	67.03	-1.27	68.30	50.65	34.85	11.32	29.79	100	128 Peak HORIZONTAL	 No. 109B Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.spartan.com.cn  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 000KHz HORIZONTAL Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Plane : FPC235408 Mode : 23 Plane : X- Full-directivity Power : #21 Power : 50 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Bandwidth</th><th>Cable</th><th>Power</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5704.00</td><td>111.20</td><td>42.90</td><td>68.30</td><td>54.88</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>128 Peak HORIZONTAL</td></tr><tr><td>2 5704.00</td><td>78.17</td><td>76.85</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>128</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB	cm	deg			1 5704.00	111.20	42.90	68.30	54.88	34.82	11.30	29.80	100	128 Peak HORIZONTAL	2 5704.00	78.17	76.85	34.82	11.30	29.80	100	128	Average	HORIZONTAL
Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas																																																															
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB	cm	deg																																																																	
1 5726.20	67.03	-1.27	68.30	50.65	34.85	11.32	29.79	100	128 Peak HORIZONTAL																																																															
Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas																																																															
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB	cm	deg																																																																	
1 5704.00	111.20	42.90	68.30	54.88	34.82	11.30	29.80	100	128 Peak HORIZONTAL																																																															
2 5704.00	78.17	76.85	34.82	11.30	29.80	100	128	Average	HORIZONTAL																																																															












WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																													
ANT	802.11a CH140 5700MHz																																																																													
CDD 1+2	Vertical	Fundamental																																																																												
Peak	Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00000000 VERTICAL Project : RRM 1000 000000 VBR 3000 000000 SRT Auto Plane : FPC235408 Mode : 23 Plane : 3- Full-directivity IMEI : #21 Power setting : 50 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5726.28</td><td>61.29</td><td>-7.01</td><td>68.30</td><td>44.91</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>320 Peak</td><td>VERTICAL</td></tr></table> Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00000000 VERTICAL Project : RRM 1000 000000 VBR 3000 000000 SRT Auto Plane : FPC235408 Mode : 23 Plane : 3- Full-directivity IMEI : #21 Power setting : 50 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5704.00</td><td>106.18</td><td>37.88</td><td>68.30</td><td>89.86</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>320 Peak</td><td>VERTICAL</td></tr><tr><td>2 5704.00</td><td>98.78</td><td>82.46</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>320 Average</td><td></td><td></td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1 5726.28	61.29	-7.01	68.30	44.91	34.85	11.32	29.79	100	320 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1 5704.00	106.18	37.88	68.30	89.86	34.82	11.30	29.80	100	320 Peak	VERTICAL	2 5704.00	98.78	82.46	34.82	11.30	29.80	100	320 Average			VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																																						
1 5726.28	61.29	-7.01	68.30	44.91	34.85	11.32	29.79	100	320 Peak	VERTICAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																																						
1 5704.00	106.18	37.88	68.30	89.86	34.82	11.30	29.80	100	320 Peak	VERTICAL																																																																				
2 5704.00	98.78	82.46	34.82	11.30	29.80	100	320 Average			VERTICAL																																																																				






UNII-2C 5470~5725MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																																																
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																																																																																
CDD 1+2	Horizontal	Fundamental																																																																																																																																															
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1  Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : (FR) 230408 Plane : 24 Polar : X- Full-directivity MEI : #21 power setting : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5452.56</td><td>59.88</td><td>-14.12</td><td>74.00</td><td>44.01</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5469.84</td><td>64.45</td><td>-3.85</td><td>68.30</td><td>48.56</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Peak</td><td>HORIZONTAL</td></tr></table> Data: 3  Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : (FR) 230408 Plane : 24 Polar : X- Full-directivity MEI : #21 power setting : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5500.00</td><td>110.61</td><td>42.31</td><td>68.30</td><td>94.67</td><td>34.55</td><td>11.04</td><td>29.65</td><td>100</td><td>132</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5500.00</td><td>104.30</td><td>-----</td><td>88.36</td><td>34.55</td><td>11.04</td><td>29.65</td><td>100</td><td>132</td><td>Average</td><td>HORIZONTAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.270KHz SRT:Auto Mode : (FR) 230408 Plane : 24 Polar : X- Full-directivity MEI : #21 power setting : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5460.00</td><td>50.75</td><td>-3.25</td><td>54.00</td><td>34.88</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank </td></tr>		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	5452.56	59.88	-14.12	74.00	44.01	34.53	10.97	29.63	100	132	Peak	HORIZONTAL	2	5469.84	64.45	-3.85	68.30	48.56	34.53	10.97	29.63	100	132	Peak	HORIZONTAL		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	5500.00	110.61	42.31	68.30	94.67	34.55	11.04	29.65	100	132	Peak	HORIZONTAL	2	5500.00	104.30	-----	88.36	34.55	11.04	29.65	100	132	Average	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.270KHz SRT:Auto Mode : (FR) 230408 Plane : 24 Polar : X- Full-directivity MEI : #21 power setting : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5460.00</td><td>50.75</td><td>-3.25</td><td>54.00</td><td>34.88</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	5460.00	50.75	-3.25	54.00	34.88	34.53	10.97	29.63	100	132	Average	HORIZONTAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																																							
1	5452.56	59.88	-14.12	74.00	44.01	34.53	10.97	29.63	100	132	Peak	HORIZONTAL																																																																																																																																					
2	5469.84	64.45	-3.85	68.30	48.56	34.53	10.97	29.63	100	132	Peak	HORIZONTAL																																																																																																																																					
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																																							
1	5500.00	110.61	42.31	68.30	94.67	34.55	11.04	29.65	100	132	Peak	HORIZONTAL																																																																																																																																					
2	5500.00	104.30	-----	88.36	34.55	11.04	29.65	100	132	Average	HORIZONTAL																																																																																																																																						
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2  Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.270KHz SRT:Auto Mode : (FR) 230408 Plane : 24 Polar : X- Full-directivity MEI : #21 power setting : 60 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5460.00</td><td>50.75</td><td>-3.25</td><td>54.00</td><td>34.88</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	5460.00	50.75	-3.25	54.00	34.88	34.53	10.97	29.63	100	132	Average	HORIZONTAL																																																																																																									
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																																							
1	5460.00	50.75	-3.25	54.00	34.88	34.53	10.97	29.63	100	132	Average	HORIZONTAL																																																																																																																																					




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																										
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																																																										
CDD 1+2	Vertical	Fundamental																																																																																																																									
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 4  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Plane : (FR)230408 Mode : 24 Plane : 3- Full-directivity IMEI : 821 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5384.56</td><td>58.13</td><td>-15.87</td><td>74.00</td><td>42.31</td><td>34.50</td><td>10.87</td><td>29.55</td><td>276</td><td>350 Peak VERTICAL</td></tr><tr><td>2</td><td>5469.20</td><td>62.95</td><td>-5.35</td><td>68.30</td><td>47.06</td><td>34.53</td><td>10.99</td><td>29.63</td><td>276</td><td>350 Peak VERTICAL</td></tr></table> Data: 6  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Plane : (FR)230408 Mode : 24 Plane : 3- Full-directivity IMEI : 821 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5494.00</td><td>110.42</td><td>42.12</td><td>68.30</td><td>94.91</td><td>34.54</td><td>11.02</td><td>29.65</td><td>276</td><td>350 Peak VERTICAL</td></tr><tr><td>2</td><td>5494.00</td><td>101.34</td><td></td><td>65.43</td><td>34.54</td><td>11.02</td><td>29.65</td><td>276</td><td>350 Average VERTICAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5  Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.2700KHz SRT:Auto Plane : (FR)230408 Mode : 24 Plane : 3- Full-directivity IMEI : 821 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5459.92</td><td>48.98</td><td>-5.02</td><td>54.00</td><td>33.11</td><td>34.53</td><td>10.97</td><td>29.63</td><td>276</td><td>350 Average VERTICAL</td></tr></table> Left blank </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1	5384.56	58.13	-15.87	74.00	42.31	34.50	10.87	29.55	276	350 Peak VERTICAL	2	5469.20	62.95	-5.35	68.30	47.06	34.53	10.99	29.63	276	350 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1	5494.00	110.42	42.12	68.30	94.91	34.54	11.02	29.65	276	350 Peak VERTICAL	2	5494.00	101.34		65.43	34.54	11.02	29.65	276	350 Average VERTICAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5  Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.2700KHz SRT:Auto Plane : (FR)230408 Mode : 24 Plane : 3- Full-directivity IMEI : 821 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5459.92</td><td>48.98</td><td>-5.02</td><td>54.00</td><td>33.11</td><td>34.53</td><td>10.97</td><td>29.63</td><td>276</td><td>350 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1	5459.92	48.98	-5.02	54.00	33.11	34.53	10.97	29.63	276	350 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg																																																																																																																			
1	5384.56	58.13	-15.87	74.00	42.31	34.50	10.87	29.55	276	350 Peak VERTICAL																																																																																																																	
2	5469.20	62.95	-5.35	68.30	47.06	34.53	10.99	29.63	276	350 Peak VERTICAL																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg																																																																																																																			
1	5494.00	110.42	42.12	68.30	94.91	34.54	11.02	29.65	276	350 Peak VERTICAL																																																																																																																	
2	5494.00	101.34		65.43	34.54	11.02	29.65	276	350 Average VERTICAL																																																																																																																		
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5  Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.2700KHz SRT:Auto Plane : (FR)230408 Mode : 24 Plane : 3- Full-directivity IMEI : 821 power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/MHz</th><th>dB</th><th>dBm/MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5459.92</td><td>48.98</td><td>-5.02</td><td>54.00</td><td>33.11</td><td>34.53</td><td>10.97</td><td>29.63</td><td>276</td><td>350 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg			1	5459.92	48.98	-5.02	54.00	33.11	34.53	10.97	29.63	276	350 Average VERTICAL																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBm/MHz	dB	dBm/MHz	dBm	dB	dB	cm	deg																																																																																																																			
1	5459.92	48.98	-5.02	54.00	33.11	34.53	10.97	29.63	276	350 Average VERTICAL																																																																																																																	






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																																																									
CDD 1+2	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 1 Site : 03CBT-RS Condition : SG BAND 1----2 3m 3117 SW 00218642 HORIZONT Project : RSW 1000.000MHz YSW 3000.000MHz SPT Auto Model : CPS120A00 Plane : 2d Polar : X- Full-directivity Polar : #21 PowerSetting : #66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.92</td><td>56.92</td><td>-17.88</td><td>74.00</td><td>40.26</td><td>35.32</td><td>18.97</td><td>29.63</td><td>100</td><td>129 Peak</td></tr><tr><td>2</td><td>5465.84</td><td>56.70</td><td>-11.60</td><td>68.30</td><td>40.82</td><td>35.32</td><td>18.99</td><td>29.63</td><td>100</td><td>129 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 3 Site : 03CBT-RS Condition : SG BAND 1----2 3m 3117 SW 00218642 HORIZONT Project : RSW 1000.000MHz YSW 3000.000MHz SPT Auto Model : CPS120A00 Plane : 2d Polar : X- Full-directivity Polar : #21 PowerSetting : #66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5578.00</td><td>111.35</td><td>43.05</td><td>68.30</td><td>94.53</td><td>35.44</td><td>11.14</td><td>29.76</td><td>100</td><td>129 Peak</td></tr><tr><td>2</td><td>5578.00</td><td>183.92</td><td>-----</td><td>87.10</td><td>35.44</td><td>11.14</td><td>29.76</td><td>100</td><td>129 Average</td><td>HORIZONT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	cm	deg		1	5459.92	56.92	-17.88	74.00	40.26	35.32	18.97	29.63	100	129 Peak	2	5465.84	56.70	-11.60	68.30	40.82	35.32	18.99	29.63	100	129 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	cm	deg		1	5578.00	111.35	43.05	68.30	94.53	35.44	11.14	29.76	100	129 Peak	2	5578.00	183.92	-----	87.10	35.44	11.14	29.76	100	129 Average	HORIZONT	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	cm	deg																																																																																	
1	5459.92	56.92	-17.88	74.00	40.26	35.32	18.97	29.63	100	129 Peak																																																																																
2	5465.84	56.70	-11.60	68.30	40.82	35.32	18.99	29.63	100	129 Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	cm	deg																																																																																	
1	5578.00	111.35	43.05	68.30	94.53	35.44	11.14	29.76	100	129 Peak																																																																																
2	5578.00	183.92	-----	87.10	35.44	11.14	29.76	100	129 Average	HORIZONT																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Date: 2 Site : 03CBT-RS Condition : SG BAND 1----2 (ATC) 3m 3117 SW 00218642 HORIZONT Project : RSW 1000.000MHz YSW 0.27000MHz SPT Auto Model : CPS120A00 Plane : 2d Polar : X- Full-directivity Polar : #21 PowerSetting : #66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.00</td><td>47.49</td><td>-6.51</td><td>54.00</td><td>30.83</td><td>35.32</td><td>18.97</td><td>29.63</td><td>100</td><td>129 Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	cm	deg		1	5458.00	47.49	-6.51	54.00	30.83	35.32	18.97	29.63	100	129 Average																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dB	cm	deg																																																																																	
1	5458.00	47.49	-6.51	54.00	30.83	35.32	18.97	29.63	100	129 Average																																																																																




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE20 Full CH116 5580MHz - L																																		
CDD 1+2	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03C017-85 Condition : 5G BAND 1----3 2e 3117 SW 00218462 HORIZONTAL Project : RFEM 1000L 0000004 Y9W 3000L 000000 SPT Auto Polar : 0301230400 Mode : 2e Plane : 2e Full-directivity JREI : #21 power setting : 65 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5725.64</td><td>57.79</td><td>-18.51</td><td>68.30</td><td>48.64</td><td>35.62</td><td>11.32</td><td>29.79</td><td>180</td><td>129 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5725.64	57.79	-18.51	68.30	48.64	35.62	11.32	29.79	180	129 Peak HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																											
1	5725.64	57.79	-18.51	68.30	48.64	35.62	11.32	29.79	180	129 Peak HORIZONTAL																									





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Full CH116 5580MHz - R																																																																																								
CDD 1+2	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 5 117 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) Site : 03CBT-RS Condition : SG BAND 1----3 2e 3117 SM 00218642 VERTICAL Project : RSW 1000.000MHz YSW 3000.000MHz SPT Auto File : (FS)230408 Mode : 2e Plane : X- Full-directivity File : #21 PowerSetting : #66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5375.68</td><td>56.34</td><td>-17.66</td><td>74.00</td><td>39.89</td><td>35.24</td><td>18.85</td><td>29.55</td><td>298</td><td>2 Peak VERTICAL</td></tr><tr><td>2</td><td>5467.68</td><td>55.43</td><td>-12.89</td><td>68.38</td><td>38.71</td><td>35.34</td><td>18.99</td><td>29.63</td><td>298</td><td>2 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5375.68	56.34	-17.66	74.00	39.89	35.24	18.85	29.55	298	2 Peak VERTICAL	2	5467.68	55.43	-12.89	68.38	38.71	35.34	18.99	29.63	298	2 Peak VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 7 117 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5100 5200 5300 5400 5500 5600 5700 Frequency (MHz) Site : 03CBT-RS Condition : SG BAND 1----3 2e 3117 SM 00218642 VERTICAL Project : RSW 1000.000MHz YSW 3000.000MHz SPT Auto File : (FS)230408 Mode : 2e Plane : X- Full-directivity File : #21 PowerSetting : #66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5584.00</td><td>106.43</td><td>38.13</td><td>68.38</td><td>89.59</td><td>35.44</td><td>11.16</td><td>29.76</td><td>298</td><td>2 Peak VERTICAL</td></tr><tr><td>2</td><td>5584.00</td><td>88.32</td><td>-----</td><td>81.48</td><td>35.44</td><td>11.16</td><td>29.76</td><td>298</td><td>2 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5584.00	106.43	38.13	68.38	89.59	35.44	11.16	29.76	298	2 Peak VERTICAL	2	5584.00	88.32	-----	81.48	35.44	11.16	29.76	298	2 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1	5375.68	56.34	-17.66	74.00	39.89	35.24	18.85	29.55	298	2 Peak VERTICAL																																																																															
2	5467.68	55.43	-12.89	68.38	38.71	35.34	18.99	29.63	298	2 Peak VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1	5584.00	106.43	38.13	68.38	89.59	35.44	11.16	29.76	298	2 Peak VERTICAL																																																																															
2	5584.00	88.32	-----	81.48	35.44	11.16	29.76	298	2 Average VERTICAL																																																																																
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn SPORTON LAB. DATA: 6 117 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5350 5380 5400 5420 5440 5460 5480 5500 5510 Frequency (MHz) Site : 03CBT-RS Condition : SG BAND 1----3 (ATC) 2e 3117 SM 00218642 VERTICAL Project : RSW 1000.000MHz YSW 0.27000MHz SPT Auto File : (FS)230408 Mode : 2e Plane : X- Full-directivity File : #21 PowerSetting : #66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5455.44</td><td>46.28</td><td>-7.72</td><td>54.00</td><td>29.62</td><td>35.32</td><td>18.97</td><td>29.63</td><td>298</td><td>2 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5455.44	46.28	-7.72	54.00	29.62	35.32	18.97	29.63	298	2 Average VERTICAL	Left blank																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1	5455.44	46.28	-7.72	54.00	29.62	35.32	18.97	29.63	298	2 Average VERTICAL																																																																															





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH116 5580MHz - R	
CDD 1+2	Vertical	Fundamental
Peak		Left blank






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE20 Full CH140 5700MHz																																																																																					
CDD	Horizontal	Fundamental																																																																																				
1+2																																																																																						
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SWT:Auto Bode : FFS 235408 Plane : 27 Polar : Full-directivity IMEI : #21 PowerSetting : 28 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5726.52</td><td>66.91</td><td>-1.29</td><td>68.30</td><td>50.53</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>134 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg			1	5726.52	66.91	-1.29	68.30	50.53	34.85	11.32	29.79	100	134 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SWT:Auto Bode : FFS 235408 Plane : 27 Polar : Full-directivity IMEI : #21 PowerSetting : 28 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5698.00</td><td>111.81</td><td>43.51</td><td>68.30</td><td>95.05</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>134 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5698.00</td><td>104.26</td><td></td><td></td><td>68.00</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>134 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg			1	5698.00	111.81	43.51	68.30	95.05	34.78	11.28	29.80	100	134 Peak	HORIZONTAL	2	5698.00	104.26			68.00	34.78	11.28	29.80	100	134 Average	HORIZONTAL
Freq	Level	Over	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																													
1	5726.52	66.91	-1.29	68.30	50.53	34.85	11.32	29.79	100	134 Peak	HORIZONTAL																																																																											
Freq	Level	Over	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																													
1	5698.00	111.81	43.51	68.30	95.05	34.78	11.28	29.80	100	134 Peak	HORIZONTAL																																																																											
2	5698.00	104.26			68.00	34.78	11.28	29.80	100	134 Average	HORIZONTAL																																																																											






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Full CH140 5700MHz																																																																																
CDD	Vertical	Fundamental																																																																															
1+2																																																																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS235408 Plane : 27 Antenna : Full-directivity IMEI : #21 PowerSetting : 26 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5704.00</td><td>62.43</td><td>-5.87</td><td>68.30</td><td>46.05</td><td>34.85</td><td>11.32</td><td>29.79</td><td>264</td><td>347 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  Site : 030607-KS Condition : SG BAND 1-3 @ 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS235408 Plane : 27 Antenna : Full-directivity IMEI : #21 PowerSetting : 26 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5704.00</td><td>110.04</td><td>41.74</td><td>68.30</td><td>93.72</td><td>34.82</td><td>11.30</td><td>29.80</td><td>264</td><td>347 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5704.00</td><td>100.77</td><td></td><td>64.46</td><td>34.82</td><td>11.30</td><td>29.80</td><td>264</td><td>347 Average</td><td></td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5704.00	62.43	-5.87	68.30	46.05	34.85	11.32	29.79	264	347 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg			1	5704.00	110.04	41.74	68.30	93.72	34.82	11.30	29.80	264	347 Peak	VERTICAL	2	5704.00	100.77		64.46	34.82	11.30	29.80	264	347 Average		VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																									
1	5704.00	62.43	-5.87	68.30	46.05	34.85	11.32	29.79	264	347 Peak	VERTICAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBm/100MHz	dB	dBm/100MHz	dBm/100MHz	dB	dB	cm	deg																																																																									
1	5704.00	110.04	41.74	68.30	93.72	34.82	11.30	29.80	264	347 Peak	VERTICAL																																																																						
2	5704.00	100.77		64.46	34.82	11.30	29.80	264	347 Average		VERTICAL																																																																						





UNII-2C - 5470~5725MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																																																				
CDD	Horizontal	Fundamental																																																																																			
1+2																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : 25 Plane : X- Full-directivity MEI : 421 power setting : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.24</td><td>58.54</td><td>-15.46</td><td>74.00</td><td>42.68</td><td>34.52</td><td>10.94</td><td>29.65</td><td>100</td><td>315</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5469.04</td><td>58.67</td><td>-9.63</td><td>68.30</td><td>42.78</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>315</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : 25 Plane : X- Full-directivity MEI : 421 power setting : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5494.00</td><td>113.05</td><td>44.75</td><td>68.30</td><td>97.14</td><td>34.54</td><td>11.02</td><td>29.65</td><td>100</td><td>315</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5494.00</td><td>104.60</td><td>-----</td><td>88.69</td><td>34.54</td><td>11.02</td><td>29.65</td><td>100</td><td>315</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBμV/m	dB	dBμV/m	dBμV	dBm	cm	deg	1	5432.24	58.54	-15.46	74.00	42.68	34.52	10.94	29.65	100	315	Peak	HORIZONTAL	2	5469.04	58.67	-9.63	68.30	42.78	34.53	10.99	29.63	100	315	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBμV/m	dB	dBμV/m	dBμV	dBm	cm	deg	1	5494.00	113.05	44.75	68.30	97.14	34.54	11.02	29.65	100	315	Peak	HORIZONTAL	2	5494.00	104.60	-----	88.69	34.54	11.02	29.65	100	315	Average	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
WIC	dBμV/m	dB	dBμV/m	dBμV	dBm	cm	deg																																																																														
1	5432.24	58.54	-15.46	74.00	42.68	34.52	10.94	29.65	100	315	Peak	HORIZONTAL																																																																									
2	5469.04	58.67	-9.63	68.30	42.78	34.53	10.99	29.63	100	315	Peak	HORIZONTAL																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
WIC	dBμV/m	dB	dBμV/m	dBμV	dBm	cm	deg																																																																														
1	5494.00	113.05	44.75	68.30	97.14	34.54	11.02	29.65	100	315	Peak	HORIZONTAL																																																																									
2	5494.00	104.60	-----	88.69	34.54	11.02	29.65	100	315	Average	HORIZONTAL																																																																										
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.010KHz SRT:Auto Mode : 25 Plane : X- Full-directivity MEI : 421 power setting : 64 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WIC</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dBm</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5469.76</td><td>49.18</td><td>-4.82</td><td>54.00</td><td>33.31</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>315</td><td>Average</td><td>HORIZONTAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WIC	dBμV/m	dB	dBμV/m	dBμV	dBm	cm	deg	1	5469.76	49.18	-4.82	54.00	33.31	34.53	10.97	29.63	100	315	Average	HORIZONTAL																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
WIC	dBμV/m	dB	dBμV/m	dBμV	dBm	cm	deg																																																																														
1	5469.76	49.18	-4.82	54.00	33.31	34.53	10.97	29.63	100	315	Average	HORIZONTAL																																																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																																																								
CDD	Vertical	Fundamental																																																																																							
1+2																																																																																									
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 25 Polar : X- Full-directivity HEI : #21 Power setting : #4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5362.99</td><td>57.51</td><td>-16.49</td><td>74.00</td><td>41.68</td><td>34.50</td><td>10.85</td><td>29.52</td><td>332</td><td>330 Peak VERTICAL</td></tr><tr><td>2</td><td>5498.72</td><td>56.99</td><td>-11.31</td><td>68.30</td><td>41.10</td><td>34.53</td><td>10.79</td><td>29.63</td><td>332</td><td>330 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5362.99	57.51	-16.49	74.00	41.68	34.50	10.85	29.52	332	330 Peak VERTICAL	2	5498.72	56.99	-11.31	68.30	41.10	34.53	10.79	29.63	332	330 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : (FR) 230408 Plane : 25 Polar : X- Full-directivity HEI : #21 Power setting : #4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5494.00</td><td>109.15</td><td>40.85</td><td>48.30</td><td>93.24</td><td>34.54</td><td>11.02</td><td>29.65</td><td>332</td><td>330 Peak VERTICAL</td></tr><tr><td>2</td><td>5494.00</td><td>100.63</td><td>-----</td><td>84.72</td><td>34.54</td><td>11.02</td><td>29.65</td><td>332</td><td>330 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5494.00	109.15	40.85	48.30	93.24	34.54	11.02	29.65	332	330 Peak VERTICAL	2	5494.00	100.63	-----	84.72	34.54	11.02	29.65	332	330 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5362.99	57.51	-16.49	74.00	41.68	34.50	10.85	29.52	332	330 Peak VERTICAL																																																																															
2	5498.72	56.99	-11.31	68.30	41.10	34.53	10.79	29.63	332	330 Peak VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5494.00	109.15	40.85	48.30	93.24	34.54	11.02	29.65	332	330 Peak VERTICAL																																																																															
2	5494.00	100.63	-----	84.72	34.54	11.02	29.65	332	330 Average VERTICAL																																																																																
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 0.01000KHz SMT:Auto Mode : (FR) 230408 Plane : 25 Polar : X- Full-directivity HEI : #21 Power setting : #4 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>47.38</td><td>-6.62</td><td>54.00</td><td>31.51</td><td>34.53</td><td>10.97</td><td>29.63</td><td>332</td><td>330 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5459.92	47.38	-6.62	54.00	31.51	34.53	10.97	29.63	332	330 Average VERTICAL	Left blank																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5459.92	47.38	-6.62	54.00	31.51	34.53	10.97	29.63	332	330 Average VERTICAL																																																																															






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 106/54 CH140 5700MHz																																																																													
CDD	Horizontal	Fundamental																																																																												
1+2																																																																														
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Site : 030607-KS Condition : SG BAND 1-3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 28 Plane : X- Full-directivity ME1 : #21 PowerSetting : S4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5727.40</td><td>60.90</td><td>-7.40</td><td>68.30</td><td>44.92</td><td>34.85</td><td>11.32</td><td>29.79</td><td>105</td><td>317 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 2 Site : 030607-KS Condition : SG BAND 1-3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : 28 Plane : X- Full-directivity ME1 : #21 PowerSetting : S4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5704.00</td><td>112.89</td><td>44.59</td><td>68.30</td><td>96.97</td><td>34.82</td><td>11.30</td><td>29.80</td><td>105</td><td>317 Peak</td></tr><tr><td>2</td><td>5704.00</td><td>103.42</td><td>-----</td><td>87.10</td><td>34.82</td><td>11.30</td><td>29.80</td><td>105</td><td>317 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5727.40	60.90	-7.40	68.30	44.92	34.85	11.32	29.79	105	317 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5704.00	112.89	44.59	68.30	96.97	34.82	11.30	29.80	105	317 Peak	2	5704.00	103.42	-----	87.10	34.82	11.30	29.80	105	317 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5727.40	60.90	-7.40	68.30	44.92	34.85	11.32	29.79	105	317 Peak																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																						
1	5704.00	112.89	44.59	68.30	96.97	34.82	11.30	29.80	105	317 Peak																																																																				
2	5704.00	103.42	-----	87.10	34.82	11.30	29.80	105	317 Average	HORIZONTAL																																																																				




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 106/54 CH140 5700MHz																																																																													
CDD 1+2	Vertical	Fundamental																																																																												
Peak	Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : FPC235408 Mode : 28 Plane : X- Full-directivity IMEI : #21 Power setting : S4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5704.00</td><td>109.72</td><td>41.43</td><td>68.30</td><td>93.41</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>117 Peak</td><td>VERTICAL</td></tr></table> Site : 030607-KS Condition : 5G BAND 1-3 @ 3m 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Plane : FPC235408 Mode : 28 Plane : X- Full-directivity IMEI : #21 Power setting : S4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5704.00</td><td>109.72</td><td>41.43</td><td>68.30</td><td>93.41</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>117 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5704.00</td><td>99.88</td><td>63.56</td><td>34.82</td><td>11.30</td><td>29.80</td><td></td><td></td><td>117 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 5704.00	109.72	41.43	68.30	93.41	34.82	11.30	29.80	100	117 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 5704.00	109.72	41.43	68.30	93.41	34.82	11.30	29.80	100	117 Peak	VERTICAL	2	5704.00	99.88	63.56	34.82	11.30	29.80			117 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																						
1 * 5704.00	109.72	41.43	68.30	93.41	34.82	11.30	29.80	100	117 Peak	VERTICAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																						
1 * 5704.00	109.72	41.43	68.30	93.41	34.82	11.30	29.80	100	117 Peak	VERTICAL																																																																				
2	5704.00	99.88	63.56	34.82	11.30	29.80			117 Average	VERTICAL																																																																				




UNII-2C 5470~5725MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																				
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																																																																				
CDD 1+2	Horizontal	Fundamental																																																																																																			
Peak	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : (FR) 230408 Plane : 29 Polar : X- Full-directivity MEI : #21 power setting : #4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>64.62</td><td>-9.38</td><td>74.00</td><td>48.75</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>127</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5468.88</td><td>65.91</td><td>-2.39</td><td>68.30</td><td>50.02</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>127</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1	5459.12	64.62	-9.38	74.00	48.75	34.53	10.97	29.63	100	127	Peak	HORIZONTAL	2	5468.88	65.91	-2.39	68.30	50.02	34.53	10.99	29.63	100	127	Peak	HORIZONTAL	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SRT:Auto Mode : (FR) 230408 Plane : 29 Polar : X- Full-directivity MEI : #21 power setting : #4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5506.00</td><td>106.11</td><td>37.81</td><td>68.30</td><td>90.20</td><td>34.55</td><td>11.04</td><td>29.68</td><td>100</td><td>127</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5506.00</td><td>97.38</td><td>-----</td><td>81.47</td><td>34.55</td><td>11.04</td><td>29.68</td><td>100</td><td>127</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1	5506.00	106.11	37.81	68.30	90.20	34.55	11.04	29.68	100	127	Peak	HORIZONTAL	2	5506.00	97.38	-----	81.47	34.55	11.04	29.68	100	127	Average	HORIZONTAL
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																										
1	5459.12	64.62	-9.38	74.00	48.75	34.53	10.97	29.63	100	127	Peak	HORIZONTAL																																																																																									
2	5468.88	65.91	-2.39	68.30	50.02	34.53	10.99	29.63	100	127	Peak	HORIZONTAL																																																																																									
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																										
1	5506.00	106.11	37.81	68.30	90.20	34.55	11.04	29.68	100	127	Peak	HORIZONTAL																																																																																									
2	5506.00	97.38	-----	81.47	34.55	11.04	29.68	100	127	Average	HORIZONTAL																																																																																										
Avg.	 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW:0.510KHz SRT:Auto Mode : (FR) 230408 Plane : 29 Polar : X- Full-directivity MEI : #21 power setting : #4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>50.76</td><td>-3.24</td><td>54.00</td><td>34.89</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>127</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1	5458.96	50.76	-3.24	54.00	34.89	34.53	10.97	29.63	100	127	Average	HORIZONTAL	Left blank																																																														
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																										
1	5458.96	50.76	-3.24	54.00	34.89	34.53	10.97	29.63	100	127	Average	HORIZONTAL																																																																																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																
ANT	802.11ax HE40 Full CH102 5510MHz - R																																
CDD 1+2	Horizontal	Fundamental																															
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG BAND 1----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SWI:Auto File : FR230408E Mode : 29 Plane : X-Full-directivity JMEI : #21 power setting : 24 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5737.16</td><td>59.45</td><td>-8.85</td><td>68.30</td><td>43.00</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100 127 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg			1	5737.16	59.45	-8.85	68.30	43.00	34.89	11.34	29.78	100 127 Peak	HORIZONTAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																								
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg																										
1	5737.16	59.45	-8.85	68.30	43.00	34.89	11.34	29.78	100 127 Peak	HORIZONTAL																							



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE40 Full CH102 5510MHz - R																																		
CDD 1+2	Vertical	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG-BAND 1-3 @ 5117.000000000000 VERTICAL Project : RRM-1000.000000000000 SMT:Auto Plane : 29 Plane : Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5725.88</td><td>58.61</td><td>-9.69</td><td>68.30</td><td>42.23</td><td>34.85</td><td>11.32</td><td>29.79</td><td>347</td><td>172 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	5725.88	58.61	-9.69	68.30	42.23	34.85	11.32	29.79	347	172 Peak VERTICAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Poi/Phas																									
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																											
1	5725.88	58.61	-9.69	68.30	42.23	34.85	11.32	29.79	347	172 Peak VERTICAL																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																																																									
CDD 1+2	Horizontal	Fundamental																																																																																								
Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sparton.com.cn Site : 03CIBT-RS Condition : SG BAND 1-----3 3m 3117 SW 00218642 HORIZ20NTAL Project : RSM 1000.000000 YBW 3000.000000 SWT Auto Mode : OFDM 256QAM Plane : 0 Polar : X- Full-directivity IMEI : 421 powercattling : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5444.56</td><td>59.70</td><td>-14.30</td><td>74.00</td><td>43.45</td><td>35.31</td><td>18.94</td><td>29.68</td><td>100</td><td>131 Peak</td></tr><tr><td>2</td><td>5449.88</td><td>59.34</td><td>-8.76</td><td>68.30</td><td>42.88</td><td>35.32</td><td>18.97</td><td>29.63</td><td>100</td><td>131 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg			1	5444.56	59.70	-14.30	74.00	43.45	35.31	18.94	29.68	100	131 Peak	2	5449.88	59.34	-8.76	68.30	42.88	35.32	18.97	29.63	100	131 Peak	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sparton.com.cn Site : 03CIBT-RS Condition : SG BAND 1-----3 3m 3117 SW 00218642 HORIZ20NTAL Project : RSM 1000.000000 YBW 3000.000000 SWT Auto Mode : OFDM 256QAM Plane : 0 Polar : X- Full-directivity IMEI : 421 powercattling : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5554.00</td><td>118.69</td><td>42.39</td><td>68.30</td><td>93.89</td><td>35.42</td><td>11.11</td><td>29.73</td><td>100</td><td>131 Peak</td></tr><tr><td>2</td><td>5554.00</td><td>189.77</td><td>-----</td><td>83.97</td><td>35.42</td><td>11.11</td><td>29.73</td><td>100</td><td>131 Average</td><td>HORIZ20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg			1	5554.00	118.69	42.39	68.30	93.89	35.42	11.11	29.73	100	131 Peak	2	5554.00	189.77	-----	83.97	35.42	11.11	29.73	100	131 Average	HORIZ20NT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg																																																																																		
1	5444.56	59.70	-14.30	74.00	43.45	35.31	18.94	29.68	100	131 Peak																																																																																
2	5449.88	59.34	-8.76	68.30	42.88	35.32	18.97	29.63	100	131 Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg																																																																																		
1	5554.00	118.69	42.39	68.30	93.89	35.42	11.11	29.73	100	131 Peak																																																																																
2	5554.00	189.77	-----	83.97	35.42	11.11	29.73	100	131 Average	HORIZ20NT																																																																																
Avg.	 No. 1098, Pengzi North Road,Kunshan Economic & Technical Development Zone,Jiangsu,China tel:+86-512-57900158 fax:+86-512-57900058 http://www.sparton.com.cn Site : 03CIBT-RS Condition : SG BAND 1-----3 (AVG) 3m 3117 SW 00218642 HORIZ20NTAL Project : RSM 1000.000000 YBW 3000.000000 SWT Auto Mode : OFDM 256QAM Plane : 0 Polar : X- Full-directivity IMEI : 421 powercattling : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5449.84</td><td>59.31</td><td>-3.69</td><td>54.00</td><td>33.66</td><td>35.31</td><td>18.97</td><td>29.63</td><td>100</td><td>131 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg			1	5449.84	59.31	-3.69	54.00	33.66	35.31	18.97	29.63	100	131 Average	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg																																																																																		
1	5449.84	59.31	-3.69	54.00	33.66	35.31	18.97	29.63	100	131 Average																																																																																







WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE40 Full CH110 5550MHz - L																																		
CDD 1+2	Horizontal	Fundamental																																	
Peak	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBuV/m) 197 105.3 93.6 81.8 70.2 58.5 46.8 35.1 23.4 11.7 5685 5700 5710 5720 5730 5740 5750 5760 5765 Frequency (MHz) SG BAND 1---3 -0.00 Site : 03C87-ES Condition : SG BAND 1---3 3m 3117 SE 00218642 HORIZONTAL Power : 1000.000000 W 999.000000 W 997.000000 W Project : 0701230408 Mode : 30 Plane : X- Full-directivity IRE1 : 412 power setting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5751.48</td><td>68.32</td><td>-7.98</td><td>60.30</td><td>43.11</td><td>35.65</td><td>11.34</td><td>29.78</td><td>100</td><td>131 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5751.48	68.32	-7.98	60.30	43.11	35.65	11.34	29.78	100	131 Peak HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1	5751.48	68.32	-7.98	60.30	43.11	35.65	11.34	29.78	100	131 Peak HORIZONTAL																									




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Full CH110 5550MHz - R																																																																																								
CDD 1+2	Vertical	Fundamental																																																																																							
Peak	 Site : 03CIBT-RS Condition : SG BAND 1-3 3m 3117 SW 00218642 VERTICAL Project : RSM 1000.000000 YBW 3000.000000 SWT Auto Mode : OFDM 256QAM Plane : 0 Polar : X- Full-directivity IMEI : #21 powersetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5432.24</td><td>57.61</td><td>-16.39</td><td>74.00</td><td>40.98</td><td>35.29</td><td>18.94</td><td>29.68</td><td>301</td><td>174 Peak VERTICAL</td></tr><tr><td>2</td><td>5469.68</td><td>57.28</td><td>-11.62</td><td>68.90</td><td>40.58</td><td>35.34</td><td>18.99</td><td>29.63</td><td>301</td><td>174 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5432.24	57.61	-16.39	74.00	40.98	35.29	18.94	29.68	301	174 Peak VERTICAL	2	5469.68	57.28	-11.62	68.90	40.58	35.34	18.99	29.63	301	174 Peak VERTICAL	 Site : 03CIBT-RS Condition : SG BAND 1-3 3m 3117 SW 00218642 VERTICAL Project : RSM 1000.000000 YBW 3000.000000 SWT Auto Mode : OFDM 256QAM Plane : 0 Polar : X- Full-directivity IMEI : #21 powersetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>5536.00</td><td>183.52</td><td>35.22</td><td>68.30</td><td>86.73</td><td>35.40</td><td>11.89</td><td>29.70</td><td>301</td><td>174 Peak VERTICAL</td></tr><tr><td>2</td><td>5536.00</td><td>95.53</td><td>-----</td><td>78.74</td><td>35.40</td><td>11.89</td><td>29.70</td><td>301</td><td>174 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	5536.00	183.52	35.22	68.30	86.73	35.40	11.89	29.70	301	174 Peak VERTICAL	2	5536.00	95.53	-----	78.74	35.40	11.89	29.70	301	174 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5432.24	57.61	-16.39	74.00	40.98	35.29	18.94	29.68	301	174 Peak VERTICAL																																																																															
2	5469.68	57.28	-11.62	68.90	40.58	35.34	18.99	29.63	301	174 Peak VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 *	5536.00	183.52	35.22	68.30	86.73	35.40	11.89	29.70	301	174 Peak VERTICAL																																																																															
2	5536.00	95.53	-----	78.74	35.40	11.89	29.70	301	174 Average VERTICAL																																																																																
Avg.	 Site : 03CIBT-RS Condition : SG BAND 1-3 (AVG) 3m 3117 SW 00218642 VERTICAL Project : RSM 1000.000000 YBW 3000.000000 SWT Auto Mode : OFDM 256QAM Plane : 0 Polar : X- Full-directivity IMEI : #21 powersetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5395.64</td><td>48.32</td><td>-5.68</td><td>54.00</td><td>31.79</td><td>35.22</td><td>18.83</td><td>29.52</td><td>301</td><td>174 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5395.64	48.32	-5.68	54.00	31.79	35.22	18.83	29.52	301	174 Average VERTICAL	Left blank																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5395.64	48.32	-5.68	54.00	31.79	35.22	18.83	29.52	301	174 Average VERTICAL																																																																															




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH110 5550MHz - R	
CDD 1+2	Vertical	Fundamental
Peak		Left blank

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																																																																																																																																																																									
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																																																																																																																																																																																																																									
CDD 1+2	Horizontal	Fundamental																																																																																																																																																																																																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.sparton.com.cn Date: 5  <table><tr><td>Site</td><td colspan="11">: 035807-K5</td></tr><tr><td>Condition</td><td colspan="11">: 5G BAND 1-3 3m 3117 00340132 HORIZONTAL</td></tr><tr><td>Project</td><td colspan="11">: RRM 1000.000KHz VSW:3000.000KHz SWT:Auto</td></tr><tr><td>Mode</td><td colspan="11">: (FRE)230408</td></tr><tr><td>Plane</td><td colspan="11">: 31 Full-directivity</td></tr><tr><td>IMEI</td><td colspan="11">: #21</td></tr><tr><td>Power setting</td><td colspan="11">: #21</td></tr><tr><td></td><td>Over</td><td>Limit</td><td>ReadAntenna</td><td>Cable</td><td>Preamp</td><td>A/Pos</td><td>T/Pos</td><td>Remark</td><td>Pol/Phas</td><td colspan="2"></td></tr><tr><td></td><td>Freq</td><td>Level</td><td>Limit</td><td>Line</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td></td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5450.88</td><td>58.70</td><td>-15.30</td><td>74.00</td><td>42.83</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Peak</td></tr><tr><td>2</td><td>5460.84</td><td>58.01</td><td>-10.29</td><td>68.30</td><td>42.12</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>132</td><td>Peak</td></tr></table>	Site	: 035807-K5											Condition	: 5G BAND 1-3 3m 3117 00340132 HORIZONTAL											Project	: RRM 1000.000KHz VSW:3000.000KHz SWT:Auto											Mode	: (FRE)230408											Plane	: 31 Full-directivity											IMEI	: #21											Power setting	: #21												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas				Freq	Level	Limit	Line	Level	Factor	Loss	Factor		cm	deg	1	5450.88	58.70	-15.30	74.00	42.83	34.53	10.97	29.63	100	132	Peak	2	5460.84	58.01	-10.29	68.30	42.12	34.53	10.99	29.63	100	132	Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.sparton.com.cn Date: 7  <table><tr><td>Site</td><td colspan="11">: 035807-K5</td></tr><tr><td>Condition</td><td colspan="11">: 5G BAND 1-3 3m 3117 00340132 HORIZONTAL</td></tr><tr><td>Project</td><td colspan="11">: RRM 1000.000KHz VSW:3000.000KHz SWT:Auto</td></tr><tr><td>Mode</td><td colspan="11">: (FRE)230408</td></tr><tr><td>Plane</td><td colspan="11">: 31 Full-directivity</td></tr><tr><td>IMEI</td><td colspan="11">: #21</td></tr><tr><td>Power setting</td><td colspan="11">: #21</td></tr><tr><td></td><td>Over</td><td>Limit</td><td>ReadAntenna</td><td>Cable</td><td>Preamp</td><td>A/Pos</td><td>T/Pos</td><td>Remark</td><td>Pol/Phas</td><td colspan="2"></td></tr><tr><td></td><td>Freq</td><td>Level</td><td>Limit</td><td>Line</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td></td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5686.00</td><td>110.54</td><td>42.24</td><td>68.30</td><td>94.28</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>132</td><td>Peak</td></tr><tr><td>2</td><td>5686.00</td><td>100.82</td><td></td><td></td><td>84.56</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>132</td><td>Average</td></tr></table>	Site	: 035807-K5											Condition	: 5G BAND 1-3 3m 3117 00340132 HORIZONTAL											Project	: RRM 1000.000KHz VSW:3000.000KHz SWT:Auto											Mode	: (FRE)230408											Plane	: 31 Full-directivity											IMEI	: #21											Power setting	: #21												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas				Freq	Level	Limit	Line	Level	Factor	Loss	Factor		cm	deg	1	5686.00	110.54	42.24	68.30	94.28	34.78	11.28	29.80	100	132	Peak	2	5686.00	100.82			84.56	34.78	11.28	29.80	100	132	Average
Site	: 035807-K5																																																																																																																																																																																																																																																																									
Condition	: 5G BAND 1-3 3m 3117 00340132 HORIZONTAL																																																																																																																																																																																																																																																																									
Project	: RRM 1000.000KHz VSW:3000.000KHz SWT:Auto																																																																																																																																																																																																																																																																									
Mode	: (FRE)230408																																																																																																																																																																																																																																																																									
Plane	: 31 Full-directivity																																																																																																																																																																																																																																																																									
IMEI	: #21																																																																																																																																																																																																																																																																									
Power setting	: #21																																																																																																																																																																																																																																																																									
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		cm	deg																																																																																																																																																																																																																																																															
1	5450.88	58.70	-15.30	74.00	42.83	34.53	10.97	29.63	100	132	Peak																																																																																																																																																																																																																																																															
2	5460.84	58.01	-10.29	68.30	42.12	34.53	10.99	29.63	100	132	Peak																																																																																																																																																																																																																																																															
Site	: 035807-K5																																																																																																																																																																																																																																																																									
Condition	: 5G BAND 1-3 3m 3117 00340132 HORIZONTAL																																																																																																																																																																																																																																																																									
Project	: RRM 1000.000KHz VSW:3000.000KHz SWT:Auto																																																																																																																																																																																																																																																																									
Mode	: (FRE)230408																																																																																																																																																																																																																																																																									
Plane	: 31 Full-directivity																																																																																																																																																																																																																																																																									
IMEI	: #21																																																																																																																																																																																																																																																																									
Power setting	: #21																																																																																																																																																																																																																																																																									
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		cm	deg																																																																																																																																																																																																																																																															
1	5686.00	110.54	42.24	68.30	94.28	34.78	11.28	29.80	100	132	Peak																																																																																																																																																																																																																																																															
2	5686.00	100.82			84.56	34.78	11.28	29.80	100	132	Average																																																																																																																																																																																																																																																															
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 Fax: +86-512-57900958 http://www.sparton.com.cn Date: 6  <table><tr><td>Site</td><td colspan="11">: 035807-K5</td></tr><tr><td>Condition</td><td colspan="11">: 5G BAND 1-3 (XV) 3m 3117 00340132 HORIZONTAL</td></tr><tr><td>Project</td><td colspan="11">: RRM 1000.000KHz VSW:3.010KHz SWT:Auto</td></tr><tr><td>Mode</td><td colspan="11">: (FRE)230408</td></tr><tr><td>Plane</td><td colspan="11">: 31</td></tr><tr><td>IMEI</td><td colspan="11">: 31 Full-directivity</td></tr><tr><td>Power setting</td><td colspan="11">: #21</td></tr><tr><td></td><td>Over</td><td>Limit</td><td>ReadAntenna</td><td>Cable</td><td>Preamp</td><td>A/Pos</td><td>T/Pos</td><td>Remark</td><td>Pol/Phas</td><td colspan="2"></td></tr><tr><td></td><td>Freq</td><td>Level</td><td>Limit</td><td>Line</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td></td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5459.76</td><td>46.70</td><td>-5.30</td><td>54.00</td><td>32.83</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>132</td><td>Average</td></tr></table>	Site	: 035807-K5											Condition	: 5G BAND 1-3 (XV) 3m 3117 00340132 HORIZONTAL											Project	: RRM 1000.000KHz VSW:3.010KHz SWT:Auto											Mode	: (FRE)230408											Plane	: 31											IMEI	: 31 Full-directivity											Power setting	: #21												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas				Freq	Level	Limit	Line	Level	Factor	Loss	Factor		cm	deg	1	5459.76	46.70	-5.30	54.00	32.83	34.53	10.97	29.63	100	132	Average	Left blank																																																																																																																																																
Site	: 035807-K5																																																																																																																																																																																																																																																																									
Condition	: 5G BAND 1-3 (XV) 3m 3117 00340132 HORIZONTAL																																																																																																																																																																																																																																																																									
Project	: RRM 1000.000KHz VSW:3.010KHz SWT:Auto																																																																																																																																																																																																																																																																									
Mode	: (FRE)230408																																																																																																																																																																																																																																																																									
Plane	: 31																																																																																																																																																																																																																																																																									
IMEI	: 31 Full-directivity																																																																																																																																																																																																																																																																									
Power setting	: #21																																																																																																																																																																																																																																																																									
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		cm	deg																																																																																																																																																																																																																																																															
1	5459.76	46.70	-5.30	54.00	32.83	34.53	10.97	29.63	100	132	Average																																																																																																																																																																																																																																																															






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE40 Full CH134 5670MHz - R																																		
CDD 1+2	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG BAND 1----3 3e 3117 00246132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT:Auto Plane : (FSL)2.55405 Bode : 31 Plane : 3- Full-directivity JREI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5725.32</td><td>66.86</td><td>-1.44</td><td>68.30</td><td>50.48</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>132 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg			1 5725.32	66.86	-1.44	68.30	50.48	34.85	11.32	29.79	100	132 Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																									
MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg																											
1 5725.32	66.86	-1.44	68.30	50.48	34.85	11.32	29.79	100	132 Peak	HORIZONTAL																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																	
ANT	802.11ax HE40 Full CH134 5670MHz - R																																	
CDD 1+2	Vertical	Fundamental																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12  SG-BAND 1---3 dB Site : 039007-KS Condition : SG-BAND 1---3 @ 5117.000MHz 132 VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SMT-Auto Plane : (F12.235405) Mode : 31 Plane : 3- Full-directivity IMEI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5728.84</td><td>58.69</td><td>-9.61</td><td>68.30</td><td>42.31</td><td>34.85</td><td>11.22</td><td>29.79</td><td>361</td><td>166 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm	dB	cm	deg			1	5728.84	58.69	-9.61	68.30	42.31	34.85	11.22	29.79	361	166 Peak	VERTICAL	Left blank
Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																									
MHz	dBm/100m	dB	dBm/100m	dBm	dB	cm	deg																											
1	5728.84	58.69	-9.61	68.30	42.31	34.85	11.22	29.79	361	166 Peak	VERTICAL																							



UNII-2C 5470~5725MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																												
CDD 1+2	Horizontal	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-37900158 Fax: +86-512-37900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 3000.000000 SRT Auto Project : (FR) 230408 Mode : 32 Plane : X- Full-directivity MEI : 87 Power setting : 54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5458.32</td><td>63.22</td><td>-10.78</td><td>74.00</td><td>47.35</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>130 Peak</td></tr><tr><td>2 5466.16</td><td>64.45</td><td>-3.85</td><td>68.30</td><td>48.56</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>130 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-37900158 Fax: +86-512-37900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 3000.000000 SRT Auto Project : (FR) 230408 Mode : 32 Plane : X- Full-directivity MEI : 87 Power setting : 54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 5560.00</td><td>103.91</td><td>35.61</td><td>68.30</td><td>87.96</td><td>34.57</td><td>11.11</td><td>29.73</td><td>100</td><td>130 Peak</td></tr><tr><td>2 5560.00</td><td>94.39</td><td>-----</td><td>78.44</td><td>34.57</td><td>11.11</td><td>29.73</td><td>100</td><td>130 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	1 5458.32	63.22	-10.78	74.00	47.35	34.53	10.97	29.63	100	130 Peak	2 5466.16	64.45	-3.85	68.30	48.56	34.53	10.99	29.63	100	130 Peak	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	1 * 5560.00	103.91	35.61	68.30	87.96	34.57	11.11	29.73	100	130 Peak	2 5560.00	94.39	-----	78.44	34.57	11.11	29.73	100	130 Average	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																					
1 5458.32	63.22	-10.78	74.00	47.35	34.53	10.97	29.63	100	130 Peak																																																																				
2 5466.16	64.45	-3.85	68.30	48.56	34.53	10.99	29.63	100	130 Peak																																																																				
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																					
1 * 5560.00	103.91	35.61	68.30	87.96	34.57	11.11	29.73	100	130 Peak																																																																				
2 5560.00	94.39	-----	78.44	34.57	11.11	29.73	100	130 Average																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-37900158 Fax: +86-512-37900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 (AVG) 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WVR 1.100000 SRT Auto Project : (FR) 230408 Mode : 32 Plane : X- Full-directivity MEI : 87 Power setting : 54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5458.00</td><td>52.53</td><td>-1.47</td><td>54.00</td><td>35.66</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>130 Average</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	1 5458.00	52.53	-1.47	54.00	35.66	34.53	10.97	29.63	100	130 Average																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg																																																																					
1 5458.00	52.53	-1.47	54.00	35.66	34.53	10.97	29.63	100	130 Average																																																																				

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH106 5530MHz - R	
CDD 1+2	Horizontal	Fundamental
Peak	Left blank	

No. 1098, Pengxi North Road, Kunshan
Economic & Technical Development
Zone, Jiangsu, China
Tel: +86-512-57900158
Fax: +86-512-57900588
http://www.aporton.com.cn

APORTON LAB.

Data: 30

Level (dBm/5MHz)




Frequency (MHz)

SG BAND 1--3
dBm


Site
Condition : 032007-ES
SG BAND 1--3 3e 3117 00240132 HORIZONTAL
RFR 1000.000MHz VHF 3000.000MHz SRT Auto
Project : (E) 230408
Mode : 32
Polar : 3 - Full-directivity
FE1 : #21
Power setting : 54

Freq. Level	Over Limit	ReadAntenna	Cable Preamp	A/Pow	T/Pow	Remark	Pol/Phas
MHz dBm/5MHz	dBm/5MHz	dBm/5MHz	dBm/5MHz	dBm/5MHz	dBm/5MHz	deg	
1 1 5745.40 63.13	-5.17	68.30	46.68	34.89	11.34	29.78	100 130 Peak HORIZONTAL




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																													
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																													
CDD 1+2	Vertical	Fundamental																																																																																												
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 31 Site : 030807-KS Condition : SG BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : (FR) 230408 Plane : X- Full-directivity Polarization : #21 Power setting : #4 #4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5438.16</td><td>60.50</td><td>-13.50</td><td>74.00</td><td>44.64</td><td>34.52</td><td>10.94</td><td>29.60</td><td>100</td><td>290 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5467.76</td><td>63.09</td><td>-5.21</td><td>68.30</td><td>47.20</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>290 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5438.16	60.50	-13.50	74.00	44.64	34.52	10.94	29.60	100	290 Peak	VERTICAL	2	5467.76	63.09	-5.21	68.30	47.20	34.53	10.99	29.63	100	290 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 33 Site : 030807-KS Condition : SG BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : (FR) 230408 Plane : X- Full-directivity Polarization : #21 Power setting : #4 #4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5506.00</td><td>99.59</td><td>-31.29</td><td>68.30</td><td>83.68</td><td>34.55</td><td>11.04</td><td>29.68</td><td>100</td><td>290 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5506.00</td><td>99.33</td><td>-31.29</td><td>68.30</td><td>83.68</td><td>34.55</td><td>11.04</td><td>29.68</td><td>100</td><td>290 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5506.00	99.59	-31.29	68.30	83.68	34.55	11.04	29.68	100	290 Peak	VERTICAL	2	5506.00	99.33	-31.29	68.30	83.68	34.55	11.04	29.68	100	290 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																						
1	5438.16	60.50	-13.50	74.00	44.64	34.52	10.94	29.60	100	290 Peak	VERTICAL																																																																																			
2	5467.76	63.09	-5.21	68.30	47.20	34.53	10.99	29.63	100	290 Peak	VERTICAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																						
1	5506.00	99.59	-31.29	68.30	83.68	34.55	11.04	29.68	100	290 Peak	VERTICAL																																																																																			
2	5506.00	99.33	-31.29	68.30	83.68	34.55	11.04	29.68	100	290 Average	VERTICAL																																																																																			
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 32 Site : 030807-KS Condition : SG BAND 1-3 (AVG) @ 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 1.1000KHz SMT Auto Mode : (FR) 230408 Plane : X- Full-directivity Polarization : #21 Power setting : #4 #4 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5460.00</td><td>50.91</td><td>-3.09</td><td>54.00</td><td>35.04</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>290 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5460.00	50.91	-3.09	54.00	35.04	34.53	10.97	29.63	100	290 Average	VERTICAL	Left blank																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																						
1	5460.00	50.91	-3.09	54.00	35.04	34.53	10.97	29.63	100	290 Average	VERTICAL																																																																																			






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ax HE80 Full CH106 5530MHz - R																																			
CDD 1+2	Vertical	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG BAND 1-----3 3e 3117 00000132 VERTICAL Project : RRM 1000 000000 VBR 3000 000000 SMT:Auto Plane : (F5)2.35405 Mode : 37 Plane : 37 Plane : Full-directivity IMEI : #21 Power setting : 24 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5748.84</td><td>58.54</td><td>-9.78</td><td>68.30</td><td>42.09</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>290 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5748.84	58.54	-9.78	68.30	42.09	34.89	11.34	29.78	100	290 Peak	VERTICAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																												
1	5748.84	58.54	-9.78	68.30	42.09	34.89	11.34	29.78	100	290 Peak	VERTICAL																									




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE80 Full CH122 5610MHz - R																																		
CDD 1+2	Horizontal	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 8  Site : 039027-KS Condition : SG BAND 1-----3 3e 3117 00040132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Plane : FREQ 2.55405 Bode : 33 Plane : X Full-directivity JREI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5729.48</td><td>66.39</td><td>-1.91</td><td>68.30</td><td>50.01</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>130 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg				1	5729.48	66.39	-1.91	68.30	50.01	34.85	11.32	29.79	100	130 Peak HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																												
1	5729.48	66.39	-1.91	68.30	50.01	34.85	11.32	29.79	100	130 Peak HORIZONTAL																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																																																																															
CDD 1+2	Vertical	Fundamental																																																																																																														
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS230408 Plane : 3- Full-directivity Polarization : 3- Full-directivity Power : 21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5409.92</td><td>59.60</td><td>-14.40</td><td>74.00</td><td>43.73</td><td>34.53</td><td>10.97</td><td>29.63</td><td>387</td><td>165 Peak VERTICAL</td></tr><tr><td>5460.00</td><td>59.14</td><td>-9.16</td><td>68.30</td><td>43.25</td><td>34.53</td><td>10.99</td><td>29.63</td><td>387</td><td>165 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS230408 Plane : 3- Full-directivity Polarization : 3- Full-directivity Power : 21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5402.00</td><td>102.38</td><td>34.08</td><td>68.30</td><td>86.25</td><td>34.60</td><td>11.19</td><td>29.76</td><td>387</td><td>165 Peak VERTICAL</td></tr><tr><td>5460.00</td><td>14.02</td><td>-----</td><td>78.04</td><td>34.60</td><td>11.19</td><td>29.76</td><td>387</td><td>165 Average VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			5409.92	59.60	-14.40	74.00	43.73	34.53	10.97	29.63	387	165 Peak VERTICAL	5460.00	59.14	-9.16	68.30	43.25	34.53	10.99	29.63	387	165 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			5402.00	102.38	34.08	68.30	86.25	34.60	11.19	29.76	387	165 Peak VERTICAL	5460.00	14.02	-----	78.04	34.60	11.19	29.76	387	165 Average VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 1.1000KHz SRT:Auto Mode : FFS230408 Plane : 3- Full-directivity Polarization : 3- Full-directivity Power : 21 Power setting : 60 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5468.16</td><td>49.99</td><td>-4.01</td><td>54.00</td><td>34.12</td><td>34.53</td><td>10.97</td><td>29.63</td><td>387</td><td>165 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			5468.16	49.99	-4.01	54.00	34.12	34.53	10.97	29.63	387	165 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																																																																							
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																									
5409.92	59.60	-14.40	74.00	43.73	34.53	10.97	29.63	387	165 Peak VERTICAL																																																																																																							
5460.00	59.14	-9.16	68.30	43.25	34.53	10.99	29.63	387	165 Peak VERTICAL																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																																																																							
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																									
5402.00	102.38	34.08	68.30	86.25	34.60	11.19	29.76	387	165 Peak VERTICAL																																																																																																							
5460.00	14.02	-----	78.04	34.60	11.19	29.76	387	165 Average VERTICAL																																																																																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/P	T/P	Remark	Pol/Phas																																																																																																							
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																									
5468.16	49.99	-4.01	54.00	34.12	34.53	10.97	29.63	387	165 Average VERTICAL																																																																																																							






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																	
ANT	802.11ax HE80 Full CH122 5610MHz - R																																	
CDD 1+2	Vertical	Fundamental																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039007-KS Condition : SG-BAND 1-3 @ 5117.000MHz VERTICAL Project : RRM-1000.000MHz VBR-3000.000MHz SMT-Auto Plane : (F5)2.254GHz Bode : 33 Plane : 3- Full-directivity IMEI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Bandwidth</th><th>Cable Loss</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5728.60</td><td>61.09</td><td>-6.71</td><td>68.30</td><td>45.21</td><td>34.85</td><td>11.32</td><td>29.79</td><td>387</td><td>160 Peak</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Limit	Bandwidth	Cable Loss	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5728.60	61.09	-6.71	68.30	45.21	34.85	11.32	29.79	387	160 Peak	VERTICAL	
Freq	Level	Limit	Bandwidth	Cable Loss	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5728.60	61.09	-6.71	68.30	45.21	34.85	11.32	29.79	387	160 Peak	VERTICAL																							



UNII-2C - - 5470~5725MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																																				
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																																				
TxBF	Horizontal	Fundamental																																																																																																			
1+2																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : (F) 235408 Plane : 50 Polar : X- Full-directivity MEI : 421 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>on</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.32</td><td>56.91</td><td>-17.09</td><td>74.00</td><td>41.10</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>113</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5467.60</td><td>56.69</td><td>-11.61</td><td>68.30</td><td>40.80</td><td>34.53</td><td>10.99</td><td>69.63</td><td>100</td><td>113</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	on	deg		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5358.32	56.91	-17.09	74.00	41.10	34.50	10.83	29.52	100	113	Peak	HORIZONTAL	2	5467.60	56.69	-11.61	68.30	40.80	34.53	10.99	69.63	100	113	Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : (F) 235408 Plane : 50 Polar : X- Full-directivity MEI : 421 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>on</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5494.00</td><td>104.81</td><td>36.51</td><td>68.30</td><td>88.90</td><td>34.54</td><td>11.02</td><td>29.65</td><td>100</td><td>113</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5494.00</td><td>91.02</td><td>-----</td><td>75.11</td><td>34.54</td><td>11.02</td><td>29.65</td><td>100</td><td>113</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	on	deg		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5494.00	104.81	36.51	68.30	88.90	34.54	11.02	29.65	100	113	Peak	HORIZONTAL	2	5494.00	91.02	-----	75.11	34.54	11.02	29.65	100	113	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Line	Level Factor	Loss Factor	on	deg																																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																														
1	5358.32	56.91	-17.09	74.00	41.10	34.50	10.83	29.52	100	113	Peak	HORIZONTAL																																																																																									
2	5467.60	56.69	-11.61	68.30	40.80	34.53	10.99	69.63	100	113	Peak	HORIZONTAL																																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Line	Level Factor	Loss Factor	on	deg																																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																														
1	5494.00	104.81	36.51	68.30	88.90	34.54	11.02	29.65	100	113	Peak	HORIZONTAL																																																																																									
2	5494.00	91.02	-----	75.11	34.54	11.02	29.65	100	113	Average	HORIZONTAL																																																																																										
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : (F) 235408 Plane : 50 Polar : X- Full-directivity MEI : 421 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>on</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>50.42</td><td>-3.58</td><td>54.00</td><td>34.55</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>113</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	on	deg		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5458.16	50.42	-3.58	54.00	34.55	34.53	10.97	29.63	100	113	Average	HORIZONTAL	Left blank																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
Freq	Level	Line	Level Factor	Loss Factor	on	deg																																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																														
1	5458.16	50.42	-3.58	54.00	34.55	34.53	10.97	29.63	100	113	Average	HORIZONTAL																																																																																									




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																								
TxBF 1+2	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 55 Polar : X-Full-directivity IMEI : 821 Power setting : 42 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5411.44</td><td>57.11</td><td>-16.89</td><td>74.00</td><td>41.29</td><td>34.50</td><td>10.89</td><td>29.57</td><td>390</td><td>351 Peak VERTICAL</td></tr><tr><td>2</td><td>5467.40</td><td>57.72</td><td>-10.58</td><td>68.30</td><td>41.83</td><td>34.53</td><td>10.99</td><td>29.63</td><td>390</td><td>351 Peak VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5411.44	57.11	-16.89	74.00	41.29	34.50	10.89	29.57	390	351 Peak VERTICAL	2	5467.40	57.72	-10.58	68.30	41.83	34.53	10.99	29.63	390	351 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS 230408 Plane : 55 Polar : X-Full-directivity IMEI : 821 Power setting : 42 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.67</td><td>39.37</td><td>68.30</td><td>91.76</td><td>34.55</td><td>11.04</td><td>29.68</td><td>390</td><td>351 Peak VERTICAL</td></tr><tr><td>2</td><td>5500.00</td><td>76.97</td><td></td><td>75.56</td><td>34.55</td><td>11.04</td><td>29.68</td><td>390</td><td>351 Average VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5500.00	107.67	39.37	68.30	91.76	34.55	11.04	29.68	390	351 Peak VERTICAL	2	5500.00	76.97		75.56	34.55	11.04	29.68	390	351 Average VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																																	
1	5411.44	57.11	-16.89	74.00	41.29	34.50	10.89	29.57	390	351 Peak VERTICAL																																																																															
2	5467.40	57.72	-10.58	68.30	41.83	34.53	10.99	29.63	390	351 Peak VERTICAL																																																																															
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																																	
1	5500.00	107.67	39.37	68.30	91.76	34.55	11.04	29.68	390	351 Peak VERTICAL																																																																															
2	5500.00	76.97		75.56	34.55	11.04	29.68	390	351 Average VERTICAL																																																																																
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 1.000KHz SMT:Auto Mode : FFS 230408 Plane : 55 Polar : X-Full-directivity IMEI : 821 Power setting : 42 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>51.45</td><td>-2.55</td><td>54.00</td><td>35.58</td><td>34.53</td><td>10.97</td><td>29.63</td><td>390</td><td>351 Average VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5457.68	51.45	-2.55	54.00	35.58	34.53	10.97	29.63	390	351 Average VERTICAL	Left blank																																																						
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																																																																																	
1	5457.68	51.45	-2.55	54.00	35.58	34.53	10.97	29.63	390	351 Average VERTICAL																																																																															







WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																																																									
TxBF 1+2	Horizontal	Fundamental																																																																																								
Peak	Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FR2230408 Plane : 56 Polar : Full-directivity IMEI : 821 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5360.56</td><td>55.77</td><td>-17.23</td><td>74.00</td><td>40.94</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>298 Peak</td><td>HORIZONTAL</td></tr><tr><td>5469.04</td><td>55.81</td><td>-12.49</td><td>68.30</td><td>39.92</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>298 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			5360.56	55.77	-17.23	74.00	40.94	34.50	10.85	29.52	100	298 Peak	HORIZONTAL	5469.04	55.81	-12.49	68.30	39.92	34.53	10.99	29.63	100	298 Peak	HORIZONTAL	Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FR2230408 Plane : 56 Polar : Full-directivity IMEI : 821 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5360.56</td><td>55.77</td><td>-17.23</td><td>74.00</td><td>40.94</td><td>34.50</td><td>10.85</td><td>29.52</td><td>100</td><td>298 Peak</td><td>HORIZONTAL</td></tr><tr><td>5469.04</td><td>55.81</td><td>-12.49</td><td>68.30</td><td>39.92</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>298 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			5360.56	55.77	-17.23	74.00	40.94	34.50	10.85	29.52	100	298 Peak	HORIZONTAL	5469.04	55.81	-12.49	68.30	39.92	34.53	10.99	29.63	100	298 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																		
5360.56	55.77	-17.23	74.00	40.94	34.50	10.85	29.52	100	298 Peak	HORIZONTAL																																																																																
5469.04	55.81	-12.49	68.30	39.92	34.53	10.99	29.63	100	298 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																		
5360.56	55.77	-17.23	74.00	40.94	34.50	10.85	29.52	100	298 Peak	HORIZONTAL																																																																																
5469.04	55.81	-12.49	68.30	39.92	34.53	10.99	29.63	100	298 Peak	HORIZONTAL																																																																																
Avg.	Site : 030607-KS Condition : 5G BAND 1-3 (AVG) @ 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 1.000KHz SMT Auto Mode : FR2230408 Plane : 56 Polar : Full-directivity IMEI : 821 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5457.84</td><td>51.56</td><td>-2.44</td><td>54.00</td><td>35.69</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>298 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			5457.84	51.56	-2.44	54.00	35.69	34.53	10.97	29.63	100	298 Average	HORIZONTAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																		
5457.84	51.56	-2.44	54.00	35.69	34.53	10.97	29.63	100	298 Average	HORIZONTAL																																																																																




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH116 5580MHz - R	
TxBF 1+2	Horizontal	Fundamental
Peak		Left blank





WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																																																								
TxBF	Vertical	Fundamental																																																																																							
1+2																																																																																									
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 56 Polar : Full-directivity IMEI : 821 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5445.36</td><td>57.76</td><td>-16.24</td><td>74.00</td><td>41.90</td><td>34.52</td><td>10.94</td><td>29.60</td><td>301</td><td>319</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5464.56</td><td>55.56</td><td>-12.74</td><td>68.30</td><td>39.67</td><td>34.53</td><td>10.99</td><td>29.63</td><td>301</td><td>319</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 56 Polar : Full-directivity IMEI : 821 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5478.00</td><td>105.60</td><td>37.35</td><td>68.30</td><td>89.69</td><td>34.58</td><td>11.14</td><td>29.76</td><td>301</td><td>319</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5578.00</td><td>91.35</td><td>-----</td><td>75.39</td><td>34.58</td><td>11.14</td><td>29.76</td><td>301</td><td>319</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5445.36	57.76	-16.24	74.00	41.90	34.52	10.94	29.60	301	319	Peak	VERTICAL	2	5464.56	55.56	-12.74	68.30	39.67	34.53	10.99	29.63	301	319	Peak	VERTICAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5478.00	105.60	37.35	68.30	89.69	34.58	11.14	29.76	301	319	Peak	VERTICAL	2	5578.00	91.35	-----	75.39	34.58	11.14	29.76	301	319	Average	VERTICAL	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	5445.36	57.76	-16.24	74.00	41.90	34.52	10.94	29.60	301	319	Peak	VERTICAL																																																																													
2	5464.56	55.56	-12.74	68.30	39.67	34.53	10.99	29.63	301	319	Peak	VERTICAL																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	5478.00	105.60	37.35	68.30	89.69	34.58	11.14	29.76	301	319	Peak	VERTICAL																																																																													
2	5578.00	91.35	-----	75.39	34.58	11.14	29.76	301	319	Average	VERTICAL																																																																														
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 56 Polar : Full-directivity IMEI : 821 power setting : 42 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5449.36</td><td>50.41</td><td>-3.59</td><td>54.00</td><td>34.51</td><td>34.53</td><td>10.97</td><td>29.60</td><td>301</td><td>319</td><td>Average</td><td>VERTICAL</td></tr></table> 	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	5449.36	50.41	-3.59	54.00	34.51	34.53	10.97	29.60	301	319	Average	VERTICAL	Left blank																																																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	5449.36	50.41	-3.59	54.00	34.51	34.53	10.97	29.60	301	319	Average	VERTICAL																																																																													






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ax HE20 Full CH116 5580MHz - R																																			
TxBF 1+2	Vertical	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SS BAND 1---3 @ 3117.000MHz VERTICAL Project : RRM 1000.000MHz VBR 3000.000MHz SMT: Auto Model : FPL2.35408 Polar : 56 Plane : 3- Full-directivity IMN1 : #21 Power setting : 42 <table><tr><th>Item</th><th>Unit</th><th>Level</th><th>Line</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5725.04</td><td>57.85</td><td>-10.45</td><td>68.30</td><td>41.47</td><td>34.85</td><td>11.32</td><td>29.79</td><td>301</td><td>319 Peak</td><td>VERTICAL</td></tr></table>	Item	Unit	Level	Line	Bandwidth	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100MHz	dB	dBm/100MHz	dBm	dB	dB	cm	deg			1	5725.04	57.85	-10.45	68.30	41.47	34.85	11.32	29.79	301	319 Peak	VERTICAL	Left blank
Item	Unit	Level	Line	Bandwidth	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																										
MHz	dBm/100MHz	dB	dBm/100MHz	dBm	dB	dB	cm	deg																												
1	5725.04	57.85	-10.45	68.30	41.47	34.85	11.32	29.79	301	319 Peak	VERTICAL																									




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH140 5700MHz																																																																																	
TxBF 1+2	Vertical	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 7  Site : 030607-KS Condition : SG BAND 1-3 @ 3117 SN 00218442 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS235408 Plane : 57 Polar : Full-directivity IMEI : #21 PowerSetting : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5733.88</td><td>60.47</td><td>-7.83</td><td>68.30</td><td>43.31</td><td>35.62</td><td>11.32</td><td>29.78</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5733.88	60.47	-7.83	68.30	43.31	35.62	11.32	29.78	100	316 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 8  Site : 030607-KS Condition : SG BAND 1-3 @ 3117 SN 00218442 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS235408 Plane : 57 Polar : Full-directivity IMEI : #21 PowerSetting : 62 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5704.00</td><td>108.29</td><td>40.09</td><td>68.30</td><td>91.21</td><td>35.58</td><td>11.30</td><td>29.80</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5704.00</td><td>90.22</td><td>-----</td><td>73.14</td><td>35.58</td><td>11.30</td><td>29.80</td><td>100</td><td>316 Average</td><td>VERTICAL</td><td></td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5704.00	108.29	40.09	68.30	91.21	35.58	11.30	29.80	100	316 Peak	VERTICAL	2	5704.00	90.22	-----	73.14	35.58	11.30	29.80	100	316 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5733.88	60.47	-7.83	68.30	43.31	35.62	11.32	29.78	100	316 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5704.00	108.29	40.09	68.30	91.21	35.58	11.30	29.80	100	316 Peak	VERTICAL																																																																							
2	5704.00	90.22	-----	73.14	35.58	11.30	29.80	100	316 Average	VERTICAL																																																																								






UNII-2C - - 5470~5725MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																																																
TxBF	Horizontal	Fundamental																																																																															
1+2																																																																																	
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : 5G BAND 1-3 3m 3117 SN 00218642 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT Auto Project : (FR) 230408 Mode : 62 Plane : X- Full-directivity MEI : 62 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5434.16</td><td>59.25</td><td>-14.75</td><td>74.00</td><td>42.60</td><td>35.31</td><td>10.94</td><td>29.60</td><td>100</td><td>139</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5469.20</td><td>59.84</td><td>-8.48</td><td>68.30</td><td>43.14</td><td>35.34</td><td>10.99</td><td>29.63</td><td>100</td><td>139</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			5434.16	59.25	-14.75	74.00	42.60	35.31	10.94	29.60	100	139	Peak	HORIZONTAL	5469.20	59.84	-8.48	68.30	43.14	35.34	10.99	29.63	100	139	Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : 5G BAND 1-3 3m 3117 SN 00218642 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT Auto Project : (FR) 230408 Mode : 62 Plane : X- Full-directivity MEI : 62 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5506.00</td><td>106.36</td><td>38.06</td><td>68.30</td><td>89.63</td><td>35.37</td><td>11.04</td><td>29.68</td><td>100</td><td>139</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5506.00</td><td>87.16</td><td>-----</td><td>70.45</td><td>35.37</td><td>11.04</td><td>29.68</td><td>100</td><td>139</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			5506.00	106.36	38.06	68.30	89.63	35.37	11.04	29.68	100	139	Peak	HORIZONTAL	5506.00	87.16	-----	70.45	35.37	11.04	29.68	100	139	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Level	Line	Level Factor	Loss Factor	cm	deg																																																																												
5434.16	59.25	-14.75	74.00	42.60	35.31	10.94	29.60	100	139	Peak	HORIZONTAL																																																																						
5469.20	59.84	-8.48	68.30	43.14	35.34	10.99	29.63	100	139	Peak	HORIZONTAL																																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Level	Line	Level Factor	Loss Factor	cm	deg																																																																												
5506.00	106.36	38.06	68.30	89.63	35.37	11.04	29.68	100	139	Peak	HORIZONTAL																																																																						
5506.00	87.16	-----	70.45	35.37	11.04	29.68	100	139	Average	HORIZONTAL																																																																							
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218642 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT Auto Project : (FR) 230408 Mode : 62 Plane : X- Full-directivity MEI : 62 power setting : 76 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5469.92</td><td>46.49</td><td>-7.51</td><td>54.00</td><td>29.83</td><td>35.32</td><td>10.97</td><td>29.63</td><td>100</td><td>139</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			5469.92	46.49	-7.51	54.00	29.83	35.32	10.97	29.63	100	139	Average	HORIZONTAL	Left blank																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Level	Line	Level Factor	Loss Factor	cm	deg																																																																												
5469.92	46.49	-7.51	54.00	29.83	35.32	10.97	29.63	100	139	Average	HORIZONTAL																																																																						



WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH102 5510MHz - R	
TxBF 1+2	Horizontal	Fundamental
Peak		Left blank






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																																																								
TxBF 1+2	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 SN 00218642 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FFS 230408 Plane : A2 Polar : 2- Full-directivity IMEI : 821 Power setting : 76 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5451.92</td><td>57.45</td><td>-16.55</td><td>74.00</td><td>40.79</td><td>35.32</td><td>10.97</td><td>29.63</td><td>100</td><td>301 Peak VERTICAL</td></tr><tr><td>2</td><td>5481.20</td><td>58.78</td><td>-9.22</td><td>68.30</td><td>42.12</td><td>35.32</td><td>10.97</td><td>29.63</td><td>100</td><td>301 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5451.92	57.45	-16.55	74.00	40.79	35.32	10.97	29.63	100	301 Peak VERTICAL	2	5481.20	58.78	-9.22	68.30	42.12	35.32	10.97	29.63	100	301 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 SN 00218642 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FFS 230408 Plane : A2 Polar : 2- Full-directivity IMEI : 821 Power setting : 76 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5506.00</td><td>180.01</td><td>31.71</td><td>48.30</td><td>83.28</td><td>35.37</td><td>11.04</td><td>29.68</td><td>100</td><td>301 Peak VERTICAL</td></tr><tr><td>2</td><td>5506.00</td><td>82.00</td><td></td><td>60.27</td><td>35.37</td><td>11.04</td><td>29.68</td><td>100</td><td>301 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5506.00	180.01	31.71	48.30	83.28	35.37	11.04	29.68	100	301 Peak VERTICAL	2	5506.00	82.00		60.27	35.37	11.04	29.68	100	301 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5451.92	57.45	-16.55	74.00	40.79	35.32	10.97	29.63	100	301 Peak VERTICAL																																																																															
2	5481.20	58.78	-9.22	68.30	42.12	35.32	10.97	29.63	100	301 Peak VERTICAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5506.00	180.01	31.71	48.30	83.28	35.37	11.04	29.68	100	301 Peak VERTICAL																																																																															
2	5506.00	82.00		60.27	35.37	11.04	29.68	100	301 Average VERTICAL																																																																																
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 SN 00218642 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FFS 230408 Plane : A2 Polar : 2- Full-directivity IMEI : 821 Power setting : 76 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.92</td><td>46.28</td><td>-7.72</td><td>54.00</td><td>29.62</td><td>35.32</td><td>10.97</td><td>29.63</td><td>100</td><td>301 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5455.92	46.28	-7.72	54.00	29.62	35.32	10.97	29.63	100	301 Average VERTICAL	Left blank																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																	
1	5455.92	46.28	-7.72	54.00	29.62	35.32	10.97	29.63	100	301 Average VERTICAL																																																																															




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ax HE40 Full CH102 5510MHz - R																																			
TxBF 1+2	Vertical	Fundamental																																		
Peak	No. 1008, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site: 030907-KS Condition: SG BAND 1---3 @ 3117 SN 00218462 VERTICAL Project: RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Model: FPC2.35408 Mode: 62 Plane: 2 - Full-directivity IMN1: 421 power setting: 75 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5725.52</td><td>59.60</td><td>-8.70</td><td>68.30</td><td>42.45</td><td>35.62</td><td>11.32</td><td>29.79</td><td>100</td><td>301 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Line	Bandwidth	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5725.52	59.60	-8.70	68.30	42.45	35.62	11.32	29.79	100	301 Peak	VERTICAL	Left blank
Freq	Level	Limit	Line	Bandwidth	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																												
1	5725.52	59.60	-8.70	68.30	42.45	35.62	11.32	29.79	100	301 Peak	VERTICAL																									






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																																																											
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																																																																																											
TxBF 1+2	Horizontal	Fundamental																																																																																																																										
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 HORIZONTA Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 63 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5380.72</td><td>60.84</td><td>-12.16</td><td>74.00</td><td>45.02</td><td>34.50</td><td>10.87</td><td>29.55</td><td>100</td><td>179 Peak</td><td>HORIZONT</td></tr><tr><td>5469.36</td><td>62.02</td><td>-6.38</td><td>68.30</td><td>46.13</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>179 Peak</td><td>HORIZONT</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 HORIZONTA Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 63 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5380.00</td><td>109.60</td><td>41.30</td><td>68.30</td><td>93.68</td><td>34.56</td><td>11.06</td><td>29.70</td><td>100</td><td>179 Peak</td><td>HORIZONT</td></tr><tr><td>5530.00</td><td>91.70</td><td></td><td>75.78</td><td>34.56</td><td>11.06</td><td>29.70</td><td>100</td><td>179 Average</td><td>HORIZONT</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5380.72	60.84	-12.16	74.00	45.02	34.50	10.87	29.55	100	179 Peak	HORIZONT	5469.36	62.02	-6.38	68.30	46.13	34.53	10.99	29.63	100	179 Peak	HORIZONT	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5380.00	109.60	41.30	68.30	93.68	34.56	11.06	29.70	100	179 Peak	HORIZONT	5530.00	91.70		75.78	34.56	11.06	29.70	100	179 Average	HORIZONT		Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 HORIZONTA Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 63 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/P</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5468.80</td><td>51.44</td><td>-2.56</td><td>54.00</td><td>35.57</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>179 Average</td><td>HORIZONT</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5468.80	51.44	-2.56	54.00	35.57	34.53	10.97	29.63	100	179 Average	HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																				
5380.72	60.84	-12.16	74.00	45.02	34.50	10.87	29.55	100	179 Peak	HORIZONT																																																																																																																		
5469.36	62.02	-6.38	68.30	46.13	34.53	10.99	29.63	100	179 Peak	HORIZONT																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																				
5380.00	109.60	41.30	68.30	93.68	34.56	11.06	29.70	100	179 Peak	HORIZONT																																																																																																																		
5530.00	91.70		75.78	34.56	11.06	29.70	100	179 Average	HORIZONT																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/P	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																				
5468.80	51.44	-2.56	54.00	35.57	34.53	10.97	29.63	100	179 Average	HORIZONT																																																																																																																		




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																	
ANT	802.11ax HE40 Full CH110 5550MHz - R																																	
TxBF 1+2	Horizontal	Fundamental																																
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1 --- 3 @ 3117 000MHz 1000000Hz Project : RRM 1000 0000Hz VBR 3000 0000Hz SMT Auto Model : FPC235408 Plane : 03 Polar : Full-directivity IMEI : 821 Power setting : 75 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5752.92</td><td>59.54</td><td>-8.76</td><td>68.30</td><td>43.04</td><td>34.93</td><td>11.35</td><td>29.78</td><td>100</td><td>179 Peak</td><td>HOR120MT</td></tr></table>	Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	cm	deg			1	5752.92	59.54	-8.76	68.30	43.04	34.93	11.35	29.78	100	179 Peak	HOR120MT	Left blank
Freq	Level	Limit	Bandwidth	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																									
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	cm	deg																											
1	5752.92	59.54	-8.76	68.30	43.04	34.93	11.35	29.78	100	179 Peak	HOR120MT																							








WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																																																
TxBF 1+2	Vertical	Fundamental																																																																															
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 3- Full-directivity Polar : 821 Power setting : 76 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5437.68</td><td>57.34</td><td>-16.76</td><td>74.00</td><td>41.27</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>334 Peak VERTICAL</td></tr><tr><td>2 5462.00</td><td>57.73</td><td>-16.57</td><td>68.30</td><td>41.86</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>334 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5437.68	57.34	-16.76	74.00	41.27	34.53	10.97	29.63	100	334 Peak VERTICAL	2 5462.00	57.73	-16.57	68.30	41.86	34.53	10.97	29.63	100	334 Peak VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 3- Full-directivity Polar : 821 Power setting : 76 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5554.00</td><td>105.19</td><td>36.89</td><td>68.30</td><td>89.24</td><td>34.57</td><td>11.11</td><td>29.73</td><td>100</td><td>334 Peak VERTICAL</td></tr><tr><td>2 5554.00</td><td>87.61</td><td>-----</td><td>71.66</td><td>34.57</td><td>11.11</td><td>29.73</td><td>100</td><td>334 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5554.00	105.19	36.89	68.30	89.24	34.57	11.11	29.73	100	334 Peak VERTICAL	2 5554.00	87.61	-----	71.66	34.57	11.11	29.73	100	334 Average VERTICAL
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1 5437.68	57.34	-16.76	74.00	41.27	34.53	10.97	29.63	100	334 Peak VERTICAL																																																																								
2 5462.00	57.73	-16.57	68.30	41.86	34.53	10.97	29.63	100	334 Peak VERTICAL																																																																								
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1 * 5554.00	105.19	36.89	68.30	89.24	34.57	11.11	29.73	100	334 Peak VERTICAL																																																																								
2 5554.00	87.61	-----	71.66	34.57	11.11	29.73	100	334 Average VERTICAL																																																																									
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 3- Full-directivity Polar : 821 Power setting : 76 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5468.32</td><td>50.60</td><td>-3.40</td><td>54.00</td><td>34.73</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>334 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5468.32	50.60	-3.40	54.00	34.73	34.53	10.97	29.63	100	334 Average VERTICAL	Left blank																																																	
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1 5468.32	50.60	-3.40	54.00	34.73	34.53	10.97	29.63	100	334 Average VERTICAL																																																																								




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH110 5550MHz - R	
TxBF 1+2	Vertical	Fundamental
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 	Left blank






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																																																											
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																																																																											
TxBF 1+2	Horizontal	Fundamental																																																																																																																										
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : FFS 230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5435.28</td><td>57.32</td><td>-16.68</td><td>74.00</td><td>41.46</td><td>34.52</td><td>10.94</td><td>29.60</td><td>315</td><td>129 Peak</td><td>HORIZONTAL</td></tr><tr><td>5466.64</td><td>57.19</td><td>-17.11</td><td>68.30</td><td>41.30</td><td>34.53</td><td>10.99</td><td>29.63</td><td>315</td><td>129 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-3 @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : FFS 230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5425.28</td><td>57.32</td><td>-16.68</td><td>74.00</td><td>41.46</td><td>34.52</td><td>10.94</td><td>29.60</td><td>315</td><td>129 Peak</td><td>HORIZONTAL</td></tr><tr><td>5466.64</td><td>57.19</td><td>-17.11</td><td>68.30</td><td>41.30</td><td>34.53</td><td>10.99</td><td>29.63</td><td>315</td><td>129 Peak</td><td>HORIZONTAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : FFS 230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5456.88</td><td>50.44</td><td>-3.56</td><td>54.00</td><td>34.57</td><td>34.53</td><td>10.97</td><td>29.63</td><td>315</td><td>129 Average</td><td>HORIZONTAL</td></tr></table> Left blank </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			5435.28	57.32	-16.68	74.00	41.46	34.52	10.94	29.60	315	129 Peak	HORIZONTAL	5466.64	57.19	-17.11	68.30	41.30	34.53	10.99	29.63	315	129 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			5425.28	57.32	-16.68	74.00	41.46	34.52	10.94	29.60	315	129 Peak	HORIZONTAL	5466.64	57.19	-17.11	68.30	41.30	34.53	10.99	29.63	315	129 Peak	HORIZONTAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : FFS 230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5456.88</td><td>50.44</td><td>-3.56</td><td>54.00</td><td>34.57</td><td>34.53</td><td>10.97</td><td>29.63</td><td>315</td><td>129 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			5456.88	50.44	-3.56	54.00	34.57	34.53	10.97	29.63	315	129 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																				
5435.28	57.32	-16.68	74.00	41.46	34.52	10.94	29.60	315	129 Peak	HORIZONTAL																																																																																																																		
5466.64	57.19	-17.11	68.30	41.30	34.53	10.99	29.63	315	129 Peak	HORIZONTAL																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																				
5425.28	57.32	-16.68	74.00	41.46	34.52	10.94	29.60	315	129 Peak	HORIZONTAL																																																																																																																		
5466.64	57.19	-17.11	68.30	41.30	34.53	10.99	29.63	315	129 Peak	HORIZONTAL																																																																																																																		
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030807-KS Condition : SG BAND 1-3 (AVG) @ 3m 3117 00240132 HORIZONTAL Project : RRM 1000 0000KHz VBR 3000 0000KHz SMT Auto Mode : FFS 230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5456.88</td><td>50.44</td><td>-3.56</td><td>54.00</td><td>34.57</td><td>34.53</td><td>10.97</td><td>29.63</td><td>315</td><td>129 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			5456.88	50.44	-3.56	54.00	34.57	34.53	10.97	29.63	315	129 Average	HORIZONTAL																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																				
5456.88	50.44	-3.56	54.00	34.57	34.53	10.97	29.63	315	129 Average	HORIZONTAL																																																																																																																		




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ax HE40 Full CH134 5670MHz - R																															
TxBF 1+2	Horizontal	Fundamental																														
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030907-KS Condition : SG BAND 1----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SWT:Auto PFI:2.55408 Bode : 64 Plane : 0° Full-directivity JREI : 421 power setting : 75 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 1 5725.92</td><td>63.44</td><td>-4.86</td><td>68.30</td><td>47.06</td><td>34.85</td><td>11.32</td><td>29.79</td><td>315 129 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg			1 1 5725.92	63.44	-4.86	68.30	47.06	34.85	11.32	29.79	315 129 Peak	HORIZONTAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																							
MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg																									
1 1 5725.92	63.44	-4.86	68.30	47.06	34.85	11.32	29.79	315 129 Peak	HORIZONTAL																							






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																																																										
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																																																																										
TxBF 1+2	Vertical	Fundamental																																																																																																																									
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5302.72</td><td>56.84</td><td>-17.16</td><td>74.00</td><td>41.03</td><td>34.50</td><td>10.83</td><td>29.52</td><td>324</td><td>0 Peak VERTICAL</td></tr><tr><td>2</td><td>5469.92</td><td>57.10</td><td>-11.20</td><td>68.30</td><td>41.21</td><td>34.53</td><td>10.99</td><td>29.63</td><td>324</td><td>0 Peak VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5674.00</td><td>102.19</td><td>33.89</td><td>68.30</td><td>85.98</td><td>34.75</td><td>11.26</td><td>29.80</td><td>324</td><td>0 Peak VERTICAL</td></tr><tr><td>2</td><td>5674.00</td><td>85.56</td><td></td><td>69.35</td><td>34.75</td><td>11.26</td><td>29.80</td><td>324</td><td>0 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5302.72	56.84	-17.16	74.00	41.03	34.50	10.83	29.52	324	0 Peak VERTICAL	2	5469.92	57.10	-11.20	68.30	41.21	34.53	10.99	29.63	324	0 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5674.00	102.19	33.89	68.30	85.98	34.75	11.26	29.80	324	0 Peak VERTICAL	2	5674.00	85.56		69.35	34.75	11.26	29.80	324	0 Average VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Mode : FFS230408 Plane : 64 Polar : Full-directivity IMEI : 821 Power setting : 76 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5465.92</td><td>50.49</td><td>-3.51</td><td>54.00</td><td>34.62</td><td>34.53</td><td>10.97</td><td>29.63</td><td>324</td><td>0 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5465.92	50.49	-3.51	54.00	34.62	34.53	10.97	29.63	324	0 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																			
1	5302.72	56.84	-17.16	74.00	41.03	34.50	10.83	29.52	324	0 Peak VERTICAL																																																																																																																	
2	5469.92	57.10	-11.20	68.30	41.21	34.53	10.99	29.63	324	0 Peak VERTICAL																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																			
1	5674.00	102.19	33.89	68.30	85.98	34.75	11.26	29.80	324	0 Peak VERTICAL																																																																																																																	
2	5674.00	85.56		69.35	34.75	11.26	29.80	324	0 Average VERTICAL																																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																			
1	5465.92	50.49	-3.51	54.00	34.62	34.53	10.97	29.63	324	0 Average VERTICAL																																																																																																																	




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ax HE40 Full CH134 5670MHz - R																															
TxBF 1+2	Vertical	Fundamental																														
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SMT:Auto Model : FPC2.35408 Bode : 64 Plane : 2- Full-directivity JREI : 421 power setting : 75 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5720.00</td><td>58.97</td><td>-9.33</td><td>68.30</td><td>42.52</td><td>34.89</td><td>11.34</td><td>29.78</td><td>324</td><td>0 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm	dBm	dBm	cm	deg			1 5720.00	58.97	-9.33	68.30	42.52	34.89	11.34	29.78	324	0 Peak VERTICAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																							
MHz	dBm/100kHz	dBm/100kHz	dBm	dBm	dBm	cm	deg																									
1 5720.00	58.97	-9.33	68.30	42.52	34.89	11.34	29.78	324	0 Peak VERTICAL																							






UNII-2C - 5470~5725MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																																
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																																
TxBF	Horizontal	Fundamental																																																																																															
1+2																																																																																																	
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : (F) 235408 Plane : 67 Polar : X- Full-directivity MEI : 821 power setting : 78 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5453.04</td><td>61.80</td><td>-12.20</td><td>74.00</td><td>45.93</td><td>34.53</td><td>10.97</td><td>29.63</td><td>100</td><td>307</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5470.00</td><td>57.31</td><td>-10.99</td><td>68.30</td><td>41.42</td><td>34.53</td><td>10.99</td><td>29.63</td><td>100</td><td>307</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : (F) 235408 Plane : 67 Polar : X- Full-directivity MEI : 821 power setting : 78 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 * 5554.00</td><td>84.77</td><td>26.47</td><td>68.30</td><td>78.82</td><td>34.57</td><td>11.11</td><td>29.73</td><td>100</td><td>307</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2 5554.00</td><td>75.22</td><td>-----</td><td>59.27</td><td>34.57</td><td>11.11</td><td>29.73</td><td>100</td><td>307</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 5453.04	61.80	-12.20	74.00	45.93	34.53	10.97	29.63	100	307	Peak	HORIZONTAL	2 5470.00	57.31	-10.99	68.30	41.42	34.53	10.99	29.63	100	307	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 * 5554.00	84.77	26.47	68.30	78.82	34.57	11.11	29.73	100	307	Peak	HORIZONTAL	2 5554.00	75.22	-----	59.27	34.57	11.11	29.73	100	307	Average	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Level	Level	Level	Level	Level	Level	Level	Level																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																										
1 5453.04	61.80	-12.20	74.00	45.93	34.53	10.97	29.63	100	307	Peak	HORIZONTAL																																																																																						
2 5470.00	57.31	-10.99	68.30	41.42	34.53	10.99	29.63	100	307	Peak	HORIZONTAL																																																																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Level	Level	Level	Level	Level	Level	Level	Level																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																										
1 * 5554.00	84.77	26.47	68.30	78.82	34.57	11.11	29.73	100	307	Peak	HORIZONTAL																																																																																						
2 5554.00	75.22	-----	59.27	34.57	11.11	29.73	100	307	Average	HORIZONTAL																																																																																							
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz DRT Auto Mode : (F) 235408 Plane : 67 Polar : X- Full-directivity MEI : 821 power setting : 78 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5386.80</td><td>48.41</td><td>-5.59</td><td>54.00</td><td>32.59</td><td>34.50</td><td>10.87</td><td>29.55</td><td>100</td><td>307</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 5386.80	48.41	-5.59	54.00	32.59	34.50	10.87	29.55	100	307	Average	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Level	Level	Level	Level	Level	Level	Level	Level																																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																										
1 5386.80	48.41	-5.59	54.00	32.59	34.50	10.87	29.55	100	307	Average	HORIZONTAL																																																																																						




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH106 5530MHz - R	
TxBF 1+2	Horizontal	Fundamental
Peak		Left blank






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																									
TxBF 1+2	Vertical	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 67 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5454.48</td><td>59.33</td><td>-14.67</td><td>74.00</td><td>43.44</td><td>34.53</td><td>10.97</td><td>29.63</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>5464.56</td><td>57.57</td><td>-10.73</td><td>68.30</td><td>41.68</td><td>34.53</td><td>10.99</td><td>29.63</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 67 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5530.00</td><td>97.00</td><td>-28.75</td><td>68.30</td><td>81.13</td><td>34.56</td><td>11.06</td><td>29.70</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>5530.00</td><td>78.07</td><td></td><td></td><td>62.15</td><td>34.56</td><td>11.06</td><td>29.70</td><td>300</td><td>360 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5454.48	59.33	-14.67	74.00	43.44	34.53	10.97	29.63	300	360 Peak	VERTICAL	5464.56	57.57	-10.73	68.30	41.68	34.53	10.99	29.63	300	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5530.00	97.00	-28.75	68.30	81.13	34.56	11.06	29.70	300	360 Peak	VERTICAL	5530.00	78.07			62.15	34.56	11.06	29.70	300	360 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																		
5454.48	59.33	-14.67	74.00	43.44	34.53	10.97	29.63	300	360 Peak	VERTICAL																																																																																
5464.56	57.57	-10.73	68.30	41.68	34.53	10.99	29.63	300	360 Peak	VERTICAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																		
5530.00	97.00	-28.75	68.30	81.13	34.56	11.06	29.70	300	360 Peak	VERTICAL																																																																																
5530.00	78.07			62.15	34.56	11.06	29.70	300	360 Average	VERTICAL																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FFS 230408 Plane : 67 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5359.76</td><td>49.32</td><td>-4.68</td><td>54.00</td><td>33.51</td><td>34.50</td><td>10.83</td><td>29.52</td><td>100</td><td>360 Average</td><td>VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5359.76	49.32	-4.68	54.00	33.51	34.50	10.83	29.52	100	360 Average	VERTICAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																		
5359.76	49.32	-4.68	54.00	33.51	34.50	10.83	29.52	100	360 Average	VERTICAL																																																																																




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ax HE80 Full CH106 5530MHz - R																																		
TxBF 1+2	Vertical	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG BAND 1---3 @ 5117.000MHz VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SMT: Auto Bode : (FEC) 2.55408 Plane : 07 Ant : Full-directivity IMEI : #21 Power setting : 78 <table><tr><th>Item</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5762.76</td><td>58.73</td><td>-9.57</td><td>68.30</td><td>42.22</td><td>34.93</td><td>11.35</td><td>29.77</td><td>300</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></table>	Item	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg			1	5762.76	58.73	-9.57	68.30	42.22	34.93	11.35	29.77	300	360	Peak	VERTICAL	Left blank
Item	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	cm	deg																												
1	5762.76	58.73	-9.57	68.30	42.22	34.93	11.35	29.77	300	360	Peak	VERTICAL																							






WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																																																				
TxBF	Horizontal	Fundamental																																																																																			
1+2																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 68 Polar : X- Full-directivity IMEI : 821 Power setting : 80 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5427.44</td><td>60.15</td><td>-13.85</td><td>74.00</td><td>44.33</td><td>34.51</td><td>10.91</td><td>29.60</td><td>120</td><td>129 Peak</td></tr><tr><td>2</td><td>5463.76</td><td>57.66</td><td>-10.64</td><td>68.30</td><td>41.77</td><td>34.53</td><td>10.99</td><td>29.63</td><td>120</td><td>129 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5427.44	60.15	-13.85	74.00	44.33	34.51	10.91	29.60	120	129 Peak	2	5463.76	57.66	-10.64	68.30	41.77	34.53	10.99	29.63	120	129 Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 68 Polar : X- Full-directivity IMEI : 821 Power setting : 80 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5426.00</td><td>105.17</td><td>36.87</td><td>68.30</td><td>88.10</td><td>34.64</td><td>11.21</td><td>29.78</td><td>120</td><td>129 Peak</td></tr><tr><td>2</td><td>5626.00</td><td>86.17</td><td></td><td>70.10</td><td>34.64</td><td>11.21</td><td>29.78</td><td>120</td><td>129 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5426.00	105.17	36.87	68.30	88.10	34.64	11.21	29.78	120	129 Peak	2	5626.00	86.17		70.10	34.64	11.21	29.78	120	129 Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																														
1	5427.44	60.15	-13.85	74.00	44.33	34.51	10.91	29.60	120	129 Peak																																																																											
2	5463.76	57.66	-10.64	68.30	41.77	34.53	10.99	29.63	120	129 Peak																																																																											
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																														
1	5426.00	105.17	36.87	68.30	88.10	34.64	11.21	29.78	120	129 Peak																																																																											
2	5626.00	86.17		70.10	34.64	11.21	29.78	120	129 Average																																																																												
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030907-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FFS 230408 Plane : 68 Polar : X- Full-directivity IMEI : 821 Power setting : 80 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5442.80</td><td>52.79</td><td>-11.21</td><td>54.00</td><td>36.93</td><td>34.52</td><td>10.94</td><td>29.60</td><td>120</td><td>129 Average</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5442.80	52.79	-11.21	54.00	36.93	34.52	10.94	29.60	120	129 Average	Left blank																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																														
1	5442.80	52.79	-11.21	54.00	36.93	34.52	10.94	29.60	120	129 Average																																																																											




WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ax HE80 Full CH122 5610MHz - R																															
TxBF 1+2	Horizontal	Fundamental																														
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG BAND 1---3 @ 5117.000MHz 122 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SWT:Auto PFI:2.55dB Mode : dB Plane : 3 - Full-directivity JREI : #21 power setting : 30 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 1 5762.84</td><td>62.42</td><td>-5.88</td><td>68.30</td><td>45.91</td><td>34.93</td><td>11.35</td><td>29.77</td><td>120</td><td>129 Peak HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 1 5762.84	62.42	-5.88	68.30	45.91	34.93	11.35	29.77	120	129 Peak HORIZONTAL	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																									
1 1 5762.84	62.42	-5.88	68.30	45.91	34.93	11.35	29.77	120	129 Peak HORIZONTAL																							



WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																																																									
TxBF 1+2	Vertical	Fundamental																																																																																								
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 68 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 80 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5403.92</td><td>59.19</td><td>-14.81</td><td>74.00</td><td>43.37</td><td>34.50</td><td>10.89</td><td>29.57</td><td>300</td><td>183 Peak</td><td>VERTICAL</td></tr><tr><td>2 5460.04</td><td>59.04</td><td>-15.26</td><td>68.30</td><td>43.15</td><td>34.53</td><td>10.99</td><td>29.63</td><td>300</td><td>183 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 5403.92	59.19	-14.81	74.00	43.37	34.50	10.89	29.57	300	183 Peak	VERTICAL	2 5460.04	59.04	-15.26	68.30	43.15	34.53	10.99	29.63	300	183 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 68 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 80 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5596.00</td><td>59.29</td><td>29.99</td><td>68.30</td><td>82.30</td><td>34.59</td><td>11.16</td><td>29.76</td><td>300</td><td>183 Peak</td><td>VERTICAL</td></tr><tr><td>2 5596.00</td><td>80.86</td><td></td><td></td><td>64.87</td><td>34.59</td><td>11.16</td><td>29.76</td><td>300</td><td>183 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 * 5596.00	59.29	29.99	68.30	82.30	34.59	11.16	29.76	300	183 Peak	VERTICAL	2 5596.00	80.86			64.87	34.59	11.16	29.76	300	183 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																		
1 5403.92	59.19	-14.81	74.00	43.37	34.50	10.89	29.57	300	183 Peak	VERTICAL																																																																																
2 5460.04	59.04	-15.26	68.30	43.15	34.53	10.99	29.63	300	183 Peak	VERTICAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																		
1 * 5596.00	59.29	29.99	68.30	82.30	34.59	11.16	29.76	300	183 Peak	VERTICAL																																																																																
2 5596.00	80.86			64.87	34.59	11.16	29.76	300	183 Average	VERTICAL																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902158 Fax: +86-512-57902958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-----3 (AVG) 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : (FR)230408 Plane : 68 Polar : 3- Full-directivity IMEI : 821 PowerSetting : 80 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5457.52</td><td>52.91</td><td>-11.09</td><td>54.00</td><td>37.04</td><td>34.53</td><td>10.97</td><td>29.63</td><td>300</td><td>183 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 5457.52	52.91	-11.09	54.00	37.04	34.53	10.97	29.63	300	183 Average	VERTICAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																		
1 5457.52	52.91	-11.09	54.00	37.04	34.53	10.97	29.63	300	183 Average	VERTICAL																																																																																





WIFI	UNII-2C - 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ax HE80 Full CH122 5610MHz - R																																			
TxBF 1+2	Vertical	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 039027-KS Condition : SG BAND 1---3 @ 3117 000kHz 132 VERTICAL Project : RRM 1000 000kHz VBR 3000 000kHz SMT Auto Model : FPL235408 Polar : 0d Plane : 3- Full-directivity JREI : #21 Power setting : 30 <table><tr><th>Item</th><th>Unit</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5741.24</td><td>58.99</td><td>-9.31</td><td>68.30</td><td>42.54</td><td>34.89</td><td>11.34</td><td>29.78</td><td>300</td><td>183 Peak</td><td>VERTICAL</td></tr></table>	Item	Unit	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5741.24	58.99	-9.31	68.30	42.54	34.89	11.34	29.78	300	183 Peak	VERTICAL	Left blank
Item	Unit	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																												
1	5741.24	58.99	-9.31	68.30	42.54	34.89	11.34	29.78	300	183 Peak	VERTICAL																									





UNII-2C - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																														
ANT	802.11a CH100 5500MHz																																																																														
CDD 1+2	Horizontal	Vertical																																																																													
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790058 Fax: +86-512-5790058 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00300132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : Z1 Plane : X- Full-directivity IMEI : 821 PowerSetting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WZ</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>dBm</th><th>dBm/100kHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th></tr><tr><td>1</td><td>11004.00</td><td>45.01</td><td>-28.99</td><td>74.00</td><td>56.74</td><td>38.10</td><td>15.90</td><td>65.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790058 Fax: +86-512-5790058 http://www.sporton.com.cn Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00300132 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : Z1 Plane : X- Full-directivity IMEI : 821 PowerSetting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WZ</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>dBm</th><th>dBm/100kHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th></tr><tr><td>1</td><td>11004.00</td><td>45.51</td><td>-28.49</td><td>74.00</td><td>57.24</td><td>38.10</td><td>15.90</td><td>65.73</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WZ	Level	Limit	Line	Level	Factor	Loss	Factor		dBm	dBm/100kHz	dBm	dBm	dBm	dB	dB	dB	cn	1	11004.00	45.01	-28.99	74.00	56.74	38.10	15.90	65.73	300	0 Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WZ	Level	Limit	Line	Level	Factor	Loss	Factor		dBm	dBm/100kHz	dBm	dBm	dBm	dB	dB	dB	cn	1	11004.00	45.51	-28.49	74.00	57.24	38.10	15.90	65.73	100	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
WZ	Level	Limit	Line	Level	Factor	Loss	Factor																																																																								
dBm	dBm/100kHz	dBm	dBm	dBm	dB	dB	dB	cn																																																																							
1	11004.00	45.01	-28.99	74.00	56.74	38.10	15.90	65.73	300	0 Peak	HORIZONTAL																																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
WZ	Level	Limit	Line	Level	Factor	Loss	Factor																																																																								
dBm	dBm/100kHz	dBm	dBm	dBm	dB	dB	dB	cn																																																																							
1	11004.00	45.51	-28.49	74.00	57.24	38.10	15.90	65.73	100	360 Peak	VERTICAL																																																																				





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11a CH116 5580MHz																																																																			
CDD	Horizontal	Vertical																																																																		
1+2																																																																				
Peak Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto Bode : FFS:230408 Plane : X- Full-directivity H/EI : #21 PowerSetting : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11158.00</td><td>46.50</td><td>-27.50</td><td>74.00</td><td>57.96</td><td>38.20</td><td>15.98</td><td>65.64</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11158.00	46.50	-27.50	74.00	57.96	38.20	15.98	65.64	300	0 Peak	HORIZONTAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 2  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto Bode : FFS:230408 Plane : X- Full-directivity H/EI : #21 PowerSetting : 66 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11160.00</td><td>45.59</td><td>-28.41</td><td>74.00</td><td>57.05</td><td>38.20</td><td>15.98</td><td>65.64</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11160.00	45.59	-28.41	74.00	57.05	38.20	15.98	65.64	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11158.00	46.50	-27.50	74.00	57.96	38.20	15.98	65.64	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11160.00	45.59	-28.41	74.00	57.05	38.20	15.98	65.64	100	0 Peak	VERTICAL																																																										






WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m									
ANT	802.11a CH140 5700MHz									
CDD	Horizontal					Vertical				
1+2										
Peak										
Avg.										



UNII-2C 5470~5725MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11ax HE20 Full CH100 5500MHz																																																																																									
CDD 1+2	Horizontal						Vertical																																																																																			
Peak Avg.	 SPARTON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902058 Fax: +86-512-57902058 http://www.sparton.com.cn Data: 7  Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 24 Plane : X- Full-directivity MEI : 621 power setting : 60 Over Limit : 60 ReadAntenna : 60 Cable Preamp : 60 Loss Factor : 60 A/Pos : 60 T/Pos : 60 Remark : 60 Pol/Phas : 60 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11004.00</td><td>46.27</td><td>-27.73</td><td>74.00</td><td>58.00</td><td>38.10</td><td>15.90</td><td>60.73</td><td>300</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>							Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	cm	deg			1	11004.00	46.27	-27.73	74.00	58.00	38.10	15.90	60.73	300	360	Peak	HORIZONTAL	 SPARTON LAB No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57902058 Fax: +86-512-57902058 http://www.sparton.com.cn Data: 8  Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 24 Plane : X- Full-directivity MEI : 621 power setting : 60 Over Limit : 60 ReadAntenna : 60 Cable Preamp : 60 Loss Factor : 60 A/Pos : 60 T/Pos : 60 Remark : 60 Pol/Phas : 60 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11004.00</td><td>45.17</td><td>-28.83</td><td>74.00</td><td>56.90</td><td>38.10</td><td>15.90</td><td>60.73</td><td>100</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>							Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	cm	deg			1	11004.00	45.17	-28.83	74.00	56.90	38.10	15.90	60.73	100	360	Peak	VERTICAL
		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	cm	deg																																																																																
1	11004.00	46.27	-27.73	74.00	58.00	38.10	15.90	60.73	300	360	Peak	HORIZONTAL																																																																														
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBm	dB	dB	dB	cm	deg																																																																																
1	11004.00	45.17	-28.83	74.00	56.90	38.10	15.90	60.73	100	360	Peak	VERTICAL																																																																														





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH116 5580MHz	
CDD 1+2	Horizontal	Vertical
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 1 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1-3 SG BAND 1-3 (AVG) Site Condition : 030607-KS : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Node : (FR)230408 Plane : 24 IMEI : 3- Full-directivity Power setting : #21 : 60 Freq Level Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB cm deg 1 11160.00 44.12 -29.88 74.00 55.58 38.20 15.98 65.64 100 360 Peak HORIZONTAL <td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1-3 SG BAND 1-3 (AVG) Site Condition : 030607-KS : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Node : (FR)230408 Plane : 24 IMEI : 3- Full-directivity Power setting : #21 : 60 Freq Level Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB cm deg 1 11158.00 45.91 -28.09 74.00 57.37 38.20 15.98 65.64 300 360 Peak VERTICAL </td>	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 2 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) SG BAND 1-3 SG BAND 1-3 (AVG) Site Condition : 030607-KS : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Node : (FR)230408 Plane : 24 IMEI : 3- Full-directivity Power setting : #21 : 60 Freq Level Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dB dB cm deg 1 11158.00 45.91 -28.09 74.00 57.37 38.20 15.98 65.64 300 360 Peak VERTICAL





UNII-2C - 5470~5725MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH102 5510MHz	
CDD	Horizontal	Vertical
1+2		
Peak Avg.	 Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 HORIZONTAL Project : RRR-1000 0000Hz VSW-3000 0000Hz DBT Auto Project : (FR) 230408 Mode : 29 Plane : X- Full-directivity Polar : 01 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 A/Pos : 54 T/Pos : 54 Remark : 0 Peak Pol/Phas : HORIZONTAL	 Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 VERTICAL Project : RRR-1000 0000Hz VSW-3000 0000Hz DBT Auto Project : (FR) 230408 Mode : 29 Plane : X- Full-directivity Polar : 01 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 A/Pos : 54 T/Pos : 54 Remark : 100 360 Peak Pol/Phas : VERTICAL





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																															
ANT	802.11ax HE40 Full CH110 5550MHz																																																															
CDD 1+2	Horizontal	Vertical																																																														
Peak Avg.	 Site : GC207-RS Condition : SG BAND 1 --- 3 3m 3117 SW 00218642 HORIZONTAL Project : RSM 1000.000KHz YBW 3000.000KHz SWT:Auto Model : OFD 230408 Plane : X- Full-directivity Polarization : 421 PowerSetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11180.00</td><td>44.78</td><td>-29.22</td><td>74.00</td><td>55.94</td><td>38.56</td><td>15.95</td><td>65.67</td><td>100</td><td>360 Peak HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11180.00	44.78	-29.22	74.00	55.94	38.56	15.95	65.67	100	360 Peak HORIZONTAL	 Site : GC207-RS Condition : SG BAND 1 --- 3 3m 3117 SW 00218642 VERTICAL Project : RSM 1000.000KHz YBW 3000.000KHz SWT:Auto Model : OFD 230408 Plane : X- Full-directivity Polarization : 421 PowerSetting : 70 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11180.00</td><td>45.97</td><td>-28.03</td><td>74.00</td><td>57.13</td><td>38.56</td><td>15.95</td><td>65.67</td><td>100</td><td>0 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11180.00	45.97	-28.03	74.00	57.13	38.56	15.95	65.67	100	0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11180.00	44.78	-29.22	74.00	55.94	38.56	15.95	65.67	100	360 Peak HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11180.00	45.97	-28.03	74.00	57.13	38.56	15.95	65.67	100	0 Peak VERTICAL																																																						





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH134 5670MHz																																																																			
CDD 1+2	Horizontal	Vertical																																																																		
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900258 http://www.sportron.com.cn Date: 13  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Plane : FFS235408 Mode : 31 Plane : X- Full-directivity IMEI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11345.00</td><td>44.67</td><td>-29.33</td><td>74.00</td><td>55.81</td><td>38.31</td><td>16.08</td><td>65.53</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 11345.00	44.67	-29.33	74.00	55.81	38.31	16.08	65.53	300	360 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900258 http://www.sportron.com.cn Date: 14  Site : 030607-KS Condition : SG BAND 1---3 3e 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT:Auto Plane : FFS235408 Mode : 31 Plane : X- Full-directivity IMEI : #21 power setting : 40 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11345.00</td><td>44.74</td><td>-29.26</td><td>74.00</td><td>55.88</td><td>38.31</td><td>16.08</td><td>65.53</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 11345.00	44.74	-29.26	74.00	55.88	38.31	16.08	65.53	100	0 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 11345.00	44.67	-29.33	74.00	55.81	38.31	16.08	65.53	300	360 Peak	VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 11345.00	44.74	-29.26	74.00	55.88	38.31	16.08	65.53	100	0 Peak	HORIZONTAL																																																										



UNII-2C 5470~5725MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH106 5530MHz	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 32 Plane : X- Full-directivity Ant : 621 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 A/Pos : 54 T/Pos : 54 Loss Factor : 54 cm deg 1 11059.00 45.10 -28.90 74.00 56.72 38.14 15.93 65.69 100 0 Peak HORIZONTAL	 Site : 030607-KS Condition : SS BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 32 Plane : X- Full-directivity Ant : 621 power setting : 54 Over Limit : 54 ReadAntenna : 54 Cable Preamp : 54 A/Pos : 54 T/Pos : 54 Loss Factor : 54 cm deg 1 11059.00 44.69 -29.31 74.00 56.31 38.14 15.93 65.69 300 0 Peak VERTICAL





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																				
ANT	802.11ax HE80 Full CH122 5610MHz																																																																				
CDD 1+2	Horizontal	Vertical																																																																			
Peak Avg.	 Site : 030607-K5 Condition : SG BAND4 tx 3117 00740132 HORIZONTAL Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FPC235A05B Plane : X- Full-directivity Pole : #21 Power : 60 Power setting : 60 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 11224.00</td><td>44.95</td><td>-29.05</td><td>74.00</td><td>56.32</td><td>38.23</td><td>16.01</td><td>65.61</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 11224.00	44.95	-29.05	74.00	56.32	38.23	16.01	65.61	100	360 Peak	HORIZONTAL	 Site : 030607-K5 Condition : SG BAND4 tx 3117 00740132 VERTICAL Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FPC235A05B Plane : X- Full-directivity Pole : #21 Power : 60 Power setting : 60 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 11224.00</td><td>45.23</td><td>-28.77</td><td>74.00</td><td>56.60</td><td>38.23</td><td>16.01</td><td>65.61</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1 11224.00	45.23	-28.77	74.00	56.60	38.23	16.01	65.61	300	360 Peak	VERTICAL
	Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																													
1 11224.00	44.95	-29.05	74.00	56.32	38.23	16.01	65.61	100	360 Peak	HORIZONTAL																																																											
Freq	Level	Unit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																												
1 11224.00	45.23	-28.77	74.00	56.60	38.23	16.01	65.61	300	360 Peak	VERTICAL																																																											





UNII-2C - - 5470~5725MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH100 5500MHz	
TxBF	Horizontal	Vertical
1+2		
Peak Avg.	 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRR-1000-000000 VRR-3000-000000 DRT-Auto Mode : (FR) 230408 Plane : 50 Polar : X- Full-directivity Power : 21 Power setting : 42 Over Limit : ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11000.00 45.30 -28.70 74.00 57.03 38.10 15.90 65.73 100 300 Peak HORIZONTAL	 Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Project : RRR-1000-000000 VRR-3000-000000 DRT-Auto Mode : (FR) 230408 Plane : 50 Polar : X- Full-directivity Power : 21 Power setting : 42 Over Limit : ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas 1 11000.00 47.11 -26.89 74.00 58.84 38.10 15.90 65.73 100 0 Peak VERTICAL




WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m																																																																																																																																																																																																																																																																									
ANT	802.11ax HE20 Full CH116 5580MHz																																																																																																																																																																																																																																																																									
TxBF 1+2	Horizontal	Vertical																																																																																																																																																																																																																																																																								
Peak Avg.	No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.spartan.com.cn Data: 9 <table><tr><td>Site</td><td colspan="10">: 030607-KS</td></tr><tr><td>Condition</td><td colspan="10">: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL</td></tr><tr><td>Project</td><td colspan="10">: RRM 1000.000KHz VBR 3000.000KHz SRT Auto</td></tr><tr><td>Mode</td><td colspan="10">: FFS 235408</td></tr><tr><td>Plane</td><td colspan="10">: 56</td></tr><tr><td>Flare</td><td colspan="10">: 3- Full-directivity</td></tr><tr><td>IMEI</td><td colspan="10">: #21</td></tr><tr><td>Power setting</td><td colspan="10">: 62</td></tr><tr><td></td><td>Freq</td><td>Level</td><td>Limit</td><td>Line</td><td>ReadAntenna</td><td>Cable Preamp</td><td>A/Pos</td><td>T/Pos</td><td>Remark</td><td>Pol/Phas</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>deg</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11160.00</td><td>44.83</td><td>-29.17</td><td>74.00</td><td>56.29</td><td>38.20</td><td>15.98</td><td>65.64</td><td>100</td><td>0 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HORIZONTAL</td></tr></table>	Site	: 030607-KS										Condition	: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL										Project	: RRM 1000.000KHz VBR 3000.000KHz SRT Auto										Mode	: FFS 235408										Plane	: 56										Flare	: 3- Full-directivity										IMEI	: #21										Power setting	: 62											Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	cm	deg	1	11160.00	44.83	-29.17	74.00	56.29	38.20	15.98	65.64	100	0 Peak											HORIZONTAL	No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902958 http://www.spartan.com.cn Data: 10 <table><tr><td>Site</td><td colspan="10">: 030607-KS</td></tr><tr><td>Condition</td><td colspan="10">: 5G BAND 1-3 @ 3117 00240132 VERTICAL</td></tr><tr><td>Project</td><td colspan="10">: RRM 1000.000KHz VBR 3000.000KHz SRT Auto</td></tr><tr><td>Mode</td><td colspan="10">: FFS 235408</td></tr><tr><td>Plane</td><td colspan="10">: 56</td></tr><tr><td>Flare</td><td colspan="10">: 3- Full-directivity</td></tr><tr><td>IMEI</td><td colspan="10">: #21</td></tr><tr><td>Power setting</td><td colspan="10">: 62</td></tr><tr><td></td><td>Freq</td><td>Level</td><td>Limit</td><td>Line</td><td>ReadAntenna</td><td>Cable Preamp</td><td>A/Pos</td><td>T/Pos</td><td>Remark</td><td>Pol/Phas</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>deg</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11160.00</td><td>46.38</td><td>-27.62</td><td>74.00</td><td>57.84</td><td>38.20</td><td>15.98</td><td>65.64</td><td>100</td><td>360 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>VERTICAL</td></tr></table>	Site	: 030607-KS										Condition	: 5G BAND 1-3 @ 3117 00240132 VERTICAL										Project	: RRM 1000.000KHz VBR 3000.000KHz SRT Auto										Mode	: FFS 235408										Plane	: 56										Flare	: 3- Full-directivity										IMEI	: #21										Power setting	: 62											Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	cm	deg	1	11160.00	46.38	-27.62	74.00	57.84	38.20	15.98	65.64	100	360 Peak											VERTICAL
Site	: 030607-KS																																																																																																																																																																																																																																																																									
Condition	: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL																																																																																																																																																																																																																																																																									
Project	: RRM 1000.000KHz VBR 3000.000KHz SRT Auto																																																																																																																																																																																																																																																																									
Mode	: FFS 235408																																																																																																																																																																																																																																																																									
Plane	: 56																																																																																																																																																																																																																																																																									
Flare	: 3- Full-directivity																																																																																																																																																																																																																																																																									
IMEI	: #21																																																																																																																																																																																																																																																																									
Power setting	: 62																																																																																																																																																																																																																																																																									
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	cm	deg																																																																																																																																																																																																																																																																
1	11160.00	44.83	-29.17	74.00	56.29	38.20	15.98	65.64	100	0 Peak																																																																																																																																																																																																																																																																
										HORIZONTAL																																																																																																																																																																																																																																																																
Site	: 030607-KS																																																																																																																																																																																																																																																																									
Condition	: 5G BAND 1-3 @ 3117 00240132 VERTICAL																																																																																																																																																																																																																																																																									
Project	: RRM 1000.000KHz VBR 3000.000KHz SRT Auto																																																																																																																																																																																																																																																																									
Mode	: FFS 235408																																																																																																																																																																																																																																																																									
Plane	: 56																																																																																																																																																																																																																																																																									
Flare	: 3- Full-directivity																																																																																																																																																																																																																																																																									
IMEI	: #21																																																																																																																																																																																																																																																																									
Power setting	: 62																																																																																																																																																																																																																																																																									
	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	cm	deg																																																																																																																																																																																																																																																																
1	11160.00	46.38	-27.62	74.00	57.84	38.20	15.98	65.64	100	360 Peak																																																																																																																																																																																																																																																																
										VERTICAL																																																																																																																																																																																																																																																																



WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH140 5700MHz																																																													
TxBF 1+2	Horizontal	Vertical																																																												
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 9  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 HORIZONTAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Bode : FFS 230408 Plane : 57 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>44.66</td><td>-29.34</td><td>74.00</td><td>55.72</td><td>38.34</td><td>16.10</td><td>65.50</td><td>100</td><td>360 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 11400.00	44.66	-29.34	74.00	55.72	38.34	16.10	65.50	100	360 Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 10  Site : 030607-KS Condition : 5G BAND 1-3 @ 3117 00240132 VERTICAL Project : RRM 1000 000KHz VBR 3000 000KHz SRT Auto Bode : FFS 230408 Plane : 57 Polar : Full-directivity IMEI : #21 Power setting : 42 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>45.10</td><td>-28.90</td><td>74.00</td><td>56.16</td><td>38.34</td><td>16.10</td><td>65.50</td><td>100</td><td>0 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 11400.00	45.10	-28.90	74.00	56.16	38.34	16.10	65.50	100	0 Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 11400.00	44.66	-29.34	74.00	55.72	38.34	16.10	65.50	100	360 Peak																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 11400.00	45.10	-28.90	74.00	56.16	38.34	16.10	65.50	100	0 Peak																																																					





UNII-2C - - 5470~5725MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH102 5510MHz	
TxBF	Horizontal	Vertical
1+2		
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : G30007-45 Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RM 1500 500MHz YMW 3000 500MHz SRT Auto Mode : (FNU)230408 Plane : 45 MEI : X: Full-directivity power setting : 421 76 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor dB	





WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH110 5550MHz																																																																			
TxBF 1+2	Horizontal	Vertical																																																																		
Peak Avg.	Site : 030607-KS Condition : SG BAND 1----3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Bode : FFS235408 Plane : X Full-directivity IMEI : #21 Power setting : 7a <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11100.00</td><td>45.21</td><td>-28.79</td><td>74.00</td><td>56.77</td><td>38.16</td><td>15.95</td><td>65.67</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1 11100.00	45.21	-28.79	74.00	56.77	38.16	15.95	65.67	100	360 Peak	HORIZONTAL	Site : 030607-KS Condition : SG BAND 1----3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Bode : FFS235408 Plane : X Full-directivity IMEI : #21 Power setting : 7a <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11100.00</td><td>45.88</td><td>-28.12</td><td>74.00</td><td>57.44</td><td>38.16</td><td>15.95</td><td>65.67</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1 11100.00	45.88	-28.12	74.00	57.44	38.16	15.95	65.67	100	0 Peak	VERTICAL
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																												
1 11100.00	45.21	-28.79	74.00	56.77	38.16	15.95	65.67	100	360 Peak	HORIZONTAL																																																										
Freq	Level	Unit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																																																												
1 11100.00	45.88	-28.12	74.00	57.44	38.16	15.95	65.67	100	0 Peak	VERTICAL																																																										





WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH134 5670MHz	
TxBF 1+2	Horizontal	Vertical
Peak Avg.		



UNII-2C - 5470~5725MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH106 5530MHz	
TxBF	Horizontal	Vertical
1+2		
Peak Avg.		



WIFI	UNII-2C - 5470~5725MHz Harmonic @ 3m																																																																																																			
ANT	802.11ax HE80 Full CH122 5610MHz																																																																																																			
TxBF	Horizontal	Vertical																																																																																																		
1+2	<table><tr><td>Site</td><td>: 030607-KS</td></tr><tr><td>Condition</td><td>: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL</td></tr><tr><td>Project</td><td>: RBW 1000.000kHz VBW 3000.000kHz SMT Auto</td></tr><tr><td>Mode</td><td>: FFS 235408</td></tr><tr><td>Plane</td><td>: 68</td></tr><tr><td>Flare</td><td>: 3- Full-directivity</td></tr><tr><td>IMEI</td><td>: 821</td></tr><tr><td>Power setting</td><td>: 80</td></tr></table> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1 11220.00</td><td>44.48</td><td>-29.52</td><td>74.00</td><td>55.85</td><td>38.23</td><td>16.01</td><td>65.61</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Site	: 030607-KS	Condition	: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL	Project	: RBW 1000.000kHz VBW 3000.000kHz SMT Auto	Mode	: FFS 235408	Plane	: 68	Flare	: 3- Full-directivity	IMEI	: 821	Power setting	: 80	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11220.00	44.48	-29.52	74.00	55.85	38.23	16.01	65.61	100	360 Peak	HORIZONTAL	<table><tr><td>Site</td><td>: 030607-KS</td></tr><tr><td>Condition</td><td>: 5G BAND 1-3 @ 3117 00240132 VERTICAL</td></tr><tr><td>Project</td><td>: RBW 1000.000kHz VBW 3000.000kHz SMT Auto</td></tr><tr><td>Mode</td><td>: FFS 235408</td></tr><tr><td>Plane</td><td>: 68</td></tr><tr><td>Flare</td><td>: 3- Full-directivity</td></tr><tr><td>IMEI</td><td>: 821</td></tr><tr><td>Power setting</td><td>: 80</td></tr></table> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1 11220.00</td><td>44.82</td><td>-29.18</td><td>74.00</td><td>56.19</td><td>38.23</td><td>16.01</td><td>65.61</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Site	: 030607-KS	Condition	: 5G BAND 1-3 @ 3117 00240132 VERTICAL	Project	: RBW 1000.000kHz VBW 3000.000kHz SMT Auto	Mode	: FFS 235408	Plane	: 68	Flare	: 3- Full-directivity	IMEI	: 821	Power setting	: 80	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11220.00	44.82	-29.18	74.00	56.19	38.23	16.01	65.61	100	0 Peak	VERTICAL
Site	: 030607-KS																																																																																																			
Condition	: 5G BAND 1-3 @ 3117 00240132 HORIZONTAL																																																																																																			
Project	: RBW 1000.000kHz VBW 3000.000kHz SMT Auto																																																																																																			
Mode	: FFS 235408																																																																																																			
Plane	: 68																																																																																																			
Flare	: 3- Full-directivity																																																																																																			
IMEI	: 821																																																																																																			
Power setting	: 80																																																																																																			
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 11220.00	44.48	-29.52	74.00	55.85	38.23	16.01	65.61	100	360 Peak	HORIZONTAL																																																																																										
Site	: 030607-KS																																																																																																			
Condition	: 5G BAND 1-3 @ 3117 00240132 VERTICAL																																																																																																			
Project	: RBW 1000.000kHz VBW 3000.000kHz SMT Auto																																																																																																			
Mode	: FFS 235408																																																																																																			
Plane	: 68																																																																																																			
Flare	: 3- Full-directivity																																																																																																			
IMEI	: 821																																																																																																			
Power setting	: 80																																																																																																			
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 11220.00	44.82	-29.18	74.00	56.19	38.23	16.01	65.61	100	0 Peak	VERTICAL																																																																																										



UNII-2C - Straddle Channel
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																										
ANT	802.11a CH144 5720MHz																																																																										
CDD 1+2	Horizontal	Vertical																																																																									
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site : 030607-KS Condition : 50 BAND 1-3 @ 3117 00340132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FRS 230408 Plane : 3C Full-directivity IMEI : 821 PowerSetting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Wz</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><td>1</td><td>5722.00 113.04</td><td>44.74</td><td>68.30</td><td>96.66</td><td>34.85</td><td>11.32</td><td>29.79</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5722.00 105.72</td><td>89.34</td><td>34.85</td><td>11.32</td><td>29.79</td><td>300</td><td>0 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Site : 030607-KS Condition : 50 BAND 1-3 @ 3117 00340132 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FRS 230408 Plane : 3C Full-directivity IMEI : 821 PowerSetting : 60 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Wz</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th><th>Level</th></tr><tr><td>1</td><td>5722.00 107.35</td><td>39.05</td><td>68.30</td><td>90.97</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>0 Peak VERTICAL</td></tr><tr><td>2</td><td>5722.00 99.55</td><td>63.17</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>0 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wz	Level	Level	Level	Level	Level	Level	Level	Level	1	5722.00 113.04	44.74	68.30	96.66	34.85	11.32	29.79	300	0 Peak HORIZONTAL	2	5722.00 105.72	89.34	34.85	11.32	29.79	300	0 Average	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Wz	Level	Level	Level	Level	Level	Level	Level	Level	1	5722.00 107.35	39.05	68.30	90.97	34.85	11.32	29.79	100	0 Peak VERTICAL	2	5722.00 99.55	63.17	34.85	11.32	29.79	100	0 Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Wz	Level	Level	Level	Level	Level	Level	Level	Level																																																																			
1	5722.00 113.04	44.74	68.30	96.66	34.85	11.32	29.79	300	0 Peak HORIZONTAL																																																																		
2	5722.00 105.72	89.34	34.85	11.32	29.79	300	0 Average	HORIZONTAL																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Wz	Level	Level	Level	Level	Level	Level	Level	Level																																																																			
1	5722.00 107.35	39.05	68.30	90.97	34.85	11.32	29.79	100	0 Peak VERTICAL																																																																		
2	5722.00 99.55	63.17	34.85	11.32	29.79	100	0 Average	VERTICAL																																																																			



UNII-2C – Straddle Channel
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Full CH144 5720MHz																																																																																								
CDD 1+2	Horizontal	Vertical																																																																																							
Peak	No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 HORIZONTAL Project : RRM 1000.000MHz VSW-3000.000MHz DBT Auto Project : (FR) 230408 Mode : 35 Plane : X- Full-directivity Polar : 421 power setting : 40 Over Limit : 40 ReadAntenna : 40 Cable Preamp : 40 A/Pos : 40 T/Pos : 40 Remark : 40 Pol/Phas : 40 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5722.00</td><td>113.68</td><td>45.38</td><td>68.30</td><td>97.30</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>130 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5722.00</td><td>106.73</td><td>-----</td><td>-----</td><td>90.35</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>130 Average HORIZONTAL</td></tr></tbody></table> No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 VERTICAL Project : RRM 1000.000MHz VSW-3000.000MHz DBT Auto Project : (FR) 230408 Mode : 35 Plane : X- Full-directivity Polar : 421 power setting : 40 Over Limit : 40 ReadAntenna : 40 Cable Preamp : 40 A/Pos : 40 T/Pos : 40 Remark : 40 Pol/Phas : 40 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5722.00</td><td>109.51</td><td>41.21</td><td>68.30</td><td>93.13</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>315 Peak VERTICAL</td></tr><tr><td>2</td><td>5722.00</td><td>104.53</td><td>-----</td><td>-----</td><td>88.15</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>315 Average VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1 *	5722.00	113.68	45.38	68.30	97.30	34.85	11.32	29.79	100	130 Peak HORIZONTAL	2	5722.00	106.73	-----	-----	90.35	34.85	11.32	29.79	100	130 Average HORIZONTAL		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1 *	5722.00	109.51	41.21	68.30	93.13	34.85	11.32	29.79	100	315 Peak VERTICAL	2	5722.00	104.53	-----	-----	88.15	34.85	11.32	29.79	100	315 Average VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																															
1 *	5722.00	113.68	45.38	68.30	97.30	34.85	11.32	29.79	100	130 Peak HORIZONTAL																																																																															
2	5722.00	106.73	-----	-----	90.35	34.85	11.32	29.79	100	130 Average HORIZONTAL																																																																															
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																															
1 *	5722.00	109.51	41.21	68.30	93.13	34.85	11.32	29.79	100	315 Peak VERTICAL																																																																															
2	5722.00	104.53	-----	-----	88.15	34.85	11.32	29.79	100	315 Average VERTICAL																																																																															





UNII-2C - Straddle Channel
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																
ANT	802.11ax HE40 Full CH142 5710MHz - L																																																																
CDD 1+2	Horizontal	Vertical																																																															
Peak	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 1 Level (dBm/100kHz) Frequency (MHz) SG BAND 1---3 (dB) Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 3a Plane : X- Full-directivity MEI : 821 power setting : 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>dBm</th><th></th></tr><tr><td>1 * 5710.00 112.08</td><td>43.78</td><td>68.30</td><td>95.75</td><td>34.82</td><td>11.30</td><td>29.79</td><td>100</td></tr><tr><td>2 5710.00 103.60</td><td>-----</td><td>87.27</td><td>34.82</td><td>11.30</td><td>29.79</td><td>100</td><td>0 Peak HORIZONTAL</td></tr></table> No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 2 Level (dBm/100kHz) Frequency (MHz) SG BAND 1---3 (dB) Site : 030607-KS Condition : SG BAND 1---3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 3a Plane : X- Full-directivity MEI : 821 power setting : 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>dBm</th><th></th></tr><tr><td>1 * 5704.00 107.53</td><td>39.23</td><td>68.30</td><td>91.21</td><td>34.82</td><td>11.30</td><td>29.80</td><td>300</td></tr><tr><td>2 5704.00 99.93</td><td>-----</td><td>83.61</td><td>34.82</td><td>11.30</td><td>29.80</td><td>300</td><td>0 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor		dBm		1 * 5710.00 112.08	43.78	68.30	95.75	34.82	11.30	29.79	100	2 5710.00 103.60	-----	87.27	34.82	11.30	29.79	100	0 Peak HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor		dBm		1 * 5704.00 107.53	39.23	68.30	91.21	34.82	11.30	29.80	300	2 5704.00 99.93	-----	83.61	34.82	11.30	29.80	300	0 Peak VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
Freq	Level	Line	Level Factor	Loss Factor		dBm																																																											
1 * 5710.00 112.08	43.78	68.30	95.75	34.82	11.30	29.79	100																																																										
2 5710.00 103.60	-----	87.27	34.82	11.30	29.79	100	0 Peak HORIZONTAL																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
Freq	Level	Line	Level Factor	Loss Factor		dBm																																																											
1 * 5704.00 107.53	39.23	68.30	91.21	34.82	11.30	29.80	300																																																										
2 5704.00 99.93	-----	83.61	34.82	11.30	29.80	300	0 Peak VERTICAL																																																										





UNII-2C – Straddle Channel
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																		
ANT	802.11ax CH138 5690MHZ - L																																																																																		
CDD 1+2	Horizontal	Vertical																																																																																	
Peak	 No. 1899, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-17980918 Fax: +86-512-17980918 http://www.sporton.com.cn Site : 83CH07-K5 Condition : 5G BAND 1-3 3m 3117 80240132 HORIZONTAL Project : (F01230408) Mode : 17 Plane : X-Full-directivity Plane : R21 PowerSetting : 174 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5704.00</td><td>118.10</td><td>41.80</td><td>68.30</td><td>93.78</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5704.00</td><td>120.15</td><td>-----</td><td>87.81</td><td>34.82</td><td>11.30</td><td>29.80</td><td>100</td><td>0 Average</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1899, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-17980918 Fax: +86-512-17980918 http://www.sporton.com.cn Site : 83CH07-K5 Condition : 5G BAND 1-3 3m 3117 80240132 VERTICAL Project : (F01230408) Mode : 17 Plane : X-Full-directivity Plane : R21 PowerSetting : 174 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>5686.00</td><td>143.39</td><td>35.09</td><td>68.30</td><td>87.13</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5686.00</td><td>156.44</td><td>-----</td><td>80.18</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>0 Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1 *	5704.00	118.10	41.80	68.30	93.78	34.82	11.30	29.80	100	0 Peak	HORIZONTAL	2	5704.00	120.15	-----	87.81	34.82	11.30	29.80	100	0 Average	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	1 *	5686.00	143.39	35.09	68.30	87.13	34.78	11.28	29.80	100	0 Peak	VERTICAL	2	5686.00	156.44	-----	80.18	34.78	11.28	29.80	100	0 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																											
1 *	5704.00	118.10	41.80	68.30	93.78	34.82	11.30	29.80	100	0 Peak	HORIZONTAL																																																																								
2	5704.00	120.15	-----	87.81	34.82	11.30	29.80	100	0 Average	HORIZONTAL																																																																									
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																											
1 *	5686.00	143.39	35.09	68.30	87.13	34.78	11.28	29.80	100	0 Peak	VERTICAL																																																																								
2	5686.00	156.44	-----	80.18	34.78	11.28	29.80	100	0 Average	VERTICAL																																																																									





UNII-2C - - Straddle Channel
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2C - Straddle Channel Band Edge @ 3m																																																																																		
ANT	802.11ax HE20 Full CH144 5720MHz - L																																																																																		
TxBF	Horizontal	Vertical																																																																																	
1+2																																																																																			
Peak	 Site Condition Project Mode Plane Polar PowerSetting 83CH07-K5 5G BAND 1-3 3m 3117 80240132 HORIZONTAL 802.11ax HE20 Full CH144 5720MHz - L 802.11ax HE20 Full X-Full-directivity E21 10 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>5722.00</td><td>111.81</td><td>43.51</td><td>68.30</td><td>95.43</td><td>34.85</td><td>11.32</td><td>29.79</td><td>300</td><td>21 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5722.00</td><td>130.54</td><td>.....</td><td>66.16</td><td>34.85</td><td>11.32</td><td>29.79</td><td>300</td><td>21 Average</td><td>HORIZONTAL</td></tr></table>  Site Condition Project Mode Plane Polar PowerSetting 83CH07-K5 5G BAND 1-3 3m 3117 80240132 VERTICAL 802.11ax HE20 Full CH144 5720MHz - L 802.11ax HE20 Full X-Full-directivity E21 10 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>5720.00</td><td>148.26</td><td>39.08</td><td>68.30</td><td>91.88</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>115 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5720.00</td><td>157.25</td><td>.....</td><td>68.07</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>115 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Factor	Loss	Factor	cm	deg		1 *	5722.00	111.81	43.51	68.30	95.43	34.85	11.32	29.79	300	21 Peak	HORIZONTAL	2	5722.00	130.54		66.16	34.85	11.32	29.79	300	21 Average	HORIZONTAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Factor	Loss	Factor	cm	deg		1 *	5720.00	148.26	39.08	68.30	91.88	34.85	11.32	29.79	100	115 Peak	VERTICAL	2	5720.00	157.25		68.07	34.85	11.32	29.79	100	115 Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
Freq	Level	Line	Factor	Loss	Factor	cm	deg																																																																												
1 *	5722.00	111.81	43.51	68.30	95.43	34.85	11.32	29.79	300	21 Peak	HORIZONTAL																																																																								
2	5722.00	130.54		66.16	34.85	11.32	29.79	300	21 Average	HORIZONTAL																																																																									
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
Freq	Level	Line	Factor	Loss	Factor	cm	deg																																																																												
1 *	5720.00	148.26	39.08	68.30	91.88	34.85	11.32	29.79	100	115 Peak	VERTICAL																																																																								
2	5720.00	157.25		68.07	34.85	11.32	29.79	100	115 Average	VERTICAL																																																																									



UNII-2C - - Straddle Channel
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C - Straddle Channel Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Full CH142 5710MHz - L																																																																																	
TxBF	Horizontal	Vertical																																																																																
1+2																																																																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790958 Fax: +86-512-5790958 http://www.sporton.co.uk.cn Site : 030607-KS Condition : SG BAND 1----3 3m 3117 SN 00218642 HORIZONTAL Project : RRR-1000-000000 VWR-3000-000000 DBT-Auto Mode : (FR) 230408 Plane : 70 Polar : X- Full-directivity Power : 21 Power setting : 70 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1 * 5704.00</td><td>110.14</td><td>41.84</td><td>68.30</td><td>35.58</td><td>11.30</td><td>29.80</td><td>300</td></tr><tr><td>2 * 5704.00</td><td>95.14</td><td>78.06</td><td>35.58</td><td>11.30</td><td>29.80</td><td>300</td><td>0 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 Average</td></tr></tbody></table> Horizontal	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg	1 * 5704.00	110.14	41.84	68.30	35.58	11.30	29.80	300	2 * 5704.00	95.14	78.06	35.58	11.30	29.80	300	0 Peak								0 Average	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-5790958 Fax: +86-512-5790958 http://www.sporton.co.uk.cn Site : 030607-KS Condition : SG BAND 1----3 3m 3117 SN 00218642 VERTICAL Project : RRR-1000-000000 VWR-3000-000000 DBT-Auto Mode : (FR) 230408 Plane : 70 Polar : X- Full-directivity Power : 21 Power setting : 70 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th></tr></thead><tbody><tr><td>1 * 5710.00</td><td>104.37</td><td>36.07</td><td>68.30</td><td>87.36</td><td>35.60</td><td>11.30</td><td>29.79</td></tr><tr><td>2 * 5710.00</td><td>89.47</td><td>72.36</td><td>35.60</td><td>11.30</td><td>29.79</td><td>100</td><td>360 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>360 Average</td></tr></tbody></table> Vertical	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg	1 * 5710.00	104.37	36.07	68.30	87.36	35.60	11.30	29.79	2 * 5710.00	89.47	72.36	35.60	11.30	29.79	100	360 Peak								360 Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																																																																											
1 * 5704.00	110.14	41.84	68.30	35.58	11.30	29.80	300																																																																											
2 * 5704.00	95.14	78.06	35.58	11.30	29.80	300	0 Peak																																																																											
							0 Average																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																																																																											
1 * 5710.00	104.37	36.07	68.30	87.36	35.60	11.30	29.79																																																																											
2 * 5710.00	89.47	72.36	35.60	11.30	29.79	100	360 Peak																																																																											
							360 Average																																																																											





UNII-2C - – Straddle Channel
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2C - Straddle Channel Band Edge @ 3m																																																																	
ANT	802.11ax CH138 5690MHz - L																																																																	
TxBF	Horizontal	Fundamental																																																																
1+2																																																																		
Peak	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sportson.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 SN 00218642 HORIZONTAL Project : RRR-1000-000000 VWR-3000-000000 DBT-Auto Model : (FR) 230408 Plane : 71 Mode : X- Full-directivity Power : 21 power setting : 74 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5662.00</td><td>106.23</td><td>37.93</td><td>68.30</td><td>89.26</td><td>35.53</td><td>11.24</td><td>29.80</td></tr><tr><td>2 * 5662.00</td><td>88.23</td><td></td><td></td><td>71.26</td><td>35.53</td><td>11.24</td><td>29.80</td></tr></tbody></table> 300 360 Peak HORIZONTAL 300 360 Average HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				1 * 5662.00	106.23	37.93	68.30	89.26	35.53	11.24	29.80	2 * 5662.00	88.23			71.26	35.53	11.24	29.80	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sportson.com.cn Site : 030607-KS Condition : SG BAND 1-----3 3m 3117 SN 00218642 VERTICAL Project : RRR-1000-000000 VWR-3000-000000 DBT-Auto Model : (FR) 230408 Plane : 71 Mode : X- Full-directivity Power : 21 power setting : 74 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5716.00</td><td>103.95</td><td>35.65</td><td>68.30</td><td>86.84</td><td>35.60</td><td>11.30</td><td>29.79</td></tr><tr><td>2 * 5716.00</td><td>87.95</td><td></td><td></td><td>70.84</td><td>35.60</td><td>11.30</td><td>29.79</td></tr></tbody></table> 100 360 Peak VERTICAL 100 360 Average VERTICAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				1 * 5716.00	103.95	35.65	68.30	86.84	35.60	11.30	29.79	2 * 5716.00	87.95			70.84	35.60	11.30	29.79
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Freq	Level	Line	Level Factor	Loss Factor																																																														
1 * 5662.00	106.23	37.93	68.30	89.26	35.53	11.24	29.80																																																											
2 * 5662.00	88.23			71.26	35.53	11.24	29.80																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Freq	Level	Line	Level Factor	Loss Factor																																																														
1 * 5716.00	103.95	35.65	68.30	86.84	35.60	11.30	29.79																																																											
2 * 5716.00	87.95			70.84	35.60	11.30	29.79																																																											





UNII-2C - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																										
ANT	802.11a CH144 5720MHz																																																																										
CDD 1+2	Horizontal	Vertical																																																																									
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3e 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FPO 230408 Plane : 3- Full-directivity IMEI : 821 PowerSetting : 60 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WZ</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>dBm</th><th>dBm/100kHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11444.00</td><td>46.73</td><td>-27.27</td><td>74.00</td><td>46.73</td><td>0.00</td><td>0.00</td><td>0.00</td><td>300</td><td>359</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3e 3117 00240132 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FPO 230408 Plane : 3- Full-directivity IMEI : 821 PowerSetting : 60 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>WZ</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>dBm</th><th>dBm/100kHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11444.00</td><td>45.60</td><td>-28.40</td><td>74.00</td><td>45.60</td><td>0.00</td><td>0.00</td><td>0.00</td><td>300</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WZ	Level	Limit	Line	Level	Factor	Loss	Factor	dBm	dBm/100kHz	dBm	dBm	dB	dB	dB	dB	1	11444.00	46.73	-27.27	74.00	46.73	0.00	0.00	0.00	300	359	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	WZ	Level	Limit	Line	Level	Factor	Loss	Factor	dBm	dBm/100kHz	dBm	dBm	dB	dB	dB	dB	1	11444.00	45.60	-28.40	74.00	45.60	0.00	0.00	0.00	300	360	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
WZ	Level	Limit	Line	Level	Factor	Loss	Factor																																																																				
dBm	dBm/100kHz	dBm	dBm	dB	dB	dB	dB																																																																				
1	11444.00	46.73	-27.27	74.00	46.73	0.00	0.00	0.00	300	359	Peak	HORIZONTAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
WZ	Level	Limit	Line	Level	Factor	Loss	Factor																																																																				
dBm	dBm/100kHz	dBm	dBm	dB	dB	dB	dB																																																																				
1	11444.00	45.60	-28.40	74.00	45.60	0.00	0.00	0.00	300	360	Peak	VERTICAL																																																															





UNII-2C - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE40 Full CH142 5710MHz	
CDD 1+2	Horizontal	Vertical
Peak Avg.	 Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 3a Plane : X- Full-directivity Ant : 821 power setting : 70 Over Limit : 70 Frag Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 11422.00 45.26 -28.74 74.00 56.29 38.35 16.11 65.49 300 0 Peak HORIZONTAL	 Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 VERTICAL Power : 1000.000000 WPM 3000.000000 dBm Auto Project : (FR) 230408 Mode : 3a Plane : X- Full-directivity Ant : 821 power setting : 70 Over Limit : 70 Frag Level Limit Line Level Factor Loss Factor A/Pos T/Pos Remark Pol/Phas 1 11422.00 43.76 -30.24 74.00 54.79 38.35 16.11 65.49 300 360 Peak VERTICAL





UNII-2C – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																						
ANT	802.11ax HE80 Full CH138 5690MHz																																																						
CDD 1+2	Horizontal	Vertical																																																					
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 HORIZONTAL Power : 1000.000MHz VSW:3.000 500MHz DBT Auto Project : (FR) 230408 Mode : 37 Plane : X- Full-directivity MEI : 621 power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11380.00</td><td>45.32</td><td>-28.68</td><td>74.00</td><td>56.41</td><td>38.33</td><td>16.09</td><td>65.51</td><td>300</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 1-3 3m 3117 00240132 VERTICAL Power : 1000.000MHz VSW:3.000 500MHz DBT Auto Project : (FR) 230408 Mode : 37 Plane : X- Full-directivity MEI : 621 power setting : 74 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11380.00</td><td>44.64</td><td>-29.36</td><td>74.00</td><td>55.73</td><td>38.33</td><td>16.09</td><td>65.51</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1 11380.00	45.32	-28.68	74.00	56.41	38.33	16.09	65.51	300	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1 11380.00	44.64	-29.36	74.00	55.73	38.33	16.09	65.51	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																	
1 11380.00	45.32	-28.68	74.00	56.41	38.33	16.09	65.51	300	Peak	HORIZONTAL																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																	
1 11380.00	44.64	-29.36	74.00	55.73	38.33	16.09	65.51	100	0 Peak	VERTICAL																																													





UNII-2C - - Straddle Channel
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2C - Straddle Channel Harmonic @ 3m																																																					
ANT	802.11ax HE20 Full CH144 5720MHz																																																					
TxBF	Horizontal						Vertical																																															
1+2																																																						
Peak																																																						
Avg.																																																						
 No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sportsworld.com.cn Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 HORIZONTAL Project : RRR-1000 0000Hz VSW-3000 0000Hz DBT Auto Project : (FR) 230408 Mode : 57 Plane : 2- Full-directivity MEI : 62 power setting : 40 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>46.38</td><td>-27.62</td><td>74.00</td><td>57.38</td><td>38.36</td><td>16.12</td><td>65.48</td><td>299</td><td>300</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-5790058 fax: +86-512-5790058 http://www.sportsworld.com.cn Site : 030607-KS Condition : 5G BAND 1-3 3m 3117 00240132 VERTICAL Project : RRR-1000 0000Hz VSW-3000 0000Hz DBT Auto Project : (FR) 230408 Mode : 57 Plane : 2- Full-directivity MEI : 62 power setting : 40 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.81</td><td>-28.19</td><td>74.00</td><td>56.81</td><td>38.36</td><td>16.12</td><td>65.48</td><td>100</td><td>0</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>													Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	11440.00	46.38	-27.62	74.00	57.38	38.36	16.12	65.48	299	300	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	11440.00	45.81	-28.19	74.00	56.81	38.36	16.12	65.48	100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
1	11440.00	46.38	-27.62	74.00	57.38	38.36	16.12	65.48	299	300	Peak	HORIZONTAL																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
1	11440.00	45.81	-28.19	74.00	56.81	38.36	16.12	65.48	100	0	Peak	VERTICAL																																										





UNII-2C - - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2C - Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE40 Full CH142 5710MHz	
TxBF	Horizontal	Vertical
1+2		
Peak Avg.	 Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRR-1000 0000KHz VSW-3000 0000KHz DBT Auto Model : (FR) 230408 Plane : 70 Polarization : X- Full-directivity Power setting : 21 70 70 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 11420.00 46.46 -27.54 74.00 57.49 38.35 16.11 65.49 100 0 Peak HORIZONTAL	 Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 VERTICAL Project : RRR-1000 0000KHz VSW-3000 0000KHz DBT Auto Model : (FR) 230408 Plane : 70 Polarization : X- Full-directivity Power setting : 21 70 70 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor cm deg 1 11420.00 45.31 -28.69 74.00 56.34 38.35 16.11 65.49 100 360 Peak VERTICAL





UNII-2C - – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-2C - Straddle Channel Harmonic @ 3m	
ANT	802.11ax HE80 Full CH138 5690MHz	
TxBF	Horizontal	Vertical
1+2		
Peak Avg.	 Data: 1 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 HORIZONTAL Project : RRR-1000 0000Hz VSW-3000 0000Hz DBT Auto Power : (FR) 230408 Mode : 71 Plane : X- Full-directivity MEI : 821 power setting : 74 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Line Level Factor Loss Factor cm deg 1 11380.00 46.16 -27.84 74.00 57.25 38.33 16.09 65.51 100 0 Peak HORIZONTAL	 Data: 2 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 7000 8000 10000 12000 14000 16000 18000 Frequency (MHz) Site : 030607-KS Condition : SG BAND 1----3 3m 3117 00240132 VERTICAL Project : RRR-1000 0000Hz VSW-3000 0000Hz DBT Auto Power : (FR) 230408 Mode : 71 Plane : X- Full-directivity MEI : 821 power setting : 74 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Line Level Factor Loss Factor cm deg 1 11380.00 46.20 -27.80 74.00 57.29 38.33 16.09 65.51 100 360 Peak VERTICAL





Emission below 1GHz
5GHz WIFI 802.11ax HE40 Full (LF)



WIFI	5GHz WIFI																																																																																																																																																																																																																
ANT	802.11ax HE40 Full LF																																																																																																																																																																																																																
CDD 1+2	Horizontal	Vertical																																																																																																																																																																																																															
QP / Peak	 Site : 030407-K3 Condition : 5G BAND 1---3 3n CBL0110 SN3188 HORIZONTAL Project : RRM 100.000KHz VSW 300.000KHz SRT Auto mode : FR230408 E- Full-directivity IME1 : 821 54 <table><thead><tr><th>Line</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>26.17</td><td>-13.83</td><td>40.00</td><td>33.28</td><td>24.98</td><td>0.71</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>171.62</td><td>21.13</td><td>-21.77</td><td>43.50</td><td>35.69</td><td>16.98</td><td>1.99</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>240.49</td><td>26.11</td><td>-19.89</td><td>46.00</td><td>38.04</td><td>18.80</td><td>2.37</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>350.10</td><td>27.13</td><td>-18.27</td><td>46.00</td><td>36.38</td><td>21.40</td><td>2.85</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>436.43</td><td>26.34</td><td>-19.76</td><td>46.00</td><td>32.47</td><td>23.36</td><td>3.19</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>546.04</td><td>23.31</td><td>-22.49</td><td>46.00</td><td>26.57</td><td>25.79</td><td>3.57</td><td>32.62</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 030407-K3 Condition : 5G BAND 1---3 3n CBL0110 SN3188 VERTICAL Project : RRM 100.000KHz VSW 300.000KHz SRT Auto mode : FR230408 E- Full-directivity IME1 : 821 54 <table><thead><tr><th>Line</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>33.15</td><td>-6.85</td><td>40.00</td><td>40.26</td><td>24.98</td><td>0.71</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>48.43</td><td>32.35</td><td>-7.07</td><td>40.00</td><td>48.48</td><td>15.77</td><td>1.05</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>68.80</td><td>26.49</td><td>-13.51</td><td>40.00</td><td>45.04</td><td>13.22</td><td>1.25</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>334.68</td><td>27.76</td><td>-15.72</td><td>46.00</td><td>36.86</td><td>21.02</td><td>2.79</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>460.53</td><td>27.95</td><td>-18.04</td><td>46.00</td><td>33.51</td><td>23.88</td><td>3.30</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>760.41</td><td>26.27</td><td>-11.63</td><td>46.00</td><td>36.73</td><td>26.58</td><td>4.22</td><td>32.66</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB		dBuV/m	dB	dB	dB	dB	dB	cn	deg	1	30.97	26.17	-13.83	40.00	33.28	24.98	0.71	32.80	---	---	Peak	HORIZONTAL	2	171.62	21.13	-21.77	43.50	35.69	16.98	1.99	32.93	---	---	Peak	HORIZONTAL	3	240.49	26.11	-19.89	46.00	38.04	18.80	2.37	33.10	---	---	Peak	HORIZONTAL	4	350.10	27.13	-18.27	46.00	36.38	21.40	2.85	32.90	---	---	Peak	HORIZONTAL	5	436.43	26.34	-19.76	46.00	32.47	23.36	3.19	32.73	---	---	Peak	HORIZONTAL	6	546.04	23.31	-22.49	46.00	26.57	25.79	3.57	32.62	---	---	Peak	HORIZONTAL	Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB		dBuV/m	dB	dB	dB	dB	dB	cn	deg	1	30.97	33.15	-6.85	40.00	40.26	24.98	0.71	32.80	---	---	Peak	VERTICAL	2	48.43	32.35	-7.07	40.00	48.48	15.77	1.05	32.97	---	---	Peak	VERTICAL	3	68.80	26.49	-13.51	40.00	45.04	13.22	1.25	33.02	---	---	Peak	VERTICAL	4	334.68	27.76	-15.72	46.00	36.86	21.02	2.79	32.90	---	---	Peak	VERTICAL	5	460.53	27.95	-18.04	46.00	33.51	23.88	3.30	32.73	---	---	Peak	VERTICAL	6	760.41	26.27	-11.63	46.00	36.73	26.58	4.22	32.66	---	---	Peak	VERTICAL
	Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																				
	MHz	dBuV/m	dB		dBuV/m	dB	dB	dB	dB	dB	cn	deg																																																																																																																																																																																																					
1	30.97	26.17	-13.83	40.00	33.28	24.98	0.71	32.80	---	---	Peak	HORIZONTAL																																																																																																																																																																																																					
2	171.62	21.13	-21.77	43.50	35.69	16.98	1.99	32.93	---	---	Peak	HORIZONTAL																																																																																																																																																																																																					
3	240.49	26.11	-19.89	46.00	38.04	18.80	2.37	33.10	---	---	Peak	HORIZONTAL																																																																																																																																																																																																					
4	350.10	27.13	-18.27	46.00	36.38	21.40	2.85	32.90	---	---	Peak	HORIZONTAL																																																																																																																																																																																																					
5	436.43	26.34	-19.76	46.00	32.47	23.36	3.19	32.73	---	---	Peak	HORIZONTAL																																																																																																																																																																																																					
6	546.04	23.31	-22.49	46.00	26.57	25.79	3.57	32.62	---	---	Peak	HORIZONTAL																																																																																																																																																																																																					
Line	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																					
	MHz	dBuV/m	dB		dBuV/m	dB	dB	dB	dB	dB	cn	deg																																																																																																																																																																																																					
1	30.97	33.15	-6.85	40.00	40.26	24.98	0.71	32.80	---	---	Peak	VERTICAL																																																																																																																																																																																																					
2	48.43	32.35	-7.07	40.00	48.48	15.77	1.05	32.97	---	---	Peak	VERTICAL																																																																																																																																																																																																					
3	68.80	26.49	-13.51	40.00	45.04	13.22	1.25	33.02	---	---	Peak	VERTICAL																																																																																																																																																																																																					
4	334.68	27.76	-15.72	46.00	36.86	21.02	2.79	32.90	---	---	Peak	VERTICAL																																																																																																																																																																																																					
5	460.53	27.95	-18.04	46.00	33.51	23.88	3.30	32.73	---	---	Peak	VERTICAL																																																																																																																																																																																																					
6	760.41	26.27	-11.63	46.00	36.73	26.58	4.22	32.66	---	---	Peak	VERTICAL																																																																																																																																																																																																					



UNII-3 - 5725~5850MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11a CH149 5745MHz																																																																																																															
CDD 1+2	Horizontal	Fundamental																																																																																																														
Peak	 No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 3a 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FPO 230408 Plane : 3- Full-directivity Flare : R21 IME1 : 78 PowerSetting : 78 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5648.80</td><td>60.60</td><td>-7.70</td><td>68.30</td><td>44.51</td><td>34.67</td><td>11.23</td><td>29.81</td><td>100</td><td>128</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5697.60</td><td>67.61</td><td>-26.72</td><td>102.33</td><td>51.15</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>128</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>5718.80</td><td>79.80</td><td>-30.71</td><td>110.56</td><td>63.47</td><td>34.80</td><td>11.32</td><td>29.79</td><td>100</td><td>128</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>5745.80</td><td>87.00</td><td>-34.84</td><td>121.84</td><td>70.62</td><td>34.80</td><td>11.32</td><td>29.79</td><td>100</td><td>128</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1099, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site : 030607-KS Condition : SG BAND 3a 3117 00240132 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SMT Auto Mode : FPO 230408 Plane : 3- Full-directivity Flare : R21 IME1 : 78 PowerSetting : 78 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th></tr><tr><td>1</td><td>5746.00</td><td>117.90</td><td>-4.40</td><td>122.30</td><td>101.45</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>128</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5746.00</td><td>111.57</td><td>-----</td><td>95.12</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>128</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Factor	Loss	Factor	dB	dB	cn	deg	1	5648.80	60.60	-7.70	68.30	44.51	34.67	11.23	29.81	100	128	Peak	HORIZONTAL	2	5697.60	67.61	-26.72	102.33	51.15	34.78	11.28	29.80	100	128	Peak	HORIZONTAL	3	5718.80	79.80	-30.71	110.56	63.47	34.80	11.32	29.79	100	128	Peak	HORIZONTAL	4	5745.80	87.00	-34.84	121.84	70.62	34.80	11.32	29.79	100	128	Peak	HORIZONTAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Factor	Loss	Factor	dB	dB	cn	deg	1	5746.00	117.90	-4.40	122.30	101.45	34.89	11.34	29.78	100	128	Peak	HORIZONTAL	2	5746.00	111.57	-----	95.12	34.89	11.34	29.78	100	128	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
Line	Level	Factor	Loss	Factor	dB	dB	cn	deg																																																																																																								
1	5648.80	60.60	-7.70	68.30	44.51	34.67	11.23	29.81	100	128	Peak	HORIZONTAL																																																																																																				
2	5697.60	67.61	-26.72	102.33	51.15	34.78	11.28	29.80	100	128	Peak	HORIZONTAL																																																																																																				
3	5718.80	79.80	-30.71	110.56	63.47	34.80	11.32	29.79	100	128	Peak	HORIZONTAL																																																																																																				
4	5745.80	87.00	-34.84	121.84	70.62	34.80	11.32	29.79	100	128	Peak	HORIZONTAL																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
Line	Level	Factor	Loss	Factor	dB	dB	cn	deg																																																																																																								
1	5746.00	117.90	-4.40	122.30	101.45	34.89	11.34	29.78	100	128	Peak	HORIZONTAL																																																																																																				
2	5746.00	111.57	-----	95.12	34.89	11.34	29.78	100	128	Average	HORIZONTAL																																																																																																					





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																									
ANT	802.11a CH149 5745MHz																																																																																																																									
CDD 1+2	Vertical	Fundamental																																																																																																																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030607-K5 Condition : SG BAND4 by 3117 00040132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 38 Polar : Full-directivity IMEI : #21 Power-setting : 78 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5640.00</td><td>57.00</td><td>-11.30</td><td>68.30</td><td>40.91</td><td>34.67</td><td>11.23</td><td>29.81</td><td>100</td><td>317 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5699.40</td><td>60.70</td><td>-63.97</td><td>104.12</td><td>43.94</td><td>34.78</td><td>11.38</td><td>29.80</td><td>100</td><td>317 Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>5726.00</td><td>73.56</td><td>-37.38</td><td>110.90</td><td>57.19</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>317 Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>5724.80</td><td>83.19</td><td>-27.87</td><td>121.84</td><td>67.57</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>317 Peak</td><td>VERTICAL</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5640.00	57.00	-11.30	68.30	40.91	34.67	11.23	29.81	100	317 Peak	VERTICAL	2	5699.40	60.70	-63.97	104.12	43.94	34.78	11.38	29.80	100	317 Peak	VERTICAL	3	5726.00	73.56	-37.38	110.90	57.19	34.85	11.32	29.79	100	317 Peak	VERTICAL	4	5724.80	83.19	-27.87	121.84	67.57	34.85	11.32	29.79	100	317 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-K5 Condition : SG BAND4 by 3117 00040132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 38 Polar : Full-directivity IMEI : #21 Power-setting : 78 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5752.00</td><td>112.40</td><td>-9.90</td><td>122.30</td><td>95.90</td><td>34.92</td><td>11.35</td><td>29.78</td><td>100</td><td>317 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5752.00</td><td>165.92</td><td>-----</td><td>89.42</td><td>34.92</td><td>11.35</td><td>29.78</td><td>100</td><td>317 Average</td><td>VERTICAL</td><td></td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5752.00	112.40	-9.90	122.30	95.90	34.92	11.35	29.78	100	317 Peak	VERTICAL	2	5752.00	165.92	-----	89.42	34.92	11.35	29.78	100	317 Average	VERTICAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																	
1	5640.00	57.00	-11.30	68.30	40.91	34.67	11.23	29.81	100	317 Peak	VERTICAL																																																																																																															
2	5699.40	60.70	-63.97	104.12	43.94	34.78	11.38	29.80	100	317 Peak	VERTICAL																																																																																																															
3	5726.00	73.56	-37.38	110.90	57.19	34.85	11.32	29.79	100	317 Peak	VERTICAL																																																																																																															
4	5724.80	83.19	-27.87	121.84	67.57	34.85	11.32	29.79	100	317 Peak	VERTICAL																																																																																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																	
1	5752.00	112.40	-9.90	122.30	95.90	34.92	11.35	29.78	100	317 Peak	VERTICAL																																																																																																															
2	5752.00	165.92	-----	89.42	34.92	11.35	29.78	100	317 Average	VERTICAL																																																																																																																





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																								
ANT	802.11a CH165 5825MHz																																																																																																																								
CDD 1+2	Horizontal	Fundamental																																																																																																																							
Peak	Site : 030607-KS Condition : SG BAND4 by 3117 00740132 HORIZONTA Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FPC235408 Plane : 40 Polar : Full-directivity Polar : 821 Power : 78 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5800.40</td><td>77.05</td><td>-44.34</td><td>121.39</td><td>60.30</td><td>35.08</td><td>11.42</td><td>29.75</td><td>100</td><td>131</td><td>Peak</td><td>HORIZONT</td></tr><tr><td>5805.20</td><td>71.18</td><td>-38.84</td><td>110.84</td><td>55.20</td><td>35.10</td><td>11.43</td><td>29.75</td><td>100</td><td>131</td><td>Peak</td><td>HORIZONT</td></tr><tr><td>5876.80</td><td>63.48</td><td>-40.48</td><td>103.96</td><td>45.69</td><td>35.52</td><td>11.44</td><td>29.77</td><td>100</td><td>131</td><td>Peak</td><td>HORIZONT</td></tr><tr><td>5926.80</td><td>59.56</td><td>-46.74</td><td>60.30</td><td>42.70</td><td>35.20</td><td>11.48</td><td>29.82</td><td>100</td><td>131</td><td>Peak</td><td>HORIZONT</td></tr></table> Site : 030607-KS Condition : SG BAND4 by 3117 00740132 HORIZONTA Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FPC235408 Plane : 40 Polar : Full-directivity Polar : 821 Power : 78 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5824.00</td><td>117.30</td><td>-5.00</td><td>122.30</td><td>100.60</td><td>35.00</td><td>11.41</td><td>29.76</td><td>100</td><td>131</td><td>Peak</td><td>HORIZONT</td></tr><tr><td>5824.00</td><td>116.28</td><td>-----</td><td>93.58</td><td>35.00</td><td>11.41</td><td>29.76</td><td>100</td><td>131</td><td>Average</td><td>HORIZONT</td><td></td></tr></table>	Freq	Level	Unit	Line	Level	Factor	Loss	Factor	A/P	T/P	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	cm	deg			5800.40	77.05	-44.34	121.39	60.30	35.08	11.42	29.75	100	131	Peak	HORIZONT	5805.20	71.18	-38.84	110.84	55.20	35.10	11.43	29.75	100	131	Peak	HORIZONT	5876.80	63.48	-40.48	103.96	45.69	35.52	11.44	29.77	100	131	Peak	HORIZONT	5926.80	59.56	-46.74	60.30	42.70	35.20	11.48	29.82	100	131	Peak	HORIZONT	Freq	Level	Unit	Line	Level	Factor	Loss	Factor	A/P	T/P	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	cm	deg			5824.00	117.30	-5.00	122.30	100.60	35.00	11.41	29.76	100	131	Peak	HORIZONT	5824.00	116.28	-----	93.58	35.00	11.41	29.76	100	131	Average	HORIZONT	
	Freq	Level	Unit	Line	Level	Factor	Loss	Factor	A/P	T/P	Remark	Pol/Phas																																																																																																													
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	cm	deg																																																																																																																
5800.40	77.05	-44.34	121.39	60.30	35.08	11.42	29.75	100	131	Peak	HORIZONT																																																																																																														
5805.20	71.18	-38.84	110.84	55.20	35.10	11.43	29.75	100	131	Peak	HORIZONT																																																																																																														
5876.80	63.48	-40.48	103.96	45.69	35.52	11.44	29.77	100	131	Peak	HORIZONT																																																																																																														
5926.80	59.56	-46.74	60.30	42.70	35.20	11.48	29.82	100	131	Peak	HORIZONT																																																																																																														
Freq	Level	Unit	Line	Level	Factor	Loss	Factor	A/P	T/P	Remark	Pol/Phas																																																																																																														
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	dB	cm	deg																																																																																																																
5824.00	117.30	-5.00	122.30	100.60	35.00	11.41	29.76	100	131	Peak	HORIZONT																																																																																																														
5824.00	116.28	-----	93.58	35.00	11.41	29.76	100	131	Average	HORIZONT																																																																																																															



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																		
ANT	802.11a CH165 5825MHz																																																																																																																																		
CDD 1+2	Vertical	Fundamental																																																																																																																																	
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030607-KS Condition : SQ BAND4 by 3117 00740132 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 40 Polar : 3- Full-directivity IMEI : #21 Power setting : 78 <table><tr><th>Line</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5800.00</td><td>72.53</td><td>-48.77</td><td>122.30</td><td>56.78</td><td>35.08</td><td>11.42</td><td>29.75</td><td>100</td><td>317</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5824.00</td><td>49.77</td><td>-46.90</td><td>110.62</td><td>52.94</td><td>35.10</td><td>11.43</td><td>29.75</td><td>100</td><td>317</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>5876.80</td><td>61.65</td><td>-42.31</td><td>103.96</td><td>44.86</td><td>35.52</td><td>11.44</td><td>29.77</td><td>100</td><td>317</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>6000.00</td><td>58.99</td><td>-45.31</td><td>60.30</td><td>42.06</td><td>35.30</td><td>11.52</td><td>29.89</td><td>100</td><td>317</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-KS Condition : SQ BAND4 by 3117 00740132 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 40 Polar : 3- Full-directivity IMEI : #21 Power setting : 78 <table><tr><th>Line</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5824.00</td><td>113.32</td><td>-8.98</td><td>122.30</td><td>96.62</td><td>35.05</td><td>11.41</td><td>29.76</td><td>100</td><td>317</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5824.00</td><td>156.10</td><td>-----</td><td>89.40</td><td>35.05</td><td>11.41</td><td>29.76</td><td>100</td><td>317</td><td>Average</td><td>VERTICAL</td><td></td></tr></table>	Line	Freq	Level	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	5800.00	72.53	-48.77	122.30	56.78	35.08	11.42	29.75	100	317	Peak	VERTICAL	2	5824.00	49.77	-46.90	110.62	52.94	35.10	11.43	29.75	100	317	Peak	VERTICAL	3	5876.80	61.65	-42.31	103.96	44.86	35.52	11.44	29.77	100	317	Peak	VERTICAL	4	6000.00	58.99	-45.31	60.30	42.06	35.30	11.52	29.89	100	317	Peak	VERTICAL	Line	Freq	Level	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	5824.00	113.32	-8.98	122.30	96.62	35.05	11.41	29.76	100	317	Peak	VERTICAL	2	5824.00	156.10	-----	89.40	35.05	11.41	29.76	100	317	Average	VERTICAL	
Line	Freq	Level	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																																									
1	5800.00	72.53	-48.77	122.30	56.78	35.08	11.42	29.75	100	317	Peak	VERTICAL																																																																																																																							
2	5824.00	49.77	-46.90	110.62	52.94	35.10	11.43	29.75	100	317	Peak	VERTICAL																																																																																																																							
3	5876.80	61.65	-42.31	103.96	44.86	35.52	11.44	29.77	100	317	Peak	VERTICAL																																																																																																																							
4	6000.00	58.99	-45.31	60.30	42.06	35.30	11.52	29.89	100	317	Peak	VERTICAL																																																																																																																							
Line	Freq	Level	Limit	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																																									
1	5824.00	113.32	-8.98	122.30	96.62	35.05	11.41	29.76	100	317	Peak	VERTICAL																																																																																																																							
2	5824.00	156.10	-----	89.40	35.05	11.41	29.76	100	317	Average	VERTICAL																																																																																																																								






UNII-3 5725~5850MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																				
ANT	802.11ax HE20 Full CH149 5745MHz																																																																																																																																				
CDD 1+2	Horizontal	Fundamental																																																																																																																																			
Peak	 Site : 030407-KS Condition : SG BAND4 3m 3117 00240132 HORIZONTAL Project : RRR 1000.000MHz VSW 3000.000MHz SWT Auto Model : (FR) 230408 Mode : 41 Plane : X- Full-directivity Polarization : 42 power setting : 78 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5611.60</td><td>62.39</td><td>-5.91</td><td>68.30</td><td>46.38</td><td>34.60</td><td>11.19</td><td>29.78</td><td>100</td><td>130</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5686.40</td><td>66.57</td><td>-36.08</td><td>102.65</td><td>50.31</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>130</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>5720.00</td><td>82.44</td><td>-38.46</td><td>115.90</td><td>66.50</td><td>34.80</td><td>11.32</td><td>29.79</td><td>100</td><td>130</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>5723.60</td><td>87.42</td><td>-31.09</td><td>119.11</td><td>71.04</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>130</td><td>Peak</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss				MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg	1	5611.60	62.39	-5.91	68.30	46.38	34.60	11.19	29.78	100	130	Peak	HORIZONTAL	2	5686.40	66.57	-36.08	102.65	50.31	34.78	11.28	29.80	100	130	Peak	HORIZONTAL	3	5720.00	82.44	-38.46	115.90	66.50	34.80	11.32	29.79	100	130	Peak	HORIZONTAL	4	5723.60	87.42	-31.09	119.11	71.04	34.85	11.32	29.79	100	130	Peak	HORIZONTAL	 Site : 030407-KS Condition : SG BAND4 3m 3117 00240132 HORIZONTAL Project : RRR 1000.000MHz VSW 3000.000MHz SWT Auto Model : (FR) 230408 Mode : 41 Plane : X- Full-directivity Polarization : 42 power setting : 78 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBm/100MHz</th><th>dB</th><th>dBm/100MHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.00</td><td>116.84</td><td>-5.46</td><td>122.30</td><td>100.39</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>130</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5746.00</td><td>109.78</td><td>-----</td><td>93.33</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>130</td><td>Average</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss				MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg	1	5746.00	116.84	-5.46	122.30	100.39	34.89	11.34	29.78	100	130	Peak	HORIZONTAL	2	5746.00	109.78	-----	93.33	34.89	11.34	29.78	100	130	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
	Freq	Level	Line	Level	Factor	Loss																																																																																																																															
	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg																																																																																																																													
1	5611.60	62.39	-5.91	68.30	46.38	34.60	11.19	29.78	100	130	Peak	HORIZONTAL																																																																																																																									
2	5686.40	66.57	-36.08	102.65	50.31	34.78	11.28	29.80	100	130	Peak	HORIZONTAL																																																																																																																									
3	5720.00	82.44	-38.46	115.90	66.50	34.80	11.32	29.79	100	130	Peak	HORIZONTAL																																																																																																																									
4	5723.60	87.42	-31.09	119.11	71.04	34.85	11.32	29.79	100	130	Peak	HORIZONTAL																																																																																																																									
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
	Freq	Level	Line	Level	Factor	Loss																																																																																																																															
	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg																																																																																																																													
1	5746.00	116.84	-5.46	122.30	100.39	34.89	11.34	29.78	100	130	Peak	HORIZONTAL																																																																																																																									
2	5746.00	109.78	-----	93.33	34.89	11.34	29.78	100	130	Average	HORIZONTAL																																																																																																																										



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																	
ANT	802.11ax HE20 Full CH149 5745MHz																																																																																																																																	
CDD 1+2	Vertical	Fundamental																																																																																																																																
Peak	Site : 030607-KS Condition : SG BAND4 3x 3117 00040132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT-Auto Bode : 41 Plane : X- Full-directivity IMEI : #21 PowerSetting : 78 <table><tr><th>Line</th><th>Freq</th><th>Level</th><th>Unit</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5634.00</td><td>58.68</td><td>-9.62</td><td>68.30</td><td>42.59</td><td>34.67</td><td>11.23</td><td>29.81</td><td>270</td><td>347</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5699.40</td><td>60.38</td><td>-43.84</td><td>104.12</td><td>44.02</td><td>34.78</td><td>11.38</td><td>29.80</td><td>270</td><td>347</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>5718.40</td><td>73.49</td><td>-34.96</td><td>110.45</td><td>57.11</td><td>34.85</td><td>11.32</td><td>29.79</td><td>270</td><td>347</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>5723.20</td><td>82.08</td><td>-36.12</td><td>118.20</td><td>65.70</td><td>34.85</td><td>11.32</td><td>29.79</td><td>270</td><td>347</td><td>Peak</td><td>VERTICAL</td></tr></table> Site : 030607-KS Condition : SG BAND4 3x 3117 00040132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT-Auto Bode : 41 Plane : X- Full-directivity IMEI : #21 PowerSetting : 78 <table><tr><th>Line</th><th>Freq</th><th>Level</th><th>Unit</th><th>Bandwidth</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5746.00</td><td>111.20</td><td>-11.10</td><td>122.30</td><td>84.75</td><td>34.89</td><td>11.34</td><td>29.78</td><td>270</td><td>347</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5746.00</td><td>164.25</td><td>-</td><td>87.80</td><td>34.89</td><td>11.34</td><td>29.78</td><td>270</td><td>347</td><td>Peak</td><td>VERTICAL</td></tr></table>	Line	Freq	Level	Unit	Bandwidth	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg			1	5634.00	58.68	-9.62	68.30	42.59	34.67	11.23	29.81	270	347	Peak	VERTICAL	2	5699.40	60.38	-43.84	104.12	44.02	34.78	11.38	29.80	270	347	Peak	VERTICAL	3	5718.40	73.49	-34.96	110.45	57.11	34.85	11.32	29.79	270	347	Peak	VERTICAL	4	5723.20	82.08	-36.12	118.20	65.70	34.85	11.32	29.79	270	347	Peak	VERTICAL	Line	Freq	Level	Unit	Bandwidth	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg			1	5746.00	111.20	-11.10	122.30	84.75	34.89	11.34	29.78	270	347	Peak	VERTICAL	2	5746.00	164.25	-	87.80	34.89	11.34	29.78	270	347	Peak	VERTICAL
Line	Freq	Level	Unit	Bandwidth	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																						
	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg																																																																																																																								
1	5634.00	58.68	-9.62	68.30	42.59	34.67	11.23	29.81	270	347	Peak	VERTICAL																																																																																																																						
2	5699.40	60.38	-43.84	104.12	44.02	34.78	11.38	29.80	270	347	Peak	VERTICAL																																																																																																																						
3	5718.40	73.49	-34.96	110.45	57.11	34.85	11.32	29.79	270	347	Peak	VERTICAL																																																																																																																						
4	5723.20	82.08	-36.12	118.20	65.70	34.85	11.32	29.79	270	347	Peak	VERTICAL																																																																																																																						
Line	Freq	Level	Unit	Bandwidth	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																						
	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg																																																																																																																								
1	5746.00	111.20	-11.10	122.30	84.75	34.89	11.34	29.78	270	347	Peak	VERTICAL																																																																																																																						
2	5746.00	164.25	-	87.80	34.89	11.34	29.78	270	347	Peak	VERTICAL																																																																																																																							





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE20 Full CH157 5785MHz																																																																																																															
CDD 1+2	Horizontal	Fundamental																																																																																																														
Peak	 Site : 03CBT-ES Condition : SG BAND4 2x 3117 CW 00218642 HORIZONTAL Project : RSW 1000.000MHz YEW 3000.000MHz SWT Auto Model : (FIS)230408 Plane : 43 Flare : X- Full-directivity MEI : #21 powersetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5638.48</td><td>58.18</td><td>-18.12</td><td>68.30</td><td>41.26</td><td>35.50</td><td>11.23</td><td>29.81</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5688.88</td><td>58.88</td><td>-12.53</td><td>91.13</td><td>41.59</td><td>35.55</td><td>11.26</td><td>29.88</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>3</td><td>5738.48</td><td>59.72</td><td>-11.87</td><td>118.79</td><td>42.59</td><td>35.60</td><td>11.32</td><td>29.79</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>4</td><td>5722.48</td><td>59.63</td><td>-16.74</td><td>116.37</td><td>42.58</td><td>35.60</td><td>11.32</td><td>29.79</td><td>100</td><td>122 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	5638.48	58.18	-18.12	68.30	41.26	35.50	11.23	29.81	100	122 Peak HORIZONTAL	2	5688.88	58.88	-12.53	91.13	41.59	35.55	11.26	29.88	100	122 Peak HORIZONTAL	3	5738.48	59.72	-11.87	118.79	42.59	35.60	11.32	29.79	100	122 Peak HORIZONTAL	4	5722.48	59.63	-16.74	116.37	42.58	35.60	11.32	29.79	100	122 Peak HORIZONTAL	 Site : 03CBT-ES Condition : SG BAND4 2x 3117 CW 00218642 HORIZONTAL Project : RSW 1000.000MHz YEW 3000.000MHz SWT Auto Model : (FIS)230408 Plane : 43 Flare : X- Full-directivity MEI : #21 powersetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5782.88</td><td>115.16</td><td>-7.14</td><td>122.30</td><td>97.85</td><td>35.70</td><td>11.37</td><td>29.76</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5782.88</td><td>187.21</td><td>-----</td><td>-----</td><td>89.90</td><td>35.70</td><td>11.37</td><td>29.76</td><td>100</td><td>122 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	5782.88	115.16	-7.14	122.30	97.85	35.70	11.37	29.76	100	122 Peak HORIZONTAL	2	5782.88	187.21	-----	-----	89.90	35.70	11.37	29.76	100	122 Average HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
1	5638.48	58.18	-18.12	68.30	41.26	35.50	11.23	29.81	100	122 Peak HORIZONTAL																																																																																																						
2	5688.88	58.88	-12.53	91.13	41.59	35.55	11.26	29.88	100	122 Peak HORIZONTAL																																																																																																						
3	5738.48	59.72	-11.87	118.79	42.59	35.60	11.32	29.79	100	122 Peak HORIZONTAL																																																																																																						
4	5722.48	59.63	-16.74	116.37	42.58	35.60	11.32	29.79	100	122 Peak HORIZONTAL																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
1	5782.88	115.16	-7.14	122.30	97.85	35.70	11.37	29.76	100	122 Peak HORIZONTAL																																																																																																						
2	5782.88	187.21	-----	-----	89.90	35.70	11.37	29.76	100	122 Average HORIZONTAL																																																																																																						
Peak	 Site : 03CBT-ES Condition : SG BAND4 2x 3117 CW 00218642 HORIZONTAL Project : RSW 1000.000MHz YEW 3000.000MHz SWT Auto Model : (FIS)230408 Plane : 43 Flare : X- Full-directivity MEI : #21 powersetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5638.48</td><td>59.28</td><td>-12.11</td><td>121.39</td><td>41.81</td><td>35.88</td><td>11.42</td><td>29.75</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>2</td><td>5688.88</td><td>58.53</td><td>-10.39</td><td>108.92</td><td>41.88</td><td>35.79</td><td>11.43</td><td>29.77</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>3</td><td>5688.28</td><td>58.14</td><td>-11.82</td><td>79.96</td><td>48.71</td><td>35.78</td><td>11.47</td><td>29.82</td><td>100</td><td>122 Peak HORIZONTAL</td></tr><tr><td>4</td><td>5641.28</td><td>58.35</td><td>-15.90</td><td>68.38</td><td>48.93</td><td>35.77</td><td>11.48</td><td>29.84</td><td>100</td><td>122 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	5638.48	59.28	-12.11	121.39	41.81	35.88	11.42	29.75	100	122 Peak HORIZONTAL	2	5688.88	58.53	-10.39	108.92	41.88	35.79	11.43	29.77	100	122 Peak HORIZONTAL	3	5688.28	58.14	-11.82	79.96	48.71	35.78	11.47	29.82	100	122 Peak HORIZONTAL	4	5641.28	58.35	-15.90	68.38	48.93	35.77	11.48	29.84	100	122 Peak HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
1	5638.48	59.28	-12.11	121.39	41.81	35.88	11.42	29.75	100	122 Peak HORIZONTAL																																																																																																						
2	5688.88	58.53	-10.39	108.92	41.88	35.79	11.43	29.77	100	122 Peak HORIZONTAL																																																																																																						
3	5688.28	58.14	-11.82	79.96	48.71	35.78	11.47	29.82	100	122 Peak HORIZONTAL																																																																																																						
4	5641.28	58.35	-15.90	68.38	48.93	35.77	11.48	29.84	100	122 Peak HORIZONTAL																																																																																																						





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE20 Full CH165 5825MHz																																																																																																															
CDD 1+2	Horizontal	Fundamental																																																																																																														
Peak	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 1 Level (dBm/100kHz) Frequency (MHz) SG BAND4 Site : 030607-KS Condition : SG BAND4 3m 3117 00740132 HORIZONTA Project : RSM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : 44 Plane : 3- Full-directivity Polar : #21 Power setting : 78 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Power</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>5800.40</td><td>79.49</td><td>-41.90</td><td>121.39</td><td>62.74</td><td>35.08</td><td>11.42</td><td>29.75</td><td>100</td><td>132 Peak</td><td>HORIZONT</td></tr><tr><td>5804.40</td><td>73.38</td><td>-37.12</td><td>110.51</td><td>54.60</td><td>35.10</td><td>11.43</td><td>29.75</td><td>100</td><td>132 Peak</td><td>HORIZONT</td></tr><tr><td>5879.20</td><td>64.87</td><td>-37.31</td><td>102.18</td><td>48.08</td><td>35.32</td><td>11.44</td><td>29.77</td><td>100</td><td>132 Peak</td><td>HORIZONT</td></tr><tr><td>5927.20</td><td>60.39</td><td>-37.91</td><td>60.30</td><td>43.55</td><td>35.30</td><td>11.48</td><td>29.84</td><td>100</td><td>132 Peak</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Power	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg			5800.40	79.49	-41.90	121.39	62.74	35.08	11.42	29.75	100	132 Peak	HORIZONT	5804.40	73.38	-37.12	110.51	54.60	35.10	11.43	29.75	100	132 Peak	HORIZONT	5879.20	64.87	-37.31	102.18	48.08	35.32	11.44	29.77	100	132 Peak	HORIZONT	5927.20	60.39	-37.91	60.30	43.55	35.30	11.48	29.84	100	132 Peak	HORIZONT	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 2 Level (dBm/100kHz) Frequency (MHz) SG BAND4 Site : 030607-KS Condition : SG BAND4 3m 3117 00740132 HORIZONTA Project : RSM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : 44 Plane : 3- Full-directivity Polar : #21 Power setting : 78 <table><thead><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Power</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>5818.00</td><td>117.86</td><td>-4.44</td><td>122.30</td><td>101.19</td><td>35.03</td><td>11.40</td><td>29.76</td><td>100</td><td>132 Peak</td><td>HORIZONT</td></tr><tr><td>5818.00</td><td>109.27</td><td>-----</td><td>92.60</td><td>35.03</td><td>11.40</td><td>29.76</td><td>100</td><td>132 Average</td><td>HORIZONT</td><td></td></tr></tbody></table>	Freq	Level	Unit	Line	ReadAntenna	Cable	Power	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg			5818.00	117.86	-4.44	122.30	101.19	35.03	11.40	29.76	100	132 Peak	HORIZONT	5818.00	109.27	-----	92.60	35.03	11.40	29.76	100	132 Average	HORIZONT	
	Freq	Level	Unit	Line	ReadAntenna	Cable	Power	A/P	T/P	Remark	Pol/Phas																																																																																																					
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg																																																																																																								
5800.40	79.49	-41.90	121.39	62.74	35.08	11.42	29.75	100	132 Peak	HORIZONT																																																																																																						
5804.40	73.38	-37.12	110.51	54.60	35.10	11.43	29.75	100	132 Peak	HORIZONT																																																																																																						
5879.20	64.87	-37.31	102.18	48.08	35.32	11.44	29.77	100	132 Peak	HORIZONT																																																																																																						
5927.20	60.39	-37.91	60.30	43.55	35.30	11.48	29.84	100	132 Peak	HORIZONT																																																																																																						
Freq	Level	Unit	Line	ReadAntenna	Cable	Power	A/P	T/P	Remark	Pol/Phas																																																																																																						
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	cm	deg																																																																																																								
5818.00	117.86	-4.44	122.30	101.19	35.03	11.40	29.76	100	132 Peak	HORIZONT																																																																																																						
5818.00	109.27	-----	92.60	35.03	11.40	29.76	100	132 Average	HORIZONT																																																																																																							





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11ax HE20 Full CH165 5825MHz																																																																																																														
CDD 1+2	Vertical	Fundamental																																																																																																													
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030607-K5 Condition : SG BAND4, 3x 3117, 00740132 VERTICAL Project : RSM-1000, 000KHz, VBR-3000, 000KHz, SMT-Auto Bode : FFS2354558 Plane : 44 Polar : 3° Full-directivity IMEI : #21 PowerSetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>76.17</td><td>-41.57</td><td>117.74</td><td>59.42</td><td>35.08</td><td>11.42</td><td>29.75</td><td>100</td><td>315 Peak VERTICAL</td></tr><tr><td>2</td><td>5825.40</td><td>70.51</td><td>-40.27</td><td>110.73</td><td>53.73</td><td>35.10</td><td>11.43</td><td>29.75</td><td>100</td><td>315 Peak VERTICAL</td></tr><tr><td>3</td><td>5875.60</td><td>63.31</td><td>-41.64</td><td>104.85</td><td>46.42</td><td>35.52</td><td>11.44</td><td>29.77</td><td>100</td><td>315 Peak VERTICAL</td></tr><tr><td>4</td><td>5922.40</td><td>59.69</td><td>-43.61</td><td>100.30</td><td>42.83</td><td>35.20</td><td>11.48</td><td>29.82</td><td>100</td><td>315 Peak VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-K5 Condition : SG BAND4, 3x 3117, 00740132 VERTICAL Project : RSM-1000, 000KHz, VBR-3000, 000KHz, SMT-Auto Bode : FFS2354558 Plane : 44 Polar : 3° Full-directivity IMEI : #21 PowerSetting : 78 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5824.00</td><td>113.08</td><td>-9.22</td><td>122.30</td><td>96.38</td><td>35.05</td><td>11.41</td><td>29.76</td><td>100</td><td>315 Peak VERTICAL</td></tr><tr><td>2</td><td>5824.00</td><td>155.00</td><td>-----</td><td>-----</td><td>88.30</td><td>35.05</td><td>11.41</td><td>29.76</td><td>100</td><td>315 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg	1	5825.00	76.17	-41.57	117.74	59.42	35.08	11.42	29.75	100	315 Peak VERTICAL	2	5825.40	70.51	-40.27	110.73	53.73	35.10	11.43	29.75	100	315 Peak VERTICAL	3	5875.60	63.31	-41.64	104.85	46.42	35.52	11.44	29.77	100	315 Peak VERTICAL	4	5922.40	59.69	-43.61	100.30	42.83	35.20	11.48	29.82	100	315 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg	1	5824.00	113.08	-9.22	122.30	96.38	35.05	11.41	29.76	100	315 Peak VERTICAL	2	5824.00	155.00	-----	-----	88.30	35.05	11.41	29.76	100	315 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																					
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																					
1	5825.00	76.17	-41.57	117.74	59.42	35.08	11.42	29.75	100	315 Peak VERTICAL																																																																																																					
2	5825.40	70.51	-40.27	110.73	53.73	35.10	11.43	29.75	100	315 Peak VERTICAL																																																																																																					
3	5875.60	63.31	-41.64	104.85	46.42	35.52	11.44	29.77	100	315 Peak VERTICAL																																																																																																					
4	5922.40	59.69	-43.61	100.30	42.83	35.20	11.48	29.82	100	315 Peak VERTICAL																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																					
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																					
1	5824.00	113.08	-9.22	122.30	96.38	35.05	11.41	29.76	100	315 Peak VERTICAL																																																																																																					
2	5824.00	155.00	-----	-----	88.30	35.05	11.41	29.76	100	315 Average VERTICAL																																																																																																					



UNII-3 5725~5850MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11ax HE20 Partial 106/53 CH149 5745MHz																																																																																																														
CDD 1+2	Horizontal	Fundamental																																																																																																													
Peak	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 1 Level (dBuV/m)  Site : 030607-KS Condition : SG BAND4 3m 3117 00240132 HORIZONTAL Project : R88-1000-0000Hz VSW-3000-0000Hz URT Auto Mode : (FR) 230408 Plane : 42 Polarization : X- Full-directivity Power setting : 70 power setting : 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5646.80</td><td>60.15</td><td>-8.15</td><td>66.30</td><td>44.06</td><td>34.67</td><td>11.23</td><td>29.81</td><td>100</td><td>305</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5698.00</td><td>62.40</td><td>-41.43</td><td>103.83</td><td>46.14</td><td>34.78</td><td>11.28</td><td>29.80</td><td>100</td><td>305</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>5719.20</td><td>66.41</td><td>-44.27</td><td>110.68</td><td>50.03</td><td>34.80</td><td>11.32</td><td>29.79</td><td>100</td><td>305</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>5724.40</td><td>70.62</td><td>-50.31</td><td>120.93</td><td>54.24</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>305</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			1	5646.80	60.15	-8.15	66.30	44.06	34.67	11.23	29.81	100	305	Peak	HORIZONTAL	2	5698.00	62.40	-41.43	103.83	46.14	34.78	11.28	29.80	100	305	Peak	HORIZONTAL	3	5719.20	66.41	-44.27	110.68	50.03	34.80	11.32	29.79	100	305	Peak	HORIZONTAL	4	5724.40	70.62	-50.31	120.93	54.24	34.85	11.32	29.79	100	305	Peak	HORIZONTAL	 No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 2 Level (dBuV/m)  Site : 030607-KS Condition : SG BAND4 3m 3117 00240132 HORIZONTAL Project : R88-1000-0000Hz VSW-3000-0000Hz URT Auto Mode : (FR) 230408 Plane : 42 Polarization : X- Full-directivity Power setting : 70 power setting : 70 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5740.00</td><td>115.01</td><td>-7.29</td><td>122.30</td><td>98.56</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>305</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5740.00</td><td>107.47</td><td>-----</td><td>91.02</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>305</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			1	5740.00	115.01	-7.29	122.30	98.56	34.89	11.34	29.78	100	305	Peak	HORIZONTAL	2	5740.00	107.47	-----	91.02	34.89	11.34	29.78	100	305	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Line	Level Factor	Loss Factor	cm	deg																																																																																																										
1	5646.80	60.15	-8.15	66.30	44.06	34.67	11.23	29.81	100	305	Peak	HORIZONTAL																																																																																																			
2	5698.00	62.40	-41.43	103.83	46.14	34.78	11.28	29.80	100	305	Peak	HORIZONTAL																																																																																																			
3	5719.20	66.41	-44.27	110.68	50.03	34.80	11.32	29.79	100	305	Peak	HORIZONTAL																																																																																																			
4	5724.40	70.62	-50.31	120.93	54.24	34.85	11.32	29.79	100	305	Peak	HORIZONTAL																																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Line	Level Factor	Loss Factor	cm	deg																																																																																																										
1	5740.00	115.01	-7.29	122.30	98.56	34.89	11.34	29.78	100	305	Peak	HORIZONTAL																																																																																																			
2	5740.00	107.47	-----	91.02	34.89	11.34	29.78	100	305	Average	HORIZONTAL																																																																																																				





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11ax HE20 Partial 106/53 CH149 5745MHz																																																																																																														
CDD 1+2	Vertical	Fundamental																																																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030607-K5 Condition : SG BAND4 by 3117 00740132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Bode : FFS235458 Plane : 42 Polar : 3- Full-directivity IMEI : 821 Power setting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5677.20</td><td>57.24</td><td>-11.06</td><td>68.30</td><td>41.17</td><td>34.64</td><td>11.21</td><td>29.78</td><td>100</td><td>119 Peak VERTICAL</td></tr><tr><td>2</td><td>5695.20</td><td>58.36</td><td>-10.40</td><td>101.76</td><td>42.10</td><td>34.78</td><td>11.38</td><td>29.80</td><td>100</td><td>119 Peak VERTICAL</td></tr><tr><td>3</td><td>5718.80</td><td>63.17</td><td>-10.40</td><td>110.56</td><td>46.74</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>119 Peak VERTICAL</td></tr><tr><td>4</td><td>5745.80</td><td>67.07</td><td>-10.40</td><td>121.84</td><td>50.69</td><td>34.85</td><td>11.32</td><td>29.79</td><td>100</td><td>119 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5677.20	57.24	-11.06	68.30	41.17	34.64	11.21	29.78	100	119 Peak VERTICAL	2	5695.20	58.36	-10.40	101.76	42.10	34.78	11.38	29.80	100	119 Peak VERTICAL	3	5718.80	63.17	-10.40	110.56	46.74	34.85	11.32	29.79	100	119 Peak VERTICAL	4	5745.80	67.07	-10.40	121.84	50.69	34.85	11.32	29.79	100	119 Peak VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-K5 Condition : SG BAND4 by 3117 00740132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Bode : FFS235458 Plane : 42 Polar : 3- Full-directivity IMEI : 821 Power setting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5740.00</td><td>110.97</td><td>-11.33</td><td>122.30</td><td>84.82</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>119 Peak VERTICAL</td></tr><tr><td>2</td><td>5740.00</td><td>101.97</td><td>-----</td><td>85.52</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>119 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5740.00	110.97	-11.33	122.30	84.82	34.89	11.34	29.78	100	119 Peak VERTICAL	2	5740.00	101.97	-----	85.52	34.89	11.34	29.78	100	119 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																							
1	5677.20	57.24	-11.06	68.30	41.17	34.64	11.21	29.78	100	119 Peak VERTICAL																																																																																																					
2	5695.20	58.36	-10.40	101.76	42.10	34.78	11.38	29.80	100	119 Peak VERTICAL																																																																																																					
3	5718.80	63.17	-10.40	110.56	46.74	34.85	11.32	29.79	100	119 Peak VERTICAL																																																																																																					
4	5745.80	67.07	-10.40	121.84	50.69	34.85	11.32	29.79	100	119 Peak VERTICAL																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																							
1	5740.00	110.97	-11.33	122.30	84.82	34.89	11.34	29.78	100	119 Peak VERTICAL																																																																																																					
2	5740.00	101.97	-----	85.52	34.89	11.34	29.78	100	119 Average VERTICAL																																																																																																						







WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																				
ANT	802.11ax HE20 Partial 106/54 CH165 5825MHz																																																																																																				
CDD 1+2	Horizontal	Fundamental																																																																																																			
Peak	Site : 030607-K5 Condition : SG BAND4 3x 3117 00740132 HORIZONTA Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 45 Polar : Full-directivity Power : 821 Power : 70 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Bandwidth</th><th>Cable</th><th>Power</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5800.40</td><td>65.07</td><td>-56.32</td><td>121.39</td><td>48.32</td><td>35.08</td><td>11.42</td><td>29.75</td><td>100</td><td>323 Peak HORIZONT</td></tr><tr><td>5805.20</td><td>61.50</td><td>-59.54</td><td>115.84</td><td>44.52</td><td>35.10</td><td>11.43</td><td>29.75</td><td>100</td><td>323 Peak HORIZONT</td></tr><tr><td>5814.80</td><td>59.84</td><td>-61.99</td><td>75.82</td><td>43.02</td><td>35.17</td><td>11.47</td><td>29.82</td><td>100</td><td>323 Peak HORIZONT</td></tr><tr><td>5826.00</td><td>58.57</td><td>-63.22</td><td>60.30</td><td>41.48</td><td>35.25</td><td>11.50</td><td>29.86</td><td>100</td><td>323 Peak HORIZONT</td></tr></table> Site : 030607-K5 Condition : SG BAND4 3x 3117 00740132 HORIZONTA Project : RRM-1000 000KHz VBR-3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 45 Polar : Full-directivity Power : 821 Power : 70 <table><tr><th>Freq</th><th>Level</th><th>Unit</th><th>Bandwidth</th><th>Cable</th><th>Power</th><th>A/P</th><th>T/P</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5830.00</td><td>115.21</td><td>-6.99</td><td>122.30</td><td>98.61</td><td>35.05</td><td>11.41</td><td>29.76</td><td>100</td><td>323 Peak HORIZONT</td></tr><tr><td>5830.00</td><td>156.21</td><td></td><td></td><td>87.51</td><td>35.05</td><td>11.41</td><td>29.76</td><td>100</td><td>323 Average HORIZONT</td></tr></table>	Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg			5800.40	65.07	-56.32	121.39	48.32	35.08	11.42	29.75	100	323 Peak HORIZONT	5805.20	61.50	-59.54	115.84	44.52	35.10	11.43	29.75	100	323 Peak HORIZONT	5814.80	59.84	-61.99	75.82	43.02	35.17	11.47	29.82	100	323 Peak HORIZONT	5826.00	58.57	-63.22	60.30	41.48	35.25	11.50	29.86	100	323 Peak HORIZONT	Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg			5830.00	115.21	-6.99	122.30	98.61	35.05	11.41	29.76	100	323 Peak HORIZONT	5830.00	156.21			87.51	35.05	11.41	29.76	100	323 Average HORIZONT
	Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas																																																																																											
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg																																																																																														
5800.40	65.07	-56.32	121.39	48.32	35.08	11.42	29.75	100	323 Peak HORIZONT																																																																																												
5805.20	61.50	-59.54	115.84	44.52	35.10	11.43	29.75	100	323 Peak HORIZONT																																																																																												
5814.80	59.84	-61.99	75.82	43.02	35.17	11.47	29.82	100	323 Peak HORIZONT																																																																																												
5826.00	58.57	-63.22	60.30	41.48	35.25	11.50	29.86	100	323 Peak HORIZONT																																																																																												
Freq	Level	Unit	Bandwidth	Cable	Power	A/P	T/P	Remark	Pol/Phas																																																																																												
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	cm	deg																																																																																														
5830.00	115.21	-6.99	122.30	98.61	35.05	11.41	29.76	100	323 Peak HORIZONT																																																																																												
5830.00	156.21			87.51	35.05	11.41	29.76	100	323 Average HORIZONT																																																																																												



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE20 Partial 106/54 CH165 5825MHz																																																																																																															
CDD 1+2	Vertical	Fundamental																																																																																																														
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030607-K5 Condition : SG BAND4 tx 3117 00740132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 45 Polar : Full-directivity IMEI : 821 Power-setting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5850.40</td><td>68.68</td><td>-52.71</td><td>121.39</td><td>51.93</td><td>35.08</td><td>11.42</td><td>29.75</td><td>103</td><td>140 Peak VERTICAL</td></tr><tr><td>2</td><td>5870.40</td><td>59.54</td><td>-57.35</td><td>106.59</td><td>42.48</td><td>35.10</td><td>11.43</td><td>29.77</td><td>103</td><td>140 Peak VERTICAL</td></tr><tr><td>3</td><td>5890.40</td><td>58.64</td><td>-55.23</td><td>93.87</td><td>41.84</td><td>35.15</td><td>11.45</td><td>29.80</td><td>103</td><td>140 Peak VERTICAL</td></tr><tr><td>4</td><td>5950.00</td><td>58.45</td><td>-56.80</td><td>68.30</td><td>41.56</td><td>35.25</td><td>11.50</td><td>29.86</td><td>103</td><td>140 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5850.40	68.68	-52.71	121.39	51.93	35.08	11.42	29.75	103	140 Peak VERTICAL	2	5870.40	59.54	-57.35	106.59	42.48	35.10	11.43	29.77	103	140 Peak VERTICAL	3	5890.40	58.64	-55.23	93.87	41.84	35.15	11.45	29.80	103	140 Peak VERTICAL	4	5950.00	58.45	-56.80	68.30	41.56	35.25	11.50	29.86	103	140 Peak VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-K5 Condition : SG BAND4 tx 3117 00740132 VERTICAL Project : RSM 1000 000KHz VBR 3000 000KHz SMT-Auto Bode : FFS2354058 Plane : 45 Polar : Full-directivity IMEI : 821 Power-setting : 70 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5830.00</td><td>111.73</td><td>-10.57</td><td>122.30</td><td>95.03</td><td>35.05</td><td>11.41</td><td>29.76</td><td>103</td><td>140 Peak VERTICAL</td></tr><tr><td>2</td><td>5830.00</td><td>102.60</td><td></td><td>85.10</td><td>35.05</td><td>11.41</td><td>29.76</td><td></td><td>103</td><td>140 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5830.00	111.73	-10.57	122.30	95.03	35.05	11.41	29.76	103	140 Peak VERTICAL	2	5830.00	102.60		85.10	35.05	11.41	29.76		103	140 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																								
1	5850.40	68.68	-52.71	121.39	51.93	35.08	11.42	29.75	103	140 Peak VERTICAL																																																																																																						
2	5870.40	59.54	-57.35	106.59	42.48	35.10	11.43	29.77	103	140 Peak VERTICAL																																																																																																						
3	5890.40	58.64	-55.23	93.87	41.84	35.15	11.45	29.80	103	140 Peak VERTICAL																																																																																																						
4	5950.00	58.45	-56.80	68.30	41.56	35.25	11.50	29.86	103	140 Peak VERTICAL																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																								
1	5830.00	111.73	-10.57	122.30	95.03	35.05	11.41	29.76	103	140 Peak VERTICAL																																																																																																						
2	5830.00	102.60		85.10	35.05	11.41	29.76		103	140 Average VERTICAL																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE40 Full CH151 5755MHz																																																																																																															
CDD 1+2	Vertical	Fundamental																																																																																																														
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030607-KS Condition : SG BAND4 3m 3117 00740132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 45 Polarization : Full-directivity Power : 20 Power setting : 20 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5646.40</td><td>59.13</td><td>-9.17</td><td>68.30</td><td>43.04</td><td>34.67</td><td>11.23</td><td>29.81</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5671.40</td><td>64.32</td><td>-34.79</td><td>99.11</td><td>-48.00</td><td>34.78</td><td>11.38</td><td>29.80</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5716.00</td><td>80.80</td><td>-29.18</td><td>109.78</td><td>64.27</td><td>34.82</td><td>11.30</td><td>29.79</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5726.80</td><td>82.31</td><td>-29.53</td><td>121.84</td><td>60.93</td><td>34.80</td><td>11.32</td><td>29.79</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			5646.40	59.13	-9.17	68.30	43.04	34.67	11.23	29.81	100	316 Peak	VERTICAL	5671.40	64.32	-34.79	99.11	-48.00	34.78	11.38	29.80	100	316 Peak	VERTICAL	5716.00	80.80	-29.18	109.78	64.27	34.82	11.30	29.79	100	316 Peak	VERTICAL	5726.80	82.31	-29.53	121.84	60.93	34.80	11.32	29.79	100	316 Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 5  Site : 030607-KS Condition : SG BAND4 3m 3117 00740132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 45 Polarization : Full-directivity Power : 20 Power setting : 20 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5746.00</td><td>107.10</td><td>-15.20</td><td>122.30</td><td>90.85</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5746.00</td><td>99.30</td><td></td><td></td><td>82.85</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>316 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			5746.00	107.10	-15.20	122.30	90.85	34.89	11.34	29.78	100	316 Peak	VERTICAL	5746.00	99.30			82.85	34.89	11.34	29.78	100	316 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
5646.40	59.13	-9.17	68.30	43.04	34.67	11.23	29.81	100	316 Peak	VERTICAL																																																																																																						
5671.40	64.32	-34.79	99.11	-48.00	34.78	11.38	29.80	100	316 Peak	VERTICAL																																																																																																						
5716.00	80.80	-29.18	109.78	64.27	34.82	11.30	29.79	100	316 Peak	VERTICAL																																																																																																						
5726.80	82.31	-29.53	121.84	60.93	34.80	11.32	29.79	100	316 Peak	VERTICAL																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
5746.00	107.10	-15.20	122.30	90.85	34.89	11.34	29.78	100	316 Peak	VERTICAL																																																																																																						
5746.00	99.30			82.85	34.89	11.34	29.78	100	316 Average	VERTICAL																																																																																																						
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site : 030607-KS Condition : SG BAND4 3m 3117 00740132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 45 Polarization : Full-directivity Power : 20 Power setting : 20 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5852.80</td><td>60.13</td><td>-55.79</td><td>115.92</td><td>43.38</td><td>35.08</td><td>11.42</td><td>29.75</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5869.20</td><td>59.73</td><td>-47.19</td><td>106.92</td><td>42.97</td><td>35.10</td><td>11.43</td><td>29.77</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5886.40</td><td>59.64</td><td>-47.20</td><td>96.84</td><td>42.88</td><td>35.12</td><td>11.44</td><td>29.80</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5930.00</td><td>58.87</td><td>-49.43</td><td>68.30</td><td>42.01</td><td>35.20</td><td>11.48</td><td>29.82</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			5852.80	60.13	-55.79	115.92	43.38	35.08	11.42	29.75	100	316 Peak	VERTICAL	5869.20	59.73	-47.19	106.92	42.97	35.10	11.43	29.77	100	316 Peak	VERTICAL	5886.40	59.64	-47.20	96.84	42.88	35.12	11.44	29.80	100	316 Peak	VERTICAL	5930.00	58.87	-49.43	68.30	42.01	35.20	11.48	29.82	100	316 Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 7  Site : 030607-KS Condition : SG BAND4 3m 3117 00740132 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SMT-Auto Mode : (FR) 230408 Plane : 45 Polarization : Full-directivity Power : 20 Power setting : 20 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>5746.00</td><td>107.10</td><td>-15.20</td><td>122.30</td><td>90.85</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>316 Peak</td><td>VERTICAL</td></tr><tr><td>5746.00</td><td>99.30</td><td></td><td></td><td>82.85</td><td>34.89</td><td>11.34</td><td>29.78</td><td>100</td><td>316 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			5746.00	107.10	-15.20	122.30	90.85	34.89	11.34	29.78	100	316 Peak	VERTICAL	5746.00	99.30			82.85	34.89	11.34	29.78	100	316 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
5852.80	60.13	-55.79	115.92	43.38	35.08	11.42	29.75	100	316 Peak	VERTICAL																																																																																																						
5869.20	59.73	-47.19	106.92	42.97	35.10	11.43	29.77	100	316 Peak	VERTICAL																																																																																																						
5886.40	59.64	-47.20	96.84	42.88	35.12	11.44	29.80	100	316 Peak	VERTICAL																																																																																																						
5930.00	58.87	-49.43	68.30	42.01	35.20	11.48	29.82	100	316 Peak	VERTICAL																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																								
5746.00	107.10	-15.20	122.30	90.85	34.89	11.34	29.78	100	316 Peak	VERTICAL																																																																																																						
5746.00	99.30			82.85	34.89	11.34	29.78	100	316 Average	VERTICAL																																																																																																						

