

检测结果记录表

样品名称	RAP2260	样机型号		申请单编号	
检测依据	国标	样品数量	1台	样品编号	
检测项目	无源	检测设备	E5071C	检测条件	22.2℃/ 43 %
检测目的	\				

检测结果记录


申请人/送样人	\	软件版本		硬件版本	—
样机信息 (含S/N号)	 H: XOY E1:XOZ E2:YOZ				

备注说明


Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
2400	72.40	2.32	2400	56.35	2.48			
2410	72.10	2.51	2410	58.02	2.50			
2420	68.85	2.42	2420	56.41	2.41			
2430	67.58	2.44	2430	57.73	2.41			
2440	69.58	2.64	2440	61.42	2.41			
2450	68.02	2.62	2450	60.97	2.10			
2460	63.72	2.48	2460	58.65	1.57			
2470	63.60	2.55	2470	59.49	1.61			
2480	63.00	2.55	2480	59.65	1.61			
2490	60.60	2.48	2490	58.57	1.44			
2500	61.36	2.80	2500	59.76	1.44			
2.4G-SW5			2.4G-SW6					

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5150	45.62	0.40	5150	53.97	1.03	5150	68.48	1.94
5160	45.14	0.35	5160	52.81	0.90	5160	66.72	1.80
5170	44.18	0.21	5170	51.08	0.78	5170	65.15	1.70
5180	45.30	0.27	5180	52.61	0.95	5180	66.61	1.86
5190	48.01	0.52	5190	55.23	1.16	5190	69.82	2.13
5200	48.39	0.44	5200	55.54	1.23	5200	70.21	2.28
5210	47.40	0.38	5210	54.12	1.13	5210	68.49	2.25
5220	47.18	0.44	5220	53.08	1.11	5220	68.47	2.30
5230	48.41	0.64	5230	54.43	1.25	5230	70.42	2.49
5240	47.40	0.56	5240	52.96	1.21	5240	69.57	2.54
5250	47.75	0.67	5250	53.26	1.30	5250	71.01	2.72
5260	49.16	0.84	5260	54.86	1.50	5260	73.44	2.98


5270	46.93	0.61	5270	52.03	1.30	5270	71.02	2.90
5280	44.88	0.41	5280	50.09	1.30	5280	68.16	2.83
5290	46.12	0.49	5290	51.14	1.48	5290	70.02	2.96
5300	46.58	0.61	5300	51.32	1.62	5300	71.05	3.07
5310	46.25	0.63	5310	51.18	1.74	5310	70.41	3.08
5320	47.44	0.84	5320	51.90	1.89	5320	72.38	3.24
5330	47.81	1.00	5330	52.32	2.14	5330	72.47	3.33
5340	47.21	1.08	5340	51.69	2.29	5340	71.40	3.35
5350	48.88	1.24	5350	52.97	2.47	5350	74.12	3.44
5360	51.36	1.46	5360	55.72	2.78	5360	77.32	3.56
5370	51.34	1.40	5370	55.45	2.76	5370	77.54	3.49
5380	51.39	1.38	5380	55.64	2.81	5380	77.57	3.43
5390	51.58	1.38	5390	56.04	2.87	5390	77.21	3.36
5400	52.37	1.46	5400	56.82	3.01	5400	78.61	3.43
5410	53.23	1.46	5410	58.51	3.13	5410	80.08	3.41
5420	54.83	1.56	5420	60.23	3.30	5420	82.02	3.43
5430	54.73	1.49	5430	60.36	3.29	5430	81.94	3.33
5440	51.89	1.17	5440	57.20	3.05	5440	77.32	2.99
5450	49.90	0.95	5450	54.22	2.65	5450	73.70	2.61
5460	52.05	1.15	5460	56.52	2.79	5460	76.83	2.81
5470	53.02	1.29	5470	56.65	2.75	5470	77.55	2.91
5480	51.59	1.13	5480	54.74	2.55	5480	75.29	2.78
5490	50.40	1.01	5490	52.74	2.29	5490	73.38	2.72
5500	49.64	0.98	5500	50.99	1.98	5500	71.24	2.60
5510	48.97	1.09	5510	50.52	1.86	5510	71.02	2.43
5520	51.43	1.32	5520	52.49	2.20	5520	74.78	2.63
5530	53.55	1.47	5530	54.39	2.28	5530	77.88	2.81
5540	51.66	1.25	5540	51.80	1.95	5540	75.48	2.62
5550	50.89	1.22	5550	49.59	1.80	5550	72.34	2.42
5560	53.67	1.36	5560	52.25	2.07	5560	75.77	2.65
5570	56.31	1.52	5570	53.92	2.15	5570	78.63	2.77
5580	57.93	1.51	5580	55.12	2.25	5580	79.08	2.78
5590	56.94	1.18	5590	54.34	2.19	5590	77.80	2.78
5600	55.84	1.05	5600	53.07	2.14	5600	74.91	2.58
5610	55.75	0.93	5610	54.15	2.14	5610	74.85	2.61
5620	57.14	0.90	5620	55.80	2.29	5620	77.50	2.84
5630	59.20	1.10	5630	58.04	2.52	5630	79.77	2.92
5640	59.24	1.04	5640	58.81	2.52	5640	80.42	2.92
5650	55.99	0.81	5650	55.69	2.30	5650	75.49	2.75
5660	52.04	0.43	5660	53.29	2.10	5660	70.53	2.55
5670	54.26	0.63	5670	56.09	2.33	5670	74.89	2.86
5680	57.32	0.85	5680	59.08	2.57	5680	79.32	3.21
5690	54.90	0.69	5690	56.61	2.37	5690	76.79	3.24
5700	52.37	0.48	5700	53.44	2.12	5700	73.25	3.02
5710	51.09	0.47	5710	52.58	2.13	5710	71.57	3.01
5720	51.44	0.54	5720	52.54	2.11	5720	72.67	3.18
5730	52.23	0.61	5730	52.81	2.18	5730	73.98	3.32
5740	52.93	0.74	5740	53.63	2.31	5740	75.24	3.40
5750	52.04	0.59	5750	52.21	2.09	5750	74.11	3.52
5760	48.90	0.27	5760	48.81	1.67	5760	69.83	3.16
5770	49.39	0.28	5770	48.06	1.79	5770	70.72	3.18
5780	53.06	0.58	5780	50.23	2.03	5780	76.04	3.52
5790	53.61	0.56	5790	50.09	2.01	5790	76.87	3.58
5800	51.33	0.23	5800	47.56	1.68	5800	73.74	3.35
5810	51.18	0.26	5810	47.60	1.85	5810	73.68	3.39
5820	53.38	0.42	5820	49.02	1.98	5820	76.77	3.49
5830	55.02	0.58	5830	50.03	1.97	5830	79.39	3.61
5840	54.90	0.56	5840	49.87	2.13	5840	79.28	3.57
5850	53.90	0.66	5850	48.85	2.09	5850	77.95	3.48
5G-SW2			5G-SW3			5G-SW4		
检测人员/日期			Sean/20231103			审核/日期	Wensen/20231103	







2400MHz



2450MHz




2500MHz




3. Mechanical Dimension Drawing

P/N:C168-JL-6403

2.4G Antenna



4.Packing Specification




Packing 参照图


3. Mechanical Dimension Drawing

P/N:C168-JL-6478

2.4G Antenna




4.Packing Specification




Packing 参照图





5150MHz




5500MHz




5850MHz







5150MHz




5500MHz




5850MHz



5150MHz



5500MHz



5850MHz

