


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4504G	55.82	74.00	-18.18	69.22	3	Vertical	18	2.85	-	38.85	12.80	65.05			
AV	11.4474G	44.62	54.00	-9.38	58.04	3	Vertical	18	2.85	-	38.84	12.80	65.06			
PK	17.1463G	62.60	68.20	-5.60	67.15	3	Vertical	264	1.80	-	40.34	17.39	62.28			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4184G	57.06	74.00	-16.94	70.64	3	Horizontal	336	1.77	-	38.76	12.78	65.12			
AV	11.4154G	44.57	54.00	-9.43	58.16	3	Horizontal	336	1.77	-	38.75	12.78	65.12			
PK	17.1656G	63.18	68.20	-5.02	67.67	3	Horizontal	32	1.80	-	40.40	17.40	62.29			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT V_2TX
Setting 30
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	63.77	68.20	-4.43	57.22	3	Vertical	10	1.88	-	34.40	7.12	34.97			
PK	5.744G	122.15	Inf	-Inf	115.80	3	Vertical	10	1.88	-	34.20	7.17	35.02			
AV	5.743G	110.10	Inf	-Inf	103.75	3	Vertical	10	1.88	-	34.20	7.17	35.02			
PK	5.994G	60.71	68.20	-7.49	53.86	3	Vertical	10	1.88	-	34.69	7.30	35.14			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 30
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	64.01	68.20	-4.19	59.22	3	Horizontal	55	1.76	-	32.60	5.62	33.43			
PK	5.744G	123.37	Inf	-Inf	117.81	3	Horizontal	55	1.76	-	33.35	5.67	33.46			
AV	5.746G	112.87	Inf	-Inf	107.29	3	Horizontal	55	1.76	-	33.37	5.67	33.46			
PK	5.985G	60.36	68.20	-7.84	54.17	3	Horizontal	55	1.76	-	33.93	5.79	33.53			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4789G	56.77	74.00	-17.23	70.02	3	Vertical	40	2.07	-	38.94	12.81	65.00			
AV	11.5143G	45.33	54.00	-8.67	58.43	3	Vertical	40	2.07	-	39.04	12.83	64.97			
PK	17.235G	63.32	68.20	-4.88	67.53	3	Vertical	81	2.75	-	40.67	17.44	62.32			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5008G	57.06	74.00	-16.94	70.19	3	Horizontal	65	2.29	-	39.00	12.83	64.96			
AV	11.5041G	45.39	54.00	-8.61	58.51	3	Horizontal	65	2.29	-	39.01	12.83	64.96			
PK	17.2531G	64.14	68.20	-4.06	68.25	3	Horizontal	280	1.87	-	40.77	17.45	62.33			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 30
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.565G	61.20	68.20	-7.00	54.53	3	Vertical	335	1.92	-	34.54	7.06	34.93			
PK	5.784G	121.91	Inf	-Inf	115.49	3	Vertical	335	1.92	-	34.27	7.19	35.04			
AV	5.787G	110.14	Inf	-Inf	103.72	3	Vertical	335	1.92	-	34.27	7.19	35.04			
PK	6.002G	60.77	68.20	-7.43	53.91	3	Vertical	335	1.92	-	34.70	7.30	35.14			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 30
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.539G	60.45	68.20	-7.75	55.65	3	Horizontal	60	1.80	-	32.60	5.60	33.40			
PK	5.784G	122.39	Inf	-Inf	116.70	3	Horizontal	60	1.80	-	33.47	5.69	33.47			
AV	5.786G	111.80	Inf	-Inf	106.11	3	Horizontal	60	1.80	-	33.47	5.69	33.47			
PK	5.968G	61.07	68.20	-7.13	54.85	3	Horizontal	60	1.80	-	33.96	5.78	33.52			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5605G	57.60	74.00	-16.40	70.55	3	Vertical	32	1.93	-	39.18	12.86	64.99			
AV	11.5871G	45.23	54.00	-8.77	58.10	3	Vertical	32	1.93	-	39.26	12.87	65.00			
PK	17.3333G	64.89	68.20	-3.31	68.52	3	Vertical	129	1.78	-	41.23	17.50	62.36			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5748G	56.56	74.00	-17.44	69.46	3	Horizontal	111	1.90	-	39.22	12.87	64.99			
AV	11.5793G	45.51	54.00	-8.49	58.40	3	Horizontal	111	1.90	-	39.24	12.87	65.00			
PK	17.3726G	64.57	68.20	-3.63	67.92	3	Horizontal	79	2.73	-	41.51	17.52	62.38			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 30
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.614G	60.77	68.20	-7.43	54.21	3	Vertical	337	1.90	-	34.40	7.11	34.95			
PK	5.819G	121.86	Inf	-Inf	115.40	3	Vertical	337	1.90	-	34.30	7.21	35.05			
AV	5.827G	110.25	Inf	-Inf	103.80	3	Vertical	337	1.90	-	34.30	7.21	35.06			
PK	5.929G	62.42	68.20	-5.78	55.71	3	Vertical	337	1.90	-	34.56	7.26	35.11			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 30
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.612G	59.49	68.20	-8.71	54.70	3	Horizontal	55	2.03	-	32.60	5.61	33.42			
PK	5.826G	122.89	Inf	-Inf	117.06	3	Horizontal	55	2.03	-	33.60	5.71	33.48			
AV	5.823G	112.50	Inf	-Inf	106.68	3	Horizontal	55	2.03	-	33.59	5.71	33.48			
PK	5.932G	62.38	68.20	-5.82	56.12	3	Horizontal	55	2.03	-	34.00	5.77	33.51			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6267G	57.05	74.00	-16.95	69.85	3	Vertical	68	1.76	-	39.33	12.89	65.02			
AV	11.668G	45.56	54.00	-8.44	58.31	3	Vertical	68	1.76	-	39.37	12.92	65.04			
PK	17.4869G	66.65	68.20	-1.55	69.17	3	Vertical	242	1.41	-	42.31	17.59	62.42			

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6257G	56.99	74.00	-17.01	69.79	3	Horizontal	119	2.26	-	39.33	12.89	65.02			
AV	11.6711G	45.44	54.00	-8.56	58.19	3	Horizontal	119	2.26	-	39.37	12.92	65.04			
PK	17.4747G	65.86	68.20	-2.34	68.48	3	Horizontal	304	1.80	-	42.22	17.58	62.42			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.108G	60.53	74.00	-13.47	54.33	3	Vertical	3	1.80	-	32.78	5.88	32.46			
AV	5.1084G	48.82	54.00	-5.18	42.63	3	Vertical	3	1.80	-	32.78	5.88	32.47			
PK	5.1988G	112.02	Inf	-Inf	105.98	3	Vertical	3	1.80	-	32.80	5.92	32.68			
AV	5.199G	103.24	Inf	-Inf	97.20	3	Vertical	3	1.80	-	32.80	5.92	32.68			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	67.29	74.00	-6.71	61.22	3	Horizontal	360	2.17	-	32.72	5.89	32.54			
AV	5.1072G	48.64	54.00	-5.36	42.43	3	Horizontal	360	2.17	-	32.79	5.88	32.46			
PK	5.1974G	109.54	Inf	-Inf	103.51	3	Horizontal	360	2.17	-	32.79	5.92	32.68			
AV	5.1978G	99.97	Inf	-Inf	93.93	3	Horizontal	360	2.17	-	32.80	5.92	32.68			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 22
04-H-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37466G	55.49	68.20	-12.71	42.63	3	Vertical	182	1.80	-	38.50	8.11	33.75			
PK	15.55668G	56.66	74.00	-17.34	43.61	3	Vertical	188	1.80	-	37.97	10.14	35.06			
AV	15.55749G	44.67	54.00	-9.33	31.61	3	Vertical	188	1.80	-	37.97	10.15	35.06			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 22
04-H-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36959G	54.74	68.20	-13.46	41.88	3	Horizontal	105	2.62	-	38.50	8.11	33.75			
PK	15.55722G	56.38	74.00	-17.62	43.32	3	Horizontal	192	2.46	-	37.97	10.15	35.06			
AV	15.57057G	44.47	54.00	-9.53	31.46	3	Horizontal	192	2.46	-	37.92	10.15	35.06			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
Setting 23
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	64.11	74.00	-9.89	58.12	3	Vertical	360	1.00	-	34.09	6.75	34.85			
AV	5.15G	50.22	54.00	-3.78	44.22	3	Vertical	360	1.00	-	34.10	6.75	34.85			
PK	5.2408G	117.47	Inf	-Inf	111.51	3	Vertical	360	1.00	-	34.00	6.82	34.86			
AV	5.2378G	106.85	Inf	-Inf	100.89	3	Vertical	360	1.00	-	34.00	6.82	34.86			
PK	5.359G	60.48	74.00	-13.52	54.00	3	Vertical	360	1.00	-	34.48	6.88	34.88			
AV	5.35G	48.18	54.00	-5.82	41.68	3	Vertical	360	1.00	-	34.50	6.88	34.88			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1106G	63.42	74.00	-10.58	57.70	3	Horizontal	3	2.24	-	32.78	5.41	32.47			
AV	5.1388G	52.29	54.00	-1.71	46.67	3	Horizontal	3	2.24	-	32.72	5.44	32.54			
PK	5.2294G	115.00	Inf	-Inf	109.44	3	Horizontal	3	2.24	-	32.80	5.51	32.75			
AV	5.2288G	104.50	Inf	-Inf	98.94	3	Horizontal	3	2.24	-	32.80	5.51	32.75			
PK	5.3524G	58.19	74.00	-15.81	53.05	3	Horizontal	3	2.24	-	32.60	5.58	33.04			
AV	5.3728G	46.64	54.00	-7.36	41.49	3	Horizontal	3	2.24	-	32.65	5.59	33.09			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 23
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4372G	55.38	68.20	-12.82	70.76	3	Vertical	109	1.44	-	37.94	12.24	65.56			
PK	15.6882G	59.70	74.00	-14.30	67.37	3	Vertical	120	2.74	-	38.09	16.39	62.15			
AV	15.6946G	47.93	54.00	-6.07	55.61	3	Vertical	120	2.74	-	38.09	16.39	62.16			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 23
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4418G	55.21	68.20	-12.99	70.58	3	Horizontal	323	2.17	-	37.94	12.24	65.55			
PK	15.7042G	59.29	74.00	-14.71	66.98	3	Horizontal	264	2.07	-	38.07	16.40	62.16			
AV	15.7101G	47.88	54.00	-6.12	55.59	3	Horizontal	264	2.07	-	38.04	16.41	62.16			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 23
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1308G	62.52	74.00	-11.48	56.58	3	Vertical	10	1.92	-	34.06	6.73	34.85			
AV	5.1488G	48.24	54.00	-5.76	42.24	3	Vertical	10	1.92	-	34.10	6.75	34.85			
PK	5.258G	120.97	Inf	-Inf	114.96	3	Vertical	10	1.92	-	34.05	6.83	34.87			
AV	5.2532G	106.80	Inf	-Inf	100.82	3	Vertical	10	1.92	-	34.02	6.83	34.87			
PK	5.351G	65.95	74.00	-8.05	59.45	3	Vertical	10	1.92	-	34.50	6.88	34.88			
AV	5.35G	51.82	54.00	-2.18	45.32	3	Vertical	10	1.92	-	34.50	6.88	34.88			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.258G	117.26	Inf	-Inf	111.77	3	Horizontal	4	2.03	-	32.78	5.53	32.82			
AV	5.2636G	106.10	Inf	-Inf	100.63	3	Horizontal	4	2.03	-	32.77	5.53	32.83			
PK	5.3504G	60.74	74.00	-13.26	55.60	3	Horizontal	4	2.03	-	32.60	5.58	33.04			
AV	5.3516G	48.54	54.00	-5.46	43.40	3	Horizontal	4	2.03	-	32.60	5.58	33.04			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.562G	55.29	68.20	-12.91	70.37	3	Vertical	205	1.25	-	38.06	12.31	65.45			
PK	15.8141G	59.52	74.00	-14.48	67.72	3	Vertical	263	1.60	-	37.51	16.51	62.22			
AV	15.8171G	47.34	54.00	-6.66	55.52	3	Vertical	263	1.60	-	37.52	16.52	62.22			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 23
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5224G	55.91	68.20	-12.29	71.01	3	Horizontal	176	1.35	-	38.02	12.29	65.41			
PK	15.8076G	59.59	74.00	-14.41	67.79	3	Horizontal	213	1.70	-	37.51	16.51	62.22			
AV	15.8348G	47.32	54.00	-6.68	55.49	3	Horizontal	213	1.70	-	37.53	16.53	62.23			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_V_2TX
Setting 21
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3116G	114.04	Inf	-Inf	107.70	3	Vertical	6	1.80	-	34.35	6.86	34.87			
AV	5.3068G	102.63	Inf	-Inf	96.32	3	Vertical	6	1.80	-	34.33	6.85	34.87			
PK	5.3636G	70.11	74.00	-3.89	63.64	3	Vertical	6	1.80	-	34.47	6.88	34.88			
AV	5.36G	52.61	54.00	-1.39	46.13	3	Vertical	6	1.80	-	34.48	6.88	34.88			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_V_2TX
Setting 21
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.302G	115.49	Inf	-Inf	109.20	3	Horizontal	65	2.02	-	34.31	6.85	34.87			
AV	5.302G	104.22	Inf	-Inf	97.93	3	Horizontal	65	2.02	-	34.31	6.85	34.87			
PK	5.3636G	69.11	74.00	-4.89	62.64	3	Horizontal	65	2.02	-	34.47	6.88	34.88			
AV	5.36G	52.37	54.00	-1.63	45.89	3	Horizontal	65	2.02	-	34.48	6.88	34.88			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 21
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6264G	55.96	74.00	-18.04	71.04	3	Vertical	76	2.27	-	38.10	12.34	65.52			
AV	10.6332G	43.93	54.00	-10.07	59.01	3	Vertical	76	2.27	-	38.10	12.35	65.53			
PK	15.9331G	59.01	74.00	-14.99	67.09	3	Vertical	193	2.12	-	37.57	16.63	62.28			
AV	15.9111G	47.61	54.00	-6.39	55.68	3	Vertical	193	2.12	-	37.59	16.61	62.27			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 21
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6251G	56.31	74.00	-17.69	71.39	3	Horizontal	282	1.05	-	38.10	12.34	65.52			
AV	10.6255G	43.86	54.00	-10.14	58.94	3	Horizontal	282	1.05	-	38.10	12.34	65.52			
PK	15.9339G	58.95	74.00	-15.05	67.03	3	Horizontal	37	1.56	-	37.57	16.63	62.28			
AV	15.9052G	47.64	54.00	-6.36	55.71	3	Horizontal	37	1.56	-	37.59	16.61	62.27			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 21
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4332G	64.81	74.00	-9.19	58.24	3	Vertical	325	1.99	-	34.53	6.93	34.89			
PK	5.4672G	66.81	68.20	-1.39	60.14	3	Vertical	325	1.99	-	34.60	6.97	34.90			
AV	5.46G	51.04	54.00	-2.96	44.37	3	Vertical	325	1.99	-	34.60	6.96	34.89			
PK	5.5176G	114.23	Inf	-Inf	107.52	3	Vertical	325	1.99	-	34.60	7.02	34.91			
AV	5.5232G	102.95	Inf	-Inf	96.24	3	Vertical	325	1.99	-	34.60	7.02	34.91			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 21
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4412G	65.12	74.00	-8.88	58.51	3	Horizontal	62	2.00	-	34.56	6.94	34.89			
AV	5.4492G	51.32	54.00	-2.68	44.66	3	Horizontal	62	2.00	-	34.60	6.95	34.89			
PK	5.47G	66.60	68.20	-1.60	59.93	3	Horizontal	62	2.00	-	34.60	6.97	34.90			
PK	5.5212G	115.70	Inf	-Inf	108.99	3	Horizontal	62	2.00	-	34.60	7.02	34.91			
AV	5.5216G	105.54	Inf	-Inf	98.83	3	Horizontal	62	2.00	-	34.60	7.02	34.91			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0079G	55.12	74.00	-18.88	70.15	3	Vertical	24	2.93	-	38.31	12.55	65.89			
AV	11.0341G	43.83	54.00	-10.17	58.78	3	Vertical	24	2.93	-	38.33	12.57	65.85			
PK	16.5501G	60.12	68.20	-8.08	67.02	3	Vertical	311	2.10	-	38.15	17.03	62.08			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.038G	55.96	74.00	-18.04	70.89	3	Horizontal	50	1.38	-	38.34	12.57	65.84			
AV	11.0387G	43.82	54.00	-10.18	58.75	3	Horizontal	50	1.38	-	38.34	12.57	65.84			
PK	16.5322G	59.84	68.20	-8.36	66.83	3	Horizontal	68	2.73	-	38.06	17.02	62.07			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4573G	64.84	74.00	-9.16	59.93	3	Vertical	52	2.21	-	32.60	5.60	33.29			
AV	5.4591G	49.85	54.00	-4.15	44.94	3	Vertical	52	2.21	-	32.60	5.60	33.29			
PK	5.4645G	65.90	68.20	-2.30	61.01	3	Vertical	52	2.21	-	32.60	5.60	33.31			
PK	5.5491G	116.11	Inf	-Inf	111.31	3	Vertical	52	2.21	-	32.60	5.60	33.40			
AV	5.538G	107.28	Inf	-Inf	102.48	3	Vertical	52	2.21	-	32.60	5.60	33.40			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4534G	68.72	74.00	-5.28	63.80	3	Horizontal	52	1.82	-	32.60	5.60	33.28			
AV	5.4588G	50.19	54.00	-3.81	45.28	3	Horizontal	52	1.82	-	32.60	5.60	33.29			
PK	5.4693G	65.02	68.20	-3.18	60.14	3	Horizontal	52	1.82	-	32.60	5.60	33.32			
PK	5.5455G	117.24	Inf	-Inf	112.44	3	Horizontal	52	1.82	-	32.60	5.60	33.40			
AV	5.5362G	108.39	Inf	-Inf	103.59	3	Horizontal	52	1.82	-	32.60	5.60	33.40			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09544G	53.97	74.00	-20.03	41.40	3	Vertical	296	1.05	-	38.60	8.33	34.36			
AV	11.1054G	42.37	54.00	-11.63	29.79	3	Vertical	296	1.05	-	38.62	8.33	34.37			
PK	16.64259G	56.81	68.20	-11.39	42.85	3	Vertical	211	1.88	-	38.19	10.72	34.95			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09361G	55.25	74.00	-18.75	42.68	3	Horizontal	179	2.86	-	38.60	8.33	34.36			
AV	11.08866G	42.43	54.00	-11.57	29.86	3	Horizontal	179	2.86	-	38.60	8.33	34.36			
PK	16.6542G	57.03	68.20	-11.17	43.07	3	Horizontal	292	1.80	-	38.18	10.73	34.95			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 19
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6584G	111.27	Inf	-Inf	105.82	3	Vertical	0	2.10	-	32.67	6.21	33.43			
AV	5.6584G	102.69	Inf	-Inf	97.24	3	Vertical	0	2.10	-	32.67	6.21	33.43			
PK	5.761G	60.06	68.20	-8.14	53.90	3	Vertical	0	2.10	-	33.42	6.20	33.46			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 19
04-H-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6568G	110.07	Inf	-Inf	104.64	3	Horizontal	57	1.80	-	32.65	6.21	33.43			
AV	5.6606G	102.33	Inf	-Inf	96.87	3	Horizontal	57	1.80	-	32.68	6.21	33.43			
PK	5.7522G	60.73	68.20	-7.47	54.59	3	Horizontal	57	1.80	-	33.40	6.20	33.46			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
04-H-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35452G	54.70	74.00	-19.30	41.88	3	Vertical	347	2.96	-	38.99	8.41	34.58			
AV	11.33205G	42.70	54.00	-11.30	29.87	3	Vertical	347	2.96	-	39.00	8.40	34.57			
PK	16.99701G	58.38	68.20	-9.82	44.49	3	Vertical	197	1.32	-	37.99	10.95	35.05			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
04-H-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34327G	54.61	74.00	-19.39	41.79	3	Horizontal	0	2.93	-	39.00	8.40	34.58			
AV	11.34582G	42.66	54.00	-11.34	29.84	3	Horizontal	0	2.93	-	39.00	8.40	34.58			
PK	17.00781G	57.72	68.20	-10.48	43.78	3	Horizontal	216	2.63	-	38.03	10.96	35.05			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7132G	119.83	Inf	-Inf	113.47	3	Vertical	15	1.99	-	34.20	7.16	35.00			
AV	5.6988G	111.38	Inf	-Inf	105.03	3	Vertical	15	1.99	-	34.20	7.15	35.00			
PK	5.8524G	66.93	68.20	-1.27	60.46	3	Vertical	15	1.99	-	34.31	7.23	35.07			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 28
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6964G	120.11	Inf	-Inf	114.93	3	Horizontal	66	1.80	-	32.97	5.65	33.44			
AV	5.706G	109.94	Inf	-Inf	104.69	3	Horizontal	66	1.80	-	33.05	5.65	33.45			
PK	5.854G	66.36	68.20	-1.84	60.40	3	Horizontal	66	1.80	-	33.72	5.73	33.49			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4143G	57.06	74.00	-16.94	70.66	3	Vertical	250	1.76	-	38.74	12.78	65.12			
AV	11.3954G	45.12	54.00	-8.88	58.82	3	Vertical	250	1.76	-	38.69	12.77	65.16			
PK	17.1333G	64.13	68.20	-4.07	68.73	3	Vertical	4	2.67	-	40.30	17.38	62.28			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
03-L-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4054G	57.51	74.00	-16.49	71.16	3	Horizontal	360	1.80	-	38.72	12.77	65.14			
AV	11.3958G	45.09	54.00	-8.91	58.79	3	Horizontal	360	1.80	-	38.69	12.77	65.16			
PK	17.1308G	62.87	68.20	-5.33	67.47	3	Horizontal	339	1.80	-	40.29	17.38	62.27			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 23
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	62.18	68.20	-6.02	55.63	3	Vertical	339	1.90	-	34.40	7.12	34.97			
PK	5.744G	116.83	Inf	-Inf	110.48	3	Vertical	339	1.90	-	34.20	7.17	35.02			
AV	5.754G	103.86	Inf	-Inf	97.49	3	Vertical	339	1.90	-	34.21	7.18	35.02			
PK	5.976G	60.67	68.20	-7.53	53.86	3	Vertical	339	1.90	-	34.65	7.29	35.13			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.654G	64.66	71.16	-6.50	59.83	3	Horizontal	59	1.87	-	32.63	5.63	33.43			
PK	5.759G	116.15	Inf	-Inf	110.51	3	Horizontal	59	1.87	-	33.42	5.68	33.46			
AV	5.756G	105.41	Inf	-Inf	99.78	3	Horizontal	59	1.87	-	33.41	5.68	33.46			
PK	5.98G	59.58	68.20	-8.62	53.37	3	Horizontal	59	1.87	-	33.94	5.79	33.52			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.754G	56.02	74.00	-17.98	68.69	3	Vertical	34	1.58	-	39.45	12.96	65.08			
AV	11.686G	44.86	54.00	-9.14	57.59	3	Vertical	34	1.58	-	39.39	12.93	65.05			
PK	17.493G	64.80	68.20	-3.40	67.28	3	Vertical	14	2.36	-	42.35	17.60	62.43			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.729G	55.79	74.00	-18.21	68.48	3	Horizontal	242	1.94	-	39.43	12.95	65.07			
AV	11.692G	44.81	54.00	-9.19	57.54	3	Horizontal	242	1.94	-	39.39	12.93	65.05			
PK	17.514G	65.01	68.20	-3.19	67.32	3	Horizontal	160	2.07	-	42.53	17.61	62.45			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 25
03-E-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	61.49	68.20	-6.71	54.94	3	Vertical	333	1.95	-	34.40	7.12	34.97			
PK	5.788G	119.63	Inf	-Inf	113.20	3	Vertical	333	1.95	-	34.28	7.19	35.04			
AV	5.794G	106.59	Inf	-Inf	100.14	3	Vertical	333	1.95	-	34.29	7.20	35.04			
PK	5.933G	66.80	68.20	-1.40	60.07	3	Vertical	333	1.95	-	34.57	7.27	35.11			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	59.54	68.20	-8.66	54.75	3	Horizontal	57	2.01	-	32.60	5.62	33.43			
PK	5.796G	118.37	Inf	-Inf	112.65	3	Horizontal	57	2.01	-	33.49	5.70	33.47			
AV	5.796G	107.32	Inf	-Inf	101.60	3	Horizontal	57	2.01	-	33.49	5.70	33.47			
PK	5.935G	64.78	68.20	-3.42	58.52	3	Horizontal	57	2.01	-	34.00	5.77	33.51			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 25
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60464G	55.83	74.00	-18.17	68.66	3	Vertical	240	2.05	-	39.30	12.88	65.01			
AV	11.60968G	44.23	54.00	-9.77	57.04	3	Vertical	240	2.05	-	39.31	12.89	65.01			
PK	17.38676G	65.16	68.20	-3.04	68.40	3	Vertical	97	1.31	-	41.61	17.53	62.38			

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 25
03-E-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60032G	55.92	74.00	-18.08	68.75	3	Horizontal	177	2.95	-	39.30	12.88	65.01			
AV	11.6008G	44.23	54.00	-9.77	57.06	3	Horizontal	177	2.95	-	39.30	12.88	65.01			
PK	17.39116G	65.11	68.20	-3.09	68.32	3	Horizontal	261	1.46	-	41.64	17.53	62.38			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT V_2TX
Setting 21
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.106G	63.69	74.00	-10.31	57.81	3	Vertical	1.6	1.80	-	34.01	6.71	34.84			
AV	5.15G	51.11	54.00	-2.89	45.11	3	Vertical	1.6	1.80	-	34.10	6.75	34.85			
PK	5.242G	116.83	Inf	-Inf	110.87	3	Vertical	1.6	1.80	-	34.00	6.82	34.86			
AV	5.211G	100.57	Inf	-Inf	94.62	3	Vertical	1.6	1.80	-	34.00	6.81	34.86			
PK	5.355G	60.30	74.00	-13.70	53.81	3	Vertical	1.6	1.80	-	34.49	6.88	34.88			
AV	5.422G	47.53	54.00	-6.47	41.01	3	Vertical	1.6	1.80	-	34.49	6.92	34.89			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT V_2TX
Setting 21
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	61.54	74.00	-12.46	55.56	3	Horizontal	300	2.00	-	34.09	6.74	34.85			
AV	5.15G	49.21	54.00	-4.79	43.21	3	Horizontal	300	2.00	-	34.10	6.75	34.85			
PK	5.235G	113.63	Inf	-Inf	107.67	3	Horizontal	300	2.00	-	34.00	6.82	34.86			
AV	5.244G	100.17	Inf	-Inf	94.21	3	Horizontal	300	2.00	-	34.00	6.82	34.86			
PK	5.454G	59.83	74.00	-14.17	53.17	3	Horizontal	300	2.00	-	34.60	6.95	34.89			
AV	5.371G	48.32	54.00	-5.68	41.85	3	Horizontal	300	2.00	-	34.46	6.89	34.88			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 21
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43272G	54.23	68.20	-13.97	69.63	3	Vertical	159	1.29	-	37.93	12.24	65.57			
PK	15.63872G	59.97	74.00	-14.03	67.71	3	Vertical	320	1.05	-	38.04	16.34	62.12			
AV	15.64568G	48.34	54.00	-5.66	56.07	3	Vertical	320	1.05	-	38.05	16.35	62.13			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 21
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43944G	54.67	68.20	-13.53	70.05	3	Horizontal	10	1.50	-	37.94	12.24	65.56			
PK	15.65G	60.03	74.00	-13.97	67.76	3	Horizontal	181	1.78	-	38.05	16.35	62.13			
AV	15.6472G	48.36	54.00	-5.64	56.09	3	Horizontal	181	1.78	-	38.05	16.35	62.13			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 21
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	60.21	74.00	-13.79	54.26	3	Vertical	13	2.00	-	34.07	6.73	34.85			
AV	5.14G	47.64	54.00	-6.36	41.67	3	Vertical	13	2.00	-	34.08	6.74	34.85			
PK	5.254G	115.21	Inf	-Inf	109.23	3	Vertical	13	2.00	-	34.02	6.83	34.87			
AV	5.265G	102.65	Inf	-Inf	96.60	3	Vertical	13	2.00	-	34.09	6.83	34.87			
PK	5.379G	71.53	74.00	-2.47	65.08	3	Vertical	13	2.00	-	34.44	6.89	34.88			
AV	5.35G	51.50	54.00	-2.50	45.00	3	Vertical	13	2.00	-	34.50	6.88	34.88			
PK	5.471G	62.71	68.20	-5.49	56.04	3	Vertical	13	2.00	-	34.60	6.97	34.90			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT V_2TX
Setting 21
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	59.43	74.00	-14.57	53.47	3	Horizontal	290	2.00	-	34.07	6.74	34.85			
AV	5.105G	47.23	54.00	-6.77	41.36	3	Horizontal	290	2.00	-	34.01	6.70	34.84			
PK	5.282G	111.37	Inf	-Inf	105.21	3	Horizontal	290	2.00	-	34.19	6.84	34.87			
AV	5.26G	104.79	Inf	-Inf	98.77	3	Horizontal	290	2.00	-	34.06	6.83	34.87			
PK	5.356G	64.34	74.00	-9.66	57.85	3	Horizontal	290	2.00	-	34.49	6.88	34.88			
AV	5.351G	50.47	54.00	-3.53	43.97	3	Horizontal	290	2.00	-	34.50	6.88	34.88			
PK	5.518G	59.97	68.20	-8.23	53.26	3	Horizontal	290	2.00	-	34.60	7.02	34.91			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 21
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58824G	54.64	68.20	-13.56	69.71	3	Vertical	302	2.00	-	38.09	12.32	65.48			
PK	15.88256G	59.38	74.00	-14.62	67.48	3	Vertical	293	1.63	-	37.58	16.58	62.26			
AV	15.86232G	47.88	54.00	-6.12	56.01	3	Vertical	293	1.63	-	37.56	16.56	62.25			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 21
03-C-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.57264G	54.47	68.20	-13.73	69.56	3	Horizontal	349	1.29	-	38.07	12.31	65.47			
PK	15.88864G	59.39	74.00	-14.61	67.47	3	Horizontal	196	2.56	-	37.59	16.59	62.26			
AV	15.85696G	47.98	54.00	-6.02	56.10	3	Horizontal	196	2.56	-	37.56	16.56	62.24			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT V_2TX
Setting 22
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	61.72	68.20	-6.48	55.57	3	Vertical	340	1.86	-	34.18	6.84	34.87			
AV	5.35G	47.30	54.00	-6.70	40.81	3	Vertical	340	1.86	-	34.50	6.87	34.88			
PK	5.456G	65.52	74.00	-8.48	58.85	3	Vertical	340	1.86	-	34.60	6.96	34.89			
AV	5.46G	52.27	54.00	-1.73	45.60	3	Vertical	340	1.86	-	34.60	6.96	34.89			
PK	5.467G	65.56	68.20	-2.64	58.89	3	Vertical	340	1.86	-	34.60	6.97	34.90			
PK	5.559G	115.65	Inf	-Inf	108.96	3	Vertical	340	1.86	-	34.56	7.06	34.93			
AV	5.528G	98.99	Inf	-Inf	92.27	3	Vertical	340	1.86	-	34.60	7.03	34.91			
PK	5.766G	60.97	68.20	-7.23	54.59	3	Vertical	340	1.86	-	34.23	7.18	35.03			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 22
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	61.41	68.20	-6.79	55.26	3	Horizontal	295	2.00	-	34.18	6.84	34.87			
AV	5.35G	47.30	54.00	-6.70	40.81	3	Horizontal	295	2.00	-	34.50	6.87	34.88			
PK	5.421G	66.94	74.00	-7.06	60.43	3	Horizontal	295	2.00	-	34.48	6.92	34.89			
PK	5.469G	66.89	68.20	-1.31	60.22	3	Horizontal	295	2.00	-	34.60	6.97	34.90			
AV	5.458G	52.87	54.00	-1.13	46.20	3	Horizontal	295	2.00	-	34.60	6.96	34.89			
PK	5.532G	112.40	Inf	-Inf	105.69	3	Horizontal	295	2.00	-	34.60	7.03	34.92			
AV	5.532G	99.57	Inf	-Inf	92.86	3	Horizontal	295	2.00	-	34.60	7.03	34.92			
PK	5.773G	60.51	68.20	-7.69	54.10	3	Horizontal	295	2.00	-	34.25	7.19	35.03			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 22
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08G	55.22	74.00	-18.78	70.01	3	Vertical	322	1.21	-	38.38	12.59	65.76			
AV	11.0788G	42.95	54.00	-11.05	57.74	3	Vertical	322	1.21	-	38.38	12.59	65.76			
PK	16.60704G	61.00	68.20	-7.20	67.60	3	Vertical	173	1.68	-	38.43	17.06	62.09			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 22
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07752G	54.71	74.00	-19.29	69.50	3	Horizontal	70	2.86	-	38.38	12.59	65.76			
AV	11.05464G	43.10	54.00	-10.90	57.98	3	Horizontal	70	2.86	-	38.35	12.58	65.81			
PK	16.5824G	61.15	68.20	-7.05	67.88	3	Horizontal	328	1.06	-	38.31	17.05	62.09			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT V_2TX
Setting 24
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.44G	62.03	74.00	-11.97	55.42	3	Vertical	11	1.83	-	34.56	6.94	34.89			
PK	5.465G	62.12	68.20	-6.08	55.46	3	Vertical	11	1.83	-	34.60	6.96	34.90			
AV	5.454G	48.63	54.00	-5.37	41.97	3	Vertical	11	1.83	-	34.60	6.95	34.89			
PK	5.609G	112.93	Inf	-Inf	106.38	3	Vertical	11	1.83	-	34.40	7.10	34.95			
AV	5.603G	104.98	Inf	-Inf	98.43	3	Vertical	11	1.83	-	34.40	7.10	34.95			
PK	5.725G	64.92	68.20	-3.28	58.57	3	Vertical	11	1.83	-	34.20	7.16	35.01			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT V_2TX
Setting 24
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	61.24	74.00	-12.76	54.57	3	Horizontal	297	2.10	-	34.60	6.96	34.89			
AV	5.458G	49.04	54.00	-4.96	42.37	3	Horizontal	297	2.10	-	34.60	6.96	34.89			
PK	5.467G	61.58	68.20	-6.62	54.91	3	Horizontal	297	2.10	-	34.60	6.97	34.90			
PK	5.608G	112.53	Inf	-Inf	105.98	3	Horizontal	297	2.10	-	34.40	7.10	34.95			
AV	5.598G	103.92	Inf	-Inf	97.36	3	Horizontal	297	2.10	-	34.41	7.10	34.95			
PK	5.726G	64.92	68.20	-3.28	58.57	3	Horizontal	297	2.10	-	34.20	7.16	35.01			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23832G	55.95	74.00	-18.05	70.17	3	Vertical	343	2.89	-	38.56	12.68	65.46			
AV	11.21872G	44.16	54.00	-9.84	58.40	3	Vertical	343	2.89	-	38.58	12.67	65.49			
PK	16.82688G	62.26	68.20	-5.94	68.04	3	Vertical	347	2.86	-	39.18	17.20	62.16			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20112G	56.44	74.00	-17.56	70.71	3	Horizontal	215	2.51	-	38.60	12.66	65.53			
AV	11.2216G	43.92	54.00	-10.08	58.16	3	Horizontal	215	2.51	-	38.58	12.67	65.49			
PK	16.84448G	61.88	68.20	-6.32	67.61	3	Horizontal	73	1.44	-	39.23	17.21	62.17			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.441G	60.34	74.00	-13.66	53.73	3	Vertical	5	1.83	-	34.56	6.94	34.89			
AV	5.451G	47.86	54.00	-6.14	41.20	3	Vertical	5	1.83	-	34.60	6.95	34.89			
PK	5.469G	59.71	68.20	-8.49	53.04	3	Vertical	5	1.83	-	34.60	6.97	34.90			
PK	5.683G	117.84	Inf	-Inf	111.42	3	Vertical	5	1.83	-	34.27	7.14	34.99			
AV	5.692G	102.85	Inf	-Inf	96.46	3	Vertical	5	1.83	-	34.23	7.15	34.99			
PK	5.852G	63.16	68.20	-5.04	56.69	3	Vertical	5	1.83	-	34.31	7.23	35.07			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	58.08	74.00	-15.92	53.16	3	Horizontal	61	1.71	-	32.60	5.60	33.28			
AV	5.446G	46.21	54.00	-7.79	41.26	3	Horizontal	61	1.71	-	32.61	5.60	33.26			
PK	5.464G	57.04	68.20	-11.16	52.15	3	Horizontal	61	1.71	-	32.60	5.60	33.31			
PK	5.684G	114.00	Inf	-Inf	108.93	3	Horizontal	61	1.71	-	32.87	5.64	33.44			
AV	5.66G	106.91	Inf	-Inf	102.03	3	Horizontal	61	1.71	-	32.68	5.63	33.43			
PK	5.854G	62.82	68.20	-5.38	56.86	3	Horizontal	61	1.71	-	33.72	5.73	33.49			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3976G	55.81	74.00	-18.19	69.49	3	Vertical	133	1.79	-	38.70	12.77	65.15			
AV	11.39944G	44.28	54.00	-9.72	57.96	3	Vertical	133	1.79	-	38.70	12.77	65.15			
PK	17.0616G	62.01	68.20	-6.19	66.80	3	Vertical	291	2.36	-	40.12	17.34	62.25			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39288G	56.17	74.00	-17.83	69.87	3	Horizontal	228	1.33	-	38.69	12.77	65.16			
AV	11.38544G	44.35	54.00	-9.65	58.10	3	Horizontal	228	1.33	-	38.67	12.76	65.18			
PK	17.0648G	62.32	68.20	-5.88	67.10	3	Horizontal	105	1.97	-	40.13	17.34	62.25			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	64.92	68.20	-3.28	58.37	3	Vertical	330	1.93	-	34.40	7.12	34.97			
PK	5.768G	113.47	Inf	-Inf	107.08	3	Vertical	330	1.93	-	34.24	7.18	35.03			
AV	5.749G	106.32	Inf	-Inf	99.97	3	Vertical	330	1.93	-	34.20	7.17	35.02			
PK	5.929G	64.11	68.20	-4.09	57.40	3	Vertical	330	1.93	-	34.56	7.26	35.11			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	64.76	68.20	-3.44	59.97	3	Horizontal	64	2.04	-	32.60	5.62	33.43			
PK	5.746G	118.10	Inf	-Inf	112.52	3	Horizontal	64	2.04	-	33.37	5.67	33.46			
AV	5.774G	102.61	Inf	-Inf	96.94	3	Horizontal	64	2.04	-	33.45	5.69	33.47			
PK	5.932G	63.35	68.20	-4.85	57.09	3	Horizontal	64	2.04	-	34.00	5.77	33.51			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5628G	57.08	74.00	-16.92	70.02	3	Vertical	279	1.22	-	39.19	12.86	64.99			
AV	11.56856G	44.26	54.00	-9.74	57.18	3	Vertical	279	1.22	-	39.21	12.86	64.99			
PK	17.345G	63.65	68.20	-4.55	67.19	3	Vertical	331	1.57	-	41.31	17.51	62.36			

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55464G	55.92	74.00	-18.08	68.89	3	Horizontal	111	1.89	-	39.16	12.86	64.99			
AV	11.53128G	44.50	54.00	-9.50	57.54	3	Horizontal	111	1.89	-	39.09	12.84	64.97			
PK	17.33996G	63.44	68.20	-4.76	67.02	3	Horizontal	280	2.05	-	41.28	17.50	62.36			

5.15-5.25GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 19
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	64.79	74.00	-9.21	58.81	3	Vertical	360	1.97	-	34.09	6.74	34.85			
AV	5.1492G	51.02	54.00	-2.98	45.02	3	Vertical	360	1.97	-	34.10	6.75	34.85			
PK	5.2516G	107.99	Inf	-Inf	102.02	3	Vertical	360	1.97	-	34.01	6.83	34.87			
AV	5.2468G	96.67	Inf	-Inf	90.71	3	Vertical	360	1.97	-	34.00	6.82	34.86			
PK	5.354G	62.82	74.00	-11.18	56.33	3	Vertical	360	1.97	-	34.49	6.88	34.88			
AV	5.3652G	50.50	54.00	-3.50	44.03	3	Vertical	360	1.97	-	34.47	6.88	34.88			
PK	5.522G	59.99	68.20	-8.21	53.28	3	Vertical	360	1.97	-	34.60	7.02	34.91			

5.15-5.25GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 19
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1172G	61.16	74.00	-12.84	55.26	3	Horizontal	300	1.90	-	34.03	6.72	34.85			
AV	5.1492G	49.40	54.00	-4.60	43.40	3	Horizontal	300	1.90	-	34.10	6.75	34.85			
PK	5.2612G	105.90	Inf	-Inf	99.87	3	Horizontal	300	1.90	-	34.07	6.83	34.87			
AV	5.2404G	104.42	Inf	-Inf	98.46	3	Horizontal	300	1.90	-	34.00	6.82	34.86			
PK	5.3652G	63.39	74.00	-10.61	56.92	3	Horizontal	300	1.90	-	34.47	6.88	34.88			
AV	5.3716G	50.23	54.00	-3.77	43.76	3	Horizontal	300	1.90	-	34.46	6.89	34.88			
PK	5.4996G	60.31	68.20	-7.89	53.61	3	Horizontal	300	1.90	-	34.60	7.00	34.90			

5.15-5.25GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
Setting 19
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50112G	54.31	68.20	-13.89	69.42	3	Vertical	125	2.53	-	38.00	12.28	65.39			
PK	15.7396G	59.69	74.00	-14.31	67.57	3	Vertical	223	2.27	-	37.86	16.44	62.18			
AV	15.7508G	48.23	54.00	-5.77	56.17	3	Vertical	223	2.27	-	37.80	16.45	62.19			

5.15-5.25GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
Setting 19
03-C-W-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50736G	54.45	68.20	-13.75	69.56	3	Horizontal	324	1.06	-	38.01	12.28	65.40			
PK	15.73928G	60.32	74.00	-13.68	68.20	3	Horizontal	131	2.31	-	37.86	16.44	62.18			
AV	15.75888G	48.30	54.00	-5.70	56.28	3	Horizontal	131	2.31	-	37.75	16.46	62.19			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
Setting 21
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2788G	61.08	68.20	-7.12	54.94	3	Vertical	337	1.80	-	34.17	6.84	34.87			
PK	5.4548G	66.79	74.00	-7.21	60.13	3	Vertical	337	1.80	-	34.60	6.95	34.89			
AV	5.4452G	52.22	54.00	-1.78	45.58	3	Vertical	337	1.80	-	34.58	6.95	34.89			
PK	5.4676G	65.61	68.20	-2.59	58.94	3	Vertical	337	1.80	-	34.60	6.97	34.90			
PK	5.5636G	112.48	Inf	-Inf	105.80	3	Vertical	337	1.80	-	34.55	7.06	34.93			
AV	5.5588G	105.02	Inf	-Inf	98.33	3	Vertical	337	1.80	-	34.56	7.06	34.93			
PK	5.7636G	63.50	68.20	-4.70	57.12	3	Vertical	337	1.80	-	34.23	7.18	35.03			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
Setting 21
03-C-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2788G	61.07	68.20	-7.13	54.93	3	Horizontal	300	1.97	-	34.17	6.84	34.87			
PK	5.4548G	65.64	74.00	-8.36	58.98	3	Horizontal	300	1.97	-	34.60	6.95	34.89			
AV	5.4548G	52.22	54.00	-1.78	45.56	3	Horizontal	300	1.97	-	34.60	6.95	34.89			
PK	5.4644G	65.31	68.20	-2.89	58.65	3	Horizontal	300	1.97	-	34.60	6.96	34.90			
PK	5.554G	110.35	Inf	-Inf	103.65	3	Horizontal	300	1.97	-	34.58	7.05	34.93			
AV	5.5636G	100.37	Inf	-Inf	93.69	3	Horizontal	300	1.97	-	34.55	7.06	34.93			
PK	5.7748G	64.09	68.20	-4.11	57.68	3	Horizontal	300	1.97	-	34.25	7.19	35.03			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 21
03-C-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13096G	55.22	74.00	-18.78	69.80	3	Vertical	101	2.93	-	38.46	12.62	65.66			
AV	11.13152G	43.33	54.00	-10.67	57.91	3	Vertical	101	2.93	-	38.46	12.62	65.66			
PK	16.69432G	62.62	68.20	-5.58	68.84	3	Vertical	353	1.82	-	38.78	17.12	62.12			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT Y_2TX
Setting 21
03-C-W-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13152G	54.96	74.00	-19.04	69.54	3	Horizontal	110	2.79	-	38.46	12.62	65.66			
AV	11.14696G	43.41	54.00	-10.59	57.92	3	Horizontal	110	2.79	-	38.49	12.63	65.63			
PK	16.71048G	62.09	68.20	-6.11	68.26	3	Horizontal	32	2.25	-	38.83	17.13	62.13			



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.12477G	33.36	54.00	-20.64	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.12497G	39.64	74.00	-34.36	-7.51	3	Vertical	193	2.67	-	47.15	25.70	3.65	36.86		
AV	1.1248G	32.17	54.00	-21.83	-7.51	3	Vertical	193	2.67	"Worst"	39.68	25.70	3.65	36.86		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.12509G	40.26	74.00	-33.74	-7.50	3	Horizontal	224	1.29	-	47.76	25.70	3.66	36.86		
AV	1.12477G	33.36	54.00	-20.64	-7.51	3	Horizontal	224	1.29	"Worst"	40.87	25.70	3.65	36.86		