



Page: 95 of 1308


802.11ax_40MHz_Chain1_5510MHz




802.11ax_40MHz_Chain1_5550MHz




802.11ax 40MHz Chain1 5670MHz




802.11ax_40MHz_Chain1_5710MHz



802.11ax_40MHz_Chain1_5755MHz



802.11ax 40MHz Chain1 5795MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 96 of 1308


802.11ax_80MHz_Chain0_5210MHz




802.11ax_80MHz_Chain0_5290MHz




802.11ax 80MHz Chain0 5530MHz




802.11ax_80MHz_Chain0_5610MHz



802.11ax_80MHz_Chain0_5690MHz



802.11ax 80MHz Chain0 5775MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at https://www.sgs.com.tw/1erms-and-Conditions and for electronic Documents and or electronic Documents at https://www.sgs.com.tw/1erms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 97 of 1308


802.11ax_80MHz_Chain1_5210MHz




802.11ax_80MHz_Chain1_5290MHz




802.11ax 80MHz Chain1 5530MHz




802.11ax_80MHz_Chain1_5610MHz



802.11ax_80MHz_Chain1_5690MHz



802.11ax 80MHz Chain1 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at https://www.sgs.com.tw/1erms-and-Conditions and for electronic Documents and or electronic Documents at https://www.sgs.com.tw/1erms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Center Free

CF Step

Span 200 MH Sweep 1 m

-26.00 dB

Page: 98 of 1308

802.11ax 160MHz Chain1 5570MHz

#VBW 6 MHz

x dB

% of OBW Power

Occupied Bandwidth

Transmit Freq Error


x dB Bandwidth

154.67 MHz


137.84 kHz

163.9 MHz


802.11ax_160MHz_Chain0_5250MHz



802.11ax_160MHz_Chain0_5570MHz



802.11ax 160MHz Chain1 5250MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw



Page: 99 of 1308

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

Standard Applicable 9.1

FCC

OPERZTION Band	EUT CATEGORY	LIMIT
	Access Point (Master device)	1 Watt(30dBm)
U-NII-1	Fixed point-to-point Access Ponit	1 Watt(30dBm)
	 Mobile and portable client device	250mW(23.98dBm)
U-NII-2A		250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3		1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Note:

As per section F. 2). d). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

If all transmit signals are *completely uncorrelated*, then

Directional gain =
$$10 \log[(10^{G1/10} + 10^{G2/10} + ... + 10^{GN/10})/N_{ANT}] dBi$$

where

NANT = the total number of antennas

G is the gain in dBi.

Remark:

The device supports with SDM for MIMO (in all modeds) and uncorrelated gains are used for PSD EIRP MIMO UNII-1 of Canada authorization with uncorrelated gains.

The antenna gain is grater than 6 dBi, therefore the limit needs to be reduced as below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 100 of 1308

FCC Power Limit Reduction (Chain 0)

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
UNII-1	6.00	30.00
UNII-2A	6.10	23.88
U-NII-2C	7.00	22.98
U-NII-3	7.00	29.00

FCC Power Limit Reduction (Chain 1)

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
UNII-1	5.30	30.00
UNII-2A	5.00	23.98
U-NII-2C	5.90	23.98
U-NII-3	5.90	30.00

FCC Power Limit Reduction (MIMO)

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
UNII-1	5.66	30.00
UNII-2A	5.58	23.98
U-NII-2C	6.48	23.50
U-NII-3	6.48	29.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 101 of 1308

9.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 4.
- Record the max. reading and add 10 log(1/duty cycle). 5.
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

Measurement Equipment Used 9.3

	SGS Conducted Room											
Name of Equipment	Manufacturer	Model	Serial Number	Calibra- tion Date	Calibra- tion Due							
Power Meter	Anritsu	ML2496A	1804002	04/06/2020	04/05/2021							
Power Sensor	Anritsu	MA2411B	1726105	04/06/2020	04/05/2021							
Power Sensor	Anritsu	MA2411B	1726106	04/06/2020	04/05/2021							
Attenuator	Marvelous	MVE2213-10	RF80	11/20/2019	11/19/2020							
IPEX-4 Cable	Woken	00100A1H646027	N/A	N/A	N/A							

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown blow indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

Name of Equipment	Manufacturer	Model	Serial Number	Calibra- tion Date	Calibra- tion Due
Attenuator	Marvelous	MVE2213-10	RF80	11/19/2020	11/18/2021

9.4 **Test Set-up**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 102 of 1308

9.5 **Measurement Result**

9.5.1 **Conducted output power (FCC)**

Mode: Chain 0

802.11a_C	ch0							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	17.95	62.411		23.98		PASS
44	5220	6	18.71	74.346		23.98		PASS
48	5240	6	18.74	74.862		23.98		PASS
52	5260	6	18.48	70.512	23.88	or 11+10log(B) =	24.48	PASS
60	5300	6	18.44	69.865	23.88	or 11+10log(B) =	24.38	PASS
64	5320	6	13.99	25.076	23.88	or 11+10log(B) =	24.46	PASS
100	5500	6	17.49	56.138	22.98	or 11+10log(B) =	24.51	PASS
116	5580	6	18.91	77.850	22.98	or 11+10log(B) =	24.59	PASS
140	5700	6	16.99	50.033	22.98	or 11+10log(B) =	24.51	PASS
144	5720(U-NII 2C)	6	17.55	56.89	22.98	or 11+10log(B) =	24.62	PASS
144	5720 (U-NII 3)	6	13.50	22.40		29		PASS
149	5745	6	18.91	77.850	29		PASS	
157	5785	6	18.96	78.752		29		PASS
165	5825	6	18.98	79.115		29		PASS

802.11n_H	T20_Ch0							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	HT0	17.97	62.669		23.98		PASS
44	5220	HT0	18.71	74.310		23.98		PASS
48	5240	HT0	18.73	74.653	23.98			PASS
52	5260	HT0	18.46	70.154	23.88	or 11+10log(B) =	24.59	PASS
60	5300	HT0	18.48	70.477	23.88	or 11+10log(B) =	24.62	PASS
64	5320	HT0	17.88	61.383	23.88	or 11+10log(B) =	24.61	PASS
100	5500	HT0	16.97	49.779	22.98	or 11+10log(B) =	24.67	PASS
116	5580	HT0	18.94	78.352	22.98	or 11+10log(B) =	24.71	PASS
140	5700	HT0	16.94	49.437	22.98	or 11+10log(B) =	24.71	PASS
144	5720(U-NII 2C)	HT0	17.47	55.87	22.98	or 11+10log(B) =	24.57	PASS
144	5720 (U-NII 3)	HT0	13.38	21.76		29		PASS
149	5745	HT0	18.93	78.172	29		PASS	
157	5785	HT0	18.96	78.714	29		PASS	
165	5825	HT0	18.88	77.277		29		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 103 of 1308

802.11n_HT4	0_Ch0							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	HT0	15.48	35.337		23.98		PASS
46	5230	HT0	18.74	74.855		23.98		PASS
54	5270	HT0	18.35	68.426	23.88	or 11+10log(B) =	27.25	PASS
62	5310	HT0	15.36	34.373	23.88	or 11+10log(B) =	27.24	PASS
102	5510	HT0	15.49	35.418	22.98	or 11+10log(B) =	27.23	PASS
110	5550	HT0	18.83	76.423	22.98	or 11+10log(B) =	27.29	PASS
134	5670	HT0	16.47	44.384	22.98	or 11+10log(B) =	27.20	PASS
142	5710(U-NII 2C)	HT0	18.29	67.46	22.98	or 11+10log(B) =	27.19	PASS
142	5710 (U-NII 3)	HT0	10.38	10.92	23.98		PASS	
151	5755	HT0	18.96	78.745	23.98		PASS	
159	5795	HT0	18.89	77.486	29		PASS	
802.11ac_VH	T80 Ch0							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	VHT0	15.87	38.669		23.98		PASS
58	5290	VHT0	14.93	31.143	23.88	or 11+10log(B) =	30.19	PASS
106	5530	VHT0	13.97	24.967	22.98	or 11+10log(B) =	30.21	PASS
122	5610	VHT0	17.44	55.509	22.98	or 11+10log(B) =	30.15	PASS
138	5690(U-NII 2C)	VHT0	18.60	72.49	22.98	or 11+10log(B) =	30.18	PASS
138	5690 (U-NII 3)	VHT0	7.85	6.10	23.98		PASS	
155	5775	VHT0	17.42	55.254		23.98		PASS
802.11ac_VH	T160_Ch0							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
50	5250	VHT0	12.42	17.439	23.98	or 11+10log(B) =	33.12	PASS
114	5570	VHT0	13.41	21.904	23.98	or 11+10log(B) =	33.12	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 104 of 1308

LITIUX	20_Ch0			TOTAL	TOTAL		REQUIRED		
СН	Frequency (MHz)	RU Config	Data Rate	POWER	POWER		LIMIT		RESULT
	(141112)	(dBm) (mW) (dBm)							
		full	MCS0	17.92	62.000		23.98		PASS
36	5180	26/0	MCS0	12.87	19.382		23.98		PASS
50	3100	52/37	MCS0	14.99	31.579		23.98		PASS
		106/53	MCS0	11.48	14.073		23.98		PASS
44	5220	full	MCS0	18.48	70.533		23.98		PASS
48	5240	full	MCS0	18.69	74.027		23.98		PASS
52	5260	full	MCS0	18.47	70.371	23.88	or 11+10log(B) =	24.45	PASS
60	5300	full	MCS0	18.88	77.338	23.88	or 11+10log(B) =	24.50	PASS
		full	MCS0	16.49	44.606	23.88	or 11+10log(B) =	24.48	PASS
64	5320	26/8	MCS0	12.87	19.382	23.88	or 11+10log(B) =	24.48	PASS
04	5320	52/40	MCS0	14.97	31.433	23.88	or 11+10log(B) =	24.48	PASS
		106/54	MCS0	15.46	35.188	23.88	or 11+10log(B) =	24.48	PASS
	5500	full	MCS0	17.42	55.258	22.98	or 11+10log(B) =	24.67	PASS
100		26/0	MCS0	11.45	13.976	22.98	or 11+10log(B) =	24.67	PASS
100	5500	52/37	MCS0	13.92	24.683	22.98	or 11+10log(B) =	24.67	PASS
		106/53	MCS0	16.87	48.685	22.98	or 11+10log(B) =	24.67	PASS
116	5580	full	MCS0	18.93	78.233	22.98	or 11+10log(B) =	24.53	PASS
		full	MCS0	15.93	39.210	22.98	or 11+10log(B) =	24.41	PASS
140	5700	26/8	MCS0	11.40	13.816	22.98	or 11+10log(B) =	24.41	PASS
140	5700	52/40	MCS0	11.49	14.106	22.98	or 11+10log(B) =	24.41	PASS
		106/54	MCS0	16.91	49.135	22.98	or 11+10log(B) =	24.41	PASS
144	5720(U-NII 2C)	full	MCS0	17.55	56.82	22.98	or 11+10log(B) =	24.44	PASS
144	5720 (U-NII 3)	full	MCS0	13.31	21.41		29		PASS
		full	MCS0	17.92	62.000		29		PASS
440	5745	26/0	MCS0	17.99	63.007		29		PASS
149	5745	52/37	MCS0	17.93	62.143		29		PASS
		106/53	MCS0	17.98	62.863		29		PASS
157	5785	full	MCS0	18.93	78.233		29		PASS
165	5825	full	MCS0	18.92	78.053		29		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 105 of 1308

302.11ax	_40_Ch0								
СН	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	full	MCS0	15.45	35.089		23.98		PASS
30	5190	242/61	MCS0	14.46	27.937		23.98		PASS
46	5230	full	MCS0	18.69	73.991		23.98		PASS
54	5270	full	MCS0	18.42	69.531	23.88	or 11+10log(B) =	27.15	PASS
62	5310	full	MCS0	15.43	34.928	23.88	or 11+10log(B) =	27.24	PASS
02	3310	242/62	MCS0	18.48	70.498	23.88	or 11+10log(B) =	27.24	PASS
102	5510	full	MCS0	14.43	27.745	22.98	or 11+10log(B) =	27.12	PASS
102	3310	242/61	MCS0	11.86	15.352	22.98	or 11+10log(B) =	27.12	PASS
110	5550	full	MCS0	18.89	77.478	22.98	or 11+10log(B) =	27.09	PASS
134	5670	full	MCS0	16.44	44.073	22.98	or 11+10log(B) =	47.09	PASS
104	3070	242/62	MCS0	18.94	78.375	22.98	or 11+10log(B) =	47.09	PASS
142	5710(U-NII 2C)	full	MCS0	18.21	66.22	22.98	or 11+10log(B) =	27.14	PASS
142	5710 (U-NII 3)	full	MCS0	10.16	10.37		23.98		PASS
151	5755	full	MCS0	18.95	78.556	23.98		PASS	
101	3733	242/61	MCS0	18.94	78.375	23.98		PASS	
159	5795	full	MCS0	18.95	78.556		29		PASS
302.11ax	80_Ch0								
				TOTAL	TOTAL		REQUIRED		
СН	CH Frequency	RU Config	Data	POWER	POWER		LIMIT		RESULT
	(MHz)	J	Rate	(dBm)	(mW)		(dBm)		
		full	MCS0	14.39	27.476		23.98		PASS
42	5210	484/65	MCS0	15.40	34.670		23.98		PASS
		full	MCS0	14.88	30.758	23.88	or 11+10log(B) =	30.12	PASS
58	5290	484/66	MCS0	16.42	43.849	23.88	or 11+10log(B) =	30.12	PASS
400	5500	full	MCS0	14.43	27.731	22.98	or 11+10log(B) =	30.13	PASS
106	5530	484/65	MCS0	9.91	9.794	22.98	or 11+10log(B) =	30.13	PASS
122	5610	full	MCS0	17.44	55.457	22.98	or 11+10log(B) =	30.09	PASS
138	5690(U-NII 2C)	full	MCS0	17.02	50.32	22.98	or 11+10log(B) =	30.14	PASS
138	5690 (U-NII 3)	full	MCS0	6.02	4.00		23.98		PASS
	ì	full	MCS0	17.44	55.457		23.98		PASS
155	5775	484/66	MCS0	17.97	62.655		23.98		PASS
302.11ax	_160_Ch0				0.000				
	Frequency		Data	TOTAL	TOTAL		REQUIRED		
CH	(MHz)	RU Config		POWER	POWER		LIMIT		RESULT
	(IVITIZ)		Rate	(dBm)	(mW)		(dBm)		
		full	MCS0	10.38	10.913	23.98	or 11+10log(B) =	33.15	PASS
						23.98	or 11+10log(B) =	33.15	PASS
50	5250	996/67	MCS0	10.98	12.530				
50	5250	996/67 996/s67	MCS0 MCS0		12.530 12.217	_	• · · /		_
50	5250	996/s67	MCS0	10.87	12.217	23.98	or 11+10log(B) =	33.15	PASS
50	5250 5570		_			_	• · · /		_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 106 of 1308

Mode: Chain 1

802.11a_Cl	h1							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	17.10	51.316	23.98		PASS	
44	5220	6	17.07	50.963		23.98		PASS
48	5240	6	17.16	52.030		23.98		PASS
52	5260	6	17.20	52.511	23.98	or 11+10log(B) =	24.45	PASS
60	5300	6	17.24	52.997	23.98	or 11+10log(B) =	24.54	PASS
64	5320	6	17.19	52.390	23.98	or 11+10log(B) =	24.43	PASS
100	5500	6	16.91	49.119	23.98	or 11+10log(B) =	24.59	PASS
116	5580	6	16.89	48.894	23.98	or 11+10log(B) =	24.50	PASS
140	5700	6	16.98	49.917	23.98	or 11+10log(B) =	24.45	PASS
144	5720(U-NII 2C)	6	15.55	35.90	23.98	or 11+10log(B) =	24.55	PASS
144	5720 (U-NII 3)	6	11.43	13.91	30		PASS	
149	5745	6	18.70	74.174	30		PASS	
157	5785	6	18.73	74.688	30		PASS	
165	5825	6	18.57	71.871		30		PASS
802.11n_H	T20_Ch1							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	HT0	17.08	51.056		23.98		PASS
44	5220	HT0	17.02	50.356		23.98		PASS
48	5240	HT0	17.06	50.822		23.98		PASS
52	5260	HT0	17.18	52.246	23.98	or 11+10log(B) =	24.61	PASS
60	5300	HT0	17.23	52.851	23.98	or 11+10log(B) =	24.64	PASS
64	5320	HT0	17.24	52.972	23.98	or 11+10log(B) =	24.52	PASS
100	5500	HT0	16.97	49.779	23.98	or 11+10log(B) =	24.62	PASS
116	5580	HT0	16.84	48.311	23.98	or 11+10log(B) =	24.58	PASS
140	5700	HT0	16.96	49.665	23.98	or 11+10log(B) =	24.60	PASS
144	5720(U-NII 2C)	HT0	15.50	35.50	23.98	or 11+10log(B) =	24.64	PASS
144	5720 (U-NII 3)	HT0	11.48	14.05		30		PASS
	, ,			1 1.00				
149	5745	HT0	18.61	72.619		30		PASS
149 157	• ,			_		30 30		PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 107 of 1308

802.11n_HT4	10_Ch1							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
38	5190	HT0	15.47	35.255		23.98		
46	5230	HT0	17.15	51.907	23.98			PASS
54	5270	HT0	17.13	51.668	23.98	or 11+10log(B) =	27.17	PASS
62	5310	HT0	15.46	35.174	23.98	or 11+10log(B) =	27.26	PASS
102	5510	HT0	15.47	35.255	23.98	or 11+10log(B) =	27.28	PASS
110	5550	HT0	16.98	49.914	23.98	or 11+10log(B) =	27.23	PASS
134	5670	HT0	16.84	48.331	23.98	or 11+10log(B) =	27.23	PASS
142	5710(U-NII 2C)	HT0	16.23	41.96	23.98	or 11+10log(B) =	27.20	PASS
142	5710 (U-NII 3)	HT0	8.34	6.82		30		PASS
151	5755	HT0	18.71	74.340		30		PASS
159	5795	HT0	18.68	73.828		30		PASS
802.11ac_VH	IT80 Ch1							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	VHT0	15.97	39.570		23.98		PASS
58	5290	VHT0	16.98	49.930	23.98	or 11+10log(B) =	30.21	PASS
106	5530	VHT0	13.94	24.795	23.98	or 11+10log(B) =	30.23	PASS
122	5610	VHT0	16.92	49.245	23.98	or 11+10log(B) =	30.16	PASS
138	5690(U-NII 2C)	VHT0	16.62	45.87	23.98	or 11+10log(B) =	30.18	PASS
138	5690 (U-NII 3)	VHT0	5.83	3.83		30		PASS
155	5775	VHT0	16.98	49.930		30		PASS
802.11ac_VH	IT160_Ch1							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	R LIMIT			RESULT
					20.00	44 . 401 (D)	00.40	DACC
50	5250	VHT0	12.47	17.641	23.98	or 11+10log(B) =	33.13	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 108 of 1308

12.11ax	_20_Ch1			TOT 41	TOT 41		DEOLUBED		
СН	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
		full	MCS0	17.22	52.771		23.98		PASS
36	5180	26/0	MCS0	12.96	19.788		23.98		PASS
30	5100	52/37	MCS0	14.85	30.577		23.98		PASS
		106/53	MCS0	17.21	52.649		23.98		PASS
44	5220	full	MCS0	17.12	51.569		23.98		PASS
48	5240	full	MCS0	17.23	52.892		23.98		PASS
52	5260	full	MCS0	17.21	52.649	23.98	or 11+10log(B) =	24.43	PASS
60	5300	full	MCS0	17.96	62.574	23.98	or 11+10log(B) =	24.47	PASS
		full	MCS0	17.22	52.771	23.98	or 11+10log(B) =	24.53	PASS
64	5320	26/8	MCS0	12.83	19.204	23.98	or 11+10log(B) =	24.53	PASS
04	5520	52/40	MCS0	14.96	31.361	23.98	or 11+10log(B) =	24.53	PASS
		106/54	MCS0	17.04	50.628	23.98	or 11+10log(B) =	24.53	PASS
		full	MCS0	16.82	48.127	23.98	or 11+10log(B) =	24.52	PASS
100	5500	26/8	MCS0	12.48	17.717	23.98	or 11+10log(B) =	24.52	PASS
100	5500	52/40	MCS0	14.88	30.789	23.98	or 11+10log(B) =	24.52	PASS
		106/54	MCS0	16.76	47.467	23.98	or 11+10log(B) =	24.52	PASS
116	5580	full	MCS0	16.90	49.022	23.98	or 11+10log(B) =	24.36	PASS
		full	MCS0	14.90	30.931	23.98	or 11+10log(B) =	24.50	PASS
140	5700	26/8	MCS0	11.96	15.718	23.98	or 11+10log(B) =	24.50	PASS
140	5700	52/40	MCS0	11.44	13.944	23.98	or 11+10log(B) =	24.50	PASS
		106/54	MCS0	16.96	49.704	23.98	or 11+10log(B) =	24.50	PASS
144	5720(U-NII 2C)	full	MCS0	15.57	36.04	23.98	or 11+10log(B) =	24.37	PASS
144	5720 (U-NII 3)	full	MCS0	11.25	13.32		30		PASS
		full	MCS0	17.93	62.143	30		PASS	
149	5745	26/8	MCS0	17.93	62.143	30		PASS	
149	3/43	52/40	MCS0	18.98	79.139	30			PASS
		106/54	MCS0	18.72	74.540	30			PASS
157	5785	full	MCS0	18.62	72.844				PASS
165	5825	full	MCS0	18.65	73.349				PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 109 of 1308

302.11ax _.	_40_Ch1								
СН	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	full	MCS0	15.42	34.848		23.98		PASS
30	3190	242/61	MCS0	17.17	52.141	23.98		PASS	
46	5230	full	MCS0	17.22	52.744	23.98		-	PASS
54	5270	full	MCS0	17.21	52.623	23.98	or 11+10log(B) =	27.17	PASS
62	5310	full	MCS0	14.47	28.001	23.98	or 11+10log(B) =	27.20	PASS
02	0010	242/62	MCS0	17.19	52.381	23.98	or 11+10log(B) =	27.20	PASS
102	5510	full	MCS0	15.92	39.100	23.98	or 11+10log(B) =	27.10	PASS
		242/61	MCS0	9.84	9.642	23.98	or 11+10log(B) =	27.10	PASS
110	5550	full	MCS0	17.91	61.827	23.98	or 11+10log(B) =	27.14	PASS
134	5670	full	MCS0	16.41	43.770	23.98	or 11+10log(B) =	27.08	PASS
		242/62	MCS0	16.99	50.024	23.98	or 11+10log(B) =	27.08	PASS
142	5710(U-NII 2C)	full	MCS0	16.33	42.91	23.98	or 11+10log(B) =	27.11	PASS
142	5710 (U-NII 3)	full	MCS0	8.16	6.54		30		PASS
151	5755	full	MCS0	18.72	74.504		30		PASS
131	3733	242/61	MCS0	18.58	72.140		30		PASS
159	5795	full	MCS0	18.74	74.847		30		PASS
302.11ax	80_Ch1								
СН	Frequency	RU Config	Data	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESUL
	(MHz)	•	Rate	(dBm)	(mW)		(dBm)		
40	5040	full	HE0	14.59	28.771		23.98		PASS
42	5210	484/65	HE0	15.95	39.351		23.98		PASS
50	5000	full	HE0	16.37	43.347	23.98	or 11+10log(B) =	30.16	PASS
58	5290	484/66	HE0	17.07	50.928	23.98	or 11+10log(B) =	30.16	PASS
400	5500	full	HE0	15.94	39.261	23.98	or 11+10log(B) =	30.11	PASS
106	5530	484/65	HE0	15.86	38.544	23.98	or 11+10log(B) =	30.11	PASS
122	5610	full	HE0	16.94	49.426	23.98	or 11+10log(B) =	30.12	PASS
138	5690(U-NII 2C)	full	HE0	16.59	45.62	23.98	or 11+10log(B) =	30.13	PASS
138	5690 (U-NII 3)	full	HE0	5.54	3.58		30		PASS
455	5775	full	HE0	17.38	54.696		30		PASS
155	5775	484/66	HE0	17.64	58.071		30		PASS
302.11ax	_160_Ch1								
	Frequency		Data	TOTAL	TOTAL		REQUIRED		
		RU Config	Rate	POWER	POWER		LIMIT (dBm)		RESULT
СН	(MHz)		Nate	(dBm)	(mW)		(ивііі)		
СН	(MHz)	full	HE0	(dBm) 14.43	(mW) 27.731	23.98	or 11+10log(B) =	33.13	PASS
CH	(MHz) 5250	full 996/67			-	23.98 23.98		33.13 33.13	PASS PASS
	, ,		HE0	14.43	27.731		or 11+10log(B) =		
	, ,	996/67	HE0 HE0	14.43 11.49	27.731 14.092	23.98	or 11+10log(B) = or 11+10log(B) =	33.13	PASS
	, ,	996/67 996/s67	HE0 HE0 HE0	14.43 11.49 11.41	27.731 14.092 13.834	23.98 23.98	or 11+10log(B) = or 11+10log(B) = or 11+10log(B) =	33.13 33.13	PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 110 of 1308

Mode: MIMO

802.11n_HT20_M	IMO									
011	Frequency	Data	Avg. POW	ER (dBm)	TOTAL	TOTAL		REQUIRED		DEQUIT
СН	(MHz)	Rate	CH 1	CH 0	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	HT8	14.574	15.31	17.98	62.782		23.98		PASS
44	5220	HT8	16.08	16.56	19.35	86.048		23.98		PASS
48	5240	HT8	15.84	16.1	18.99	79.300		23.98		PASS
52	5260	HT8	15.8	16.02	18.93	78.202	23.98	or 11+10log(B) =	24.71	PASS
60	5300	HT8	15.71	15.88	18.82	76.149	23.98	or 11+10log(B) =	24.54	PASS
64	5320	HT8	14.69	15.13	17.94	62.178	23.98	or 11+10log(B) =	24.57	PASS
100	5500	HT8	14.82	15.11	17.99	62.925	23.50	or 11+10log(B) =	24.61	PASS
116	5580	HT8	14.8	15.03	17.94	62.192	23.50	or 11+10log(B) =	24.58	PASS
140	5700	HT8	15.69	16.183	18.96	78.782	23.50	or 11+10log(B) =	24.70	PASS
144	5720(U-NII 2C)	HT8	13.91	14.30	17.15	51.905	23.50	or 11+10log(B) =	24.61	PASS
144	5720 (U-NII 3)	HT8	9.85	10.39	13.09	20.390		29.52		PASS
149	5745	HT8	18.67	18.74	21.73	148.797		29.52		PASS
157	5785	HT8	18.32	19.05	21.72	148.632		29.52		PASS
165	5825	HT8	18.51	18.92	21.74	149.301		29.52		PASS

802.11n_HT40_MI	MO									
СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	(MHz)	Rate	CH 1	CH 0	(dBm)	(mW)		(dBm)		RESOLI
38	5190	HT8	14.73	15.09	17.94	62.177		23.98		PASS
46	5230	HT8	16.78	17.36	20.10	102.381		23.98		PASS
54	5270	HT8	14.33	14.89	17.64	58.097	23.98	or 11+10log(B) =	27.19	PASS
62	5310	HT8	14.49	15.05	17.80	60.278	23.98	or 11+10log(B) =	27.24	PASS
102	5510	HT8	15.33	15.44	18.41	69.309	23.50	or 11+10log(B) =	27.11	PASS
110	5550	HT8	16.38	16.52	19.47	88.575	23.50	or 11+10log(B) =	27.15	PASS
134	5670	HT8	14.45	14.46	17.48	55.944	23.50	or 11+10log(B) =	27.17	PASS
142	5710(U-NII 2C)	HT8	17.30	17.52	20.42	110.087	23.50	or 11+10log(B) =	27.12	PASS
142	5720 (U-NII 3)	HT8	9.39	9.39	12.51	17.809		29.52		PASS
151	5755	HT8	18.52	18.81	21.69	147.569		29.52		PASS
159	5795	HT8	18.62	18.8	21.73	149.055		29.52		PASS

802.11ac_VHT80	_MIMO									
СН	Frequency	Data	Avg. POW	VER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
011	(MHz)	Rate	CH 1	CH 0	(dBm)	(mW)		(dBm)		KEGGET
42	5210	VHT0	14.73	14.85	17.82	60.595		23.98		PASS
58	5290	VHT0	14.18	14.4	17.33	54.017	23.98	or 11+10log(B) =	30.24	PASS
106	5530	VHT0	11.34	11.45	14.43	27.729	23.50	or 11+10log(B) =	30.19	PASS
122	5610	VHT0	16.65	16.98	19.85	96.651	23.50	or 11+10log(B) =	30.20	PASS
138	5690(U-NII 2C)	VHT0	16.33	16.66	19.51	89.314	23.50	or 11+10log(B) =	30.23	PASS
138	5690 (U-NII 3)	VHT0	6.37	6.16	9.54	9.001		29.52		PASS
155	5775	VHT0	15.9	15.95	18.96	78.686		29.52		PASS

802.11ac_VHT16	0_MIMO									
СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
011	(MHz)	Rate	CH 1	CH 0	(dBm)	(mW)		(dBm)		REGOLI
50	5250	VHT0	10.71	10.94	13.87	24.390	23.98	or 11+10log(B) =	33.12	PASS
114	5570	VHT0	10.34	10.38	13.41	21.906	23.50	or 11+10log(B) =	33.11	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 111 of 1308

11ax_20_N	IIMO										
	Frequency		Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED LIMIT		
СН	(MHz)	RU Config	Rate	CH 1	CH 0	POWER (dBm)	POWER (mW)			RESULT	
		full	MCS0	13.93	14.73	17.37	54.609		23.98		PASS
36	5180	26/0	MCS0	7.76	7.84	10.82	12.090		23.98		PASS
30	3100	52/37	MCS0	10.34	10.58	13.49	22.315		23.98		PASS
		106/53	MCS0	13.08	13.27	16.20	41.689		23.98		PASS
44	5220	full	MCS0	16.29	16.38	19.36	86.287		23.98		PASS
48	5240	full	MCS0	16.3	16.58	19.47	88.440		23.98		PASS
52	5260	full	MCS0	16.34	16.52	19.46	88.209	23.98	or 11+10log(B) =	24.78	PASS
60	5300	full	MCS0	16.43	16.74	19.61	91.453	23.98	or 11+10log(B) =	24.73	PASS
		full	MCS0	14.84	15.09	17.99	62.965	23.98	or 11+10log(B) =	24.66	PASS
0.4	5000	26/8	MCS0	7.69	7.73	10.73	11.842	23.98	or 11+10log(B) =	24.66	PASS
64	5320	52/40	MCS0	10.69	10.72	13.73	23.601	23.98	or 11+10log(B) =	24.66	PASS
		106/54	MCS0	12.13	12.3	15.24	33.420	23.98	or 11+10log(B) =	24.66	PASS
		full	MCS0	14.75	15.06	17.93	62.115	23.50	or 11+10log(B) =	24.85	PASS
100	5500	26/0	MCS0	6.94	7	9.99	9.987	23.50	or 11+10log(B) =	24.85	PASS
100	5500	52/37	MCS0	9.87	10.02	12.97	19.815	23.50	or 11+10log(B) =	24.85	PASS
		106/53	MCS0	11.53	11.4	14.49	28.117	23.50	or 11+10log(B) =	24.85	PASS
116	5580	full	MCS0	15.13	15.3	18.24	66.681	23.50	or 11+10log(B) =	24.78	PASS
		full	MCS0	15.58	15.74	18.68	73.875	23.50	or 11+10log(B) =	24.83	PASS
110	5700	26/8	MCS0	6.86	7.05	9.98	9.955	23.50	or 11+10log(B) =	24.83	PASS
140	5700	52/40	MCS0	10.37	10.53	13.47	22.258	23.50	or 11+10log(B) =	24.83	PASS
		106/54	MCS0	13.01	13.42	16.24	42.112	23.50	or 11+10log(B) =	24.83	PASS
144	5720(U-NII 2C)	full	MCS0	13.29	13.77	16.60	45.658	23.50	or 11+10log(B) =	24.77	PASS
144	5720 (U-NII 3)	full	MCS0	9.40	10.09	12.71	18.649		29.52		PASS
		full	MCS0	18.54	18.89	21.74	149.374		29.52		PASS
140	F745	26/0	MCS0	9.49	9.97	12.76	18.884		29.52		PASS
149	5745	52/37	MCS0	14.67	15.15	17.94	62.242		29.52		PASS
		106/53	MCS0	14.76	15.17	17.99	63.009		29.52		PASS
157	5785	full	MCS0	18.43	18.92	21.71	148.120		29.52		PASS
165	5825	full	MCS0	18.58	18.84	21.74	149.148		29.52		PASS

802.11ax_40_N	MIMO										
СН	Frequency	RU Config	Data	Avg. POWER (dBm)		TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
Сп	(MHz)	RO Coning	Rate	CH 1	CH 0	(dBm)	(mW)		(dBm)		RESULI
38	5190	full	MCS0	14.69	15.1	17.93	62.114		23.98		PASS
30	3190	242/61	MCS0	12.68	12.97	15.86	38.543		23.98		PASS
46	5230	full	MCS0	16.91	17.33	20.16	103.685		23.98		PASS
54	5270	full	MCS0	16.85	18.25	20.64	115.831	23.98	or 11+10log(B) =	27.44	PASS
62	5310	full	MCS0	14.1	14.79	17.49	56.115	23.98	or 11+10log(B) =	27.41	PASS
02	5510	242/62	MCS0	14.05	14.82	17.48	56.029	23.98	or 11+10log(B) =	27.41	PASS
102	5510	full	MCS0	13.27	13.45	16.39	43.581	23.50	or 11+10log(B) =	27.35	PASS
102	5510	242/61	MCS0	9.84	10.53	13.23	21.041	23.50	or 11+10log(B) =	27.35	PASS
110	5550	full	MCS0	16.85	16.98	19.95	98.800	23.50	or 11+10log(B) =	27.34	PASS
134	5670	full	MCS0	16.5	17.38	19.99	99.869	23.50	or 11+10log(B) =	27.33	PASS
134	3070	242/62	MCS0	14.12	14.76	17.48	56.025	23.50	or 11+10log(B) =	27.33	PASS
142	5710(U-NII 2C)	full	MCS0	15.98	16.32	19.17	82.584	23.50	or 11+10log(B) =	27.36	PASS
142	5710 (U-NII 3)	full	MCS0	8.77	8.90	11.96	15.696		29.52		PASS
454	5755	full	MCS0	18.57	18.82	21.73	148.897		29.52		PASS
151	5755	242/61	MCS0	15.61	15.93	18.81	75.945		29.52		PASS
159	5795	full	MCS0	18.53	18.87	21.74	149.121		29.52		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai

台灣檢驗科技股份有限公司



Page: 112 of 1308

802.11ax_80_MIN	MO										
СН	Frequency	BU Config	Data	Avg. POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT			RESULT
Сп	(MHz)	RU Config	Rate	CH 1	CH 0	(dBm)	(mW)		(dBm)		RESULI
42	5210	full	MCS0	12.84	12.95	15.93	39.131		23.98		PASS
42	5210	484/65	MCS0	10.87	11.05	13.99	25.066		23.98		PASS
58	5290	full	MCS0	16.75	17.24	20.03	100.735	23.98	or 11+10log(B) =	30.23	PASS
56	5290	484/66	MCS0	16.57	17.67	20.18	104.343	23.98	or 11+10log(B) =	30.23	PASS
106	5530	full	MCS0	11.74	11.93	14.87	30.661	23.50	or 11+10log(B) =	30.24	PASS
100	5550	484/65	MCS0	9.67	10.24	12.99	19.926	23.50	or 11+10log(B) =	30.24	PASS
122	5610	full	MCS0	15.35	15.44	18.43	69.584	23.50	or 11+10log(B) =	30.28	PASS
138	5690(U-NII 2C)	full	MCS0	15.05	15.12	18.11	64.724	23.50	or 11+10log(B) =	30.16	PASS
138	5690 (U-NII 3)	full	MCS0	4.28	4.25	7.34	5.422		29.52		PASS
155	5775	full	MCS0	15.82	15.89	18.89	77.358		29.52	•	PASS
100	3773	484/66	MCS0	15.72	15.89	18.84	76.484		29.52		PASS

802.11ax_160_MI	IMO										
СН	Frequency	RU Config	Data	Avg. POW	ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
CII	(MHz)	Ko comig	Rate	CH 1	CH 0	(dBm)	(mW)		(dBm)		RESOLI
		full	MCS0	11.84	11.95	14.93	31.083	23.98	or 11+10log(B) =	33.14	PASS
50	5250	996/67	MCS0	9.76	10.12	12.97	19.832	23.98	or 11+10log(B) =	33.14	PASS
		996/s67	MCS0	9.6	9.95	12.81	19.092	23.98	or 11+10log(B) =	33.14	PASS
		full	MCS0	10.37	10.4	13.41	21.953	23.50	or 11+10log(B) =	33.14	PASS
114	5570	996/67	MCS0	8.89	9.01	11.98	15.777	23.50	or 11+10log(B) =	33.14	PASS
		996/s67	MCS0	8.83	8.89	11.89	15.453	23.50	or 11+10log(B) =	33.15	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipsi Industrial Park West District New Taipsi City, Taiwon 15th, Tai



Page: 113 of 1308

10 MAXIMUM POWER SPECTRAL DENSITY

Standard Applicable 10.1

FCC

OPERZTION Band		EUT CATEGORY	LIMIT
		Access Point (Master device)	4.7 dD vo / MI I=
U-NII-1		Fixed point-to-point Access Ponit	17dBm/ MHz
	$\sqrt{}$	Mobile and portable client device	11dBm/ MHz
U-NII-2A	$\sqrt{}$		11dBm/ MHz
U-NII-2C			11dBm/ MHz
U-NII-3			30dBm/ 500kHz

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note:

As per section F. 2). d). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

If all transmit signals are *completely uncorrelated*, then

Directional gain =
$$10 \log[(10^{GI/10} + 10^{G2/10} + ... + 10^{GN/10})/NANT] dBi$$

where

NANT = the total number of antennas

G is the gain in dBi.

Remark:

The device supports with SDM for MIMO (in all modeds) and uncorrelated gains are used for PSD **EIRP MIMO UNII-1** of Canada authorization with **uncorrelated gains**.

The antenna gain is grater than 6 dBi in MIMO mode, therefore the limit needs to be reduced as below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 114 of 1308

FCC PSD Limit Attenuation (Chain 0)

	Effective Legacy Gain (dBi)	PSD Limit		
UNII-1	6.00	11.00	dBm/MHz	
UNII-2A	6.10	10.90	dBm/MHz	
U-NII-2C	7.00	10.00	dBm/MHz	
U-NII-3	7.00	29.00	dBm/500 kHz	

FCC PSD Limit Attenuation (Chain 1)

,	Effective Legacy Gain (dBi)	PSD Limit		
UNII-1	5.30	11.00	dBm/MHz	
UNII-2A	5.00	11.00	dBm/MHz	
U-NII-2C	5.90	11.00	dBm/MHz	
U-NII-3	5.90	30.00	dBm/500 kHz	

FCC PSD Limit Attenuation (MIMO)

	Effective Legacy Gain (dBi)	PSD Limit		
UNII-1	5.66	11.00	dBm/MHz	
UNII-2A	5.58	11.00	dBm/MHz	
U-NII-2C	6.48	10.52	dBm/MHz	
U-NII-3	6.48	29.52	dBm/500 kHz	

10.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), Average = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), Average = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

Note: RBW=510kHz Offset factor 10log(500/510)= -0.08 with reference offset.

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 115 of 1308


10.3 **Measurement Equipment Used**

SGS Conducted Room								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUM- BER	LAST CAL.	CAL DUE.			
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	07/08/2020	07/07/2021			
DC Block	PASTERNACK	PE8210	RF256	11/20/2019	11/19/2020			
Attenuator	Marvelous	MVE2213-10	RF80	11/20/2019	11/19/2020			
IPEX-4 Cable	Woken	00100A1H646027	N/A	N/A	N/A			

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown blow indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUM- BER	LAST CAL.	CAL DUE.
DC Block	PASTERNACK	PE8210	RF256	11/19/2020	11/18/2021
Attenuator	Marvelous	MVE2213-10	RF80	11/19/2020	11/18/2021

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 116 of 1308

10.5 **Measurement Result**

10.5.1 Power spectral density

Mode: Chain 0

P	POWER DENSITY 802.11a MODE							
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5180.00	6.917	0.09	7.01	11.00	-3.99			
5220.00	7.459	0.09	7.55	11.00	-3.45			
5240.00	7.478	0.09	7.57	11.00	-3.43			
5260.00	7.222	0.09	7.31	10.90	-3.59			
5300.00	4.798	0.09	4.89	10.90	-6.01			
5320.00	3.682	0.09	3.77	10.90	-7.13			
5500.00	5.706	0.09	5.80	10.00	-4.20			
5580.00	7.920	0.09	8.01	10.00	-1.99			
5700.00	5.473	0.09	5.57	10.00	-4.43			
5720 (U-NII 2C)	7.622	0.09	7.71	10.00	-2.29			
5720 (U-NII 3)	4.926	0.09	5.02	29.00	-23.98			
5745.00	4.665	0.09	4.76	29.00	-24.24			
5785.00	4.205	0.09	4.30	29.00	-24.70			
5825.00	4.529	0.09	4.62	29.00	-24.38			

PC	POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5180	6.692	-	6.69	11	-4.31			
5220	7.234	-	7.23	11	-3.77			
5240	7.265	-	7.27	11	-3.74			
5260	7.163	-	7.16	10.9	-3.74			
5300	7.111	-	7.11	10.9	-3.79			
5320	6.395	-	6.40	10.9	-4.51			
5500	5.261		5.26	10	-4.74			
5580	7.981	-	7.98	10	-2.02			
5700	4.976	-	4.98	10	-5.02			
5720 (U-NII 2C)	7.275	-	7.28	10	-2.73			
5720 (U-NII 3)	4.081	-	4.08	29	-24.92			
5745	4.588	-	4.59	29	-24.41			
5785	4.182		4.18	29	-24.82			
5825	4.784	-	4.78	29	-24.22			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 117 of 1308

POWE	POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5190	0.684	-	0.68	11	-10.32			
5230	3.715	-	3.72	11	-7.29			
5270	3.846	A	3.85	10.9	-7.05			
5310	0.953		0.95	10.9	-9.95			
5510	0.933	-	0.93	10	-9.07			
5550	4.776		4.78	10	-5.22			
5670	1.503	<u> </u>	1.50	10	-8.50			
5710 (U-NII 2C)	3.815	-:	3.82	10	-6.19			
5710 (U-NII 3)	1.116	4	1.12	29	-27.88			
5755	1.087	-	1.09	29	-27.91			
5795	1.415	-	1.42	29	-27.59			

POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5210	-0.596	-	-0.60	11	-11.60		
5290	-2.133	-	-2.13	10.9	-13.03		
5530	-2.493	-	-2.49	10	-12.49		
5610	0.731	-	0.73	10	-9.27		
5690 (U-NII 2C)	2.235	-	2.24	10	-7.77		
5690 (U-NII 3)	-0.681	-	-0.68	29	-29.68		
5775	-2.335	-	-2.34	29	-31.34		

POWER DENSITY 802.11ac VHT160 MODE							
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5250	-7.977	-	-7.98	10.9	-18.88		
5570	-5.766	-	-5.77	10	-15.77		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 118 of 1308

	POWER DENSITY 802.11ax 20 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)	
	full	6.425	-	6.43	11	-4.58	
5180	26/0	9.059	-	9.06	11	-1.94	
3100	52/37	8.674		8.67	11	-2.33	
	106/53	2.295	-	2.30	11	-8.71	
5220	full	7.624	-	7.62	11	-3.38	
5240	full	6.853	-	6.85	11	-4.15	
5260	full	6.706	-	6.71	10.9	-4.19	
5300	full	7.535	<u>-</u>	7.54	10.9	-3.37	
	full	5.272		5.27	10.9	-5.63	
5000	26/8	9.108		9.11	10.9	-1.79	
5320	52/40	8.821	_	8.82	10.9	-2.08	
Ì	106/54	6.558	-	6.56	10.9	-4.34	
	full	5.735	-	5.74	10	-4.27	
5500	26/0	7.980	-	7.98	10	-2.02	
5500	52/37	7.737	e -	7.74	10	-2.26	
Ì	106/53	8.050	<u> </u>	8.05	10	-1.95	
5580	full	7.701		7.70	10	-2.30	
	full	4.166	A -:	4.17	10	-5.83	
5700	26/8	7.821	-	7.82	10	-2.18	
5700	52/40	4.841	-	4.84	10	-5.16	
Ì	106/54	7.536	-	7.54	10	-2.46	
5720 (U-NII 2C)	full	8.117	-	8.12	10	-1.88	
5720 (U-NII 3)	full	5.206	-	5.21	29	-23.79	
	full	3.575	4	3.58	29	-25.43	
E745	26/0	11.905	4 -	11.91	29	-17.10	
5745	52/37	8.938	-	8.94	29	-20.06	
ļ	106/53	5.947	4 -	5.95	29	-23.05	
5785	full	3.885	-	3.89	29	-25.12	
5825	full	4.553		4.55	29	-24.45	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 119 of 1308

	POWER DENSITY 802.11ax 40 MODE							
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5190	full	0.230	-	0.23	11	-10.77		
3190	242/61	2.593	A -	2.59	11	-8.41		
5230	full	3.518	-	3.52	11	-7.48		
5270	full	3.392	-	3.39	10.9	-7.51		
5310	full	0.466	£ -	0.47	10.9	-10.43		
3310	242/62	6.880	4-	6.88	10.9	-4.02		
5510	full	-0.585	-	-0.59	10	-10.59		
3310	242/61	-0.263	-	-0.26	10	-10.26		
5550	full	4.140	4 -	4.14	10	-5.86		
5670	full	1.087	-	1.09	10	-8.91		
3070	242/62	7.045	4 -	7.05	10	-2.96		
5710 (U-NII 2C)	full	4.792	4 -	4.79	10	-5.21		
5710 (U-NII 3)	full	1.889	-	1.89	29	-27.11		
5755	full	0.502	4	0.50	29	-28.50		
3/33	242/61	3.968	<u> </u>	3.97	29	-25.03		
5795	full	0.856	<i>-</i>	0.86	29	-28.14		

	POW	ER DENSITY 802.	11ax 80 MC	DDE		
Frequency (MHz)	RU Config	RU Config PSD W/O Duty Factor (dBm)		PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210	full	-2.576	-	-2.58	11	-13.58
3210	484/65	0.402	4 -	0.40	11	-10.60
5290	full	-2.750	€ -s	-2.75	10.9	-13.65
3290	484/66	1.773	-	1.77	10.9	-9.13
5530	full	-2.897		-2.90	10	-12.90
5550	484/65	-4.632	-	-4.63	10	-14.63
5610	full	0.771	-	0.77	10	-9.23
5690 (U-NII 2C)	full	0.280	-	0.28	10	-9.72
5690 (U-NII 3)	full	-2.235	-	-2.24	29	-31.24
5775	full	-2.351	-	-2.35	29	-31.35
3//3	484/66	0.375	·	0.38	29	-28.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 120 of 1308

	POWER DENSITY 802.11ax 160 MODE												
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)							
	full	-10.238	-	-10.24	10.9	-21.14							
5250	996/67	-6.935	-	-6.94	10.9	-17.84							
	996/s67	-6.852	-	-6.85	10.9	-17.75							
	full	-8.339	-	-8.34	10	-18.34							
5570	996/67	-8.872	-	-8.87	10	-18.87							
	996/s67	-8.879	-	-8.88	10	-18.88							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 121 of 1308

Mode: Chain 1

nain 1			414		
PO	WER DENSITY 80	2.11a MOD	E		
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180.00	5.019	0.09	5.11	11.00	-5.89
5220.00	5.295	0.09	5.39	11.00	-5.61
5240.00	5.200	0.09	5.29	11.00	-5.71
5260.00	5.048	0.09	5.14	11.00	-5.86
5300.00	5.225	0.09	5.32	11.00	-5.68
5320.00	5.386	0.09	5.48	11.00	-5.52
5500.00	5.316	0.09	5.41	11.00	-5.59
5580.00	5.420	0.09	5.51	11.00	-5.49
5700.00	4.817	0.09	4.91	11.00	-6.09
5720 (U-NII 2C)	4.868	0.09	4.96	11.00	-6.04
5720 (U-NII 3)	1.871	0.09	1.96	30.00	-28.04
5745.00	3.813	0.09	3.91	30.00	-26.09
5785.00	3.639	0.09	3.73	30.00	-26.27
5825.00	3.731	0.09	3.82	30.00	-26.18
POWI	ER DENSITY 802.1	6000,600			
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	5.448	-	5.45	11	-5.55
5220	5.035		5.04	11	-5.97
5240	4.839	-:	4.84	11	-6.16
5260	5.195	-	5.20	11	-5.81
5300	5.381	-	5.38	11	-5.62
5320	5.305	-:	5.31	11	-5.70
5500	5.329		5.33	11	-5.67
5580	4.978	-	4.98	11	-6.02
5700	4.810	<i>-</i>	4.81	11	-6.19
5720 (U-NII 2C)	5.439		5.44	11	-5.56
5720 (U-NII 3)	2.049	-	2.05	30	-27.95
5745	3.246	ć -	3.25	30	-26.75
5785	3.800	-	3.80	30	-26.20
5825	3.325		3.33	30	-26.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 122 of 1308

POWE	R DENSITY 802.1	1n HT40 M	ODE		
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	-0.178	-	-0.18	11	-11.18
5230	1.607	_	1.61	11	-9.39
5270	1.820	-	1.82	11	-9.18
5310	1.099		1.10	11	-9.90
5510	0.413	-	0.41	11	-10.59
5550	2.219	-	2.22	11	-8.78
5670	1.669	-	1.67	11	-9.33
5710 (U-NII 2C)	1.501	-	1.50	11	-9.50
5710 (U-NII 3)	-1.572		-1.57	30	-31.57
5755	0.251	€ =:	0.25	30	-29.75
5795	0.277		0.28	30	-29.72
POWER	DENSITY 802.11	ac VHT80 I	MODE		
Frequency	PSD W/O Duty	5.4	PSD With		
(MHz)	Factor (dBm)	Duty Factor	Duty Factor (dBm)	Limit (dBm)	Margin (dB)
		•	Factor		_
(MHz)	(dBm) -1.001	•	Factor (dBm)	(dBm)	(dB)
(MHz) 5210	(dBm)	•	Factor (dBm)	(dBm)	(dB)
(MHz) 5210 5290	(dBm) -1.001 -0.306	•	Factor (dBm) -1.00 -0.31	(dBm) 11 11	(dB) -12.00 -11.31
5210 5290 5530	(dBm) -1.001 -0.306 -3.070	Factor	Factor (dBm) -1.00 -0.31 -3.07	(dBm) 11 11 11	(dB) -12.00 -11.31 -14.07
5210 5290 5530 5610	(dBm) -1.001 -0.306 -3.070 0.186	Factor	Factor (dBm) -1.00 -0.31 -3.07 0.19	(dBm) 11 11 11 11	(dB) -12.00 -11.31 -14.07 -10.81
5210 5290 5530 5610 5690 (U-NII 2C)	-1.001 -0.306 -3.070 0.186 -0.212		Factor (dBm) -1.00 -0.31 -3.07 0.19 -0.21	(dBm) 11 11 11 11 11 11	-12.00 -11.31 -14.07 -10.81 -11.21
5210 5290 5530 5610 5690 (U-NII 2C) 5690 (U-NII 3) 5775	(dBm) -1.001 -0.306 -3.070 0.186 -0.212 -2.761		Factor (dBm) -1.00 -0.31 -3.07 0.19 -0.21 -2.76 -2.77	(dBm) 11 11 11 11 11 30	(dB) -12.00 -11.31 -14.07 -10.81 -11.21 -32.76
5210 5290 5530 5610 5690 (U-NII 2C) 5690 (U-NII 3) 5775	(dBm) -1.001 -0.306 -3.070 0.186 -0.212 -2.761 -2.767		Factor (dBm) -1.00 -0.31 -3.07 0.19 -0.21 -2.76 -2.77	(dBm) 11 11 11 11 11 30	(dB) -12.00 -11.31 -14.07 -10.81 -11.21 -32.76
(MHz) 5210 5290 5530 5610 5690 (U-NII 2C) 5690 (U-NII 3) 5775 POWER Frequency	(dBm) -1.001 -0.306 -3.070 0.186 -0.212 -2.761 -2.767 DENSITY 802.11a PSD W/O Duty Factor	Factor	Factor (dBm) -1.00 -0.31 -3.07 0.19 -0.21 -2.76 -2.77 MODE PSD With Duty Factor	(dBm) 11 11 11 11 11 30 30 Limit	(dB) -12.00 -11.31 -14.07 -10.81 -11.21 -32.76 -32.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 123 of 1308

	POWI	ER DENSITY 802.	11ax 20 M	DDE		
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
	full	5.194	-	5.19	11	-5.81
5180	26/0	9.909	-	9.91	11	-1.09
3100	52/37	9.388	-	9.39	11	-1.61
	106/53	7.605		7.61	11	-3.40
5220	full	6.586	-	6.59	11	-4.41
5240	full	4.848		4.85	11	-6.15
5260	full	5.081	-	5.08	11	-5.92
5300	full	6.143	-	6.14	11	-4.86
	full	4.927	-	4.93	11	-6.07
5320	26/8	8.581	-	8.58	11	-2.42
5320	52/40	7.579	-	7.58	11	-3.42
	106/54	7.489	-	7.49	11	-3.51
	full	4.795	-	4.80	11	-6.21
5500	26/0	8.719		8.72	11	-2.28
5500	52/37	8.259	-	8.26	11	-2.74
	106/53	7.401	-	7.40	11	-3.60
5580	full	4.729		4.73	11	-6.27
	full	2.876	-	2.88	11	-8.12
5700	26/8	8.594	-	8.59	11	-2.41
5/00	52/40	5.258	-	5.26	11	-5.74
	106/54	7.440		7.44	11	-3.56
5720 (U-NII 2C)	full	4.825	-	4.83	11	-6.18
5720 (U-NII 3)	full	1.992	-	1.99	30	-28.01
	full	3.576	-	3.58	30	-26.42
5745	26/0	11.549	-	11.55	30	-18.45
5/45	52/37	9.741	-	9.74	30	-20.26
Ī	106/53	6.087	-	6.09	30	-23.91
5785	full	3.540	-	3.54	30	-26.46
5825	full	3.705	-	3.71	30	-26.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 124 of 1308

	POW	ER DENSITY 802.	11ax 40 MC	DDE							
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)					
5190	full	-0.333	-	-0.33	11	-11.33					
3190	242/61	5.033	-	5.03	11	-5.97					
5230	full	1.639	-	1.64	11	-9.36					
5270	full	1.331	-	1.33	11	-9.67					
5310	full	-0.011	-	-0.01	11	-11.01					
3310	242/62	5.143	-	5.14	11	-5.86					
5510	full	0.547	-	0.55	11	-10.45					
\$40.00 (\$200 C.)	242/61	-1.043	-	-1.04	11	-12.04					
5550	full	3.688		3.69	11	-7.31					
5670	full	1.068	9	1.07	11	-9.93					
WEIGHT (1975)	242/62	4.598		4.60	11	-6.40					
5710 (U-NII 2C)	full	1.368	-	1.37	11	-9.63					
5710 (U-NII 3)	full	-1.673	-	-1.67	30	-31.67					
5755	full	0.286	-	0.29	30	-29.71					
A-45-600-79-79-00-0	242/61	3.581		3.58	30	-26.42					
5795	full	0.401	-	0.40	30	-29.60					
POWER DENSITY 802.11ax 80 MODE											
		DCD W/O D. t.		PSD With							
Frequency	DU 0	PSD W/O Duty	Duty	Duty	Limit	Margin					
(MHz)	RU Config	Factor (dBm)	Factor	Factor (dBm)	(dBm)	(dB)					
5040	full	-2.564	_	-2.56	11	-13.56					
5210	484/65	1.537		1.54	11	-9.46					
	full	-0.881	_	-0.88	11	-11.88					
5290	484/66	2.874	-	2.87	11	-8.13					
	full	-0.895	_	-0.90	11	-11.90					
5530	484/65	1.482	-	1.48	11	-9.52					
5610	full	0.324	-	0.32	11	-10.68					
5690 (U-NII 2C)	full	-0.048	-	-0.05	11	-11.05					
5690 (U-NII 3)	full	-2.808	-	-2.81	30	-32.81					
	full	-2.583	-	-2.58	30	-32.58					
5775	484/66	0.270	-	0.27	30	-29.73					
	POWI	ER DENSITY 802.1	1ax 160 M	ODE							
		PSD W/O Duty		PSD With							
Frequency	RU Config	Factor	Duty	Duty	Limit	Margin					
(MHz)	Ko Comig	(dBm)	Factor	Factor (dBm)	(dBm)	(dB)					
	full	-6.015	,- ,;	-6.02	11	-17.02					
5250	996/67	-6.045	_	-6.05	11	-17.05					
	996/s67	-5.910	4 -	-5.91	11	-16.91					
					_						
	full	-7.058		-7.06	11	-18.06					
5570	full 996/67	-7.058 -7.341	-	-7.06 -7.34	11	-18.34					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 125 of 1308

Mode: MIMO

	POWER D	ENSITY 802.11n F	IT20 MODE_MIMO				
Frequency (MHz)	СН1	СН0	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margir (dB)
5180	3.087	2.736	5.93	-	5.93	11.00	-5.07
5220	5.019	4.373	7.72	-	7.72	11.00	-3.28
5240	4.498	4.194	7.36	-	7.36	11.00	-3.64
5260	4.182	4.308	7.26	2	7.26	11.00	-3.74
5300	4.539	4.675	7.62	-	7.62	11.00	-3.38
5320	3.662	3.355	6.52	-	6.52	11.00	-4.48
5500	3.106	2.997	6.06	-	6.06	10.52	-4.46
5580	3.202	2.506	5.88	-	5.88	10.52	-4.64
5700	3.778	3.516	6.66	-	6.66	10.52	-3.86
5720 (U-NII 2C)	3.676	3.774	6.74	-	6.74	10.52	-3.78
5720 (U-NII 3)	1.177	0.450	3.84	-	3.84	29.52	-25.68
5745	4.498	4.464	7.49	-	7.49	29.52	-22.03
5785	4.471	3.739	7.13	-	7.13	29.52	-22.39
5825	4.695	4.511	7.61	e <u>-</u>	7.61	29.52	-21.91
	POWER D	ENSITY 802.11n H	IT40 MODE MIMO				
	1	T	T		DOD WEST		
F			PSD W/O Duty	D.A.	PSD With	1::4	
Frequency	CH1	CH0	Factor	Duty	Duty	Limit	Margi
(MHz)			(dBm)	Factor	Factor (dBm)	(dBm)	(dB)
5190	-0.620	-0.419	2.49	_	2.49	11.00	-8.51
5230	1.926	2.153	5.05		5.05	11.00	-5.95
5270	2.244	2.613	5.44	_	5.44	11.00	-5.56
5310	-0.128	0.279	3.09	_	3.09	11.00	-7.91
5510	0.728	0.091	3.43	_	3.43	10.52	-7.09
5550	2.096	1.967	5.04		5.04	10.52	-5.48
5670	-1.047	-0.774	2.10	-	2.10	10.52	-8.42
5710 (U-NII 2C)	3.469	3.501	6.50		6.50	10.52	-4.02
5710 (U-NII 3)	0.301	0.331	3.33	-	3.33	29.52	-26.19
5755	-0.141	0.134	3.01	-	3.01	29.52	-26.5
5795	0.833	0.871	3.86	4 _	3.86	29.52	-25.66
			HT80 MODE_MIM	0	0.00	LU.UL	20.0
	I	1	1		DOD 14/14		
			PSD W/O Duty		PSD With		١
_			- 1	Duty	Duty	Limit	Margi
Frequency	CH1	CH0	Factor			/ ID \	
Frequency (MHz)	CH1	CH0	Factor (dBm)	Factor	Factor	(dBm)	(ab)
• •	CH1	CH0		Factor	Factor (dBm)	(dBm)	(ab)
(MHz) 5210	-1.946	-2.087	(dBm) 0.99	Factor -	(dBm) 0.99	11.00	-10.01
(MHz) 5210 5290		-2.087 -2.921	(dBm) 0.99 -0.20		(dBm)	11.00 11.00	-10.01 -11.20
5210 5290 5530	-1.946 -3.517 -5.68	-2.087 -2.921 -5.379	(dBm) 0.99 -0.20 -2.52	-	(dBm) 0.99	11.00 11.00 10.52	-10.01 -11.20
5210 5290 5530 5610	-1.946 -3.517 -5.68 -0.091	-2.087 -2.921 -5.379 0.145	0.99 -0.20 -2.52 3.04	-	(dBm) 0.99 -0.20 -2.52 3.04	11.00 11.00 10.52 10.52	-10.01 -11.20 -13.04 -7.48
5210 5290 5530 5610 5690 (U-NII 2C)	-1.946 -3.517 -5.68 -0.091 -0.421	-2.087 -2.921 -5.379 0.145 -0.032	0.99 -0.20 -2.52 3.04 2.79	-	(dBm) 0.99 -0.20 -2.52 3.04 2.79	11.00 11.00 10.52 10.52 10.52	-10.01 -11.20 -13.04 -7.48 -7.73
5210 5290 5530 5610	-1.946 -3.517 -5.68 -0.091	-2.087 -2.921 -5.379 0.145	0.99 -0.20 -2.52 3.04	-	(dBm) 0.99 -0.20 -2.52 3.04	11.00 11.00 10.52 10.52	-10.01 -11.20 -13.04 -7.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 126 of 1308

POWER DENSITY 802.11ac VHT160 MODE_MIMO										
Frequency (MHz)	CH1	СН0	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5250	-10.040	-9.463	-6.73	-	-6.73	11.00	-17.73			
5570	-9.053	-9.456	-6.24	-	-6.24	10.52	-16.76			

		POWER	DENSITY 802.11ax	20 MODE MIMO		<u>.</u>		•
Frequency (MHz)	RU Config	СН1	СН0	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
	full	2.589	2.183	5.40	-	5.40	11.00	-5.60
5180	26/0	4.273	3.781	7.04	-	7.04	11.00	-3.96
3100	52/37	2.996	2.946	5.98	-	5.98	11.00	-5.02
	106/53	3.511	3.163	6.35	-	6.35	11.00	-4.65
5220	full	4.543	4.261	7.41	-	7.41	11.00	-3.59
5240	full	4.180	4.313	7.26	-	7.26	11.00	-3.74
5260	full	4.275	4.523	7.41	-	7.41	11.00	-3.59
5300	full	4.174	4.518	7.36	-	7.36	11.00	-3.64
	full	2.869	3.245	6.07	-	6.07	11.00	-4.93
F220	26/8	3.603	3.966	6.80	-	6.80	10.52	-3.72
5320	52/40	2.823	3.155	6.00	-	6.00	10.52	-4.52
1	106/54	2.639	2.582	5.62		5.62	10.52	-4.90
7	full	3.419	3.006	6.23		6.23	10.52	-4.29
5500	26/0	3.084	3.509	6.31	-	6.31	10.52	-4.21
5500	52/37	3.474	3.150	6.33	-	6.33	10.52	-4.19
	106/53	2.183	2.255	5.23	-	5.23	10.52	-5.29
5580	full	3.241	3.168	6.21	-	6.21	10.52	-4.31
	full	3.174	3.324	6.26	-	6.26	10.52	-4.26
5700	26/8	2.744	2.955	5.86	-	5.86	10.52	-4.66
5700	52/40	2.966	2.778	5.88	-	5.88	10.52	-4.64
1	106/54	3.173	3.216	6.20	-	6.20	10.52	-4.32
5720 (U-NII 2C)	full	4.545	3.912	7.25	-	7.25	10.52	-3.27
5720 (U-NII 3)	full	1.469	1.163	4.33	-	4.33	29.52	-25.19
	full	3.664	3.874	6.78	-	6.78	29.52	-22.74
5745	26/0	2.526	2.617	5.58		5.58	29.52	-23.94
5745	52/37	5.176	5.125	8.16	<u> </u>	8.16	29.52	-21.36
	106/53	2.413	2.288	5.36	<u> </u>	5.36	29.52	-24.16
5785	full	3.786	3.553	6.68	2	6.68	29.52	-22.84
5825	full	4.124	4.065	7.10	<u> -</u>	7.10	29.52	-22.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai



Page: 127 of 1308

4		POWER D	ENSITY 802.11ax	40 MODE_MIMO				
Frequency (MHz)	RU Config	CH1	СНО	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	full	-0.295	-0.175	2.78	-	2.78	11.00	-8.22
3190	242/61	0.723	1.073	3.91	-	3.91	11.00	-7.09
5230	full	2.016	2.039	5.04	-	5.04	11.00	-5.96
5270	full	1.877	2.404	5.16	-	5.16	11.00	-5.84
5310	full	-1.063	-0.821	2.07	2	2.07	11.00	-8.93
3310	242/62	3.198	3.057	6.14	<u> </u>	6.14	11.00	-4.86
5510	full	-1.798	-1.89	1.17	-	1.17	10.52	-9.35
3310	242/61	-1.271	-0.95	1.90	<u> -</u>	1.90	10.52	-8.62
5550	full	1.911	1.911	4.92	-	4.92	10.52	-5.60
5670	full	-1.67	-1.007	1.68	-	1.68	10.52	-8.84
3070	242/62	3.651	3.732	6.70	-	6.70	10.52	-3.82
5710 (U-NII 2C)	full	2.732	2.998	5.88	-	5.88	10.52	-4.64
5710 (U-NII 3)	full	0.11	-0.252	2.94	-	2.94	29.52	-26.58
5755	full	0.505	0.183	3.36	-	3.36	29.52	-26.16
3/33	242/61	0.714	0.898	3.82	-	3.82	29.52	-25.70
5795	full	0.051	0.253	3.16	-	3.16	29.52	-26.36

		POWER D	DENSITY 802.11a	x 80 MODE_MIMO				
Frequency (MHz)	RU Config	CH1	СН0	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210	full	-4.124	-4.042	-1.07	-	-1.07	11.00	-12.07
3210	484/65	-4.484	3.155	3.85	4 -	3.85	11.00	-7.15
5290	full	0.344	0.621	3.50	-	3.50	11.00	-7.50
5290	484/66	2.96	1.9	5.47	-	5.47	11.00	-5.53
5530	full	-5.05	-4.685	-1.85	-	-1.85	10.52	-12.37
3330	484/65	-1.388	-0.79	1.93	-	1.93	10.52	-8.59
5610	full	-1.128	-1.234	1.83	<u>-</u>	1.83	10.52	-8.69
5690 (U-NII 2C)	full	-1.803	-1.294	1.47	-	1.47	10.52	-9.05
5690 (U-NII 3)	full	-4.037	-4.144	-1.08	6 6	-1.08	29.52	-30.60
5775	full	-3.844	-3.891	-0.86	-	-0.86	29.52	-30.38
50	484/66	-2.706	-2.967	0.18	-	0.18	29.52	-29.34

		POWER D	ENSITY 802.11ax	160 MODE_MIMO				
Frequency (MHz)	RU Config	CH1	СН0	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
	full	-7.699	-7.274	-4.47	2	-4.47	11.00	-15.47
5250	996/67	-7.479	-7.47	-4.46	-	-4.46	11.00	-15.46
	996/s67	-7.699	-7.412	-4.54	<u> ~ ~ ~ </u>	-4.54	11.00	-15.54
	full	-10.295	-10.034	-7.15	-	-7.15	10.52	-17.67
5570	996/67	-7.816	-7.977	-4.89	-	-4.89	10.52	-15.41
	996/s67	-8.085	8.085	8.19	-	8.19	10.52	-2.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


CST Taiwon Ltd.

**No. 124 West More Read New Taipoi Industrial Park West District New Taipoi City, Taiwon 15th, Tai




Page: 128 of 1308


Chain 0 802.11a_20MHz_5180MHz-5180




802.11a_20MHz_5220MHz-5220




802.11a 20MHz 5240MHz-5240




802.11a_20MHz_5260MHz-5260



802.11a 20MHz 5300MHz-5300



802.11a 20MHz 5320MHz-5320



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 129 of 1308


802.11a_20MHz_5500MHz-5500




802.11a 20MHz 5580MHz-5580




802.11a 20MHz 5700MHz-5700




802.11a_20MHz_5720MHz_UNII 2C



802.11a_20MHz_5720MHz_UNII 3



802.11a 20MHz 5745MHz-5745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 130 of 1308


802.11a_20MHz_5785MHz-5785




802.11a 20MHz 5825MHz-5825




802.11n 20MHz 5180MHz-5180




802.11n_20MHz_5220MHz-5220



802.11n_20MHz_5240MHz-5240



802.11n 20MHz 5260MHz-5260



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司